

DAFTAR PUSTAKA

- Adki, V. S., Jadhav, J. P., & Bapat, V. A. (2012). Exploring the phytoremediation potential of cactus (*nopalea cochenillifera* salm. dyck.) cell cultures for textile dye degradation. *International Journal of Phytoremediation*, 14(6), 554–569. <https://doi.org/10.1080/15226514.2011.619226>
- Agostini, E., Talano, M. A., González, P. S., Oller, A. L. W., & Medina, M. I. (2013). Application of hairy roots for phytoremediation : what makes them an interesting tool for this purpose? *Applied Microbiology and Biotechnology*, 97, 1017–1030. <https://doi.org/10.1007/s00253-012-4658-z>
- Ahmad, S., Bashir, O., Anam, S., Haq, U., Amin, T., Rafiq, A., Ali, M., Heloisa, J., & Sher, F. (2022). Phytoremediation of heavy metals in soil and water : An eco-friendly, sustainable and multidisciplinary approach. *Chemosphere*, 303(April), 2431-2439. <https://doi.org/10.1016/j.chemosphere.2022.134788>
- Ahmmadi, P., Rahimian, M., & Movahed, R. G. (2021). Theory of planned behavior to predict consumer behavior in using products irrigated with purified wastewater in Iran consumer. *Journal of Cleaner Production*, 296, 126359. 1-12. <https://doi.org/10.1016/j.jclepro.2021.126359>
- Akinbile, C. O., & Yusoff, M. S. (2012). Assessing water hyacinth (*Eichhornia crassipes*) and lettuce (*Pistia stratiotes*) effectiveness in aquaculture wastewater treatment. *International Journal of Phytoremediation*, 14(3), 201–211. <https://doi.org/10.1080/15226514.2011.587482>
- Akpan, V. E., Omole, D. O., & Basse, D. E. (2020). Assessing the public perceptions of treated wastewater reuse: opportunities and implications for urban communities in developing countries. *Heliyon*, 6(10), e05246. 1-27. <https://doi.org/10.1016/j.heliyon.2020.e05246>
- Al-ansari, M. M., Li, Z., Masood, A., & Rajaselvam, J. (2022). Decolourization of azo dye using a batch bioreactor by an indigenous bacterium *Enterobacter aerogenes* ES014 from the waste water dye effluent and toxicity analysis. *Environmental Research*, 205(April 2021), 112-119. <https://doi.org/10.1016/j.envres.2021.112189>
- Amalina, F., Razak, A. S. A., Krishnan, S., Zularisam, A. W., & Nasrullah, M. (2022). Dyes removal from textile wastewater by agricultural waste as an absorbent – A review. *Cleaner Waste Systems*, 3(November), 100051. 1-15. <https://doi.org/10.1016/j.clwas.2022.100051>
- Andy, A. K., Masih, S. A., & Gour, V. S. (2020). Isolation, screening and characterization of plant growth promoting rhizobacteria from rhizospheric soils of selected pulses. *Biocatalysis and Agricultural Biotechnology*, 27(May), 101685. 1-7. <https://doi.org/10.1016/j.bcab.2020.101685>
- Anudechakul, C., Vangnai, A. S., & Ariyakanon, N. (2015). Removal of Chlorpyrifos by water hyacinth (*Eichhornia crassipes*) and the role of a plant-associated bacterium. *International Journal of Phytoremediation*, 17, 678–685. <https://doi.org/10.1080/15226514.2014.964838>

- Anwar, N., Priyono, R. E., & Rahab, R. (2016). Effect of core competence on sustainable competitive advantages of batik banyumas small and medium enterprises. *Journal of Comparative International Management*, 19(1), 27–45.
- Apritama, M. R., Suryawan, I. W. K., Afifah, A. S., & Septiariva, I. Y. (2020). Phytoremediation of effluent textile wwtp for nh₃-n and cu reduction using pistia stratiotes. *Plant Archives*, 20(1), 2384–2388.
- Arofah, N., & Erusani, A. S. (2014). Pengurangan kadar N dan P pada limbah cair laboratorium secara fitoremediasi menggunakan enceng gondok (*Eichornia crassipes*). *Al-Kauniah Jurnal Biologi*, 7(April), 16–21.
- Aryani, Y., Sunarto, & Widiyani, T. (2004). Toksisitas akut limbah cair pabrik batik CV . Giyant Santoso Surakarta dan efek sublethalnya terhadap struktur mikroanatomi branchia dan hepar ikan nila (*Oreochromis niloticus t.*). *Biosmart*, 6(2), 147–153.
- Baker, Reeves, & Hajar. (1994). Heavy metal accumulation and tolerance in British populations of the metallophyte and tolerance in British populations of the metallophyte *Thlaspi caerulescens* J.&C. Presl (Brassicaceae). *New Phytologist*, 127(1), 61–68.
- Baltreinaite, E., Baltrenas, P., Butkus, D., & Lietuvninkas, A. (2015). The method of dynamic factors in bioindication and phytoremediation. In *Phytoremediation: Management of Environmental Contaminates* (Vol. 1, pp. 21–31). <https://doi.org/10.1007/978-3-319-10395-2>
- Bell, T. H., Joly, S., Pitre, F. E., & Yergeau, E. (2014). Increasing phytoremediation efficiency and reliability using novel omics approaches. *Trends in Biotechnology*, 32(5), 271–280. <https://doi.org/10.1016/j.tibtech.2014.02.008>
- Bianchini, Cunha-Santino, M. B., Milan, J. A. M., Rodrigues, C. J., & Dias, J. H. P. (2010). Growth of *Hydrilla verticillata* (L .f.) royle under controlled conditions. *Hydrobiologia*, 644, 301–312. <https://doi.org/10.1007/s10750-010-0191-1>
- Borker, A. R., Mane, A. V., Saratale, G. D., & Pathade, G. R. (2013). Phytoremediation potential of *Eichornia crassipes* for the treatment of cadmium in relation with biochemical and water parameters. *Emirates Journal of Food and Agriculture*, 25(6), 443–456. <https://doi.org/10.9755/ejfa.v25i6.13970>
- Bortoloti, G. A., & Baron, D. (2022). Phytoremediation of toxic heavy metals by Brassica plants : A biochemical and physiological approach. *Environmental Advances*, 8(December 2021), 198-204. <https://doi.org/10.1016/j.envadv.2022.100204>
- Brown, Chaney, Angle, & Baker. (1995). Zinc and cadmium uptake by hyperaccumulator *Thlaspi caerulescens* grown in nutrient solution. *Soil Science Society of America Journal*, 59(1), 125–133.
- Butzen, M. L., Wilkinson, J. T., Mcguinness, S. R., Amezcua, S., Peaslee, G. F.,

- & Fein, J. B. (2020). Sorption and desorption behavior of PFOS and PFOA onto a Gram-positive and a Gram-negative bacterial species measured using particle-induced gamma-ray emission (PIGE) spectroscopy. *Chemical Geology*, 552 (7), 119-128. <https://doi.org/10.1016/j.chemgeo.2020.119778>
- Canales-Pastrana, R. R., & Paredes, M. (2013). Phytoremediation dynamic model as an assessment tool in the environmental management. *Open Journal of Applied Sciences*, 3(02), 208–217. <https://doi.org/10.4236/ojapps.2013.32028>
- Chandanshive, V., Kadam, S., Rane, N., Jeon, B., Jadhav, J., & Govindwar, S. (2020). In situ textile wastewater treatment in high rate transpiration system furrows planted with aquatic macrophytes and floating phytobeds. *Chemosphere*, 126-138. <https://doi.org/10.1016/j.chemosphere.2020.126513>
- Chaney, Brown, & Angle. (1997). Phytoremediation of soil metals. *Current Opinion in Biotechnology*, 8(1), 279–284.
- Chaney, Brown, & Angle. (2010). Potential use of metal hyperaccumulators. *Regulatory Regional Economic Challenge for Mining, Investment, Environment and Work Safety: Call of Paper from 2010 International Symposium on Project Management*, 9–11.
- Chang, G., Yue, B., Gao, T., Yan, W., & Pan, G. (2020). Phytoremediation of phenol by *Hydrilla verticillata* (L. f.) Royle and associated effects on physiological parameters. *Journal of Hazardous Materials*, 388(11-2019), 121569. <https://doi.org/10.1016/j.jhazmat.2019.121569>
- Chang, Y., Lai, J., & Lee, D. (2016). Thermodynamic parameters for adsorption equilibrium of heavy metals and dyes from wastewaters : Research updated. *Bioresource Technology*, 222, 513–516. <https://doi.org/10.1016/j.biortech.2016.09.125>
- Chaturanga, P. K. D., Dissanayake, D. M. R. E. A., Priyantha, N., Iqbal, S. S., & Iqbal, M. C. M. (2014). Biosorption and desorption of Lead (II) by *Hydrilla verticillata*. *Bioremediation Journal*, 18, 192–203. <https://doi.org/10.1080/10889868.2014.910492>
- Chaudhary, P., Beniwal, V., Umar, A., Kumar, R., Sharma, P., Kumar, A., Al-hadeethi, Y., & Chhokar, V. (2021). In vitro microcosm of co-cultured bacteria for the removal of hexavalent Cr and tannic acid : A mechanistic approach to study the impact of operational parameters. *Ecotoxicology and Environmental Safety*, 208, 111484. <https://doi.org/10.1016/j.ecoenv.2020.111484>
- Ciawi, Y., Safitri, R., Suniti, N. W., Sahanggamu, Y. P., Dharmawibawa, I. D., & Wirawan, I. P. (2007). The degradation of diesel oil by consortium of bacteria in shakeflask cultures. *UNUD*, 1–11.
- Citrapancayudha, D. R., & Soetarto, E. S. (2016). Biodegradasi residu wax dari limbah industri batik oleh bakteri. *Proceeding Biology Education Conference*, 13(1), 800–806.
- Clagnan, E., Brusetti, L., Pioli, S., Visigalli, S., Turolla, A., Jia, M., Bargna, M., Ficara, E., Bergna, G., Canziani, R., & Bellucci, M. (2021). Microbial

- community and performance of a partial nitrification/anammox sequencing batch reactor treating textile wastewater. *Heliyon*, 7(11), e08445. <https://doi.org/10.1016/j.heliyon.2021.e08445>
- Coinchelin, D., Stemmelen, D., & Bartoli, F. (2014). A simple model for estimating Ni availability and leaf Ni accumulation for the Ni-hyperaccumulator *Leptoplax emarginata*. *Plant and Soil*, 374, 131–147. <https://doi.org/10.1007/s11104-013-1873-z>
- Das, S., Goswami, S., & Das Talukdar, A. (2016). Physiological responses of water hyacinth, *Eichhornia crassipes* (Mart.) Solms, to cadmium and its phytoremediation potential. *Turkish Journal of Biology*, 40(1), 84–94. <https://doi.org/10.3906/biy-1411-86>
- Daud, N. M., Abdullah, S. R. S., Hasan, H. A., Ismail, N. I., & Dhokhikah, Y. (2022). Integrated physical-biological treatment system for batik industry wastewater: A review on process selection. *Science of the Total Environment*, 819, 152931. <https://doi.org/10.1016/j.scitotenv.2022.152931>
- Dhaoue, Z., Toledo-cervantes, A., García, D., Bedoui, A., Ghedira, K., Chekir-Ghedira, L., & Munoz, R. (2018). Assessing textile wastewater treatment in an anoxic-aerobic photobioreactor and the potential of the treated water for irrigation. *Algal Research*, 29(August 2017), 170–178. <https://doi.org/10.1016/j.algal.2017.11.032>
- Diarto, Hendrarto, B., & Suryoko, S. (2012). Partisipasi masyarakat dalam pengelolaan lingkungan kawasan hutan mangrove Tugurejo di kota Semarang. *Jurnal Ilmu Lingkungan*, 10(1), 1–7.
- Dwimartina, F., Joko, T., & Arwiyanto, T. (2021). Karakteristik morfologi dan fisiologi bakteri endofit dan rizobakteri dari tanaman cengkeh sehat. *Jurnal Agro Wiralodra*, 4(1), 1–8.
- Ebrahimbabaie, P., Meeinkuirt, W., & Pichtel, J. (2020). Phytoremediation of engineered nanoparticles using aquatic plants: Mechanisms and practical feasibility. *Journal of Environmental Sciences*, 93, 151–163. <https://doi.org/10.1016/j.jes.2020.03.034>
- Escoto, D. F., Gayer, M. C., Bianchini, M. C., Pereira, G. da C., Roehrs, R., & Denardin, E. L. G. (2019). Use of *Pistia stratiotes* for phytoremediation of water resources contaminated by clomazone. *Chemosphere*, 227, 299–304. <https://doi.org/10.1016/j.chemosphere.2019.04.013>
- Eskak, E. (2013). Mendorong kreativitas dan cinta batik pada generasi muda. In *Dinamika Kerajinan dan Batik* (Vol. 30, Issue 1). Andi Yogyakarta. <https://doi.org/http://dx.doi.org/10.22322/dkb.v30i1>
- Evans, J. M. (2013). *Pistia stratiotes* L. in the Florida Peninsula: Biogeographic evidence and conservation implications of native tenure for an 'invasive' aquatic plant. *Conservation and Society*, 11(3), 233–246. <https://doi.org/10.4103/0972-4923.121026>
- Farnese, F., Oliveira, J., Lima, F., Leão, G., Gusman, G., & Silva, L. (2014). Evaluation of the potential of *Pistia stratiotes* L. (water lettuce) for

- bioindication and phytoremediation of aquatic environments contaminated with arsenic. *Brazilian Journal of Biology*, 74(3 suppl 1), S108–S112. <https://doi.org/10.1590/1519-6984.01113>
- Feng, L., Liang, B., Zeng, X., Shi, C., Yin, H., Feng, Y., Chen, Y., & Yu, Q. (2022). Engineered bacterium-binding protein promotes root recruitment of functional bacteria for enhanced cadmium removal from wastewater by phytoremediation. *Water Research*, 221(April), 118746. <https://doi.org/10.1016/j.watres.2022.118746>
- Fikri, L., & Yasmin, Y. (2012). Isolasi dan pengamatan morfologi koloni bakteri kitinolitik. *Jurnal Ilmiah Pendidikan Biologi*, 3(2), 20–25.
- Fu, X. Y., Zhao, W., Xiong, A. S., Tian, Y. S., Zhu, B., Peng, R. H., & Yao, Q. H. (2013). Phytoremediation of triphenylmethane dyes by overexpressing a *Citrobacter* sp. triphenylmethane reductase in transgenic *Arabidopsis*. *Applied Microbiology and Biotechnology*, 97(4), 1799–1806. <https://doi.org/10.1007/s00253-012-4106-0>
- Gaur, N., Narasimhulu, K., & PydiSetty, Y. (2018). Recent advances in the bio-remediation of persistent organic pollutants and its effect on environment. *Journal of Cleaner Production*, 198(1), 1602–1631. <https://doi.org/10.1016/j.jclepro.2018.07.076>
- Ghazali, F. M., Rahman, R. N. Z. A., Salleh, A. B., & Basri, M. (2004). Biodegradation of hydrocarbons in soil by microbial consortium. *International Biodeterioration & Biodegradation*, 54, 61–67. <https://doi.org/10.1016/j.ibiod.2004.02.002>
- Girdhar, M., & Raj, N. (2014). Comparative assessment for hyperaccumulatory and phytoremediation capability of three wild weeds. *3 Biotech*, 4, 579–589. <https://doi.org/10.1007/s13205-014-0194-0>
- González, C. I., Maine, M. A., Cazenave, J., Sanchez, G. C., & Benavides, M. P. (2015). Physiological and biochemical responses of *Eichhornia crassipes* exposed to Cr (III). *Environmental Science and Pollution Research*, 22(5), 3739–3747. <https://doi.org/10.1007/s11356-014-3558-4>
- Gowri, A. K., Karunakaran, M. J., Muthunaayanan, V., Ravindran, B., Mnguyen-Tri, P., Ngo, H. H., Bui, X.-T., Nguyen, X. H., Nguyen, D. D., Chang, S. W., & Chandran, T. (2020). Evaluation of bioremediation competence of indigenous bacterial strains isolated from fabric dyeing effluent. *Bioresource Technology Reports*, 11(August), 100536. <https://doi.org/10.1016/j.biteb.2020.100536>
- Gregory, G., Ibrahim, M. G., Fujii, M., & Nasr, M. (2022). Phytomanagement of textile wastewater for dual biogas and biochar production: A techno-economic and sustainable approach. *Journal of Environmental Management*, 322(July), 116097. <https://doi.org/10.1016/j.jenvman.2022.116097>
- Guala, S. D., Vega, F. A., & Covelo, E. F. (2011). Development of a model to select plants with optimum metal phytoextraction potential. *Environmental Science and Pollution Research*, 18(6), 997–1003.

<https://doi.org/10.1007/s11356-011-0456-x>

- Gupta, D. K., Huang, H. G., & Corpas, F. J. (2013). Lead tolerance in plants: strategies for phytoremediation. *Environmental Science and Pollution Research*, 20(4), 2150–2161. <https://doi.org/10.1007/s11356-013-1485-4>
- Han, T., Zheng, J., Han, Y., Xu, X., Li, M., Schwarz, C., & Zhu, L. (2021). Comprehensive insights into core microbial assemblages in activated sludge exposed to textile-dyeing wastewater stress. *Science of the Total Environment*, 791(866), 148145. <https://doi.org/10.1016/j.scitotenv.2021.148145>
- Hernama, & Hermawati, S. (2011). Hubungan lingkungan usaha dengan persepsi kesuksesan pengusaha batik Banyumasan. *Seminar Nasional : Peningkatan Kehidupan Masyarakat Yang Madani Dan Lestari , Sabtu, 17 Desember 2011, UII Yogyakarta.*, 3–16.
- Hernayanti, & Proklamasingih, E. (2004). Fitoremediasi limbah cair batik menggunakan kayu apu (*Pistia stratiotes* L) sebagai upaya untuk memperbaiki kualitas air. *Jurnal Pembangunan Pedesaan*, IV(3), 164–172.
- Hidayat, Y. A. (2012). Efisiensi produksi kain batik cap. *Jurnal Ekonomi Pembangunan*, 13(1), 79–95.
- Hidayati, & Ika, P. (2016). Mikrobiologi Dasar. In *Universitas Kanjuruhan Malang*. repository.unikama.ac.id/656/1/Buku Ajar Mikrobiologi.pdf
- Hidayati, N. (2005). Fitoremediasi dan potensi tumbuhan hiperakumulator. *Hayati*, 12(1), 35–40. [https://doi.org/10.1016/S1978-3019\(16\)30321-7](https://doi.org/10.1016/S1978-3019(16)30321-7)
- Holkar, C. R., Jadhav, A. J., Pinjari, D. V., Mahamuni, N. M., & Pandit, A. B. (2016). A critical review on textile wastewater treatments: Possible approaches. *Journal of Environmental Management*, 182, 351–366. <https://doi.org/10.1016/j.jenvman.2016.07.090>
- Huang, H., Zhao, Y., Fan, L., Jin, Q., Yang, G., & Xu, Z. (2020). Improvement of manganese phytoremediation by *Broussonetia papyrifera* with two plant growth promoting (PGP) *Bacillus* species. *Chemosphere*, 260, 127614. <https://doi.org/10.1016/j.chemosphere.2020.127614>
- Ijaz, A., Imran, A., Anwar ul Haq, M., Khan, Q. M., & Afzal, M. (2016). Phytoremediation: recent advances in plant-endophytic synergistic interactions. *Plant and Soil*, 405(1-2), 179–195. <https://doi.org/10.1007/s11104-015-2606-2>
- Ilhardt, P. D., Nuñez, J. R., Denis, E. H., Rosnow, J. J., Krogstad, E. J., Renslow, R. S., & Moran, J. J. (2019). High-resolution elemental mapping of the root-rhizosphere-soil continuum using laser-induced breakdown spectroscopy (LIBS). *Soil Biology and Biochemistry*, 131(December 2018), 119–132. <https://doi.org/10.1016/j.soilbio.2018.12.029>
- Indarsih, W., Suprayogi, S., & Widyastuti, M. (2011). Kajian kualitas air sungai Bedog akibat pembuangan limbah cair sentra industri batik desa Wijirejo. *Majalah Geografi Indonesia*, 25(1), 40–54.

- Indonesia (2014). Peraturan Menteri Lingkungan Hidup RI No. 5 Tahun 2014 tentang Baku Mutu Air Limbah.
- Indonesia. (2015). *Sejarah batik Jawa Tengah*. Badan Arsip dan Perpustakaan Provinsi Jawa Tengah.
- Indonesia (2021). Peraturan Pemerintah Republik Indonesia Nomor 22 Tahun 2021 tentang Penyelenggaraan Perlindungan dan Pengelolaan Lingkungan Hidup.
- Indrasti, N. S., Suprihatin, Burhanudin, & Novita, A. (2006). Penyerapan logam Pb dan Cd oleh enceng gondok : pengaruh konsentrasi logam dan lama waktu kontak. *Jurnal Teknologi Industri Pertanian*, 16(1), 44–50.
- Jacob, J. M., Karthik, C., Saratale, R. G., Kumar, S. S., Prabakar, D., Kadirvelu, K., & Pugazhendhi, A. (2018a). Biological approaches to tackle heavy metal pollution : A survey of literature. *Journal of Environmental Management*, 217, 56–70. <https://doi.org/10.1016/j.jenvman.2018.03.077>
- Jacob, J. M., Karthik, C., Saratale, R. G., Kumar, S. S., Prabakar, D., Kadirvelu, K., & Pugazhendhi, A. (2018b). Biological approaches to tackle heavy metal pollution: A survey of literature. *Journal of Environmental Management*, 217(1), 56–70. <https://doi.org/10.1016/j.jenvman.2018.03.077>
- Jain, M. S., & Kalamdhad, A. S. (2018). A review on management of Hydrilla verticillata and its utilization as potential nitrogen-rich biomass for compost or biogas production. *Bioresource Technology Reports*, 1, 69–78. <https://doi.org/10.1016/j.biteb.2018.03.001>
- Jiang, X., & Chen, G. (2016). Morphology engineering of bacteria for bio-production. *Biotechnology Advances*, 34(4), 435–440. <https://doi.org/10.1016/j.biotechadv.2015.12.007>
- Joko, T., Dangiran, H. L., & Dewanti, N. A. Y. (2015). The Effectiveness of Plant Pistia Stratiotes Weight to Reduction of Heavy Metal Content Chromium (Cr) Waste at Batik Home Industry in Regency of Pekalongan. *International Journal of Sciences: Basic and Applied Research*, 24(2), 45–54. <http://gssrr.org/index.php?journal=JournalOfBasicAndApplied>
- Joutey, N. T., Bahafid, W., Sayel, H., & Ghachtouli, N. El. (2013). Biodegradation : Involved microorganisms and genetically engineered microorganisms. In *Biodegradation - Life of Science* (pp. 289–320).
- Kafle, A., Timilsina, A., Gautam, A., Adhikari, K., & Bhattarai, A. (2022). Phytoremediation : Mechanisms , plant selection and enhancement by natural and synthetic agents. *Environmental Advances*, 8(November 2021), 100203. <https://doi.org/10.1016/j.envadv.2022.100203>
- Kang, J. W. (2014). Removing environmental organic pollutants with bioremediation and phytoremediation. *Biotechnology Letters*, 36(6), 1129–1139. <https://doi.org/10.1007/s10529-014-1466-9>
- Karim, M. E., Dhar, K., & Hossain, M. T. (2018). Decolorization of textile reactive dyes by bacterial monoculture and consortium screened from textile dyeing effluent. *Journal of Genetic Engineering and Biotechnology*, 16(2),

375–380. <https://doi.org/10.1016/j.jgeb.2018.02.005>

- Khan, A. R., Ullah, I., Khan, A. L., Hong, S. J., Waqas, M., Park, G. S., Kwak, Y., Choi, J., Jung, B. K., Park, M., Lee, I. J., & Shin, J. H. (2014). Phytostabilization and physicochemical responses of Korean ecotype *Solanum nigrum* L. to cadmium contamination. *Water, Air, and Soil Pollution*, 225(10), 1–11. <https://doi.org/10.1007/s11270-014-2147-y>
- Khandare, R. V., & Govindwar, S. P. (2015). Phytoremediation of textile dyes and effluents: Current scenario and future prospects. *Biotechnology Advances*, 33, 1697–1714.
- Kinidi, L., & Salleh, S. (2017). Phytoremediation of nitrogen as green chemistry for wastewater treatment system. *International Journal of Chemical Engineering*, 2017(1), 1–14. <https://doi.org/10.1155/2017/1961205>
- Kishor, R., Purchase, D., Saratale, G. D., Ferreira, L. F. R., Bilal, M., Iqbal, H. M. N., & Bharagava, R. N. (2021). Environment friendly degradation and detoxification of Congo red dye and textile industry wastewater by a newly isolated *Bacillus cohnii* (RKS9). *Environmental Technology and Innovation*, 22, 101425. <https://doi.org/10.1016/j.eti.2021.101425>
- Kulkarni, A., Watharkar, A., Rane, N., Jeon, B.-H., & Govindar, S. (2018). Decolorization and detoxification of dye mixture and textile effluent by lichen *Dermatocarpon vellereceum* in fixed bed upflow bioreactor with subsequent oxidative stress study. *Ecotoxicology and Environmental Safety*, 148, 17–25.
- Kumar, H., & Kumari, P. (2015). Heavy metal lead influent toxicity and its assessment in phytoremediating plants. *Water, Air, and Soil Pollution*, 226(324), 1–11. <https://doi.org/10.1007/s11270-015-2547-7>
- Kuncoro, D. (2011). Pembangunan Berkelanjutan: *Buletin Tataruang BKPRN*.
- Kurniasih, R. (2018). Analisis perilaku konsumen terhadap produk batik tulias Banyumas. *Jurnal Ekonomi, Bisnis, Dan Akuntansi*, 20(1). <https://doi.org/10.32424/jeba.v20i1.1082>
- Kurniawan, M. W., Purwanto, P., & Sudarno, S. (2013). Strategi pengelolaan air limbah sentra UMKM batik yang berkelanjutan di kabupaten Sukoharjo. *Jurnal Ilmu Lingkungan*, 11(2), 62–72.
- Kurniawan, W., Purwanto, & Sudarno. (2013). Kajian pengelolaan air limbah sentra industri kecil dan menengah batik dalam perspektif good governance di Kabupaten Sukoharjo. *Seminar Nasional Pengelolaan Sumberdaya Alam Dan Lingkungan*, 501–508.
- Li, X., Hua, Z., & Zhang, J. (2022). Ecotoxicological responses and removal of submerged macrophyte *Hydrilla verticillate* to multiple perfluoroalkyl acid (PFAA) pollutants in aquatic environments. *Science of the Total Environment*, 825. <https://doi.org/10.1016/j.scitotenv.2022.153919>
- Li, X., Zhou, Y., Yang, Y., Yang, S., Sun, X., & Yang, Y. (2015). Physiological and proteomics analyses reveal the mechanism of *Eichhornia crassipes* tolerance to high-concentration cadmium stress compared with *Pistia*

- stratiotes. *PLoS One*, *10*(4), 1–23. <https://doi.org/10.1371/journal.pone.0124304>
- Li, Y., Hu, C. J., & Yao, X. (2009). Innovative batik design with an interactive evolutionary art system. *Journal of Computer Science and Technology*, *24*(6), 1035–1047. <https://doi.org/10.1007/s11390-009-9293-5>
- Liu, C., Li, B., Dong, Y., & Lin, H. (2022). Endophyte colonization enhanced cadmium phytoremediation by improving endosphere and rhizosphere microecology characteristics. *Journal of Hazardous Materials*, *434*(April), 128829. <https://doi.org/10.1016/j.jhazmat.2022.128829>
- Luminit, D., Sobariu, S., Ionela, D., Fertu, T., Diaconu, M., Vasile, L., Curteanu, S., Lenz, M., Hlihor, R., Niculina, E., Corvini, P. F., & Gavrilescu, M. (2017). Rhizobacteria and plant symbiosis in heavy metal uptake and its implications for soil bioremediation. *New Biotechnology*, *39*, 125–134. <https://doi.org/10.1016/j.nbt.2016.09.002>
- Mamou, G., Mohan, G. B. M., Rouvinski, A., Rosenberg, A., & Ben-Yehuda, S. (2016). Early developmental program shapes colony morphology in bacteria. *Cell Reports*, *14*(8), 1850–1857. <https://doi.org/10.1016/j.celrep.2016.01.071>
- Mani, D., & Kumar, C. (2014). Biotechnological advances in bioremediation of heavy metals contaminated ecosystems : an overview with special reference to phytoremediation. *International Journal of Environmental Science and Technology*, *11*, 843–872. <https://doi.org/10.1007/s13762-013-0299-8>
- Martiningsih, S. T., & Rahmi, S. U. (2019). Efektifitas bakteri indigenous limbah cair batik untuk dekolonisasi sisa pencelupan tekstil dengan zat warna remazol blue. *Jurnal Teknologika*, *1*. <https://jurnal.wastukencana.ac.id/index.php/teknologika/article/view/15>
- Meitei, M. D., & Prasad, M. N. V. (2016). Bioaccumulation of nutrients and metals in sediment, water, and phoomdi from Loktak Lake (Ramsar site), northeast India : phytoremediation options and risk assessment. *Environmental Monitoring and Assessment*, *188*(329), 1–17. <https://doi.org/10.1007/s10661-016-5339-7>
- Meiyanti, Y., N., A. L., & Kahar, S. (2014). Kajian area tercemar pada jaringan pembuangan limbah batik Kota Pekalongan menggunakan sistem informasi geografis. *Jurnal Geodesi Undip*, *3*(1), 77–89. [http://download.portalgaruda.org/article.php?article=143537&val=4685&title=Kajian Area Tercemar Pada Jaringan Pembuangan Limbah Batik Kota Pekalongan Menggunakan Sistem Informasi Geografis](http://download.portalgaruda.org/article.php?article=143537&val=4685&title=Kajian%20Area%20Tercemar%20Pada%20Jaringan%20Pembuangan%20Limbah%20Batik%20Kota%20Pekalongan%20Menggunakan%20Sistem%20Informasi%20Geografis)
- Mercado-Borrayo, B. M., Cram Heydrich, S., Rosas Pérez, I., Hernández Quiroz, M., & Ponce De León Hill, C. (2015). Organophosphorus and organochlorine pesticides bioaccumulation by *Eichhornia crassipes* in irrigation canals in an urban agricultural system. *International Journal of Phytoremediation*, *17*(7), 701–708. <https://doi.org/10.1080/15226514.2014.964841>
- Minarsih, T. (2009). Analisa pengaruh adanya instalasi pengolahan air limbah

- terhadap kadar chrom pada limbah batik pabrik di Kabupaten Pekalongan. *Jurnal Farmasi Indonesia*, 6(3), 1–5.
- Mishra, S., Mohanty, M., Pradhan, C., Patra, H. K., Das, R., & Sahoo, S. (2013). Physico-chemical assessment of paper mill effluent and its heavy metal remediation using aquatic macrophytes - A case study at JK Paper mill, Rayagada, India. *Environmental Monitoring and Assessment*, 185(5), 4347–4359. <https://doi.org/10.1007/s10661-012-2873-9>
- Moyo, S., Makhanya, B. P., & Zwane, P. E. (2022). Use of bacterial isolates in the treatment of textile dye wastewater: A review. *Heliyon*, 8(6), e09632. <https://doi.org/10.1016/j.heliyon.2022.e09632>
- Mukimin, A., Vistanty, H., Zen, N., Purwanto, A., & Wicaksono, K. A. (2018). Performance of bioequalization-electrocatalytic integrated method for pollutants removal of hand-drawn batik wastewater. *Journal of Water Process Engineering*, 21(December 2017), 77–83. <https://doi.org/10.1016/j.jwpe.2017.12.004>
- Muna, N., Rozaimah, S., Abdullah, S., & Abu, H. (2022). Integrated physical-biological treatment system for batik industry wastewater: A review on process selection. *Science of the Total Environment*, 819, 152931. <https://doi.org/10.1016/j.scitotenv.2022.152931>
- Muñoz, E., & Carneiro, J. (2022). Plant – microbe symbiosis widens the habitability range of the Daisyworld. *Journal of Theoretical Biology*, 554(May), 111275. <https://doi.org/10.1016/j.jtbi.2022.111275>
- Murniati, T., Inayati, & Budiastuti, S. (2015). Pengelolaan limbah cair industri batik dengan metode elektrolisis sebagai upaya penurunan tingkat konsentrasi logam berat di sungai Jenes Laweyan Surakarta. *Jurnal Ekosains*, VII(1), 77–83.
- Mustafa, H. M., & Hayder, G. (2021). Recent studies on applications of aquatic weed plants in phytoremediation of wastewater : a review article. *Ain Shams Engineering Journal*, 12(1), 355–365. <https://doi.org/10.1016/j.asej.2020.05.009>
- Nalin, S., Nicole, L., & Sandun, F. (2020). Bioresource Technology Reports Methane consuming microbial fuel cell based on *Methylococcus capsulatus*. *Bioresource Technology Reports*, 11(April), 100482. <https://doi.org/10.1016/j.biteb.2020.100482>
- Narutaki, S., Lee, I., Sugawara, Y., Akada, K., & Kondo, A. (2020). Case study on the environmental monitoring for biological manufacturing using Time-lapse Shadow Image Analysis. *Biologicals*, 66(May), 1–8. <https://doi.org/10.1016/j.biologicals.2020.06.006>
- Navazas, A., Mesa, V., Thijs, S., Fuente-Maqueda, F., Vangronsveld, J., Peláez, A. I., Cuypers, A., & González, A. (2022). Bacterial inoculant-assisted phytoremediation affects trace element uptake and metabolite content in *Salix atrocinerea*. *Science of the Total Environment*, 820. <https://doi.org/10.1016/j.scitotenv.2022.153088>

- Nindita, V. (2015). Perancangan dan aplikasi eko-efisiensi pada UKM batik Nadia Royani Pekalongan. *Jurnal Ilmiah Teknosains*, 3(2), 108–116.
- Novandari, W., Setyawati, S. M., & Wulandari, S. Z. (2011). Analisis kinerja produk UKM batik Banyumas dengan menggunakan metode Importance Performance Analysis (IPA) dan Potential Gain of Customer Value's (PGCV) index. *Jurnal Bisnis Dan Ekonomi (JBE)*, 18(2), 104–113.
- Nurdalia, I. (2006). Kajian dan analisis peluang penerapan produksi bersih pada usaha kecil batik cap. *Program Magister Ilmu Lingkungan Program Pascasarjana Universitas Diponegoro*, 1–143.
- Nurroisah, E., Indarjo, S., & Wahyuningsih, A. S. (2014). Keefektifan aerasi sistem tray dan filtrasi sebagai penurun chemical oxygen demand dan padatan tersuspensi pada limbah cair batik. *Unnes Journal of Public Health*, 3(4), 56–64.
- Odjegba, V. J., & Fasidi, I. O. (2007). Phytoremediation of heavy metals by *Eichhornia crassipes*. *Environmentalist*, 27(3), 349–355. <https://doi.org/10.1007/s10669-007-9047-2>
- Olguin, E. J., & Sanchez-Galvan, G. (2012). Heavy metal removal in phytofiltration and phycoremediation: the need to differentiate between bioadsorption and bioaccumulation. *New Biotechnology*, 30(1), 3–8. <https://doi.org/10.1016/j.nbt.2012.05.020>
- Oljira, T., Muleta, D., & Jida, M. (2018). Potential applications of some indigenous bacteria isolated from polluted areas in the treatment of brewery effluents. *Biotechnology Research International*, 2018, 1–13. <https://doi.org/10.1155/2018/9745198>
- Palma-Cruz, F. de J., Pérez-Vargas, J., Rivera Casado, N. A., Gómez Guzmán, O., & Calva-Calva, G. (2016). Phytoremediation potential and ecological and phenological changes of native pioneer plants from weathered oil spill-impacted sites at tropical wetlands. *Environmental Science and Pollution Research*, 23(16), 16359–16371. <https://doi.org/10.1007/s11356-016-6675-4>
- Pande, S., & Kost, C. (2017). Bacterial unculturability and the formation of intercellular metabolic networks. *Trends in Microbiology*, 25(5), 349–361. <https://doi.org/10.1016/j.tim.2017.02.015>
- Parmono, K. (1995). Simbolisme batik tradisional. *Jurnal Filsafat*, 1(23), 28–35.
- Patra, D. K., Pradhan, C., & Patra, H. K. (2020). Toxic metal decontamination by phytoremediation approach: concept, challenges, opportunities and future perspectives. *Environmental Technology & Innovation*, 18, 100672. <https://doi.org/10.1016/j.eti.2020.100672>
- Pérez-Sanz, A., Millán, R., Sierra, M. J., Alarcón, R., García, P., Gil-Díaz, M., Vazquez, S., & Lobo, M. C. (2012). Mercury uptake by *Silene vulgaris* grown on contaminated spiked soils. *Journal of Environmental Management*, 95(SUPPL.), 2–3. <https://doi.org/10.1016/j.jenvman.2010.07.018>
- Peuke, A. D., & Rennenberg, H. (2005). Phytoremediation: Molecular biology, requirements for application, environmental protection, public attention and

- feasibility. *Journal EMBO (European Molecular Biology Organization)*, 6(6), 497–501.
- Pi, Y., Duan, C., Zhou, Y., Sun, S., & Yin, Z. (2022). The effective removal of Congo Red using a bio-nanocluster: Fe₃O₄ nanoclusters modified bacteria. *Journal of Hazardous Materials*, 424(PC), 127577. <https://doi.org/10.1016/j.jhazmat.2021.127577>
- Pinasti, M., & Adawiyah, W. R. (2016). Co-opetition to promote growth of batik small and medium enterprises. *International Journal of Business and Society*, 17(3), 401–412.
- Pranata, Y. A. (2013). *Fitoremediasi dan respon kultur pucuk Fagraea racemosa Jack ex Wall terhadap logam berat Cu²⁺*.
- Priantari, N. L. P. M., Suyasa, I. W. B., & Windia, I. W. (2017). Persepsi dan perilaku masyarakat terhadap air limbah yang dihasilkan dan kualitas air tukad rangda. *Ecotrophic*, 11(2), 125–131.
- Priya, E. S., & Selvan, P. S. (2017). Water hyacinth (*Eichhornia crassipes*) – an efficient and economic adsorbent for textile effluent treatment – a review. *Arabian Journal of Chemistry*, 10, S3548–S3558. <https://doi.org/10.1016/j.arabjc.2014.03.002>
- Priya, S., & Selvan, S. (2017). Water hyacinth (*Eichhornia crassipes*) – An efficient and economic adsorbent for textile effluent treatment – A review. *Arabian Journal of Chemistry*, 10, S3548–S3558. <https://doi.org/10.1016/j.arabjc.2014.03.002>
- Priyanka, J. V., Rajalakshmi, S., Senthil Kumar, P., Krishnaswamy, V. G., Al Farraj, D. A., Elshikh, M. S., & Abdel Gawwad, M. R. (2022). Bioremediation of soil contaminated with toxic mixed reactive azo dyes by co-cultured cells of *Enterobacter cloacae* and *Bacillus subtilis*. *Environmental Research*, 204(PB), 112136. <https://doi.org/10.1016/j.envres.2021.112136>
- Purwanto, H., Mahreda, E. S., Biyatmoko, D., & Fithria, A. (2013). Persepsi masyarakat terhadap dampak lingkungan pada usaha peternakan ayam ras pedaging (broiler) di kota Banjarbaru. *EnviroScienteeae*, 9(1), 147–155.
- Puspita, U. R., Siregar, A. S., & Hidayati, N. V. (2011). kemampuan tumbuhan air sebagai agen fitoremediator logam berat kromium (Cr) yang terdapat pada limbah cair industri batik. *Terubuk*, 39(1), 58–64.
- Ramachandran, G., Chackaravarthi, G., Nadar, G., Quero, F., Maruthupandy, M., Alharbi, N. S., Kadaikunnan, S., Khaled, J. M., & Li, W. (2022). Biosorption and adsorption isotherm of chromium (VI) ions in aqueous solution using soil bacteria *Bacillus amyloliquefaciens*. *Environmental Research*, 212(PB), 113310. <https://doi.org/10.1016/j.envres.2022.113310>
- Rangabhashiyam, S., & Balasubramanian, P. (2019). Characteristics, performances, equilibrium and kinetic modeling aspects of heavy metal removal using algae. *Bioresource Technology Reports*, 5(June 2018), 261–279. <https://doi.org/10.1016/j.biteb.2018.07.009>

- Ratna, K. D. K., & Slamet, I. (2020). The Effectiveness of *Pistia stratiotes* as Phytoremediation Agents in Reducing Lead (Pb) Levels in Batik Household Industrial Wastewater in Bakaran Village, Central Java-Indonesia. *Asian Journal of Biology*, 10(4), 68–73. <https://doi.org/10.9734/ajob/2020/v10i430126>
- Rezania, S., Ponraj, M., Din, M. F. M., Songip, A. R., Sairan, F. M., & Chelliapan, S. (2015). The diverse applications of water hyacinth with main focus on sustainable energy and production for new era: An overview. *Renewable and Sustainable Energy Reviews*, 41, 943–954. <https://doi.org/10.1016/j.rser.2014.09.006>
- Rezania, S., Ponraj, M., Talaiekhosani, A., Mohamad, S. E., Din, M. F. M., Taib, S. mat, Sabbagh, F., & Sairan, F. M. (2015). Perspectives of phytoremediation using water hyacinth for removal of heavy metals, organic and inorganic pollutants in wastewater. *Journal of Environmental Management*, 163, 125–133. <https://doi.org/10.1016/j.jenvman.2015.08.018>
- Rijal, M. (2014). Studi morfologi kayu apu (*Pistia stratiotes*) dan kiambang (*Salvinia molesta*). *Jurnal Biologi Science & Education*, 3(2), 94–105.
- Rinawati, D. I., Sari, D. P., Nugroho, S., Muljadi, F., & Lestari, S. P. (2013). Pengelolaan produksi menggunakan pendekatan lean and green untuk menuju industri batik yang berkelanjutan. *J@TI Undip*, 8(1), 43–50.
- Rintayati, P. (2011). Hubungan kemampuan kognitif, nilai budaya, gaya hidup dengan empati lingkungan pada masyarakat wilayah sungai pembuangan limbah batik. *Jurnal Pendidikan Lingkungan Dan Pembangunan Berkelanjutan*, 12(1), 45–61.
- Riyani, K., Setyaningtyas, T., & Dwiasih, W. (2012). Pengolahan limbah cair batik menggunakan fotokatalis TiO₂ - dopan-N dengan bantuan sinar matahari. *Valensi*, 2(5), 581–587.
- Saba, B., Jabeen, M., Khalid, A., Aziz, I., & Christy, A. D. (2015). Effectiveness of rice agricultural waste, microbes and wetland plants in the removal of reactive black-5 azo dye in microcosm constructed wetlands. *International Journal of Phytoremediation*, 17(11), 1060–1067. <https://doi.org/10.1080/15226514.2014.1003787>
- Safauldeen, S. H., Hasan, H. A., & Abdullah, S. R. S. (2019). Phytoremediation efficiency of water hyacinth for batik textile effluent treatment. *Journal of Ecological Engineering*, 20(9), 177–187. <https://doi.org/10.12911/22998993/112492>
- Saha, S., Basak, B., Hwang, J. H., Salama, E. S., Chatterjee, P. K., & Jeon, B. H. (2020). Microbial Symbiosis: A Network towards Biomethanation. *Trends in Microbiology*, 28(12), 968–984. <https://doi.org/10.1016/j.tim.2020.03.012>
- Samuel. (1999). Faktor-faktor dominan yang berpengaruh terhadap tingkat kesadaran masyarakat pada konservasi cagar alam Gunung Tangkoko Dua Saudara Propinsi Sulawesi Utara. *Jurnal PSL*, 19(4), 103–113.
- Santoso, H. (2017). Perlu sinergi untuk kembangkan batik. *Suara Merdeka*, 13.

- Sarangi, B. K., Dash, T., & Pandey, R. A. (2010). Engineering phytoremediation potentiality of plants through hyperaccumulation in plant biomass – with reference to arsenic and chromium. *Jour Pl Sci Res*, 26(2), 113–143.
- Saravanan, A., Kumar, P. S., Duc, P. A., & Rangasamy, G. (2023). Strategies for microbial bioremediation of environmental pollutants from industrial wastewater: A sustainable approach. *Chemosphere*, 313(November 2022), 137323. <https://doi.org/10.1016/j.chemosphere.2022.137323>
- Sari, M. M., Hartini, S., & Sudarno. (2015). Pemilihan desain instalasi pengelolaan air limbah batik yang efektif dan efisien dengan menggunakan metode life cycle cost. *Jati Undip*, X(1), 27–32.
- Sasongko, D. P., & Tresna, W. P. (2010). Identifikasi unsur dan kadar logam berat pada limbah pewarna batik dengan metode analisis pengaktifan neutron. *Jurnal Ilmu Pengetahuan Dan Teknologi TELAAH*, 27(Mei), 22–27.
- Sasongko, E. B., Widyastuti, E., & Priyono, R. E. (2014). Kajian kualitas air dan penggunaan sumur gali oleh masyarakat di sekitar sungai Kaliyasa Kabupaten Cilacap. *Jurnal Ilmu Lingkungan*, 12(2), 72–82. <https://doi.org/http://dx.doi.org/10.14710/jil.12.2.72-82>
- Sennaj, R., Lemriss, S., Souiri, A., Kabbaj, S. E. L., Chafik, A., Essamadi, A. K., Benali, T., Fassouane, A., Dari, K., & Aassila, H. (2023). Eco-friendly degradation of reactive red 195, reactive blue 214, and reactive yellow 145 by *Klebsiella pneumoniae* MW815592 isolated from textile waste. *Journal of Microbiological Methods*, 204(July 2022), 106659. <https://doi.org/10.1016/j.mimet.2022.106659>
- Setiyono, A., & Gustaman, R. A. (2017). Pengendalian kromium (Cr) yang terdapat di limbah batik dengan metode fitoremediasi. *Unnes Journal of Public Health*, 6(3), 155–160.
- Sharma, P. (2021a). Efficiency of bacteria and bacterial assisted phytoremediation of heavy metals: An update. *Bioresource Technology*, 328(February), 124835. <https://doi.org/10.1016/j.biortech.2021.124835>
- Sharma, P. (2021b). Efficiency of bacteria and bacterial assisted phytoremediation of heavy metals: An update. *Bioresource Technology*, 328(December 2020), 124835. <https://doi.org/10.1016/j.biortech.2021.124835>
- Sharma, P. (2022). Role and significance of biofilm-forming microbes in phytoremediation -A review. *Environmental Technology & Innovation*, 25, 102182. <https://doi.org/10.1016/j.eti.2021.102182>
- Sharma, P., Pandey, A. K., Udayan, A., & Kumar, S. (2021). Role of microbial community and metal-binding proteins in phytoremediation of heavy metals from industrial wastewater. *Bioresource Technology*, 326(November 2020), 124750. <https://doi.org/10.1016/j.biortech.2021.124750>
- Shen, X., Dai, M., Yang, J., Sun, L., Tan, X., Peng, C., Ali, I., & Naz, I. (2022). A critical review on the phytoremediation of heavy metals from environment: Performance and challenges. *Chemosphere*, 291(P3), 132979. <https://doi.org/10.1016/j.chemosphere.2021.132979>

- Shrivastava, M., & Srivastava, S. (2021). Application and research progress of *Hydrilla verticillata* in ecological restoration of water contaminated with metals and metalloids. *Environmental Challenges*, 4(June), 100177. <https://doi.org/10.1016/j.envc.2021.100177>
- Singh, S., Karwadiya, J., Srivastava, S., Kumar, P., & Venugopalan, P. (2022). Potential of indigenous plant species for phytoremediation of arsenic contaminated water and soil. *Ecological Engineering*, 175(October 2021), 106476. <https://doi.org/10.1016/j.ecoleng.2021.106476>
- Sitanggang, P. Y. (2017). Pengolahan limbah tekstil dan batik di Indonesia. *Bandung Institute of Technology*, December. <https://doi.org/10.5281/zenodo.1133991>
- Snari, R. M., Alshahag, M., Alisaac, A., Bayazeed, A., Alsoliemy, A., Khalifa, M. E., & El-metwaly, N. M. (2022). Smart textiles immobilized with hydrazone probe for colorimetric recognition of bacteria. *Journal of Molecular Liquids*, 366, 120149. <https://doi.org/10.1016/j.molliq.2022.120149>
- Soebagiyo, D., & Wahyudi, M. (2008). Analisis kompetensi produk unggulan daerah pada batik tulis dan cap Solo di kota Surakarta. *Jurnal Ekonomi Pembangunan*, 9(2), 184–197.
- Stefhany, C. A., Sutisna, M., & Pharmawati, K. (2013). Fitoremediasi fosfat dengan menggunakan tumbuhan eceng gondok (*Eichhornia crassipes*) pada limbah cair industri kecil pencucian pakaian (laundry). *Reka Lingkungan Jurnal Institut Teknologi Nasional*, 1(1), 1–11.
- Su, Y., Sun, S., Liu, Q., Zhao, C., Li, L., Chen, S., Chen, H., Wang, Y., & Tang, F. (2022). Characterization of the simultaneous degradation of pyrene and removal of Cr(VI) by a bacteria consortium YH. *Science of the Total Environment*, 853(7), 158388. <https://doi.org/10.1016/j.scitotenv.2022.158388>
- Suharto, B., Wirosedarmo, R., & Sulanda, R. H. (2013). Pengolahan limbah batik tulis dengan fitoremediasi menggunakan tanaman eceng gondok (*Eichornia Crassipes*). *Jurnal Sumberdaya Alam Dan Lingkungan*, 14–19.
- Sumanjit, Seema, Mahajan, R. K., & Gupta, V. K. (2015). Modification of surface behaviour of *Eichhornia crassipes* using surface active agent: An adsorption study. In *Journal of Industrial and Engineering Chemistry* (Vol. 21, pp. 189–197). <https://doi.org/10.1016/j.jiec.2014.02.024>
- Suprihatin, H. (2014). Kandungan organik limbah cair industri batik Jetis Sidoarjo dan alternatif pengolahannya. *Pusat Penelitian Lingkungan Hidup Universitas Riau*, 130–138.
- Tahir, U. (2016). Phytoremediation: Potential flora for synthetic dyestuff metabolism. *Journal of King Saud University - Science*, 28(2), 119–130. <https://doi.org/10.1016/j.jksus.2015.05.009>
- Tahir, U., Yasmin, A., & Khan, U. H. (2016). Phytoremediation: Potential flora for synthetic dyestuff metabolism. *Journal of King Saud University - Science*, 28(2), 119–130. <https://doi.org/10.1016/j.jksus.2015.05.009>
- Tambunan, J. A. M., Effendi, H., & Krisanti, M. (2018). Phytoremediating batik

- wastewater using vetiver *Chrysopogon zizanioides* (L). *Journal of Environmental Sciences*, 27(3), 1281–1288. <https://doi.org/10.15244/pjoes/76728>
- Thakur, S., Singh, L., Wahid, Z. A., Siddiqui, M. F., Atnaw, S. M., & Din, M. F. M. (2016). Plant-driven removal of heavy metals from soil: uptake, translocation, tolerance mechanism, challenges, and future perspectives. *Environmental Monitoring and Assessment*, 188(4). <https://doi.org/10.1007/s10661-016-5211-9>
- Thiruppathi, K., Rangasamy, K., Ramasamy, M., & Muthu, D. (2021). Evaluation of textile dye degrading potential of ligninolytic bacterial consortia. *Environmental Challenges*, 4(March), 100078. <https://doi.org/10.1016/j.envc.2021.100078>
- Ting, W. H. T., Tan, I. A. W., Salleh, S. F., & Wahab, N. A. (2018). Application of water hyacinth (*Eichhornia crassipes*) for phytoremediation of ammoniacal nitrogen: A review. *Journal of Water Process Engineering*, 22(October 2017), 239–249. <https://doi.org/10.1016/j.jwpe.2018.02.011>
- Ullah, A., Heng, S., Munis, M. F. H., Fahad, S., & Yang, X. (2015). Phytoremediation of heavy metals assisted by plant growth promoting (PGP) bacteria: A review. *Environmental and Experimental Botany*, 117, 28–40. <https://doi.org/10.1016/j.envexpbot.2015.05.001>
- Utari, S. A. S. S. L., Darmayasa, I. B. G., & Suyasa, I. W. B. (2015). Isolasi, identifikasi dan uji potensi bakteri yang berperan pada pengolahan air limbah yang mengandung rhodamin B dalam biosistem tanaman. *Jurnal Simbiosis*, 1(1), 301–312.
- Verma, G., Kumar, P., Gerrit, J., Islam, M., & Gupta, A. (2022). Integrated electrochemical and photocatalytic degradation using ZnO caterpillars photocatalyst: Two-step approach for textile industry based wastewater recovery. *Materials Science & Engineering B*, 286(July), 116078. <https://doi.org/10.1016/j.mseb.2022.116078>
- Verma, S., & Kuila, A. (2019). Bioremediation of heavy metals by microbial process. *Environmental Technology & Innovation*, 14, 100369. <https://doi.org/10.1016/j.eti.2019.100369>
- Vij, R. K., Janani, V. A., Subramanian, D., Mistry, C. R., Devaraj, G., & Pandian, S. (2021). Equilibrium, kinetic and thermodynamic studies for the removal of Reactive Red dye 120 using *Hydrilla verticillata* biomass: A batch and column study. *Environmental Technology and Innovation*, 24, 102009. <https://doi.org/10.1016/j.eti.2021.102009>
- Wang, G., Zhang, Q., Du, W., Ai, F., Yin, Y., Ji, R., & Guo, H. (2021). Microbial communities in the rhizosphere of different willow genotypes affect phytoremediation potential in Cd contaminated soil. *Science of the Total Environment*, 769, 145224. <https://doi.org/10.1016/j.scitotenv.2021.145224>
- Wang, Y., Li, Z., Wu, J., Liu, H., Sun, X., Liu, L., & Du, S. (2022). Abscisic acid-catabolizing bacteria: A useful tool for enhancing phytoremediation. *Science*

- of the Total Environment, 812, 151474.
<https://doi.org/10.1016/j.scitotenv.2021.151474>
- Wang, Y., Tan, Y., Ding, Y., Fu, L., & Qing, W. (2022). Phenylalanine stabilized copper nanoclusters for specific destruction of Congo red and bacteria in aqueous solution. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 654(7), 130072.
<https://doi.org/10.1016/j.colsurfa.2022.130072>
- Wang, Z., Xue, M., Huang, K., & Liu, Z. (2011). Textile dyeing wastewater treatment. In *Huazhong University of Science and Technology China*.
<https://doi.org/10.5772/22670>
- Wangke, W. M. (2010). Persepsi Masyarakat Terhadap Kegiatan Pengembangan Lapangan Uap dan PLTP Unit 5 dan 6 PT Pertamina Geothermal Energy. *Agri Sosioekonomi*, 6(September), 39–44. <http://repo.unsrat.ac.id/119/>
- Wardani, R. W. K., Ellike, & Ningrum, P. T. (2014). Kandungan krom pada limbah cair batik dan air sumur disekitar industri batik UD Bintang Timur. *Artikel Ilmiah Hasil Penelitian*, 1–7.
- Watharkar, A. D., Khandare, R. V., Kamble, A. A., Mulla, A. Y., Govindwar, S. P., & Jadhav, J. P. (2013). Phytoremediation potential of *Petunia grandiflora* Juss., an ornamental plant to degrade a disperse, disulfonated triphenylmethane textile dye Brilliant Blue G. *Environmental Science and Pollution Research*, 20(2), 939–949. <https://doi.org/10.1007/s11356-012-0904-2>
- Wei, Z., Gu, H., Le, Q. Van, Peng, W., & Shiung, S. (2021). Perspectives on phytoremediation of zinc pollution in air, water and soil. *Sustainable Chemistry and Pharmacy*, 24(10), 100550.
<https://doi.org/10.1016/j.scp.2021.100550>
- Wei, Z., Le, Q. Van, Peng, W., Yang, Y., Yang, H., Gu, H., Shiung, S., & Sonne, C. (2021). A review on phytoremediation of contaminants in air, water and soil. *Journal of Hazardous Materials*, 403(July 2020), 123658.
<https://doi.org/10.1016/j.jhazmat.2020.123658>
- Xu, P., Xiao, E. R., He, F., Xu, D., Zhang, Y., & Wu, Z. (2021). Microbial fuel cell improves restoration of *Hydrilla verticillata* in an algae-rich sediment microcosm system. *Chemosphere*, 266, 128987.
<https://doi.org/10.1016/j.chemosphere.2020.128987>
- Yin, R., Hao, Z., Qu, L., Wu, H., Du, X., Yuan, X., Zhang, X., & Chen, B. (2022). Mycorrhizal symbiosis and water condition affect ozone sensitivity of *Medicago sativa* L. by mediating stomatal conductance. *Environmental and Experimental Botany*, 202(18), 105037.
<https://doi.org/10.1016/j.envexpbot.2022.105037>
- Yosmaniar, Novita, H., & Setiadi, E. (2017). Isolasi dan karakterisasi bakteri nitrifikasi dan denitrifikasi sebagai kandidat probiotik. *Jurnal Riset Akuakultur*, 12(4), 369–378.
- Yuan, Q., Wang, P., Wang, X., Hu, B., & Tao, L. (2022). Phytoremediation of

cadmium-contaminated sediment using *Hydrilla verticillata* and *Elodea canadensis* harbor two same keystone rhizobacteria Pedosphaeraceae and Parasegetibacter. *Chemosphere*, 286(P1), 131648. <https://doi.org/10.1016/j.chemosphere.2021.131648>

- Yuan, Q., Zhang, Y., Xue, X., Wang, C., Ding, N., Xu, H., & Sun, Y. (2022). Morphological, kinetic, and microbial community characterization of anammox bacteria with different inoculations and biofilm types for low-ammonium wastewater treatment. *Journal of Water Process Engineering*, 47(January), 102748. <https://doi.org/10.1016/j.jwpe.2022.102748>
- Yulianto, A., Hakim, L., Purwaningsih, I., & Pravitasari, V. A. (2009). Pengolahan limbah cair industri batik pada skala laboratorium dengan menggunakan metode elektrokoagulasi. *Jurnal Teknologi Lingkungan*, 5(1), 6–11.
- Yulma, Ihsan, B., Malasari, E., Wahyuni, N., & Mursyban. (2017). Identifikasi Bakteri pada Serasah Daun Mangrove yang Terdekomposisi di Kawasan Konservasi Mangrove dan Bekantan (KKMB) Kota Tarakan. *Journal of Tropical Biodiversity and Biotechnology*, 2, 28–33. <https://doi.org/10.22146/jtbb.27173>
- Yunita, M., & Edwar. (2016). Persepsi masyarakat tentang kesehatan lingkungan sekitar limbah pabrik tahu Sumber Mulya di kelurahan Kebun Tebeng kecamatan Ratu Agung kota Bengkulu. *Jurnal Georafflesia*, 1(1), 46–57.
- Zhou, C., Miao, T., Jiang, L., Zhang, H., Zhang, Y., & Zhang, X. (2021). Conditions that promote the formation of black bloom in aquatic microcosms and its effects on sediment bacteria related to iron and sulfur cycling. *Science of the Total Environment*, 751, 141869. <https://doi.org/10.1016/j.scitotenv.2020.141869>