

DAFTAR PUSTAKA

- Ahamed, J. U., Saidur, R. and Masjuki, H. H. (2011) ‘A review on exergy analysis of vapor compression refrigeration system’, *Renewable and Sustainable Energy Reviews*, 15(3), pp. 1593–1600. doi: 10.1016/j.rser.2010.11.039.
- Ahmadi, P., Dincer, I. and Rosen, M. A. (2011) ‘Exergy, exergoeconomic and environmental analyses and evolutionary algorithm based multi-objective optimization of combined cycle power plants’, *Energy*, 36(10), pp. 5886–5898. doi: 10.1016/j.energy.2011.08.034.
- Albert, M. D. A. *et al.* (2022) ‘Waste heat mapping: A UK study’, *Renewable and Sustainable Energy Reviews*, 160(January), p. 112230. doi: 10.1016/j.rser.2022.112230.
- Ali, H. M. (2022) ‘Heat transfer augmentation of porous media (metallic foam) and phase change material based heat sink with variable heat generations: An experimental evaluation’, *Sustainable Energy Technologies and Assessments*, 52(PC), p. 102218. doi: 10.1016/j.seta.2022.102218.
- Amine, M. *et al.* (2022) ‘Design and characterization of a novel fine tubular thermoelectric generator for waste heat recovery’, *Energy*, 253, p. 124083. doi: 10.1016/j.energy.2022.124083.
- Anand, S., Gupta, A. and Tyagi, S. K. (2013) ‘Simulation studies of refrigeration cycles: A review’, *Renewable and Sustainable Energy Reviews*, 17, pp. 260–277. doi: 10.1016/j.rser.2012.09.021.
- Aphornratana, S. and Sriveerakul, T. (2010) ‘Analysis of a combined Rankine-vapour-compression refrigeration cycle’, *Energy Conversion and Management*, 51(12), pp. 2557–2564. doi: 10.1016/j.enconman.2010.04.016.
- Ashwini, Sherwani, A. F. and Tiwari, D. (2021) ‘Thermodynamic analysis of simple and modified organic Rankine cycle and vapor compression refrigeration (ORC–VCR) systems’, *Environmental Progress and Sustainable Energy*, 40(3), pp. 1–11. doi: 10.1002/ep.13577.
- Asim, M. *et al.* (2017) ‘Thermodynamic and Thermo-economic Analysis of Integrated Organic Rankine Cycle for Waste Heat Recovery from Vapor

- Compression Refrigeration Cycle', *Energy Procedia*, 143, pp. 192–198. doi: 10.1016/j.egypro.2017.12.670.
- Assareh, E., Alirahmi, S. M. and Ahmadi, P. (2021) 'A Sustainable model for the integration of solar and geothermal energy boosted with thermoelectric generators (TEGs) for electricity, cooling and desalination purpose', *Geothermics*, 92(January), p. 102042. doi: 10.1016/j.geothermics.2021.102042.
- Aziz, C. and Firdaus, R. (2018) 'Pemanfaatan Panas di Pipa Tekanan Tinggi pada Mesin Pendingin (AC)', *Jurnal Rekayasa Mesin*, 9(1), pp. 15–21. doi: 10.21776/ub.jrm.2018.009.01.3.
- Bademlioglu, A. H., Yamankaradeniz, R. and Kaynakli, O. (2019) 'Exergy analysis of the organic rankine cycle based on the pinch point temperature difference', *Journal of Thermal Engineering*, 5(3), pp. 157–165. doi: 10.18186/THERMAL.540149.
- Bao, J. and Zhao, L. (2013) 'A review of working fluid and expander selections for organic Rankine cycle', *Renewable and Sustainable Energy Reviews*, 24, pp. 325–342. doi: 10.1016/j.rser.2013.03.040.
- Bonk, C. D. et al. (2017) 'Design of a 1 KW Organic Rankine Cycle for Teaching and Research Issues', *Energy Procedia*, 129, pp. 931–938. doi: 10.1016/j.egypro.2017.09.117.
- Borikar, S. A. et al. (2021) 'A case study on experimental and statistical analysis of energy consumption of domestic refrigerator', *Case Studies in Thermal Engineering*, 28(November), p. 101636. doi: 10.1016/j.csite.2021.101636.
- Cayer, E. et al. (2009) 'Analysis of a carbon dioxide transcritical power cycle using a low temperature source', *Applied Energy*, 86(7–8), pp. 1055–1063. doi: 10.1016/j.apenergy.2008.09.018.
- Chen, H. et al. (2011) 'Energetic and exergetic analysis of CO₂- and R32-based transcritical Rankine cycles for low-grade heat conversion', *Applied Energy*, 88(8), pp. 2802–2808. doi: 10.1016/j.apenergy.2011.01.029.
- Chudnovsky, Y. et al. (2010) 'Integrated steam/organic rankine cycle (ISORC) for waste heat recovery in Distributed Generation and combined heat and power

- production', *2010 14th International Heat Transfer Conference, IHTC 14*, 8(January), pp. 77–81. doi: 10.1115/IHTC14-22704.
- Dincer, I. and Rosen, M. A. (2000) *Exergy*.
- Domanski, P. A., Yashar, D. and Kim, M. (2005) 'Performance of a finned-tube evaporator optimized for different refrigerants and its effect on system efficiency', *International Journal of Refrigeration*, 28(6), pp. 820–827. doi: 10.1016/j.ijrefrig.2005.02.003.
- E Elahi, A. *et al.* (2022) 'Exergy analysis of organic Rankine cycle for waste heat recovery using low GWP refrigerants', *International Journal of Thermofluids*, 16(November), p. 100243. doi: 10.1016/j.ijft.2022.100243.
- Encabo Cáceres, I., Agromayor, R. and Nord, L. O. (2017) 'Thermodynamic Optimization Of An Organic Rankine Cycle For Power Generation From A Low Temperature Geothermal Heat Source', *Proceedings of the 58th Conference on Simulation and Modelling (SIMS 58) Reykjavik, Iceland, September 25th – 27th, 2017*, 138, pp. 251–262. doi: 10.3384/ecp17138251.
- Franchetti, B. *et al.* (2016) 'Thermodynamic and technical criteria for the optimal selection of the working fluid in a miniORC', *ECOS 2016 - Proceedings of the 29th International Conference on Efficiency, Cost, Optimisation, Simulation and Environmental Impact of Energy Systems*, pp. 1–15.
- Gholamian, E. *et al.* (2020) 'The use of waste heat recovery (WHR) options to produce electricity, heating, cooling, and freshwater for residential buildings', *Energy Equipment and Systems*, 8(3), pp. 277–296. Available at: http://www.energyequipsys.com/article_44949.html.
- Kalaiselvam, S. and Saravanan, R. (2009) 'Exergy analysis of scroll compressors working with R22, R407c, and R417a as refrigerant for HVAC system', *Thermal Science*, 13(1), pp. 175–184. doi: 10.2298/TSCI0901175K.
- Kamal Singh Rawat, Prabhakar Bhandari, V. S. B. (2022) 'THERMODYNAMIC ANALYSIS OF COMBINED ORC-VCR SYSTEM WITH RECUPERATOR AND REHEATER', *Acta Innovations*, (8.5.2017), pp. 2003–2005.
- Kaushik, S. C., Panwar, N. L. and Reddy, V. S. (2012) 'Thermodynamic evaluation

- of heat recovery through a Canopus heat exchanger for vapor compression refrigeration (VCR) system', *Journal of Thermal Analysis and Calorimetry*, 110(3), pp. 1493–1499. doi: 10.1007/s10973-011-2111-7.
- Kharagpur, I. I. of (2013) '10 Vapour Compression Refrigeration Systems 1', pp. 1–18.
- Kim, K. H. and Perez-Blanco, H. (2015) 'Performance analysis of a combined organic Rankine cycle and vapor compression cycle for power and refrigeration cogeneration', *Applied Thermal Engineering*, 91, pp. 964–974. doi: 10.1016/j.applthermaleng.2015.04.062.
- Kong, R. *et al.* (2019) 'Thermodynamic performance analysis of a R245fa organic Rankine cycle (ORC) with different kinds of heat sources at evaporator', *Case Studies in Thermal Engineering*, 13(December 2018), p. 100385. doi: 10.1016/j.csite.2018.100385.
- Li, C. *et al.* (2014) 'Interaction between urban microclimate and electric air-conditioning energy consumption during high temperature season', *Applied Energy*, 117, pp. 149–156. doi: 10.1016/j.apenergy.2013.11.057.
- Malwe, P. D. *et al.* (2022a) 'Dynamic simulation and exergy analysis of an Organic Rankine Cycle integrated with vapor compression refrigeration system', *Sustainable Energy Technologies and Assessments*, 53(PD), p. 102684. doi: 10.1016/j.seta.2022.102684.
- Malwe, P. D. *et al.* (2022b) 'Dynamic simulation and exergy analysis of an Organic Rankine Cycle integrated with vapor compression refrigeration system', *Sustainable Energy Technologies and Assessments*, 53(10), pp. 2137–2150. doi: 10.1016/j.seta.2022.102684.
- Malwe, P. D., Shaikh, J. and Gawali, B. S. (2022) 'Exergy assessment of a multistage multi-evaporator vapor compression refrigeration system using eighteen refrigerants', *Energy Reports*, 8, pp. 153–162. doi: 10.1016/j.egyr.2021.11.072.
- Molés, F. *et al.* (2015) 'Thermodynamic analysis of a combined organic Rankine cycle and vapor compression cycle system activated with low temperature heat sources using low GWP fluids', *Applied Thermal Engineering*, 87, pp.

- 444–453. doi: 10.1016/j.applthermaleng.2015.04.083.
- Oyewunmi, O. A. *et al.* (2017) ‘Thermoeconomic analysis of recuperative sub- and transcritical organic Rankine cycle systems’, *Energy Procedia*, 129, pp. 58–65. doi: 10.1016/j.egypro.2017.09.187.
- Ozdemir, E. and Kilic, M. (2018) ‘Thermodynamic analysis of basic and regenerative organic Rankine cycles using dry fluids from waste heat recovery’, *Journal of Thermal Engineering*, 4(5), pp. 2381–2393. doi: 10.18186/thermal.439288.
- Ozkan Kose, Yıldız Koç, H. Y. (2022) ‘Is Kalina cycle or organic Rankine cycle for industrial waste heat recovery applications ? A detailed performance , economic and environment based comprehensive analysis’, 163(March), pp. 421–437. doi: 10.1016/j.psep.2022.05.041.
- Patil, O. S. *et al.* (2021) ‘Energetic and exergetic studies of modified CO₂transcritical refrigeration cycles’, *International Journal of Low-Carbon Technologies*, 16(1), pp. 171–180. doi: 10.1093/ijlct/ctaa042.
- Quoilin, S. *et al.* (2011) ‘Thermo-economic optimization of waste heat recovery Organic Rankine Cycles’, *Applied Thermal Engineering*, 31(14–15), pp. 2885–2893. doi: 10.1016/j.applthermaleng.2011.05.014.
- Quoilin, S. *et al.* (2013) ‘Techno-economic survey of organic rankine cycle (ORC) systems’, *Renewable and Sustainable Energy Reviews*, 22, pp. 168–186. doi: 10.1016/j.rser.2013.01.028.
- Rajabloo, T. (2017) ‘Thermodynamic study of ORC at different working and peripheral conditions’, *Energy Procedia*, 129, pp. 90–96. doi: 10.1016/j.egypro.2017.09.165.
- Saleh, B. (2018) ‘Energy and exergy analysis of an integrated organic Rankine cycle-vapor compression refrigeration system’, *Applied Thermal Engineering*, 141(May), pp. 697–710. doi: 10.1016/j.applthermaleng.2018.06.018.
- Sarkar, J. (2018) ‘Generalized pinch point design method of subcritical-supercritical organic Rankine cycle for maximum heat recovery’, *Energy*, 143, pp. 141–150. doi: 10.1016/j.energy.2017.10.057.

- Scagnolatto, G., Cabezas-Gómez, L. and Bigonha Tibiriçá, C. (2021) ‘Analytical model for thermal efficiency of organic Rankine cycles, considering superheating, heat recovery, pump and expander efficiencies’, *Energy Conversion and Management*, 246. doi: 10.1016/j.enconman.2021.114628.
- Sun, W., Yue, X. and Wang, Y. (2017) ‘Exergy efficiency analysis of ORC (Organic Rankine Cycle) and ORC-based combined cycles driven by low-temperature waste heat’, *Energy Conversion and Management*, 135, pp. 63–73. doi: 10.1016/j.enconman.2016.12.042.
- TAHIR, M. B. M. and YAMADA, N. (2009) ‘Characteristics of Small ORC System for Low Temperature Waste Heat Recovery’, *Journal of Environment and Engineering*, 4(2), pp. 375–385. doi: 10.1299/jee.4.375.
- Taslimi, M. *et al.* (2021) ‘Design and mixed integer linear programming optimization of a solar/battery based Conex for remote areas and various climate zones’, *Sustainable Energy Technologies and Assessments*, 45(January), p. 101104. doi: 10.1016/j.seta.2021.101104.
- Taslimi, M. S. *et al.* (2021) ‘Assessment and multi-objective optimization of an off-grid solar based energy system for a Conex’, *Energy Equipment and Systems*, 9(2), pp. 127–143. Available at: http://www.energyequipsys.com/article_244287.html.
- Tchanche, B. F. *et al.* (2013) ‘Organic Rankine cycle systems: Principles, opportunities and challenges’, *2013 25th International Conference on Microelectronics, ICM 2013*, (December). doi: 10.1109/ICM.2013.6735014.
- U.S. Department of Energy (2008) ‘Waste Heat Recovery: Technology Opportunities in the US Industry’, *Waste Heat Recovery: Technology Opportunities in the US Industry*, pp. 1–112. doi: 10.1017/CBO9781107415324.004.
- Wahile, G. S., Malwe, P. D. and Aswalekar, U. (2022) ‘Latent heat storage system by using phase change materials and their application’, *Materials Today: Proceedings*, 52, pp. 513–517. doi: 10.1016/j.matpr.2021.09.268.
- Wahile, G. S., Malwe, P. D. and Kolhe, A. V. (2020) ‘Waste heat recovery from exhaust gas of an engine by using a phase change material’, *Materials Today*:

- Proceedings*, 28, pp. 2101–2107. doi: 10.1016/j.matpr.2020.03.247.
- Wang, H. *et al.* (2011) ‘Performance of a combined organic Rankine cycle and vapor compression cycle for heat activated cooling’, *Energy*, 36(1), pp. 447–458. doi: 10.1016/j.energy.2010.10.020.
- Wu, S. Y. *et al.* (2014) ‘Determining the optimal pinch point temperature difference of evaporator for waste heat recovery’, *Journal of the Energy Institute*, 87(2), pp. 140–151. doi: 10.1016/j.joei.2014.03.010.
- Yansuri, D. S. (2018) ‘Perencanaan Sistem Waste Heat Recovery Power Generation (WHRPG) Pabrik Semen’, *Jurnal Teknik Elektro*, 8(2), pp. 1–8.