

REFERENCES

- Aburas, M. M., Ho, Y. M., Ramli, M. F., & Ash'aari, Z. H. (2017). Improving the capability of an integrated CA-Markov model to simulate spatio-temporal urban growth trends using an Analytical Hierarchy Process and Frequency Ratio. *International Journal of Applied Earth Observation and Geoinformation*, 59, 65–78. <https://doi.org/10.1016/j.jag.2017.03.006>
- Adam, J. C. (2009). Improved and more environmentally friendly charcoal production system using a low-cost retort-kiln (Eco-charcoal). *Renewable Energy*, 34(8), 1923–1925. <https://doi.org/10.1016/j.renene.2008.12.009>
- Aniah, P., Bawakyillenuo, S., Codjoe, S. N. A., & Dzanku, F. M. (2023). Land use and land cover change detection and prediction based on CA-Markov chain in the savannah ecological zone of Ghana. *Environmental Challenges*, 10(December 2022), 100664. <https://doi.org/10.1016/j.envc.2022.100664>
- Arnold, J. E. M., Köhlin, G., & Persson, R. (2006). Woodfuels, livelihoods, and policy interventions: Changing Perspectives. *World Development*, 34(3), 596–611. <https://doi.org/10.1016/j.worlddev.2005.08.008>
- Atalla, J. A. (2015). a Review of Institutional Frameworks for Conservation of the Shea Nut Tree in Uganda. *UNU Land Restoration Training Programme*, 3–4. <http://www.unulrt.is/static/fellows/document/Atalla2015.pdf>
- Bolognesi, M., Vrielink, A., Rembold, F., & Gadain, H. (2015). Energy for Sustainable Development Rapid mapping and impact estimation of illegal charcoal production in southern Somalia based on WorldView-1 imagery. *Energy for Sustainable Development*, 25, 40–49. <https://doi.org/10.1016/j.esd.2014.12.008>
- Branch, A., & Martiniello, G. (2018). Charcoal power: The political violence of non-fossil fuel in Uganda. *Geoforum*, 97(September), 242–252. <https://doi.org/10.1016/j.geoforum.2018.09.012>
- Buyinza, J., & Bosco Lamoris, O. J. (2020). Threats to Conservation of Vitellaria paradoxa subsp. nilotica (Shea Butter) Tree in Nakasongola district, Central Uganda. *International Research Journal of Environment Sciences.*, 4(1), 28–32.
- Carney, J. (2007). *AFRICAN SHEA BUTTER : A FEMINIZED SUBSIDY FROM NATURE*. 77(1).
- Chidumayo, E. N., & Gumbo, D. J. (2013). The environmental impacts of charcoal production in tropical ecosystems of the world: A synthesis. *Energy for*

Sustainable Development, 17(2), 86–94.
<https://doi.org/10.1016/j.esd.2012.07.004>

Demirbas, A. (2009). Sustainable charcoal production and charcoal briquetting. *Energy Sources, Part A: Recovery, Utilization and Environmental Effects*, 31(19), 1694–1699. <https://doi.org/10.1080/15567030802094060>

Demirbas, Ayhan, Ahmad, W., Alamoudi, R., & Sheikh, M. (2016). Sustainable charcoal production from biomass. *Energy Sources, Part A: Recovery, Utilization and Environmental Effects*, 38(13), 1882–1889. <https://doi.org/10.1080/15567036.2014.1002955>

Doggart, N., & Meshack, C. (2017). The marginalization of sustainable charcoal production in the policies of a modernizing African Nation. *Frontiers in Environmental Science*, 5(JUN), 1–13. <https://doi.org/10.3389/fenvs.2017.00027>

Girard, P. (2002). Charcoal production and use in Africa: What future? *Unasylva*, 53(211), 30–34.

Hale, I., Ma, X., Melo, A. T. O., Padi, F. K., Hendre, P. S., Kingan, S. B., Sullivan, S. T., Chen, S., Boffa, J., Muchugi, A., Danquah, A., Barnor, M. T., & Jamnadass, R. (2021). *Genomic Resources to Guide Improvement of the Shea Tree*. 12(September), 1–19. <https://doi.org/10.3389/fpls.2021.720670>

Halmy, M. W. A., Gessler, P. E., Hicke, J. A., & Salem, B. B. (2015). Land use/land cover change detection and prediction in the north-western coastal desert of Egypt using Markov-CA. *Applied Geography*, 63, 101–112. <https://doi.org/10.1016/j.apgeog.2015.06.015>

Jaffé, R., Ding, Y., Niggemann, J., Vähätilo, A. V., Stubbins, A., Spencer, R. G. M., Campbell, J., & Dittmar, T. (2013). Global charcoal mobilization from soils via dissolution and riverine transport to the oceans. *Science*, 340(6130), 345–347. <https://doi.org/10.1126/science.1231476>

Jibreel, M. B., Mumuni, E., Al-hassan, S., & Baba, N. M. (2019). *Shea butter and its processing impacts on the environment in the Tamale Metropolis of Ghana*. 2(3), 2008–2019.

Kato, M., DeMarini, D. M., Carvalho, A. B., Rego, M. A. V., Andrade, A. V., Bomfim, A. S. V., & Loomis, D. (2005). World at work: Charcoal producing industries in Northeastern Brazil. *Occupational and Environmental Medicine*, 62(2), 128–132. <https://doi.org/10.1136/oem.2004.015172>

- Khundi, F., Jagger, P., Shively, G., & Sserunkuma, D. (2011). Income, poverty and charcoal production in Uganda. *Forest Policy and Economics*, 13(3), 199–205. <https://doi.org/10.1016/j.forepol.2010.11.002>
- Kituyi, E. (2000). Towards Sustainable Charcoal Production and Use: a Systems Approach. *Economic Report on Africa*, 15(1), 30–34. <http://www.iea.org/>
- Liping, C., Yujun, S., & Saeed, S. (2018). Monitoring and predicting land use and land cover changes using remote sensing and GIS techniques—A case study of a hilly area, Jiangle, China. *PLoS ONE*, 13(7), 1–23. <https://doi.org/10.1371/journal.pone.0200493>
- Lovett, P. N., Haq, N., Project, S., & Box, P. O. (2000). *Diversity of the Sheanut tree (Vitellaria paradoxa C. F. Gaertn.) in Ghana*. 293–304.
- Maranz, S., Biology, A., & Gurion, B. (2019). *Evidence for indigenous selection and distribution of the shea tree, Vitellaria paradoxa, and its potential significance to prevailing parkland savanna tree patterns in sub-Saharan Africa north of the equator*.
- Mcparland, L. C., Collinson, M. E., Scott, A. C., Campbell, G., & Veal, R. (2010). Is vitrification in charcoal a result of high temperature burning of wood? *Journal of Archaeological Science*, 37(10), 2679–2687. <https://doi.org/10.1016/j.jas.2010.06.006>
- Mensah, K. E., Damnyag, L., & Kwabena, N. S. (2022). Analysis of charcoal production with recent developments in Sub-Saharan Africa: a review. *African Geographical Review*, 41(1), 35–55. <https://doi.org/10.1080/19376812.2020.1846133>
- Namaalwa, J., Hofstad, O., & Sankhayan, P. L. (2009). Achieving sustainable charcoal supply from woodlands to urban consumers in Kampala, Uganda. *International Forestry Review*, 11(1), 64–78. <https://doi.org/10.1505/ifor.11.1.64>
- Naughton, C. C., Lovett, P. N., & Mihelcic, J. R. (2015). Land suitability modeling of shea (*Vitellaria paradoxa*) distribution across sub-Saharan Africa. *Applied Geography*, 58, 217–227. <https://doi.org/10.1016/j.apgeog.2015.02.007>
- Njenga, M., Karanja, N., Munster, C., Iiyama, M., Neufeldt, H., Kithinji, J., & Jamnadass, R. (2013). Charcoal production and strategies to enhance its sustainability in Kenya. *Development in Practice*, 23(3), 359–371.
- Okullo, L. (2016). *A Final Report For Inventory and Mapping of Shea Butter Trees*

in Abim , Agago , Kitgum and Otuken Districts On population structure and conservation status of the shea butter trees in abim , agago , kitgum and otuke districts project : Conservation And Sus.

OPM. (2020). *National Risk and Vulnerability Atlas of Uganda.*

Samanta, P. (2015). Impact Assessment and Changes Analysis of Land Use/ Land Cover Due to Open Cast Coal Mining Activity: A Case Study of Raniganj Coal Field Area. *International Journal of IT, Engineering and Applied Sciences Research (IJIEASR)*, 4(5), 2319–4413.
<http://www.irjcjournals.org/ijieasr/May2015/3.pdf>

Sedano¹, F., , J ASilva¹ , RMachoco² , CHMeque³ , ASitoe² , NRibeiro² , KAnderson¹ , ZAOmbe⁴, Shb. and, & Tucker⁶, C. J. (2016). The impact of charcoal production on forest degradation : a case study in Tete , Mozambique
The impact of charcoal production on forest degradation : a case study in Tete , Mozambique. *CrossMark*.

Siko, I., Sola, P., Mulwa, R., & Otieno, P. (2021). Evaluating charcoal producers' preferences for improved production systems in Marigat sub county, Baringo County. *Environmental Challenges*, 5(September), 100275.
<https://doi.org/10.1016/j.envc.2021.100275>

Walusimbi, W. (2001). *Uganda's Poverty Alleviation Strategies: A Policy Analysis by.*

Zulu, L. C., & Richardson, R. B. (2013). Charcoal, livelihoods, and poverty reduction: Evidence from sub-Saharan Africa. *Energy for Sustainable Development*, 17(2), 127–137. <https://doi.org/10.1016/j.esd.2012.07.007>