

DAFTAR PUSTAKA

- Abarca N., Jahn R., Zimmermann J., Enke N. 2014. Does the Cosmopolitan Diatom *Gomphonema parvulum* (Ku`tzing) Ku` tzing Have a Biogeography? PLoS ONE 9(1): e86885. doi:10.1371/journal.pone.0086885.
- Abdal. 2015. Kebijakan Publik : Memahami Konsep Kebijakan Publik. LPPM UIN Sunan Gunung Jati. Bandung.
- Agung G.I., Lutfi M., Nugroho W.A. 2015. Pengaruh Penambahan Cahaya di Malam Hari Terhadap Pertumbuhan *Chlorella* sp. pada Instalasi Pengolahan Limbah Cair Industri Tahu Tipe Recirculate Raceway Pond. Jurnal Keteknikan Pertanian Tropis dan Biosistem Vol. 2 No. 3, Oktober 2014, 287-296.
- Agustin W.A. dan Supriyadi S.N. 2017. Peran Fasilitator dalam Pemberdayaan Masyarakat Pada Program Penataan Lingkungan Pemukiman Berbasis Komunitas (Studi Kasus Di Desa Kemiri, Kecamatan Kebakkramat, Kabupaten Karanganyar. Jurnal Sosiologi DILEMA, Vol. 32, No. 1 Tahun 2017 ISSN : 0215/9635.
- Aida N.S. dan Utomo A.D. 2016. Assesment of water quality for fisheries in Rawapening Centre of Java. BAWAL. 8 (3) Desember 2016: 173-182. p-ISSN: 1907-8226. e-ISSN: 2502-6410.
- Aisha M., Miladan N., Utomo R.P. 2019. Kanjian Kerentanan Bencana Pada Kawasan Berisiko Banjir DAS Pepe Hilir, Surakarta. Jurnal Pembangunan Wilayah dan Perencanaan Partisipatif, Volume 14, Nomor 2, ISSN: 1858-4837.
- Ahmad F.A.M. dan Sri R. 2018. Kajian Teknis Faktor Abiotik Pada Embung Bekas Galian Tanah Liat PT. Semen Indonesia Tbk. untuk Pemanfaatan Budidaya Ikan dengan Teknologi KJA. Jurnal Ilmiah Perikanan dan Kelautan, 10(2):95-105. <http://doi.org/10.20473/jipk.v10i2.9825>
- Akbarsyah N., Wiyono E.S., Solihin L. 2017. Dependency and Perception of Handline Fishermen towards Fish Resources at Prigi Trenggalek East Java. Marine Fisheries ISSN 2087-4235 Vol. 8, No. 2.
- Akib A., M., Ambeng L., Asnady M. 2015. Kelayakan Kualitas Air untuk Kawasan Budidaya *Eucheuma cottoni* berdasarkan Aspek Fisika Kimia dan Biologi di Kabupaten Kepulauan Selayar. Jurnal Pesisir dal Laut Tropis.1(1) : 25 –27.
- Alamsyah K. 2016. Kebijakan Publik Konsep dan Aplikasi. Media Citra Mandiri Press. ISBN 978602 9743326

- Anderies J.M., Janssen M.A., Ostrom E. 2004. A Framework to Analyze The Robustness of Social-Ecological Systems from An Institutional Perspective. *Ecology and Society* 9 (1), 18 [online] URL <http://www.ecologyandsociety.org/vol9/iss1/art18/>.
- Anggoro, S., Purwanti W.T., Taufani N., Nakamura. 2018. Effect of Osmotic Shocks on Sodium Regulation and Na-K-ATPase Activity of Pasific White Shrimp (*Litopenaeus vannamei* Boone, 1931). *Pakistan Academy of Sciences*. 55(1):15-19.
- Anggoro S. 1988. Analisa Tropic – Saprobic (Trosap) untuk menilai kelayakan lokasi budidaya laut dalam : Workshop budidaya laut Perguruan Tinggi Se- Jawa Tengah. Laboratorium pengembangan wilayah pantai. Prof. Dr. Gatot Rahardjo Joenes. Universitas Diponegoro, Semarang. H.66-90
- Anton G. 2005. Kerajinan Enceng Gondok. Penerbit Kanisius.Yogyakarta.
- Ardi A.D dan Sri Rahayu. 2013. Kajian Kesesuaian Perubahan Penggunaan Lahan Terhadap Arah Pemanfaatan Fungsi Kawasan Sub Das Rawa Pening. *Jurnal.Jurusan Teknik PWK Universitas Diponegoro*. Semarang.
- Ardiwinata R.O. 1985. Musuh Dalam Selimut di Rawa Pening, Bandung: Kementrian Pertanian.
- Arief., Purnama., Aditya. 2013. Pemetaan Risiko Bencana Banjir Rob Kota Semarang. Dipublikasikan dalam The 1st Conference on Geospatial Information Science and Engineering.
- Arika Y. 2005. Rawa Pening dan Berubahnya Ekosistem. [http://www.kompas.com/kompas-cetak/0505/27/tanah air/1767459.htm](http://www.kompas.com/kompas-cetak/0505/27/tanah%20air/1767459.htm).
- Arlinda I dan Afdal. 2015. Analisis Pencemaran Danau Maninjau dari Nilai TDS dan Konduktivitas Listrik. *Jurnal Fisika Unand* Vol. 4, No. 4. ISSN 2302-8491.
- Armbrust E.V. 2009. The life of diatoms in the world's oceans. *Nature*. 459(1)1-6
- Bennton, H., Kelly M.G., Juggins S., Yallop.M.L.,Burgess.A., Jamieson J., Krokowski J. 2013. Assessment of ecological status in UK lakesusing benthic diatoms. *The Society for Freshwater Science* 33(2), 639-654.
- Asmani., Handayani L., Nurhayati. 2020. Addition of nano CaO from mussel (*Pilsbryocncha exilis*) shell waste on the salinity media for tilapia (*Oreochromis niloticus*) growth. *Acta Aquatica: Aquatic Sciences Journal*, 7:1. p-ISSN. 2406-9825. e-ISSN. 2614-3178

- Aryani M., Fitriani L., Harmoko., Sepriyaningsih. 2020. Mikroalga Divisi Bacillariophyta yang Ditemukan Di Sungai Kasie Kecamatan Lubuklinggau Barat I Kota Lubuklinggau. *Florea : Jurnal Biologi dan Pembelajarannya*, 7(1), 2020, 48-53.
- Aswathy S., Gopikuttan A., 2015. Bibliometric observation of publication output of university teachers: A study with special reference to physics. *J Scientometric Res.* | Jan–Apr 2015 | Vol 4 | Issue 1. DOI:10.4103/2320-0057.156017
- Ayyaru G., Mayalagu R., Jun S., Ajay P., Alagar V.B. 2011 *Chinese J. Oceanol. Limnol.* 29 162–66
- Battarbee R.W., Charles D.F., Bigler C. 2010. Diatoms as indicators of surface-water acidity. In *The Diatoms: Applications for the Environmental and Earth Sciences*. 2nd edn, Smol JP, Stoermer EF (eds). Cambridge University Press: Cambridge; 98–121.
- Bellinger E.G and Sigeo D.C. 2010. *Freshwater Algae : Identification and Use as Bioindicators*. United Kingdom John Wiley & Sons Ltd. ISBN 978-0-470-05814-5.
- Bere T. 2014. Ecological preferences of benthic diatoms in a tropical river system in São Carlos-SP, Brazil. *Tropical Ecology*. 55(1),47-61.
- Bordoloi S., Garg A., Sreedeeep S., Peng, L., Mei, G., 2018 Investigation of cracking and water availability of soil-biochar composite synthesized from invasive weed water hyacinth. *Bioresour. Technol.* 263, 665e677.
- Brembu T., Mu'hloth A., Alipanah L., Bones AM. 2017. The effects of phosphorus limitation on carbon metabolism in diatoms. *Phil. Trans. R. Soc. B* 372: 20160406.
- Brown A., Dayal A., Del Rio C.R. 2012. From practice to theory: emerging lessons from Asia for building urban climate change resilience. *Environment and Urbanization*, 24(2).
- Bruckner C.G., Rehm C., Grossart H., Kroth PG. 2011. Growth and release of extracellular organic compounds by benthic diatoms depend on interactions with bacteria. *Environmental Microbiology* 13:1052–1063 DOI 10.1111/j.1462-2920.2010.02411.x.
- Buragohain B.B., Yasmin F., Brahma N.K. 2012. Epipellic Algal Flora of Samaguri Lake of India: A Systematic Approach on Algae – II. *Annaylsis of Biological Research* 3: 4808 – 4819.

- Burkholder J.M., Wetzel R.G., Klomparens K.L.. 1990. Direct Comparison of Phosphate Uptake by Adnate and Loosely Attached Microalgae within an Intact Biofilm Matrix. *Applied and Environmental Microbiology* 56 (9): 2882–2890.
- BPS Kabupaten Semarang. Badan Pusat Statistik Kabupaten Semarang. 2011. Kabupaten Semarang dalam Angka Tahun 2011. Semarang.
- Budi H. 2003. Budi Daya Eceng Gondok di Indonesia, Jakarta : Pengantar Agronomia.
- Camburn K.E. dan Charles D.F. 2000. Diatoms of Low-Alkalinity Lakes in the Northeastern United States Academy of Natural Sciences of Philadelphia, Special Publication 18, 152 pp.
- Castellanos A.M.B. 2018. Ecological factors and diatom diversity at rivers of the Iberian Mediterranean river basins: macro-scale, meso-scale and micro-scale. Tesis Doctoral. Universitat de Barcelona.
- Carpenter S.R. and K.L. Cottingham. 1997. Resilience and restoration of lakes, *Conservation Ecology* 1:2.
- Center T.D., Dry Jr F.A. 2010 Bottom-up control of water hyacinth weevil populations: do the plants regulate the insects? *Journal of Applied Ecology* 2010, 47, 329–337. doi: 10.1111/j.1365-2664.2009.01769.x
- Chander S., Pompapathi V., Gujrati A., Singh R.P., Chaplot N. Patel U.D. 2018. Growth of invasive aquatic macrophytes over Tapi river. In: *The International Archives of the Photogrammetry, RS and Spatial Information Sciences, Volume XLII5, 2018 ISPRS TC V Mid-term Symposium “Geospatial Technology – Pixel to People”*, 20–23 November 2018, Dehradun, India. <https://doi.org/10.5194>
- Chapin F. S. III., Matson P. A., Vitousek P., 2011. *Principles of Terrestrial Ecosystem Ecology*. New York, NY: Springer Science & Business Media.
- Cohn F. 1853. *Uber Lebendige Organismen im Trinkwasser* In *Z.klin. Medizin*. 4.229-237
- Cole G.A and Weihe P.E. 2016 *Textbook of Limnology* 5th ed (Illinois: Waveland Press, Inc)
- Coniwanti P. 2009. Pengaruh Konsentrasi Larutan Etanol, Temperatur dan Waktu Pemasakan pada Pembuatan Pulp Eceng Gondok Melalui Proses Organosolv. *Jurnal Teknik Kimia*, No. V, Vol. 16.

- Costa-Pierce B.A., Byron C.J. 2010. Carrying capacity tools for use in the implementation of an ecosystem approach to aquaculture. In FAO Expert Workshop on Aquaculture Site Selection and Carrying Capacity Estimates for Inland and Coastal Waterbodies. Institute of Aquaculture. University of Stirling. Stirling (GB). 6 8 Desember 2010. 23 p.
- Coste M. 1982. Étude des méthodes biologiques d'appréciation quantitative de la qualité des eaux. CEMAGREF report. France: Bassin Rhône-Méditerranée-Corse.
- Das S., Ting Y.P. 2017. Evaluation of Wet Digestion Methods for Quantification of Metal Content in Electronic Scrap Material. *Resources* 6 (4) 64-69.
- Dechassa N. 2020. Origin, Distribution, Impact and Management of Water Hyacinth (*Eichhornia crassipes* (Martius) Solm): A Review. *Journal of Environment and Earth Science*. ISSN 2224-3216 (Paper) ISSN 2225-0948 (Online) Vol.10, No.10, 2020. DOI: 10.7176/JEES/10-10-02.
- Desrosiers A., David H.K., Susan Nolen-Hoeksema. 2013. Mapping Mindfulness Facets onto Dimensions of Anxiety and Depressions. *National Institutes of Health. NIH Public Access. Behavior September; 44 (3) : 373-384. Doi: 10.1016/j.beth.2013.02.001.*
- Dickinson., Richard., Royer., France., 2014 *Weeds of North America*. University of Chicago Press, Pp. 625.
- Dhokikah Y., Koesoemawati R.D.J. 2007. Studi Ketersediaan Prasarana Air Bersih dan Sanitasi Di Permukiman Pada Kota Jember. *Jurnal Purifikasi*, Vol. 8, No. 2, Desember: 163-168.
- Dianto A., Subehi L., Jasalesmana T., Afandi A.Y., Ramadhani A. 2020. Surface Sediment Diatom as A Water Quality Indicator: Case Study: Cilalay and Cibuntu Ponds, Cibinong. *Indonesian Journal of Limnology*, 2020, 1(1): 38-46.
- Dong X. 2010. Using diatoms to understand climate-nutrient interactions in Esthwaite Water, England: evidence from observational and palaeolimnological records. Department of Geography, University College London.
- Eden C and Ackermann F. 1998. *Making strategy : the journey of strategic management*. London : Sage Publications.
- Effendi H., Utomo A.A., Darmawangsa G.M., 2017 Utilization of Grass Carp (*Ctenopharyngodon idella*) for Inhibition of Hyacinth (*Eichhornia crassipes*) Population Blooming. *World Applied Sciences Journal* 35 (2): 270-274, 2017 ISSN 1818-4952 © IDOSI Publications, 2017 DOI: 10.5829/idosi.wasj.2017.270.274.

- Effendi H. 2003. Telaah Kualitas Air. Kanisius. Yogyakarta.
- Elella S.M.A., Hassan R.M.A. 2016. Water hyacinth growth rate in Egyptaion Irrigation Network. International Water Technology Journal, IWTJ Vol. 6–No.4.
- El-Shawawy T.A.E.G. 2015 Chemicals with a natural reference for controlling water hyacinth, *Eichhornia crassipes* (Mart.) Solms. Journal of Plant Protection Research Vol. 55, No. 3. DOI: 10.1515/jppr-2015-0041
- Erawati E dan Saputra H.M. 2017. Pengaruh Konsentrasi Terhadap Fitoremediasi Limbah Zn Menggunakan Eceng Gondok (*Eichhornia crassipe*). Jurnal Teknologi Bahan Alam Vol. 1 No. 1, April 2017. ISSN 2407-8476.
- Eryatno., Sofyar F. 2007. Riset Kebijakan: Metoda Penelitian untuk Pascasarjana. IPB Press. Bogor.
- Fachruri M., Muhidong J., Sapsal M.T. 2014. Analysis of the Effect of Temperature and Humidity of Room on Rice Seed Water Content in PT. Sang Hyang Seri (Persero).
- Falkowski P., Barber R., Smetacek V. 1998. Biogeochemical controls and feedbacks on ocean primary productivity. Science 281: 200–206
- Faustino, Samantha Borges, C. E. de Mattos Bicudo, L. Fontana, E. C. R. Bartozek, and D. de Campos Bicudo. 2016. Composition and distribution of diatom assemblages from core and surface sediments of a water supply reservoir in Southeastern Brazil. Biota Neotropica 16(2): 1-23.
- Fernandez L., Campbell B., Huang H., Koivunen M., Marrone P.G., 2009 Natural herbicide containing lemongrass essential oil (US 20090099022 A1). Available on: [http:// www. google.com/patents/US20090099022](http://www.google.com/patents/US20090099022) [Accessed: April 16, 2009]
- Finney B.P., Rühland K., Smol J.P and Fallu M.A. 2004. Paleolimnology of the North American subarctic. In: Smol JP, Pienitz R, Douglas MS (eds) Long-term environmental change in Arctic and Antarctic lakes. Springer, Netherlands, 269-318.
- Firdaus A. 2011 [Impact of environmental pollution of Praya City to water quality in Batujai reservoir (Dampak Pencemaran Lingkungan Kota Praya terhadap Kualitas Air Waduk Batujai)]. Bulletin of Environmental Geology 21(2):69–82. [In Indonesian].
- Firehun Y., Struik P, Lantinga E and Taye T., 2015 Adaptability of two weevils (*Neochetina bruchi* and *Neochetina eichhorniae*) with potential to control water hyacinth in the Rift Valley of Ethiopia. Crop Protection. 76:75-82.

- Foissner W. 2006. Biogeography and dispersal of micro-organisms: a review emphasizing protists. *Acta Protozoologica* 45 (1),111–136.
- Folke C, T Hahn, P Olsson and J Norberg. 2005. Adaptive Governance of Social – Ecological Systems. *Annual Review of Environment and Resources* 30, 441– 473.
- Fritz S.C., Cumming B.F., Gasse F and Laird K.R. 2010. Diatoms as indicators of hydrologic and climatic change in saline lakes. In: *The Diatoms: Applications for the Environmental and Earth Sciences - 2nd Edition* (Smol JP, Stoermer EF eds), pp. 186-208. Cambridge University Press. New York.
- Gaiser, E.E. dan Johansen, J. 2000. Freshwater diatoms from Carolina bays and other isolated wetlands on the Atlantic Coastal Plain of South Carolina, USA, with description of seven taxa new to science *Diatom Research* 15 (1): 75-130. Doi:10.1080/0269249X.2000.9705487.
- Garlich N, Guarnieri CCO, Freitas RLG, Cervoni JHC, Cruz C., & Ferreira MC., 2019 Efficacy of imazamox with centrifugal energy spray nozzle on *Eichhornia crassipes* and economic analysis of control viability. *Planta Daninha* 37:e019194898.
- Gell, P., Reid, M., 2014. Assessing change in floodplain wetland condition in the Murray Darling Basin, Australia. *Anthropocene* 057, e1–e7.
- Gell, P. J.A. Sonneman; M.A. Reid; M.A. Ilman; and A.J. Sincock. 1999. An illustrated key to common diatom genera from Southern Australia. CRC for Freshwater Ecology, Thurgoona, NSW.
- Genissa, Boedoyo M.S., Yoesgiantoro D., 2018 Cost and Benefits Analysis of Hyacinth Wood Pellet as Alternative Energy in Order to Improve Energy Security. *Jurnal Ketahanan Energi | Volume 4 Nomor 2*.
- Genkal, S. I. 2015. Centric diatoms in the southern part of the Republic of Karelia (Lakes of the Vendyurskaya group and Zaonezhiye). *Inland Water Biology* volume 8, 209–217.
- Gichuki, J., Omondi, R., Boera, P., Okorut, T., Matano, A. S., Jembe, T., & Ofulla, A., 2012 Water hyacinth *Eichhornia crassipes* (Mart.) Solms - Laubach dynamics and succession in the Nyanza Gulf of Lake Victoria (East Africa): Implications for water quality and biodiversity conservation. *The Scientific World Journal*, 2012, 1–11. doi:10.1100/2012/106429.

- Giesen, 1991. Indonesian Major Freshwater Lakes: A Review of Current Knowledge, Development Processes and Threats, Conservation and Management of Tropical Inland Water Problems, Hongkong.
- García Delgado N., Vázquez, A.I.F., Sánchez, H.C., Menéndez, R., Gómez, Y.S., Alfonso, A.M.S. 2013. Anti-inflammatory and antinociceptive activities of methanolic extract from red seaweed *Dichotomaria obtusata*. Brazilian journal of Pharmaceutical Science. 49(1)65-74.
- Ghosheh H.Z., 2005 Constrains in Implementing Biological Control: A Review, Weed Biology and Management, 5: 83-92 doi: 10, 1111/j. 1445-6664.2005.001 63x.
- Goldtenboth F., Timotius K. H., 1994. Danau Rawapening di Jawa Tengah, Indonesia, Satya Wacana University Press, Salatiga.
- Gopal B. and K.P. Sharma, 1981. Water Hyacinth (*Eichhornia crassipes*), the Most Troublesome Weed of the World. Hindasia Publ, UK.
- Gottschalk S. 2014. Benthic diatoms in lakes: environmental drivers and ecological assessment. *Dissertation*. Swedish University of Agricultural Sciences.
- Grasset, C., Abril, G., Guillard, L., Delolme, C., Bornette, G. 2016. Carbon emission along a eutrophication gradient.
- Griffiths, K., 2015. High-latitude responses of diatom and chironomid assemblages to regional climate changes and other environmental stressors. Canada: Queen's University Kingston, Ontario, Canada.
- Grimble, R. 1998. Stakeholder methodologies in natural resource management. Chatam, UK: NaturalResource Institute.
- Guitierrez E. L., Ruiz E. F., Uribe E. G., Maertinez J. 2001. Biomass and productivity of water hyacinth and their application in control program, in Biological and integrated control of water hyacinth *Eichhornia crassipes*., D. ACIAR Proceeding, edited by M. H. Julien, M. P. Hill, T. D. Center, and D. Jianqing, p. 102.
- Guignard M.S., Leitch A.R., Acquisti C., Eizaguirre C., Elser J.J., Hessen D.O., Jeyasingh P.D., Neiman M., Richardson A.E., Soltis P.S., Soltis D.E., Stevens C.J., Trimmer M., Weider L.J., Woodward G and Leitch I.J. 2017. Impacts of Nitrogen and Phosphorus: From Genomes to Natural Ecosystems and Agriculture. *Front. Ecol. Evol.* 5:70. doi: 10.3389/fevo.2017.00070

- Gunderson, L., dan C.S. Holling, editors. 2002. *Panarchy : Understanding Transformations in Human and Natural System*. Island Press. Washington DC.
- Gupta A. K., Yadav D. 2020. Biological Control Of Water Hyacinth. *Environmental Contaminants Reviews*, 3(1): 37-39.
- Hall, R.I., Smol J.P. 2010. Diatoms as indicators of lake eutrophication. In: *The Diatoms: Applications for the Environmental and Earth Sciences - 2nd Edition* (eds Smol J.P., Stoermer E.F.). Cambridge University Press, New York.122–151.
- Hamadina H.L., Anaso C.E., Umar A., 2015 Life Cycles of *Neochetina bruchi* Warner and *Neochetina eichhorniae* Hustache as Potential Biological Control Agents in the Semi Arid Zone of Nigeria. *American Journal of Life Sciences*. ISSN: 2328-5702 (Print); ISSN: 2328-5737 (Online). doi: 10.11648/j.ajls.20150303.23
- Hasan I. 2002. *Pokok-Pokok Materi Metodologi Penelitian dan Aplikasinya*. Jakarta: Ghalia Indonesia.
- Hasim. 2012. *Desain Kebijakan Pengelolaan Terpadu dan Berkelanjutan Pada Danau Limboto Provinsi Gorontalo*. Disertasi. Sekolah Pascasarjana Institut Pertanian Bogor.
- Hattikudur, R.S., Alakananda B., Ramachandra T.V. 2014. Diatoms As Bioindicators. *Lake 2014: Conference on Conservation and Sustainable Management of Wetland Ecosystems in Western Ghats*.
- Harmoko dan Sepriyaningsih. 2019. *Bioindikator Sungai dengan Mikroalga (Studi Kasus di Sungai Kelingi Kota Lubuklinggau)*. Yogyakarta. Deepublish.
- Harmoko dan Krisnawati Y. 2018. Microalgae Bacillariophyta Division Founded in Lake Aur Regency of Musi Rawas. *Jurnal Biologi Universitas Andalas (J. Bio. UA.)* 6(1) – Februari 2018: 30-35 (ISSN : 2303-2162).
- Hartoto DI, Adrianto L, Kalikoski D, Yunanda T, editor. 2009. *Building Capacity for Mainstreaming Fisheries Co-management in Indonesia*. Course book. Rome : Food and Agriculture Organization of The United Nations/Jakarta: Directorate of Fisheries Resources of Indonesia.
- Haryani G.S. dan P.E. Hehanussa. 2002. Masalah, Tantangan, dan Kendala Pengelolaan Danau di Indonesia. dalam *Peluang dan Tantangan Pengelolaan Sumberdaya Air di Indonesia*. Sutopo P.N., Seno Adi, Bambang Setiadi (editor). P3-TPSLK BPPT & HSF, Jakarta. 183-211.

- Haryanto A., Triyono S., Siska P. M. 2020. Use of water hyacinth (*Eichhornia crassipes*) to treat biogas effluent of a tapioca industry wastewater treatment system. *AgricEngInt: CIGR Journal* Open access at <http://www.cigrjournal.org> Vol. 22, No. 4.
- Hasibuan A. A., R Yuniati R., Wardhana W. 2020. The growth rate and chlorophyll content of water hyacinth under different type of water sources. *IOP Conf. Series: Materials Science and Engineering* 902 (2020) 012064 doi:10.1088/1757-899X/902/1/012064
- Henanusa P.E. dan Haryani, G.S. 2009. Klasifikasi morfogenesis danau di Indonesia untuk mitigasi dampak perubahan iklim. Makalah disampaikan dalam Konferensi Nasional Danau Indonesia I, Sanur-Denpasar-Bali, 13-15 Agustus 2009.
- Hidayati, N., T.R. Soeprobowati and M. Helmi. 2018. The evaluation of water hyacinth (*Eichhornia crassipes*) control program in Rawapening Lake, Central Java Indonesia. *IOP Conf. Series: Earth and Environmental Science* 142 (2018) 012016 doi :10.1088/1755-1315/142/1/012016
- Hkill M.O., Gauch H.G. 1980. Detrended correspondence analysis: an improved ordination technique, *Vegetatio*, 42, 47-58.
- Hofmann, G.; Werum, M.; Lange-Bertalot, H. Diatomeen im Süßwasser-Benthos von Mitteleuropa. 2011. Bestimmungsflorea Kieselalgen für die Ökologische Praxis; Über, 700 der Häufigsten Arten und Ihrer Ökologie; Gantner: Nüziders, Austria. pp. 1-942.
- Hobbs W.E., Wolfe .P., Inskip W.P., Amskold A., Konhuser K.O. 2009. Epipellic Diatom from an extreme aci environment Beowulf Spring, Yellowstone Natonal Prk, USA. *Nova Hedwigia, Beiheft* 135, 71-83.
- Holling CS. 1973. Resilience and stability of ecological systems. *Ecology and Systematics* 4:1-23.
- Husamah dan Rahardjanto A. 2019. Bioindikator (Teori dan Aplikasi dalam Biomonitoring). UMM Press. ISBN : 978-979-796-383-5.
- Indrayati A dan Hikmah N.I. 2018. Prediksi Sedimen Danau Rawapening Tahun 2020 sebagai Dasar Reservasi Sungai Tuntang Berbasis Sistem Informasi Geografis. *Prosiding Seminar Nasional Geografi UMS IX 2018* ISBN: 978-602-361-137-9
- Indriyanto. 2017. *Ekologi Hutan*. Jakarta: PT Bumi Aksara. pp. 19-20.
- Iriadi R. 2015. Model Pengendalian Pencemaran Perairan Danau Laut Tawar di Kabupaten Aceh Tengah. Program Studi Pengelolaan Sumber Daya Alam dan Lingkungan. Institut Pertanian Bogor.

- Inyang A.I., Sunday K.E., Nawankwo D.I. 2015. Composition of Periphyton Community on Water Hyacinth (*Eichhornia crassipes*): In Analysis of Environmental Characteristics at Ejirin Part of Epe Lagoon in Southwestern Nigeria. Hindawi Publishing Corporation Journal of Marine Biology Volume 2015, Article ID 376986, 9 pages <http://dx.doi.org/10.1155/2015/376986>
- Irwan, F. dan Afdal. 2016. Analisis hubungan konduktivitas listrik dengan total dissolved solid (TDS) dan Temperatur pada Beberapa Jenis Air. Jurnal Fisika Unand. 5(1), 86 – 93. Universitas Andalas. Padang. Sumatera Barat.
- Irwan Z.D. 1996. Prinsip-Prinsip Ekologi Ekosistem, Lingkungan, dan Pelestariannya. Jakarta: Bumi Aksara.
- Jaccard T., D. Ariztegui and K. J. Wilkinson. 2009. Incorporation of Zinc into the Frustule of the Freshwater Diatom *Stephanodiscus hantzschii*. Chemical Geology 265 (3–4) : 381–386.
- Jiménez, Maricela. 2014. Progress on water hyacinth (*Eichhornia crassipes*) management. Food and Agriculture Organization of the United Nations.
- Julien, M. H. 2001. Biological control of water hyacinth with arthropods: A review to 2000. In Julien, M. H., Hill, M. P., Center, T. D. & Jianqing, D. (Eds.), Biological and integrated control of water hyacinth, *Eichhornia crassipes*, ACIAR proceedings, 102, 8–20. Retrieved from <http://ageconsearch.umn.edu/bitstream/135372/2/PR102.pdf>
- Julius M.L. and Theriot, E.C. 2012. The diatoms: a primer. In: The Diatoms: Applications for the Environmental and Earth Sciences - 2nd Edition (Smol JP, Stoermer EF. New York: Cambridge University Press, 8-22.
- Julhim S, Tangio. 2012. Laporan Penelitian Dosen Pemula: Adsorpsi Logam Timbal (Pb) Dengan Menggunakan Biomassa Eceng Gondok (*Eichhornia crassipes*). Universitas Negeri Gorontalo.
- Junengsih J., Putri E.I.K., Ismail A. 2017. Analisis Stakeholder dalam Pengelolaan DAS Citarum dan Limbah Industri. Risalah Kebijakan Pertanian dan Lingkungan. Vol. 4 No. 2. ISSN : 2355-6226. E-ISSN : 2477-0299. Hal: 112-124.
- Júnior W. R. C., Carvalho L. B. D. 2019. Control of water hyacinth: a short review. <http://cpsjournal.org>. e-ISSN 2237-4027. Volume 9.
- Joynt E.H and Wolfe, A.P. 2001. Paleoenvironmental interference models from sediment diatom assemblages in Baffin Island lakes (Nanuvut, Canada) and reconstruction of Summer Water Temperature. Journal Fish Aquaculture Science. 58 (1),122-124.

- Kadhim N.F., Al-Amari M.J and Hassan A.F. 2013. The Spatial and Temporal Distribution of Epipelagic Algae and Related Environmental Factors in Neel Stream, Babil Province, Iraq. *International Journal of Aquatic Science* Vol 4 (1), 23-32.
- Karthick, B., Taylor, J.,C. Mahesh, M.K., Ramachandra, T.V. 2010. Protocols for collection, preservation and enumeration of diatom from aquatic habitat for water quality monitoring in India. *The IUP Journal of Soil and Water Science*, 3(1)1-10.
- Karthikeyan P., Venkatachalapathy R., Vennila G. 2018. Using of Biological Diatom Indices (IBD) for Ecological Status of Cauvery River, India. *Indian Journal of Geo Marine Sciences*. Vol 47 (02). pp. 426-436.
- Katili V.R.A., Koroy K., Lukman M. 2020. Water Quality Based on Chemical Physics Parameters in Daruba Morotai Island Regency. *Jurnal Agribisnis Perikanan* (E-ISSN 2598-8298/P-ISSN 1979-6072). Vol. 12 No. 1: 412-418. DOI: 10.29239/j.agrikan.13.2.412-418.
- Kartodihardjo. 2009. Sumberdaya Alam, Komoditi dan Arah Pengelolaannya. Bahan Kuliah Pasca Sarjana PSL IPB.
- Katsev, S., Arthur A. Aaberg, Sean A. Crowe, dan Robert E. Hecky. 2014. Recent Warming of Lake Kivu. *PLoS ONE* 9(10): e109084. doi:10.1371/journal.pone.0109084.
- Kattel G, Gell P, Zawadzki A, Barry L. 2016. Palaeoecological evidence for sustained change in a shallow Murray River (Australia) floodplain lake: regime shift or press response? *Hydrobiologia* · September 2016 DOI: 10.1007/s10750-016-2970-9.
- Kelly M., Urbanic G., Acs E., Bertrin V., Burgess A., Denny L., Gottaschalk, S., Kahlert, M., Karjalainen, S.M., Kennedy, B., Kosi, G., Marchetto, A., Morin, S., Picinsk, F.J., Poikane, S., Rosebery, J., Schoenfelder, J., Schoenfelder, I., Varbri, G. 2014. Comparing aspiration intercalibration of ecological status concept across European lakes using littoral diatom. *Hydrobiologia*, 724, 125-141.
- Kelly M. G., and B. A. Whitton. 1995. The Trophic Diatom Index: a new index for monitoring eutrophication in rivers. *Journal of Applied Phycology*. 7 (1), 433-444.
- Kohu Šová K., L. Havel P. Vlasák. and J Tonika. 2011. A Long-Term Survey of Heavy Metals and Specific Organic Compounds in Biofilms, Sediments, and Surface Water in a Heavily Affected River in the Czech Republic. *Environmental Monitoring and Assessment*, 174 (1-4): 555-572.

- Koivunen M., Marrone P. 2013. Uses of thaxtomin and thaxtomin compositions as herbicides (US 8476195 B2). Available on: [Hahttp://www.google.com/patents/US8476195](http://www.google.com/patents/US8476195) [Accessed: July 2, 2013]
- Kountur R. 2007. Metode Penelitian Edisi Revisi Untuk Penulisan Skripsi dan Tesis, Penerbit PPM. Jakarta.
- Koutika LS, Rainey H. J. 2015 A review of the invasive, biological and beneficial characteristics of aquatic species *Eichhornia crassipes* and *Salvinia molesta*. *Applied Ecology and Environmental Research* 13:263-275. Lee B. 1979. Insects for controlling water weeds. *Rural Resources* 105:25-29.
- Koutsoukos, E.A.M. 2005. Stratigraphy: Evolution of a Concept. New York: Springer-Verlag.
- Kovács C.S., Buesko K., Hajnal E., Padisak J. 2007. Epiphytic, littoral diatoms as bioindicators of shallow lake trophic status: Trophic Diatom Index for Lakes (TDIL) developed in Hungary. *Hydrobiologia*. 589, 141–154.
- Kowalska M.E., Wojtal A. 2020. Limnological Characteristics and Diatom Dominants in Lakes of Northeastern Poland. *Diversity* 2020, 12, 374; doi:10.3390/d12100374 www.mdpi.com/journal/diversity.
- Kramer K. Lange-Bertalot, H. 2004. Subwasserflora Von Mitteleuropa, Bd. 02/1: Bacillariophyceae: Teil 1: Naviculaceae. Spectrum, Berlin.
- Kramer K. Lange-Bertalot, H. 2004. Subwasserflora Von Mitteleuropa, Bd. 02/2: Bacillariophyceae: Teil 2: Bacillariophyceae, Epithemiaceae, Surirellaceae. Spectrum, Berlin.
- Kramer K. Lange-Bertalot, H. 2004. Subwasserflora Von Mitteleuropa, Bd. 02/3: Bacillariophyceae: Teil 3: Centrales, Fragillariaceae, Eunotiaceae. Spectrum, Berlin.
- Kramer K. Lange-Bertalot, H. 2004. Subwasserflora Von Mitteleuropa, Bd. 02/4: Bacillariophyceae: Teil 4: Achnanthes S.I., Navicula Sstr. Spectrum, Berlin.
- Kriticos, D.J and S. Brunel. 2016. Assessing and Managing the Current and Future Pest Risk from Water Hyacinth, (*Eichhornia crassipes*), an Invasive Aquatic Plant Threatening the Environment and Water Security. *PLOS ONE* | DOI:10.1371/journal.pone.0120054 August 11, 2016
- Krztoń, W.; Kosiba, J.; Pocięcha, A. 2019. The effect of cyanobacterial blooms on bio- and functional diversity of zooplankton communities. *Biodivers. Conserv.* 28, 1815–1835. [CrossRef].

- Kulla O.L.S., Yuliana E., Supriyono E. 2020. Analysis of Water Quality and Environmental Quality for Aquaculture in Laimadat Lake, East Nusa Tenggara. PELAGICUS: Jurnal IPTEK Terapan Perikanan dan Kelautan. Vol.1 No.3: 135-144
- Kumari M., Tripathi B. D. 2014. Effect of aeration and mixed culture of *Eichhornia crassipes* and *Salvinia natanson* removal of wastewater pollutants. *Ecological Engineering* 62:48–53.
- Kurniawan A.P. 2016. Distribusi Vertikal Komunitas Fitoplankton pada Lokasi Inlet dan Outlet Di Waduk Saguling, Cianjur, Jawa Barat. *Integrated Lab Journal* | Vol. 04, No. 02. ISSN 2339-0905.
- Lavoie I., Campeau S., Drakulic ZN., Winter J.G., Fortin C. 2014. Using diatoms to monitor stream biological integrity in Eastern Canada: An overview of 10 years of index development and ongoing challenges. *Journal Science of the Total Environment* 475,187–200.
- Lampert W. and U.Sommer. 2007. *Limnoecology*. New York: Oxford University Press.
- Legović T, Palerud R, Christensen G, White P, Regpala R. 2008. A model to estimate aquaculture carrying capacity in three areas of the Philippines. *Science Diliman*. 20(2): 31 40.
- Lestaria M., Hadi S., Saleh M.B. 2016. Analisis Kelembagaan dan Peranan Kesatuan Pengelolaan Hutan Produksi (KPHP) dalam Pengembangan Wilayah Kabupaten Kerinci. *KAWISTARA* Vol. 6. No.1.
- Lewis B.R., Juttner I., Reynolds B. & Ormerod S.J. 2007. Comparative assessment of stream acidity using diatoms and macroinvertebrates: implications for river management and conservation. *Aquatic Conservation-Marine and Freshwater Ecosystems*, 17 (5),502-519.
- Leterme S.C., Ellis A.V., Mitchell J.G., Buscot M-J., Pollet T., Schapira M., Seuront L. 2010. Morphological Flexibility of *Coconeis placentula* (Bacillariophyceae) Nanostructure to Changing Salinity Levels. *Journal of Phycology*. <https://doi.org/10.1111/j.1529-8817.2010.00850.x>
- Liebmann, H. 1962. *Handbuch der Frischwasser- und Abwasser-Biologie*. Verlag R.Oldenbourg, München.
- Lihawa, F dan Mahmud M. 2017. Evaluasi karakteristik kualitas air Danau Limboto. *Jurnal Pengelolaan Sumberdaya Alam dan Lingkungan*, 7 (3), 260-266.

- Liliani, R. C. Retnaningdyah and E. Arisoesilaningsih. 2019. Water Quality Evaluation of Post-Tin Mining Ponds Tourism in Bangka Island Using Diatom as Bioindicator. *Journal of Indonesian Tourism and Development Studies*. doi: 10.21776/ub.jitode.2019.007.01.06 E-ISSN : 2338-1647 <http://jitode.ub.ac.id>
- Listianto A.B., Anggoro S., Widyorini N. 2020. Osmoregulation Pattern, Food Habits and Milkfish Condition Factors (*Chanos chanos*) in Traditional Ponds Bakaran Wetan Village, Pati. *JOURNAL OF MAQUARES* Volume, Nomor 1, Tahun, Halaman - *MANAGEMENT OF AQUATIC RESOURCES* Website: <https://ejournal3.undip.ac.id/index.php/maquares>.
- Litchman E., C. A. Klausmeier. and K. Yoshiyama. 2008. Contrasting Size Evolution in Marine and Freshwater Diatoms. *PNAS*, no. 9: 2–7.
- Littlefield, J. L., Buckingham, G. R. 2004 Host specificity testing of biological control agents of weeds. *Biological Control of Invasive Plants in the United States* (eds E.M. Coombs, J.K. Clark, G.L. Piper & A.F. Cofrancesco), pp. 32–37. Oregon State University Press, Corvallis, OR.
- Lotter A.F., Walker I.R., Brooks S.J., Hofmann W. 1999. An intercontinental comparison of chironomid palaeotemperature inference models: Europe vs North America. *Quat Sci Rev.*18(1),717-735.
- Luo Q. 2011. Automatic Identification of Diatoms with Circular Shape using Texture Analysis. *Journal of Software*, 6 (3), 428-435
- Mann D. G., Jüttner I. Cocconeis C.G. Ehrenberg; 1837; 173. In: Jüttner I., Bennion H., Carter C., Cox E.J., Ector L., Flower R., Jones V., Kelly M.G., Mann D.G., Sayer C., Turner J. A., Williams D.M. 2021. Freshwater Diatom Flora of Britain and Ireland. *Amgueddfa Cymru - National Museum Wales*. Available online at <https://naturalhistory.museumwales.ac.uk/diatoms/browsespecies.php?recid=3938>. [Accessed: 14 July 2021].
- Mann D.G. and Vanormelingen P. 2013. An Inordinate Fondness? The Number, Distributions, and Origins of Diatom Species. Symposium Article. *Journal of Eukaryotic Microbiology*. ISSN 1066-5234.
- Marra, R.C.; Algarte, V.M.; Ludwig, T.A.; Padial, A.A. 2018. Diatom diversity at multiple scales in urban reservoirs in Southern Brazil reveals the likely role of trophic state. *Limnologica*. 70, 49–57. [CrossRef].
- Mayama S. and Kobayasi H. 1989. Sequential valve development in the monoraphid diatom *Achnanthes minutissima* var. *saprophila*. *Diatom Research (The Journal of the International Society for Diatom Research)* 4: 111-117.

- McKindsey CW, Thetmeyer H, Landry T, Silvert W. 2006. Review of recent carrying capacity models for bivalve culture and recommendations for research and management. *Aquaculture*. 261(2): 451-462.
- MacLeod N. 2014. *Principles of Stratigraphy*. The Natural History Museum, Cromwell Road, London.
- Martín G. and María R.F. 2012. *Diatoms as Indicators of Water Quality and Ecological Status : Sampling, Analysis and Some Ecological Remarks*. Ecological Water Quality - Water Treatment and Reuse. China: Intech publisher.
- Mao D., Cherkauer. 2009. Impacts of Land Use Change On hydrologic Responses in the Great Lake Region. *Journal of Hydrology*, 374: 71-82.
- Metriol A.C., Dechnik Y., García S.L. and Caballero, M. 2014. Detrended correspondence analysis: A useful tool to quantify ecological changes from fossil data sets. *Boletín de la Sociedad Geológica Mexicana*. 66(1), 135-143.
- Miller J.R and Orbock Miller S.M. 2007. *Contaminated River : A Geomorphological -Geochemical Approach to Site Assessment and Remediation*. Springer.
- Moechtar H., Pratomo I, Mulyana H dan Poedjoprajitno S. 2007. Gerakan struktur dan kaitannya dengan faktor kendali tektonik, berdasarkan analisis stratigrafi; Studi kasus geologi kuartar terhadap fase perkembangan Danau Tondano purba sepanjang Remboken - Kakas, Kec. Remboken dan Kec. Kakas, Kab. Tomohon, Sulawesi Utara. *Jurnal Geologi Indonesia*, 2(3), 177-190.
- Mochtar T dkk. 2004. *Studi Optimalisasi Potensi Di Kawasan Rawa Pening*. Semarang: Balitbang Prov. Jateng bekerjasama dengan Fakultas Teknik, UNDIP. Semarang.
- Montagnes D. J. S., and D. J. Franklin. 2001. Effect of Temperature on Diatom Volume, Growth Rate, and Carbon and Nitrogen Content : Effect of Temperature Reconsidering Some Paradigms. *Limnology and Oceanography* 46 (8): 2008–2018.
- Morandín-Ahuerma I., Contreras-Hernández, A., Ayala-Ortiz, D.A., Pérez-Maqueo O. 2019. Socio—Ecosystemic sustainability. *Sustainability*. 11, 3354. [CrossRef].
- Moyo P., Chapungu L., Mudzengi B. 2013. Effectiveness of water hyacinth (*Eichhornia crassipes*) in remediating polluted water: the case of Shagase river in Masvingo, Zimbabwe. *Adv. Appl. Sci. Res.* 4, 55 – 62.
- Mudiarta K.G. 2009. Social Networks for Developing Agribusiness: A Theoretical Perspective and Dynamics of Social Capital Study. *FORUM PENELITIAN AGRO EKONOMI*. Volume 27 No. 1.

- Murugesan A. G. 2014 Conservation of fresh water bodies by biological control of the aquatic weed water hyacinth. 3rd International Conference on Hydrology & Meteorology. Hydrol Current Res 2014, 5:4 <http://dx.doi.org/10.4172/2157-7587.S1.015>
- Nadjib M.A.H. 2016 . Mengurai Benang Kusut Danau Rawa Pening. Economic Research Center, Indonesian Institute of Sciences. Jakarta. ISSN / ISBN / IBSN : 978 602 6303 01 1. No. Arsip : LIPI-16017.
- Nasution Z., Sastrawidjaja., Hartono T.T., Mursidin. dan Priyatna F.N. 2007. Sosial Budaya Masyarakat Nelayan: Konsep dan Indikator Pemberdayaan. Jakarta : Badan Riset Kelautan dan Perikanan, Departemen Kelautan dan Perikanan.
- Nicola, F. 2015. Hubungan antara konduktivitas, TDS (Total Dissolved Solid) dan TSS (Total Suspended Solid) dengan Kadar Fe²⁺ dan Fe Total Pada Air Sumur Gali. Jurusan Kimia Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Jember. Jawa Timur. Hal.
- Nichols G. 2009. Sedimentology and Stratigraphy Second Edition. London : A John Wiley & Sons, Ltd., Publication.
- Nirmal K. J. I., Soni H., Kumar R. N., Bhatt I. 2008 Macrophytes in phytoremediation of heavy metal contaminated water and sediments In Pariyej Community Reserve, Gujarat, India. Turkish Journal of Fisheries and Aquatic Sciences 8:193-200.
- Nisa, Zahrotun. 2017. Pengaruh Gaya Kepemimpinan, Disiplin, Motivasi, dan Pendidikan Terhadap Kinerja Guru SMA Muhammadiyah 1 Gresik. TA. Manajemen. Fakultas Ekonomi dan Bisnis. Universitas Muhammadiyah Gresik.
- Nontji A. 2016. Danau-Danau Alami Nusantara. Jakarta : Dietrbitkan secara independen.
- Novita M.Z., Soewardi K., Pratiwi N.T.M. 2015. Aquatic Carrying Capacity Assessment for Extensive Fishing (Case Study: Cilala Lake, Bogor Regency). Jurnal Ilmu Pertanian Indonesia (JIPI), April 2015 Vol. 20 (1): 66 71 ISSN 0853 – 4217.
- Nugroho, A.S., Shalahuddin D.T. dan Boedhi H. 2014. Distribusi serta Kandungan Nitrat dan Fosfat Di Perairan Danau Rawapening. Jurnal Bioma, Vol. 3, No. 1, April 2014.
- Nursyakhia. 2014. Laporan Akhir: Studi pemanfaatan eceng gondok Sebagai bahan pembuatan pupuk kompos Dengan menggunakan aktivator em4 dan Mol Serta prospek pengembangannya. UNHAS. Makassar.

- Oberholzer H., 2001 The Water Hyacinth Weevils (*Neochetina eichhorniae* and *Neochetina bruchi*). Agricultural Research Council website: www.arc.agric.za
- Odum, E. P. 1998. *Dasar-dasar Ekologi: Terjemahan dari Fundamentals of Ecology*. Yogyakarta: Universitas Gadjah Mada Press.
- Ognjanova-Rumenova, N.; Wojtal, A.Z.; Sienkiewicz, E.; Botev, I.; Trichkova, T. 2019. Biodiversity of high mountain lakes in Europe with special regards to Rila Mountains (Bulgaria) and Tatra Mountains (Poland). *Diatoms Fundam. Appl.* 335–354. [CrossRef]
- Okita T. W. and B. E. Volcani. 1980. “Role of Silicon in Diatom Metabolism: X. Polypeptide Labelling Patterns during the Cell Cycle, Silicate Starvation and Recovery in *Cylindrotheca fusiformis*.” *Experimental Cell Research* 125 (2): 471–81.
- Onyango, J. P., & Ondeng, M. A. 2015. The Contribution of the multiple usage of water hyacinth on the economic development of riparian communities in Dunga and Kichinjio of Kisumu Central Sub County, Kenya. *American Journal of Renewable and Sustainable Energy*, 1(3), 128–132. <http://files.aiscience.org/journal/article/pdf/70190023.pdf>
- Paitaha E.E.S. 2020. *Kajian Kualitas dan Mutu Air Terhadap Upaya Pengelolaan Air Waduk dengan Pendekatan Sistem Dinamik : Studi Kasus Bozem Morokrembangan*. ITS Surabaya.
- Pandey L. K. and E. A. Bergey. 2016. Exploring the Status of Motility, Lipid Bodies, Deformities and Size Reduction in Periphytic Diatom Community from Chronically Metal Polluted (Cu, Zn) Polluted Waterbodies as a Biomonitoring Tool + Corrigendum. *Science of the Total Environment* 372-381.
- Pandey B.P. 1980. *Plant Anatomy*. New Delhi : S Chard dan Co, Ltdramnage.
- Panggabean, T. K., Sasanti, A. D., Yulisman. 2016. Kualitas air, kelangsunga hidup, pertumbuhan, dan efisiensi pakan ikan nila yang diberi pupuk hayati cair pada air media pemeliharaan. *Jurnal Akuakultur Rawa Indonesia*, 4 (1), 67–79. <https://doi.org/10.1103/PhysRevE.49.126>
- Partomo. 2012. *Model Pengelolaan Kolaboratif Perairan Umum Daratan Di Danau Rawa Pening Jawa Tengah*. Disertasi. ITB. Bogor
- Partomo dkk. 2011. *Pengelolaan Danau Berbasis Co-Management : Kasus Rawa Pening*. JPSL Vol. (1) 2 : 106- 113 Desember 2011.

- Pattipeilohy E.E., Pattiselano A.E., Mardiatmoko G. 2019. Case Study in Batu Merah Village Sirimau District Ambon. *Jurnal Agribisnis Kepulauan (ARGILAN)*. Vol 7. No.1.
- Pham K. H., Nguyen P. H. L., 2014. Study on treatment of domestic wastewater of an area in Tu Liem district, Hanoi, by water hyacinth. *J. Viet. Env.* 2014, Vol. 6, No. 2, pp. 126-131 DOI: 10.13141/jve.vol6.no2.pp126-131
- Pers Rilis No. SP.102/HUMAS/PP/HMS.3/05/2017. Kementerian Lingkungan Hidup Dan Kehutanan.
- Piranti, A.S., Diana, R.U.S.R. and Gentur, W. 2018. Input Of Nutrient (Nitrogen And Phosphorus) From The Catchment Area Into Rawapening Lake Of Central Java. *Proceeding The 1st IBSC: Towards The Extended Use Of Basic Science Health, Environment, Energy And Biotechnology For Enhancing* ISBN: 978-602-60569-5-5.
- Piranti, A.S., Diana, R.U.S.R. and Gentur, W. 2018b. Nutrient Limiting Factor for Enabling Algae Growth of Rawapening Lake, Indonesia. *Biosaintifika: Journal of Biology & Biology Education*. <http://journal.unnes.ac.id/nju/index.php/biosaintifika>. DOI: 10.15294/biosaintifika.v10i1.12500.
- Piranti A. S., Rahayu D. S., Waluyo G. 2018c. The Assessment of Rawapening Lake Water Quality Status. *Jurnal Pengelolaan Sumberdaya Alam dan Lingkungan*. Vol. 8 No. 2 (Agustus 2018): 151-160.
- Pisano U. 2012. Resilience and Sustainable Development: Theory of resilience, systems thinking and adaptive governance. Quarterly Report. ESDN. Austria.
- Piyush Gupta, Surendra Roy, Amit B. Mahindrakar. 2012. Treatment of Water Using Water Hyacinth, Water Lettuce and Vetiver Grass - A Review, *Resources and Environment* 2012, 2(5): 202-215.
- Polge N., Atakan S., Elif N.S. and Arif G. 2010. Epipelagic Algal Flora in the Kucukcekmece Lagoon. *Turkish Journal of Fisheries and Aquatic Sciences* 10 : 39-45.
- Ponander K. C., Charles D. F. and Belton T. J. 2007. Diatom based TP and TN inference models and indices for monitoring nutrient enrichment of New Jersey streams. *Ecological Indicators*, 7, 79–93.
- Potapova M.G., Charles., D.F., Ponander K.C. and Winter, D.M. 2004. Quantifying species indicator values for trophic diatom indices: a comparison of approaches. *Hydrobiology*. 17, 25–41

- Potapova M. G., and P. Snoeijs. 1997. The Natural Life Cycle in Wild Populations of *Diatoma moniliformis* (Bacillariophyceae) and Its Disruption in an Aberrant Environment. *Journal of Phycology* 33: 924–937.
- Prasetyo S., Anggoro S., Soeprobowati T. R. 2021 The Growth Rate of Water Hyacinth (*Eichhornia crassipes* (Mart.) Solms) in Rawapening Lake, Central Java.
- Pratiwi F. D., Zainuri M., Purnomo P. W., Purwanti F. 2018. Stakeholder perception and participation in relation to success rate of water hyacinth control program in the Rawa Pening Lake. *AACL Bioflux* 11(4):967-979.
- Prayuda, L.R., I.W. Arthana dan A.P.W.K. Dewi. 2017. Pengaruh Nitrat (NO₃) Terhadap Pertumbuhan Alami Eceng Gondok (*Eichhornia crassipes* Solms.) Berdasarkan Biomassa Basah Di Danau Batur, Kintamani, Bali. *Journal of Marine and Aquatic Sciences* 3(2), 215-222 (2017)
- Prygiel J. and Coste M. 1998. Mise au point de l'Indice Biologique Diatomée, un indice diatomique pratique applicable au réseau hydrographique français. *Eau Ind Nuis* 1998 . 211(1), 40–45.
- Pulford, E., Polidoro, B., & Nation, M. 2017. Understanding, the relationships between water quality, recreational, fishing practices, and human health in Phoenix, Arizona. *Journal of Environmental Management*, 199, 242-250.
- Purnomo P.W., Soedarsono,P., & Putri,M.N. 2013. Profil vertical bahan organik dasar perairan dengan latar belakang pemanfaatan berbeda di Rawa Pening. *Journal of Management of Aquatic Resources. Fakultas Perikanan dan Ilmu Kelautan, UNDIP-Semarang.*2 (3),27-36.
- Putro S.P., Hariyati R., Suhartana., Sudaryono A. 2013. Evaluasi Praktek Budidaya Sistem Keramba Jaring Apung Bertingkat Berdasarkan Taksa Dominan dan Oportunistik Makrobenthos. *Konferensi Akuakultur Indonesia.*
- Puryono, S., S. Anggoro., Suryanti dan I. S Anwar. 2019. *Pengelolaan Pesisir dan Laut Berbasis Ekosistem.* Semarang : Undip Press
- Pyle P., Sherri R.C. and Jacqueline KH. 1998. *Diatom Paleoecology Pass Key Core 37. Everglades National Park, Florida Bay. Nicholas School of the Environment Durham, NC.*
- Pratiwi F. D., Zainuri M., Purnomo P. W., Purwanti F. 2018. Stakeholder perception and participation in relation to success rate of water hyacinth control program in the Rawa Pening Lake. *AACL Bioflux* 11(4):967-979.

- Pratiwi F. D., Zainuri M., Purnomo P. W., Purwanti F. 2018b. Evaluation of weevils (*Neochetina* spp.) existence in Rawa Pening Lake (abundance and impact on target and non-target plant). *AAFL Bioflux*, 2018, Volume 11, Issue 3.
- Prayuda, L.R., I.W. Arthana dan A.P.W.K. Dewi. 2017. Pengaruh Nitrat (NO₃) Terhadap Pertumbuhan Alami Eceng Gondok (*Eichhornia crassipes* Solms.) Berdasarkan Biomassa Basah Di Danau Batur, Kintamani, Bali. *Journal of Marine and Aquatic Sciences* 3(2), 215-222 (2017)
- Prygiel J. and Coste M. 1998. Mise au point de l'Indice Biologique Diatomée, un indice diatomique pratique applicable au réseau hydrographique français. *Eau Ind Nuis* 1998 . 211(1), 40–45.
- Purnomo P.W., Soedarsono,P., Putri,M.N. 2013. Profil vertical bahan organik dasar perairan dengan latar belakang pemanfaatan berbeda di Rawa Pening. *Journal of Management of Aquatic Resources*. Fakultas Perikanan dan Ilmu Kelautan, UNDIP-Semarang.2 (3),27-36.
- Puryono, S., S. Anggoro., Suryanti dan I. S Anwar. 2019. *Pengelolaan Pesisir dan Laut Berbasis Ekosistem*. Semarang : Undip Press
- Pyle P., Sherri R.C. and Jacqueline KH. 1998. Diatom Paleoecology Pass Key Core 37. Everglades National Park, Florida Bay. Nicholas School of the Environment Durham, NC.
- Rachmat. 2014. *Manajemen Strategik*. Bandung: Pustaka Setia.
- Rachmawati, D., J. Hutabarat dan S. Anggoro. 2012. Pengaruh Salinitas Media Berbeda terhadap Pertumbuhan Keong Macan (*Babylonia spirata* L.) pada Proses Domestikasi. *Jurnal Ilmu Kelautan*. 17(3): 141 – 147.
- Raharjo S. A. S., Falah F., Cahyono S. A., 2019 Germadan Rawa Pening: Collective action in managing common pool resources. E-ISSN: 2579-5511/ P-ISSN: 2579-6097. Doi <https://doi.org/10.20886/jppdas.2019.3.1.1-12>
- Rahim A., Soeprobowati T. R. 2019. Water Pollution Index of Batujai Reservoir, Central Lombok Regency-Indonesia. *Journal of Ecological Engineering*. Volume 20, Issue 3, March 2019, pages 219–225 <https://doi.org/10.12911/22998993/99822>
- Rangkuti, Freddy. 2013. *Teknik Membedah Kasus Bisnis Analisis SWOT Cara, Perhitungan Bobot, Rating dan OCAI*. Jakarta: Gramedia Pustaka Utama.
- Ratnani., D.R. 2010. *Laporan Penelitian Terapan: Pemanfaatan Eceng Gondok (*Eichornia crassipes*) untuk penurunan kandungan COD, PH, Bau, dan Warna pada Limbah Cair Air Tahu*. Universitas Wahid Hasyim: Semarang.

- Ray, P., Hill, M. P. 2013 Microbial agents for control of aquatic weeds and their role in integrated Honlah et al., *Cogent Social Sciences* (2019), 5: 1619652 <https://doi.org/10.1080/23311886.2019.1619652> Page 17 of 18management. *CAB Reviews*, 8(014), 1–9. doi:10.1079/ PAVSNRR20138014
- Rybak, M.; Poradowska, A.; Kochman-Kedziora, N.; Peszek, Ł.; Noga, T.; Stanek-Tarkowska, J. Okrzemki. 2018. (bacillariophyta) torfowiska wołosate (bieszczadzki park narodowy). *Rocz. Bieszcz.* 26, 169–183.
- Redman CL, Kinzig AP. 2003. Resilience of past landscape: resilience theory, society, and the Longue Durée. *Conservation Ecology* 7[1]:14. <http://www.consecol.org/vol7/iss1/art14/> [11 Mar 2009].
- Reed S.M., Graves, A., Dandy N., Posthumus H., Huback K., Morris J. and, Stringer L.C. 2009. Who's in and why? A typology of stakeholder analysis methods for natural resources management. *Journal of Environmental Management*, 90, 1933-1949.
- Repley B.S., Muller E. and Behenna M. 2006. Biomass and Photosynthetic Productyvity of Water Hyacinth as Effected by Nutrient Supply and Mirid Biocontrol, *Biological Control* 39, 392-400. 2006.
- Retnaningdyah, C. 2019. Cyanobacterial Harmful Algal Blooms (CyanoHABs): Blooming Microcystics di Ekosistem Perairan Tawar dan Cara Pengendaliannya. Malang: UB Press.
- Ridwan, J. 2017. Diatom as an alternative for biostratigraphy research in Karangsambung. *Global Colloquium on GeoSciences and Engineering 2017*. IOP Publishing. IOP Conf. Series: Earth and Environmental Science 118 (2018) 012010 doi :10.1088/1755-1315/118/1/012010.
- Riza A. A., Anggoro S., Suryanti. 2020. Osmoregulation Pattern, Ponderal Index, and Gonad Maturity of Mangrove Crab (*Scylla serrata*) in the Pesantren Village Pond, Ulujami District, Pemalang. *Indonesian Journal of Fisheries Science and Technology*. Vol.16 No. 1 : 31-38. Available at <http://ejournal.undip.ac.id/index.php/saintek>.
- Rizaldi M.A., 2020. Sinergi TNI dan BBWS Pemali Juana dalam Penanganan Gulma Air di Rawa Pening (pu.go.id).
- Robbins, S. P., and Judge, T. A. 2015. *Organization Behavior*. Kendallville: Global Edition

- Rochmatin, S.Y., Solichin, A., Saputra, S. W. 2014. Aspek pertumbuhan dan reproduksi ikan Nilem (*Osteochilus hasselti*) di perairan Rawa Pening Kecamatan Tuntang Kabupaten Semarang. *Diponegoro Journal of Maquares Management of Aquatic Resource*.3(3),153-159.
- Rogers PP, Jalal KF, Boyd JA. 2008. *An Introduction to Sustainable Development*. UK and USA: Earthscan.
- Round R.E., R.M. Crawford. and D.G. Mann. 2000. *The Diatoms: Biology and Morphology of the Genera*. 2ed. Cambridge University Press, UK.
- Rosana M. 2018. Kebijakan Pembangunan Berkelanjutan Berwawasan Lingkungan Di Indonesia. *Jurnal KELOLA : Jurnal Ilmu Sosial*. Vol. 1. No. 1.
- Rühland P. and Smol, J.P. 2008. Hemispheric-scale patterns of climate-related shifts in planktonic diatoms from North American and European lakes. *Glob Change Biol* 14(1),2740-2754.
- Sahira I.G, dkk. 2013. *Ekosistem Terrestrial*. Jurnal. Jakarta: Prodi Biologi Fakultas Sains dan Teknologi UIN Syarif Hidayatullah.
- Saros, J.E., Anderson, N.J. 2015. The ecology of the planktonic diatom *Cyclotella* and its implications for global environmental change studies. *Biol Rev Camb Philos Soc*. 90(2). 522-41.
- Sarthou G., K. R. Timmermans S. Blain, and P. Tréguer. 2005. Growth Physiology and Fate of Diatoms in the Ocean: A Review.” *Journal of Sea Research* 53 (1–2 SPEC. ISS.): 25–42.
- Samudra, R.S., T.R. Retnaningsih dan M. Izzati. 2013. Komposisi, Kemelimpahan dan Keanekaragaman Fitoplankton Danau Rawapening Kabupaten Semarang. *Bioma*, Vol. 15, No. 1, Hal. 6-13. ISSN : 1410-8801.
- Samsudin, A. dan H. Husnussalam. 2017. IbM Pemanfaatan Tanaman Eceng Gondok (*Eichhornia crassipes*) untuk Kerajinan Tas. *Jurnal Ilmiah Pengabdian Masyarakat*. ISSN 2460-8572, EISSN 2461-095X.
- Samuel, Suryati N. K., Adiansyah V., 2015. *Ind. Fish. Res. J.* 21 9–18.
- Sanders, D., Jonhson, S., Kelso, B., 2014 *Invasive Aquatic Weeds in Louisiana, Louisiana Agriculture*, 53 (4), Pp. 34–37.
- Sapdi, Buchori D., Kartosuwondo U., Tjitrosemito S., Sahari B., 2006 The distribution of biocontrol agents *Neochetina* spp. (Coleoptera: Curculionidae) in West Java and DKI Jakarta]. *Jurnal Entomologi Indonesia* 3(1):20-29. [in Indonesian].

- Sasongko DA. 2014. Strategi Pengelolaan Hutan Lindung Angke Kapuk. Bogor (ID): Institut Pertanian Bogor.
- Setyanto K dan Warniningsih. 2011. Pemanfaatan eceng gondok untuk membersihkan kualitas air sungai sungai gadjahwong Yogyakarta. Vol 4 (1) : 18, 2011.
- Sharma H., Chauhan M. S., 2017 Water Hyacinth: Control and Utilization. International Journal of Civil Engineering and Technology (IJCIET). Volume 8, Issue 5. ISSN Print: 0976-6308 and ISSN Online: 0976-6316
- Shrestha R. P. and M. Hildebrand. 2015. Evidence for a Regulatory Role of Diatom Silicon Transporters in Cellular Silicon Responses. Eukaryotic Cell 14 (1): 29-40.
- Siahaan, N., T.R. Soeprobowati dan H. Purnaweni. 2016. Pertumbuhan Eceng Gondok Di Danau Toba Kabupaten Samosir. Prosiding Seminar Nasional Hasil-Hasil Penelitian Pascasarjana, SPS UNDIP
- Silva A. F., Cruz C., Pitelli R. L. C. M., Pitelli R. A. 2014 Use of grass carp (*Ctenopharyngodon idella*) as biological control agent for submerged aquatic macrophytes. *Planta Daninha* 32(4):765-773.
- Singla R. B. 2016 Morphometric alterations in exotic freshwater fish, *Ctenopharyngodon idella* (Cuv. and Val.) upon exposure to endosulfan. *International Journal of Fisheries and Aquatic Studies (IJFAS)*. ISSN: 2347-5129
- Sivaraman K., Murugesan A. G. 2016 Impact of release of *Neochetina* spp. on growth and density of water hyacinth *Eichhornia crassipes*. *Journal of Biological Control*, 30(3): 158-163, 2016, DOI: 10.18311/jbc/2016/15596
- Siver, P.A. and Hamilton, P.B. 2011. Diatoms of North America: The Freshwater Flora of Waterbodies on the Atlantic Coastal Plain. *Iconographia Diatomologica* 22.
- Smith-Fiola D., Gill S., 2014 Vinegar: an alternative to glyphosate? University of Maryland Extension. Available on: http://extension.umd.edu/sites/default/files/_docs/programs/ipmnet/Vinegar-AnAlternativeToGlyphosate-UMD-Smith-Fiola-and-Gill.pdf [Accessed: July, 2014]
- Smol J.P. 2008. Pollution Of Lakes And Rivers A Paleoenvironmental Perspective. 2nd Ed. Blackwell Publishing, USA.

- Soedarsono, P., B. Sulardiono dan R. Bakhtiar. 2013. Hubungan Kandungan Nitrat (NO₃) & Fosfat (PO₄) Terhadap Pertumbuhan Biomassa Basah Eceng Gondok (*Eichhornia crassipes*) yang berbeda Lokasi Di Perairan Rawapening Ambarawa, Kabupaten Semarang. *Journal of Management of Aquatic Resources*. Volume 2, Nomor 2, Tahun 2013, Hal. 66-72.
- Soeprbowati, T.R., S.W.A. Suedy., Hadiyanto., A.A. Lubis and Peter Gell. 2018. Diatom assemblage in the 24 cm upper sediment associated with human activities in Lake Warna Dieng Plateau Indonesia. *Environmental Technology & Innovation* 10 (2018) 314–323. <https://doi.org/10.1016/j.eti.2018.03.007>. 2352-1864/© 2018 Elsevier B.V. All rights reserved.
- Soeprbowati, T.R., S.W.A. Suedy and Hadiyanto. 2018. Find the future from the past : Paleolimnology in Indonesia. *E3S Web of Conferences* 31, 08002 (2018) <https://doi.org/10.1051/e3sconf/20183108002>. ICENIS 2017.
- Soeprbowati T. R., 2017 *Lake Management : Lesson Learn from Rawapening Lake*. American Scientific Publishers. *Advanced Science Letters*. Vol.23, 6495-6497. doi:10.1166/asl.2017.9664
- Soeprbowati, T.R., Suedy, S.W.A., Hadiyanto, , 2017b. Diatoms and water quality of Telaga Warna Dieng, Java. *IOP. Conf. Ser. Earth. Environ. Sci.* 55, 012051.
- Soeprbowati, T.R. dan S.W.A. Suedy. 2016. *Pengelolaan Kualitas Perairan Berdasarkan Analisis Paleolimnologi Menggunakan Diatom*. Prosiding Pertemuan Ilmiah Masyarakat Limnologi Indonesia, 2015. Cibinong.
- Soeprbowati, T.R., Tandjung, S.D., Sutikno, , Hadisusanto, S., Gell, P., Hadiyanto, , Suedy, S.W.A., 2016b. The water quality parameters controlling diatoms assemblage in Rawapening Lake, Indonesia. *Biodiversitas* 17 (2), 657–664.
- Soeprbowati T.R., Djalal T.S., Sutikno., Hadisusanto S., Gell P. 2016c. The minimum number of valves for diatom identification in RawaPening Lake, Central Java. *Biotropia*. 13(2), 96-104
- Soeprbowati T.R. 2015. *Procedia Environ. Sci.* 23 368–74
- Soeprbowati T.R., S. Hadisusanto. and P. Gell. 2012. The diatom stratigraphy of Rawa Pening Lake, Implying Eutrophication History *American Journal of Environmental Science* 8 (3): 334-344. June 2012. DOI: 10.3844/Ajessp.2012.334.344.
- Soeprbowati T.R. 2011. Diatom Epipelik sebagai Bioindikator Kualitas Perairan Danau Rawa Pening. *Jurnal Sains dan Matematika*. Jurusan Biologi UNDIP. Semarang

- Soeprbowati T.R. dan S.W.A. Suedy. 2010. Status Trofik Danau Rawa Pening. *Jurnal Matematika Dan Sain*, Fmipa Universitas Diponegoro Semarang, Edisi Juni 2010.
- Soeprbowati TR, Hadisusanto S. 2009. Diatom dan paleolimnologi: Studi komparasi perjalanan sejarah Danau Lac Saint-Augustine Quebec-City, Canada dan Danau Rawa Pening Indonesia. *Biota* 14 [1]:60-68.
- Soeprbowati TR. 2005. Komunitasi atom epipelik tidak semuanya epipelik sejati. *Jurnal Bioma* 7 (2) 1 42-50. Jurusan Biologi FMIPA UNDIP Semarang.
- Soeprbowati T. R., Rahmanto W. A., Hidayat J. W., Baskoro K. 2005 Diatoms and present condition of rawapening lake, International seminar on Environmental Chemistry and Toxicology.
- Soza E.L.C., Filho J.T., Velini E.D., Silva J.R.M., Tonello K.C., Foloni L.L., Gonzalz G.D.D. Barbosa A.C. Freato T.A. 2020 Efficacy of Glyphosate in Water Management and the Effects on Water Quality. *Journal of Water Resource and Protection*. ISSN Online: 1945-3108 ISSN. Print: 1945-3094. <https://doi.org/10.4236/jwarp.2020.121003>
- Sonneman, J.A., Sincock A., Fluin J., Reid M., Newall P., Tibby, J. and Gell,P. 2000. An Illustrated Guide To Common Stream Diatom Species From Temperate Australia. Cooperative Research Centre For FreshwaterEcology, Identification Guide No. 33. NSW.
- Srirangam G.M. 2016 Effect of partial replacement of fish meal with duck weed (*Lemna Minor*), and soybean meal on the growth performance of *Ctenopharyngodon Idella* (grass carp). *International Journal of Fisheries and Aquatic Studies (IJFAS)*. ISSN: 2347-5129
- Stoermer, E.F.; Smol, J.P. 1999. Applications and uses of diatoms: Prologue. In *The Diatoms: Applications for the Environmental and Earth Sciences*, 1st ed.; Cambridge University Press: New York, NY, USA. pp. 3–10.
- Strayer, D.L.; Findlay, S.E. Ecology of freshwater shore zones. *Aquat. Sci.* 2010, 72, 127–163. [CrossRef].
- Su, W.; Sun, Q.; Xia, M.; Wen, Z.; Yao, Z. 2018 The Resource utilization of water hyacinth (*Eichhornia crassipes* [Mart.] Solms) and its challenges. 7, 46. [CrossRef]

- Sudjarwo T., Nisyawati, Rosiana N., Mangunwardoyo W., 2014. The growth of water hyacinth (*Eichhornia crassipes* (Mart.) Solms) and water lettuce (*Pistia stratiotes* L.) in domestic wastewater in wastewater treatment plant (WWTP) bojongsong, Bandung, Indonesia. *Journal of Biodiversity and Environmental Sciences (JBES)* ISSN: 2220-6663 (Print) 2222-3045 (Online) Vol. 5, No. 4, p. 393-401, 2014 <http://www.innspub.net>
- Sugiono. 2004. *Statistika untuk penelitian*. Bandung. Penerbit CV. Alfabeta.
- Suharini E dan Abraham Palangan. 2010. *Biogeografi*. Semarang : Widya Karya.
- Suharto, 2008. *Analisis Kebijakan Publik*. Penerbit Alfabeta. Bandung
- Suhono B. 2010. *Ensiklopedia Flora Cetakan pertama*. PT Kharisma Ilmu: Bogor.
- Sukaris, Prathiwi M.P., Pristyadi B. 2020. Meningkatkan Kinerja Karyawan Melalui Keterikatan, Budaya Organisasi, dan Gaya Kepemimpinan. *Jurnal Ekonomi-Manajemen-Akuntansi* Volume 16, Nomor 1. Hal. 15-21 15.
- Sullivan P.E, Reynolds C.S. 2003. *Limnology and Limnetic Ecology*. USA: Blackwell Publishing.
- Sumarno D., Muryanto T., Suminda. 2017. Hubungan Total Padatan Terlarut dan Konduktivitas Perairan Di Danau Limboto, Provinsi Gorontalo. *Buletin Teknik Litkayasa (BTL)*. Vol 5. e-ISSN: 2541-2450.
- Sundari, P.P.K. 2016. Identifikasi Fitoplankton di Perairan Sungai Pepe sebagai Salah Satu Anak Sungai Bengawan Solo di Jawa Tengah. *Prosiding Seminar Nasional Pendidikan Biologi dan Saintek, UMS Solo 21 Mei 2016*.
- Suparmoko M. 2020. Konsep Pembangunan Berkelanjutan dalam Perencanaan Pembangunan Nasional dan Regional. *Jurnal Ekonomika dan Manajemen* Vol. 9 No. 1. hal. 39-50. ISSN: 2252-6226 (print), ISSN: 2622-8165
- Supono. 2008. *Analisis Diatom Epipellic Sebagai Indikator Kualitas Lingkungan Tambak Untuk Budidaya Udang*. Thesis. Semarang: Program Studi Magister Manajemen Sumberdaya Pantai
- Susmianto A. 2004. *Konservasi Ekosistem Danau*. *Prosiding Lokakarya Danau Kedua Pengelolaan Danau Berwawasan Lingkungan di Indonesia Jakarta 8-9 Desember 2004*. Hal: 9-11.
- Sutadian A.D., Muttala N., Yilmazd A.G., Pereraa B.J.C., 2017. Development of a water quality index for rivers in West Java Province, Indonesia. *Ecological Indicators*. <https://doi.org/10.1016/j.ecolind.2017.11.049>

- Sutarwi. 2008. Proses Kebijakan Konservasi Sumber Daya Air Danau Rawapening di Jawa Tengah. *Widyaprana* Vol. 1 No. 2. Desember 2008.
- Suttle C. A. and P. J. Harrison. 1988. Ammonium and Phosphate Uptake Rates, N : P Supply Ratios , and Evidence for N and P Limitation in Some Oligotrophic Lakes. *American Society of Limnology and Oceanography* 33 (2): 186–202.
- Suyuti, W.S.M., T.R. Soeprbowati dan Munifatul I. 2014. Bioakumulasi Timbal (Pb) oleh *Hydrilla verticillata* L.f. Royle di Danau Rawapening, Ambarawa Semarang. *Jurnal Sains dan Matematika*. Vol. 22 (2): 52-59 (2014).
- Svensson F., J. Norberg. and P. Snoeijs. 2014. Diatom Cell Size, Coloniality and Motility : Trade-Offs between Temperature, Salinity and Nutrient Supply with Climate Change. *PloS One* 9 (10): e109993. 17 pp.
- Syafri M dan Albayudi. Analisis Potensi Strategi Pengelolaan Ekowisata Di Kawasan Hulu Air Lempur Kabupaten Kerinci Jambi. *Jurnal Ilmu Manajemen Terapan*. Volume 1, Issue 4, Maret 2020, E-ISSN : 2686-4924, P-ISSN : 2686-5246
- Taylor J.C. and Cocquyt, C. 2016. Diatom from the Congo and Zambesi Basins- Methodologies and identification of the genera. ISSN 1784-1291
- Taylor J.C., Harding, W.R., Archibald, C.G.M. 2007. *An Illustrated Guide to Some Common Diatom Species from South Africa*. Republic of South Africa. ter Braak C.J.F. 1986. Canonical Correspondence Analysis: a new eigenvector technique for multivariate direct gradient analysis. *Ecology*, 67(5),1167-1179.
- Télliez T.R., López E., Granado G.L., Pérez E.A., López R.M., Guzmán J.M.S., 2008 The water hyacinth, *Eichhornia crassipes*: an invasive plant in the Guadiana River Basin (Spain). *Aquatic Invasions* 3: 42–53.
- Thamaga K.G., Dude T., 2018 Testing two methods for mapping water hyacinth (*Eichhornia crassipes*) in the Greater Letaba river system, South Africa: discrimination and mapping potential of the polar-orbiting Sentinel-2 MSI and Landsat 8 OLI sensors, *International Journal of Remote Sensing*, 39:22, 8041-8059, DOI: 10.1080/01431161.2018.1479796
- Thywissen, 2006, *Components of Risk, A Comparative Glossary*, Bonn: United Nations University Institute for Environment and Human Security.
- Tolkkinen, M., Marttila, H., Saukkoriipi, J., Martinmki, K., Tammela, S., Tertsunen, J., Heikkinen, K., Tuohino, J., Ihme, R., Klove, B., 2014. pH-levels in intensively drained and peatland-dominated river basin: Palaeolimnological approach to detect impacts of past land use. *Ecol. Eng.* 64, 367–376.

- United Nations (UN). 2004. Living with Risk: A global review of disaster reduction initiatives. 2004 Version - Volume I. New York and Geneva
- United Nation Environmental Program 2014. Technology Needs for Lake Management in Indonesia- Investigation of Rawa Danau and Rawa Pening, Java.
- Usamah, M., Handmer, J., Mitchell, D., & Ahmed, I. (2014). Can the vulnerable be resilient? Co-existence of vulnerability and disaster resilience: Informal settlements in the Philippines. *International Journal of Disaster Risk Reduction*, 10.
- Utomo, A.D., Ridho, M.R., Putranto, D.D.A., & Saleh, E. 2011. Keanekaragaman Plankton dan Tingkat Kesuburan Perairan di Waduk Gajah Mungkur. *BAWAL. Jurnal Widya Riset Perikanan Tangkap*. Jakarta. 3 (6), 415-422.
- Utomo, A.D. 2014. Pengaruh cara pemanenan eceng gondok yang tidak ramah lingkungan terhadap kualitas air di Rawa Pening. *Prosiding Semnaskan UGM XI. Hasil Penelitian Perikanan dan Kelautan*. Yogyakarta. MA, (13),55-62.
- Van Dam, H. On the use of measures of structure and diversity in applied diatom ecology. *Nova Hedwig*. 1982, 73, 97–115.
- Verma R., Sivappa 2017. Calculating growth rate of water hyacinth pollution wise (in relation to trophic state). *International Journal of Engineering and Technical Research (IJETR)* ISSN: 2321-0869 (O) 2454-4698 (P) Volume-7, Issue-7.
- Villamagna AM, Murphy B. R. 2010 Ecological and socio-economic impacts of invasive water hyacinth (*Eichhornia crassipes*): a review. *Freshwater Biology* 55:282-298.
- Wagga A.A., Gbhuri A.A. 2018 Using Different Methods of Adding Herbicides in Controlling Water Hyacinth (*Eichhornia crassipes*) and Reduce in Water Environment Pollution. *Scientific Papers. Series A. Agronomy*, Vol. LXI, No. 1. ISSN 2285-5785. ISSN CD-ROM 2285-5793. ISSN Online 2285-5807; ISSN-L 2285-5785.
- Wang Z., Zhang Z., Zhang J., Zhang Y., Liu H., Yan S., 2012. Large scale utilization of water hyacinth for nutrient removal in lake Dianchi in China: the effect on the water quality, macrozoobenthos and zooplankton. *Chemosphere* 89, 1255 – 1261.
- Warlina L. 2017. *Manajemen Pembangunan dan Lingkungan*. Penerbit Universitas Terbuka. Banten. ISBN: 978-602-392-191-1. e-ISBN: 978-602-392-192-8.
- Williams, A.E., Duthie, H.C., Hecky, R.E. 2005 Water hyacinth in Lake Victoria: why did it vanish so quickly and will it return?. *Aquat. Bot.*, 81(4), 300–314.

- Wilson, J.R.U., Ajuonu, O., Center, T.D., Hill, M.P., Julien, M.H., Katagira, F.F., Neuenschwander, P., Njoka, S. W., Ogwang, J., Reeder, R. H. & Van, T., 2007 The decline of water hyacinth on Lake Victoria was due to biological control by *Neochetina* spp. *Aquatic Botany*, 87, 90–93.
- Ward D.J., Simpson S.L. and D.F. 2013. Avoidance of contaminated sediment by an amphipod, a harpacticoid copepod and a snail. *Environmental toxicology and Chemistry*. 32(1), 644-652.
- Wardoyo, S.E., Krismono, dan I.N. Radiarta. 2003. Karakterisasi dan Penelitian daya dukung lahan perairan bekas galian pasir untuk pengembangan budidaya ikan. Laporan akhir. *Sainteks, Jurnal Ilmiah Pengembangan Ilmu Pertanian* Vo. XI No. 1 Des 2003, Fakultas Peternakan Univ. Semarang, p. 46– 54.
- Walker B.H., Carpenter S., Anderies J., Abel N., Cumming G, Janssen M., Lebel L., Norberg J, Peterson GD, Pritchard R. 2002. Resilience management in Social-Ecological Systems: a working hypothesis for participatory approach. *Conservation Ecology* 6[1]:14. [online] <http://www.concecol.org/vol6/iss14> [17 Mar 2009].
- Walker B. 2005. A Resilience Approach to Integrated Assessment. *Bridging Sciences & Policy*. Vol. 5 (1) : 77–97
- Walker B.H., Anderies J.M., Kinzig A.P., Ryan P. 2006. Exploring resilience in Social-Ecological Systemsthrough comparative studies and theory development: introduction to the special issues. *Ecology and Society* 11[1]:12. [online] <http://www.ecologyandsociety.org/vol11/iss1/art12/> [15 Mar 2009].
- Wetzel R.G. 2001. *Limnology, Lake And River Ecosystems*. 3rd Ed. Academic Press, Ny.
- Windler M., Bova D., Kryvenda A., Straile D., Gruber A., Kroth P.G. 2014. Influence of bacteria on cell size development and morphology of cultivated diatoms. *Phycol. Res.* 62(4), p. 269-281.
- Witkowski, A.; Radziejewska, T.; Wawrzyniak-Wydrowska, B.; Lange-Bertalot, H.; Błak, M.; Gelbrecht, J. 2011. Living on the pH edge: Diatom assemblages of low-pH lakes in western Pomerania (NW Poland). In *The Diatom World*; Sekbach, J., Kociolek, P., Eds.; Springer: Dordrecht, The Netherlands. pp. 365–384.
- Yan S. H., Song W., Guo J. Y., 2017 Advances in management and utilization of invasive water hyacinth (*Eichhornia crassipes*) in aquatic ecosystems - a review, *Crit. Rev. Biotechnol.* 37 (2) 218e228.

- Zamzami, Z. N., Astriyani, R. N., Suharianto. 2019. Analisis Kesesuaian Kualitas Air Sungai dengan Baku Mutu Air untuk Budidaya Ikan Air Tawar di Kabupaten Tabalong. *SPECTA Journal of Technology*, 3 (3), 36-43. <https://doi.org/10.35718/specta.v3i3.131>
- Zumani, D., M. Suryaman dan S.M. Dewi. 2015. Pemanfaatan Eceng Gondok (*Eichhornia crassipes* (Mart.) Solm) untuk Fitoremediasi Kadmium (Cd) pada Air Tercemar. *Jurnal Siliwangi* Vol. 1. No.1. Nov. 2015 ISSN 2477-3891.
- MoE (Ministry of Environment), Gerakan Penyelamatan Danau (Germadan) Rawapening, MoE, Jakarta (2011).
- PP No. 18 Tahun 2021 tentang Hak Pengelolaan, Hak Atas Tanah, Satuan Rumah Susun, dan Pendaftaran Tanah.
- PP No. 21 Tahun 2021 tentang Penyelenggaraan Tata Ruang
- PP No. 22 Tahun 2021 tentang Penyelenggaraan Perlindungan dan Pengelolaan Lingkungan Hidup.
- PP No. 27 Tahun 2021 tentang Penyelenggaraan Bidang Kelautan dan Perikanan
- Peraturan Presiden Republik Indonesia Nomor 60 Tahun 2021 tentang Penyelamatan Danau Prioritas Nasional.
- Permen PUPR Nomor 28/PRT/M/2015 tentang Penetapan Garis Sempadan Sungai dan Garis Sempadan Danau.
- Rawapening Lake Management Plan, Directorate of Land Water Damage Control 2019. Ministry of Environment and Forestry, Republic of Indonesia. UNDP. 2015. "Human Development Report" United Nations Development Programme. New York.

SEMARANG

SEKOLAH PASCASARJANA