

DAFTAR PUSTAKA

- Agussalim, A. (2013). Komposisi dan Kelimpahan Moluska (Gastropoda dan Bivalvia) di Ekosistem Mangrove Muara Sungai Musi Kabupaten Banyuasin Provinsi Sumatera Selatan. 5(1), 6–15.
- Akbar, N., Ibrahim, A., Haji, I., Tahir, I., Ismail, F., Ahmad, M., & Kotta, R. (2018). Struktur Komunitas Mangrove Di Desa Tewe, Kecamatan Jailolo Selatan, Kabupaten Halmahera Barat Provinsi Maluku Utara. Jurnal Enggano, 3(1), 81–97. <https://doi.org/10.31186/jenggano.3.1.81-97>.
- Al Idrus, A. (2014). Mangrove Gili Sulat Lombok Timur. Mataram: Arga Puji Press.
- Anggoro, S. (2017). Osmotic Perfomance Rate and Growth Rate of Green Mussel *Perna viridis* Cultivated in Tambak Lorok Semarang. 6, 164–172.
- Anggoro, S., Suprapto, D., & Purwanti, F. (2018). Osmoregulation Pattern of Fingerling Vanname Shrimp (*Litopenaeus vannamei*) Rearing in Three Molt Stage Iso-Osmotic Media. ILMU KELAUTAN: Indonesian Journal of Marine Sciences, 23(3), 119. <https://doi.org/10.14710/ik.ijms.23.3.119-122>.
- Appelqvist, C., Al-hamdani, Z. K., Jonsson, P. R., & Havenhand, J. N. (2015a). Climate Envelope Modeling and Dispersal Simulations Show Little Risk of Range Extension of the Shipworm, *Teredo navalis* (L), in the Baltic Sea. 1–17. <https://doi.org/10.1371/journal.pone.0119217>
- Appelqvist, C., Al-hamdani, Z. K., Jonsson, P. R., & Havenhand, J. N. (2015b). Climate Envelope Modeling and Dispersal Simulations Show Little Risk of Range Extension of the Shipworm, *Teredo navalis* (L), in the Baltic Sea. 1–16. <https://doi.org/10.1371/journal.pone.0119217>.
- Appelqvist, C., & Havenhand, J. N. (2016a). A phenological shift in the time of recruitment of the shipworm, *Teredo navalis* L., mirrors marine climate change. Ecology and Evolution, 6(12), 3862–3870. <https://doi.org/10.1002/ece3.2126>.
- Appelqvist, C., & Havenhand, J. N. (2016b). A phenological shift in the time of recruitment of the shipworm, *Teredo navalis* L., mirrors marine climate change. <https://doi.org/10.1002/ece3.2126>.

- Ashari, R., Kusmana, C., & Kuncahyo, B. (2018). Evaluasi Tegakan Mangrove Hasil Rehabilitasi Dengan Teknik Guludan. *Jurnal Silvikultur Tropika*, 9(3), 175–181.
- Baksir, A., Akbar, N., Tahir, I., Haji, I., Ahmad, M., & Kotta, R. (2018). Struktur Komunitas Hutan Mangrove Di Pulau Sibu Kota Tidore Kepulauan Provinsi Maluku Utara. *Jurnal Enggano*, 3(2), 178–196. <https://doi.org/10.31186/jenggano.3.2.178-196>
- Barbieri, E., Rezende, K. F. O., Carneiro, J. S., & Henriques, M. B. (2019). Metabolic and histological alterations after exposing deuterodon iguape to different salinities. *Boletim Do Instituto de Pesca*, 45(2). <https://doi.org/10.20950/1678-2305.2019.45.2.410>.
- Bello K, 2013. (2013). Effect of Processing Method on the Proximate. *African Journal of Food, Agriculture, Nutrition and Development*, 13(2), 7383–7398.
- Borges, L. M.S., Sivrikaya, H., Le Roux, A., Shipway, J. R., Cragg, S. M., & Costa, F. O. (2012). Investigating the taxonomy and systematics of marine wood borers (Bivalvia:Teredinidae) combining evidence from morphology, DNA barcodes and nuclear locus sequences. *Invertebrate Systematics*, 26(5–6), 572–582. <https://doi.org/10.1071/IS12028>.
- Borges, L M S. (2014). International Biodeterioration & Biodegradation Biodegradation of wood exposed in the marine environment : Evaluation of the hazard posed by marine wood-borers in fifteen European sites. *International Biodeterioration & Biodegradation*, 96, 97–104. <https://doi.org/10.1016/j.ibiod.2014.10.003>.
- Borges, Luísa M S, Merckelbach, L. M., Sampaio, Í., & Cragg, S. M. (2014). Diversity , environmental requirements, and biogeography of bivalve wood-borers (Teredinidae) in European coastal waters. 1–13.
- Campbell, N.A., Reece, J.B., Urry, L.A., Cain, M.L., Wasserman, S.A., Minorsky, P.V., Jackson, R.B. (2012). Biologi Jilid 2. Edisi 8. Terjemahan D.T Wulandari. Jakarta: Erlangga Convenger, H. A. W. (2013). Inventaris dan sebaran moluska di Bacan. *Journal of Chemical Information and Modeling*, 53(9), 1689–1699.
- Dahdouh-Guebas, F., Ajonina, G. N., Amir, A. A., Andradi-Brown, D. A., Aziz, I., Balke, T., Barbier, E. B., Cannicci, S., Cragg, S. M., Cunha-Lignon, M., Curnick, D. J., Duarte, C. M., Duke, N. C., Endsor, C., Fratini, S., Feller, I. C., Fromard, F., Hugé, J., Huxham, M., ... Friess, D. A. (2020). Public Perceptions of Mangrove Forests Matter for Their Conservation. *Frontiers in Marine Science*, 7(10), 1–5. <https://doi.org/10.3389/fmars.2020.603651>.

- Diaman, 2016. (2016). Analisis Profil Protein Kerang Darah (*Anadara granosa*) yang Dipajan Ion Logam Timbal(Pb) dengan Variasi Konsentrasi. 1–27.
- Didžiulis, V. (2011). NOBANIS - Invasive Alien Species Fact Sheet *Teredo navalis*. 1–9.
- Diniz, G. S., Barbarino, E., Oiano-Neto, J., Pacheco, S., & Lourenço, S. O. (2013). Perfil químico bruto y cálculo de los factores de conversión de nitrógeno a proteína en nueve especies de peces de aguas costeras de Brasil. Latin American Journal of Aquatic Research, 41(2), 254–264. <https://doi.org/10.3856/vol41-issue2-fulltext-5>
- Distel, D. L., Morrill, W., MacLaren-Toussaint, N., Franks, D., & Waterbury, J. (2002). *Teredinibacter turnerae* gen. nov., sp. nov., a dinitrogen-fixing, cellulolytic, endosymbiotic γ -proteobacterium isolated from the gills of wood-boring molluscs (Bivalvia: Teredinidae). International Journal of Systematic and Evolutionary Microbiology, 52(6), 2261–2269. <https://doi.org/10.1099/ijsm.0.02184-0>.
- Effendi, R., Salsabila, H., & Malik, A. (2018). Pemahaman Tentang Lingkungan Berkelanjutan. Modul, 18(2), 75. <https://doi.org/10.14710/mdl.18.2.2018.75-82>
- Ehrich, D., Jorde, P. E., Krebs, C. J., Kenney, A. J., Stacy, J. E., & Stenseth, N. C. (2001). Spatial structure of lemming populations (*Dicrostonyx groenlandicus*) fluctuating in density. 481–495.
- Endah Widiyanti, S., Abubakar, S., & Abd Murhum, M. (2018). Penentuan Kesesuaian Lahan Konservasi Hutan Mangrove Di Desa Gotowasi Kecamatan Maba Selatan Maluku Utara. JFMR-Journal of Fisheries and Marine Research, 2(3), 215–224. <https://doi.org/10.21776/ub.jfmr.2018.002.03.10>.
- Eriksen, A M, Gregory, D. J., & Botfeldt, K. (2014). International Biodeterioration & Biodegradation The survival of *Teredo navalis* L . in timber wrapped in TERRAM4000 and a plastic membrane. International Biodeterioration & Biodegradation, 86, 96–101. <https://doi.org/10.1016/j.ibiod.2013.06.021>.
- Eriksen, A. M., Gregory, D., & Shashoua, Y. (2015). Selective attack of waterlogged archaeological wood by the shipworm, *Teredo navalis* and its implications for in-situ preservation. Journal of Archaeological Science, 55, 9–15. <https://doi.org/10.1016/j.jas.2014.12.011>.

- Eriksen, Anne Marie, & Gregory, D. (2016). Degradation of Archaeological Remains by Shipworm. 18, 30–39. <https://doi.org/10.1080/13505033.2016.1181931>.
- Fitriah, E., Maryuningsih, Y., Chandra, E., & Mulyani, A. (2013). Studi Analisis Pengelolaan Hutan Mangrove Kabupaten Cirebon. *Jurnal Scientiae Educatia*, 2(November), 1–18.
- Fojutowski, A., Wróblewska, H., Komorowicz, M., Kropacz, A., Noskowiak, A., & Pomian, I. (2014). International Biodeterioration & Biodegradation Changes in the properties of English oak wood (*Quercus robur L.*) as a result of remaining submerged in Baltic Sea waters for two years. *International Biodeterioration & Biodegradation*, 86, 122–128. <https://doi.org/10.1016/j.ibiod.2013.06.029>.
- Gito Hadiprayitno, dan M. Liwa Ilhamdi, A. A. I. I. G. M. (2014). Kekhasan Morfologi Spesies Mangrove di Gili Sulat. *Jurnal Biologi Tropis*, 14(2). <https://doi.org/10.29303/jbt.v14i2.139>.
- González-Duarte, M. M., Fernández-Montblanc, T., Bethencourt, M., & Izquierdo, A. (2018). Effects of substrata and environmental conditions on ecological succession on historic shipwrecks. *Estuarine, Coastal and Shelf Science*, 200, 301–310. <https://doi.org/10.1016/j.ecss.2017.11.014>.
- Hadid, Y., Syaifudin, M., & Amin, M. (2014). Pengaruh Salinitas Terhadap Daya Tetas Telur Ikan Baung (*Hemibagrus Nemurus* Blkr.). *Jurnal Akuakultur Rawa Indonesia*, 2(1), 78–92. <https://doi.org/10.36706/jari.v2i1.2056>.
- Hafiluddin, et al, 2011. (2011). Kandungan Gizi dan Karakterisasi Senyawa Bioaktif Lintah Laut. 3(1), 1–6.
- Hamdani, et al, 2011. (2011). Guidelines for predicting decay by shipworm in the Baltic Sea 2011.
- Harahab, N. 2010. Penilaian Ekonomi Ekosistem Hutan Mangrove dan Aplikasinya Dalam Perencanaan Wilayah Pesisir. Yogyakarta : Graha Ilmu.
- Haryono, Rahardjo, M. F., Affandi, R., & Mulyadi. (2017). Karakteristik Morfologi dan Habitat Ikan Brek (*Barbomyrus balleroides* Val. 1842) di Sungai Serayu Jawa Tengah. *Jurnal Biologi Indonesia*, 13(2), 223–232. <https://doi.org/10.47349/jbi/13022017/223>.
- Hendy, I. W., Michie, L., & Taylor, B. W. (2014). Habitat creation and biodiversity maintenance in mangrove forests: Teredinid bivalves as ecosystem engineers. *PeerJ*, 2014(1). <https://doi.org/10.7717/peerj.591>.

- Hewindati, Y. T. & Utomo, S. (2018). Konservasi mangrove berbasis komunitas di Kecamatan Blanakan (Laporan tidak diterbitkan). Tangerang Selatan: LPPM-Universitas Terbuka.
- Hitalessy, R. B., Leksono, A. S., & Herawati, E. Y. (2015). Struktur Komunitas Dan Asosiasi Gastropoda Dengan Tumbuhan Lamun di Perairan Pesisir Lamongan Jawa Timur. *J-PAL*, Vol., 6(1), 64–73.
- Ibrahim, H. M. I. (2015). Chemical composition, minerals content, amino acids bioavailability and sensory properties of meat and fish balls containing fish protein isolate. *International Journal of Current Microbiology and Applied Sciences*, 4(4), 917–933.
- Irsadi, A., Anggoro, S., Soeprabowati, T. R., Helmi, M., & Khair, A. S. E. (2019). Shoreline and mangrove analysis along semarang-demak, Indonesia for sustainable environmental management. *Jurnal Pendidikan IPA Indonesia*, 8(1), 1–11. <https://doi.org/10.15294/jpii.v8i1.17892>
- Izzah, N. A., & Roziaty, E. (2016). Keanekaragaman Makrozoobentos Di Pesisir Pantai Desa Panggung Kecamatan Kedung Kabupaten Jepara. *Bioeksperimen: Jurnal Penelitian Biologi*, 2(2), 140–148.
- Kardin, Sara, L., & Pangerang, U. K. (2016). Beberapa aspek biologi Ikan Sidat (*Anguilla* sp) di Sungai Mosolo Pulau Wawonii , Konawe Kepulauan. *Jurnal Manajemen Sumber Daya Perairan*, 1(4), 355–365.
- Karim, M. Y., & Trijuno, D. D. (2017). Respon Tingkat Kerja Osmotik Dan Pertumbuhan Populasi Kopepoda Siklopoid *Oithona* sp. Pada Berbagai Salinitas. *Jurnal Saintek Peternakan Dan Perikanan*, 1(2), 54–65.
- Katili, et al, 2018. (2018). Seminar Nasional Biologi Xxiv 2017. <http://repo.unsrat.ac.id/id/eprint/2002>
- Kurniawan, A., Kurniawan, A., & Sambah, A. B. (2019). Bakteri selulolitik mangrove. January.
- Laboratorium Pengujian dan Kalibrasi BBTPPI, (2020). Laporan Pengujian. 1–18.
- Lantu, S. (2010). Osmoregulasi Pada Hewan Akuatik. *Jurnal Perikanan Dan Kelautan Tropis*, 6(1), 46. <https://doi.org/10.35800/jpkt.6.1.2010.117>.
- Lestari, S. N., Rachmawati, F. N., & Susilo, U. (2017). Perubahan Kadar Protein Dan Status Lipostatik Ikan Sidat, *Anguilla bicolor*, Stadia Silver Yang Dipelihara Pada Salinitas Yang Berbeda. *Scripta Biologica*, 4(1), 41. <https://doi.org/10.20884/1.sb.2017.4.1.384>.
- Lippert, H., Weigelt, R., Glaser, K., Krauss, R., & Bastrop, R. (2017). *Teredo navalis* in the Baltic Sea : Larval Dynamics of an Invasive Wood-Boring

- Bivalve at the Edge of Its Distribution. 4(October), 1–12. <https://doi.org/10.3389/fmars.2017.00331>.
- Lustianto, A. F., Anggoro, S., & Widyorini, N. (2020). Pola Osmoregulasi, Kebiasaan Makanan dan Faktor Kondisi Ikan Bandeng (*Chanos Chanos*) di Tambak Desa Bakaran Wetan, Pati Osmoregulation Pattern, Food Habits and Milkfish Condition Factors (*Chanos chanos*) in Traditional Ponds Bakaran Wetan Village, Pati. Management of Aquatic Resources Journal (MAQUARES), 9(1), 81–89. <https://doi.org/10.14710/marj.v9i1.27763>.
- MacIntosh, H., De Nys, R., & Whalan, S. (2012). Shipworms as a model for competition and coexistence in specialized habitats. Marine Ecology Progress Series, 461(Shanks 1995), 95–105. <https://doi.org/10.3354/meps09823>.
- Macintosh, H., Nys, R. De, & Whalan, S. (2014). Contrasting life histories in shipworms : Growth , reproductive development and fecundity Townsville Australia Ayr. Journal of Experimental Marine Biology and Ecology, 459, 80–86. <https://doi.org/10.1016/j.jembe.2014.05.015>.
- Macintosh, H., Nys, R. De, & Whalan, S. (2014). Contrasting life histories in shipworms : Growth , reproductive development and fecundity Townsville Australia Ayr. Journal of Experimental Marine Biology and Ecology, 459, 80–86. <https://doi.org/10.1016/j.jembe.2014.05.015>.
- Maulana, R., Anggoro, S., & Rachmawati, D. (2013). Pola Osmoregulasi, Pertumbuhan dan Kelulushidupan Keong Macan (*Babylonia spirata* L) pada Media dengan Salinitas Berbeda. Management of Aquatic Resources Journal (MAQUARES), 2(3), 233–242. <https://doi.org/10.14710/marj.v2i3.4220>.
- Mohrholz, V., Naumann, M., Nausch, G., Krüger, S., & Gräwe, U. (2015). Fresh oxygen for the Baltic Sea — An exceptional saline inflow after a decade of stagnation. Journal of Marine Systems, 148, 152–166. <https://doi.org/10.1016/j.jmarsys.2015.03.005>.
- Muslim, M., & Syaifudin, M. (2012). Domestikasi calon induk ikan gabus (*Channa striata*) dalam lingkungan budidaya (kolam beton). Majalah Ilmiah Sriwijaya, 22(15), 21–27.
- Ningsih, R., Sudarno, S., & Agustono, A. (2018). Pengaruh Konsentrasi Maltodekstrin Terhadap Karakteristik Pepton Ikan Kakap (*Lutjanus* sp.). Agrointek, 12(1), 55. <https://doi.org/10.21107/agrointek.v12i1.3673>.
- Novian, et al, 2013. (2013). Studi Analisa Plankton Untuk Sungai Babon Semarang. Journal Of Management Of Aquatic Resources Volume 2 , Nomor 3 , Tahun 2013 , Halaman 74-84 Online di : <http://ejournal-s1.undip.ac.id/index.php/maquares>. 2, 74–84.

- Nurdiansah, D., Wayan, I., & Dharmawan, E. (2018). Komunitas Mangrove di Wilayah Pesisir Pulau Tidore dan Sekitarnya Mangrove Community in Coastal Area of Tidore Islands Abstrak Pendahuluan Metodologi Sample Id Transect Number. 3(1), 1–9.
- Paalvast, P., & van der Velde, G. (2011). Distribution, settlement, and growth of first-year individuals of the shipworm *Teredo navalis* L. (Bivalvia: Teredinidae) in the Port of Rotterdam area, the Netherlands. International Biodeterioration and Biodegradation, 65(3), 379–388. <https://doi.org/10.1016/j.ibiod.2010.11.016>.
- Paalvast, P., & Velde, G. Van Der. (2013). What is the main food source of the shipworm (*Teredo navalis*)? A stable isotope approach. Journal of Sea Research, 80, 58–60. <https://doi.org/10.1016/j.seares.2013.03.003>
- Palanti, S., Feci, E., & Anichini, M. (2015). International Biodeterioration & Biodegradation Comparison between four tropical wood species for their resistance to marine borers (*Teredo spp* and *Limnoria spp*) in the Strait of Messina. International Biodeterioration & Biodegradation, 104, 472–476. <https://doi.org/10.1016/j.ibiod.2015.07.013>.
- Pamungkas, W. (2012). Aktivitas Osmoregulasi, Respons Pertumbuhan, Dan Energetic Cost Pada Ikan Yang Dipelihara Dalam Lingkungan Bersalinitas. Media Akuakultur, 7(1), 44. <https://doi.org/10.15578/ma.7.1.2012.44-51>.
- Prasadi, O., Setyobudiandi, I., Butet, N. A., & Nuryati, S. (2016). Karakteristik Morfologi Famili Arcidae di Perairan yang Berbeda (Karangantu dan Labuan, Banten). Jurnal Teknologi Lingkungan, 17(1), 29. <https://doi.org/10.29122/jtl.v17i1.1462>.
- Pratama & Widodo. (2018). Strategi Perencanaan dan Rekayasa Lingkungan untuk Mewujudkan Ekosistem Mangrove Berkelanjutan Studi Kasus Kawasan Science Techno Park Penajam Environmental Planning and Engineering Strategy towards Sustainable Mangrove Ecosystem. Jurnal Teknologi Lingkungan, 19(01), 135–144.
- Puryono, S., Anggoro, S., & Anwar, Irwan S, 2019. (n.d.). P Engelolaan.
- Rachmawati, D., Hutabarat, J., & Anggoro, S. (2012). Pengaruh salinitas media berbeda terhadap pertumbuhan keong macan (*Babylonia spirata* L.) pada proses domestikasi. Ilmu Kelautan, 17(3), 141–147.
- Rachmawati, D., & Ka, N. I. M. (2012). Disertasi Domestikasi Keong Macan (*Babylonia spirata* L) melalui optimalisasi media dan pakan oleh : program pasca sarjana.

- Rahmawati, Y. A., Anggoro, S., & Subiyanto, -. (2013). Domestikasi Lobster Air Tawar (*Cherax quadricarinatus*) Melalui Optimalisasi Media Dan Pakan. *Management of Aquatic Resources Journal (MAQUARES)*, 2(3), 128–137. <https://doi.org/10.14710/marj.v2i3.4195>
- Rakhfid, A., & Rochmady, R. (2013). Analisis nilai ekonomi hutan mangrove di Kabupaten Muna (Studi kasus di Desa Labone Kecamatan Lasalepa dan Desa Wabintingi Kecamatan Lohia). *Agrikan: Jurnal Agribisnis Perikanan*, 6(January), 82–104. <https://doi.org/10.29239/j.agrikan.6.0.82-104>
- Riza, Anggoro, Suryanti, (2020). Pola Osmoregulasi, Indeks Ponderal, Dan Kematangan Gonad Ulujamai, Pemalang Osmoregulation Pattern , Ponderal Index , and Gonad Maturity of Mangrove Crab (*Scylla serrata*) in the. *16(1)*, 31–38.
- Rohmatin Isnansih, N., & P. Patria, M. (2018). Peran Komunitas Moluska dalam Mendukung Fungsi Kawasan Mangrove di Tanjung Lesung, Pandeglang, Banten. *Biotropika - Journal of Tropical Biology*, 6(2), 35–44. <https://doi.org/10.21776/ub.biotropika.2018.006.02.01>
- Romano, N., & Zeng, C. (2012). Osmoregulation in decapod crustaceans: Implications to aquaculture productivity, methods for potential improvement and interactions with elevated ammonia exposure. *Aquaculture*, 334–337(October 2017), 12–23. <https://doi.org/10.1016/j.aquaculture.2011.12.035>
- Rosaini, Heni, R. R. dan V. H. (2015). Penetapan Kadar Protein Secara Kjehdahl Beberapa Makanan Olahan Kerang Remis (*Corbicula moltkiana Prime*) dari Danau Singkarak. *Jurnal Farmasi Higea*, 7(2), 120–127.
- Rudianto. (2018). Restorasi Ekosistem Mangrove Desa Pesisir Berbasis Co-Management Restoration of Mangrove Ecosystem in Coastal Village Based on Co-Management. *Jurnal Perikanan Universitas Gadjah Mada*, 20(1), 1–12.
- S.K., P. (2014). Deterioration of Wood by Marine Borers in a Tropical Harbour: Influence of Environmental Parameters and Biotic Factors. *International Journal of Marine Science*, February 2015. <https://doi.org/10.5376/ijms.2014.04.0013>
- Samudra, N. R., & Anggoro, S. (2020). The effect of different salinity towards energy utilization levels and the effectiveness of bigfin reef squid egg hatching (*Sepioteuthis lessoniana*). *8(3)*, 450–455.
- Sari Dewi, S., Soemardini, S., & Ari Nugroho, F. (2016). Hubungan Tingkat Konsumsi Protein, Zat Besi (Fe) dan Zinc (Zn) dengan Kondisi Penyembuhan Luka Perineum Derajat II pada Ibu Nifas. *Majalah Kesehatan*, 3(3), 137–143. <https://doi.org/10.21776/ub.majalahkesehatan.003.03.4>

- Satrioajie, W. . (2012). Biologi Dan Ekologi Kerang Bulu Anadara (Cuneearca pilula (REEVE, 1843). Oseana, XXXVII(2), 1–9.
- Shaviklo, A. R., Thorkelsson, G., & Arason, S. (2012). Quality changes of fresh and frozen protein solutions extracted from atlantic cod (*Gadus morhua*) trim as affected by salt, cryoprotectants and storage time. Turkish Journal of Fisheries and Aquatic Sciences, 12(1), 41–51. https://doi.org/10.4194/1303-2712-v12_1_06
- Sinyo, Y., Anggoro, S., & Soeprobawati, T. R. (2019). Morphologic characteristics and population density of *Teredo navalis L* in mangrove forest area, Wailukum East Halmahera Regency. Journal of Physics: Conference Series, 1217(1). <https://doi.org/10.1088/1742-6596/1217/1/012141>
- Sinyo, Y, Anggoro, S., & Soeprobawati, T. R. (2019). Aktivitas Grazing *Teredo navalis L* di Habitat Mangrove Menggunakan Metode Scan Sampling. Jurnal Pendidikan MIPA, 4(2), 2–7.
- Sinyo, Y, Anggoro, S., Soeprobawati, T. R., Progam, P., & Sciences, M. (2020). Biophysics of Mangrove Vegetation Environment : A Case Study of *Teredo navalis L* in East Halmahera Regency. 29(4), 2436–2445.
- Sinyo, Y, Anggoro, S., & Soeprobawati, T. R. (2020). Sustainability of *Teredo navalis L* and Environmental Management Strategies in the Pandemic Era COVID-19. E3S Web of Conferences, 202. <https://doi.org/10.1051/e3sconf/202020203003>.
- Otto Soemarwoto, Analisis Mengenai Dampak Lingkungan, Gadjah Mada University, Yogyakarta, 2009, hlm.18-19
- Solak, C. N., Kaleli, A., & Baytut, Ö. (2016). Solak, Kaleli & Baytut_2016_Trjfas_The Distribution of Cymbelloid Diatoms in Yalova Runningwaters. Turkish Journal of Fisheries and Aquatic Sciences, 16(4), 953–959. <https://doi.org/10.4194/1303-2712-v16>
- Srikanth, S., Kaihekulani, S. Lum, Y., & Chen, Z. (2015). Mangrove root: adaptations and ecological importance. Evolutionary Ecology, 30 (2): 451–465.
- Sugiyono, (2013). Metode Penelitian. Journal of Chemical Information and Modeling, 53(9), 1689–1699.
- Swaim D. (2017). Biodiversity of Shipworms (Mollusca : Bivalvia : Teredinidae) in the Vicinity of a Tropical Mangrove Ecosystem along Bay of Bengal, Andhra Pradesh , India. 1(4), 1–5. <https://doi.org/10.15406/bij.2017.01.00021>

- Treneman, N. C., Carlton, J. T., Borges, L. M. S., Shipway, J. R., Raupach, M. J., & Altermark, B. (2018). Species diversity and abundance of shipworms (Mollusca : Bivalvia : Teredinidae) in woody marine debris generated by the Great East Japan Earthquake and Tsunami of 2011. 13(1), 87–100.
- UNDIP, I. 2015. (2015). Imbalances in paid and unpaid work. Chapter 4 Human Development Report 2015 Work for Human Development. www.undp.org
- Utami, S., Anggoro, S., & Soeprobawati, Tri Retnaningsih, 2017. (2017). The diversity and regeneration of mangrove on Panjang Island Jepara Central Java. International Journal of Conservation Science, 8(2), 289–294.
- Utomo, B., Budiastuty, S., & Muryani, C. (2018). Strategi Pengelolaan Hutan Mangrove Di Desa Tanggul Tlare Kecamatan Kedung Kabupaten Jepara. Jurnal Ilmu Lingkungan, 15(2), 117. <https://doi.org/10.14710/jil.15.2.117-123>
- UU No. 32 Tahun 2009. (2009). UU KLHK No. 32 tahun 2009. Journal of Agricultural and Food Chemistry, 54(1), 1–6. <http://dx.doi.org/10.1007/s11270-016-3076-8%0Ahttp://dx.doi.org/10.1080/02772248.2015.1031668%0Ahttp://dx.doi.org/10.1016/j.envpol.2016.09.073%0Ahttp://dx.doi.org/10.1016/j.scitotenv.2014.09.027%0Ahttp://dx.doi.org/10.1016/j.chemosphere.2009.02.022%0Ahttp>
- Voight, J. R. (2018). Molluscan Studies Xylotrophic bivalves : aspects of their biology and the impacts of humans. February, 175–186. <https://doi.org/10.1093/mollus/eyv008>
- Wang, Y., Hu, M., Cheung, S. G., Shin, P. K. S., Lu, W., & Li, J. (2013). Antipredatory responses of *Perna viridis* (Linnaeus, 1758) under acute hypoxia and low salinity. Journal of Molluscan Studies, 79(1), 42–50. <https://doi.org/10.1093/mollus/eys035>
- Weigelt, R., Lippert, H., Karsten, U., & Bastrop, R. (2017). Genetic Population Structure and Demographic History of the Widespread Common Shipworm *Teredo navalis* Linnaeus 1758 (Mollusca : Bivalvia : Teredinidae) in European Waters Inferred from Mitochondrial COI Sequence Data. 4(June), 1–12. <https://doi.org/10.3389/fmars.2017.00196>
- Weigelt, R. (2018). Population genetics and ecological investigations of the common shipworm *Teredo navalis* Linnaeus , 1758 in European waters Kumulative Dissertation.
- Widodo, A. F., Pantjara, B., Adhiyudanto, N. B., & Rachmansyah, R. (2011). Performansi Fisiologis Udang Vaname, *Litopenaeus vannamei* Yang Dipelihara Pada Media Air Tawar Dengan Aplikasi Kalium. Jurnal Riset Akuakultur, 6(2), 225. <https://doi.org/10.15578/jra.6.2.2011.225-241>

Yulianda, F., Yusuf, M. S., & Prayogo, W. (2013). Zonasi dan Kepadatan Komunitas Intertidal di Daerah Pasang Surut, Pesisir Batuhijau, Sumbawa. *Jurnal Ilmu Dan Teknologi Kelautan Tropis*, 5(2), 409–416.

Yuliani, T. A., Anggoro, S., & Solichin, A. (2018). Pengaruh Salinitas Berbeda Terhadap Respon Osmotik, Regulasi Ion Dan Pertumbuhan Ikan Sidat (*Anguilla* sp.) Fase elver selama masa aklimasi dan kultivasi. *Management of Aquatic Resources Journal (MAQUARES)*, 7(4), 333–341. <https://doi.org/10.14710/marj.v7i4.22567>

Yurisma, et al. (2013). Pengaruh Salinitas yang Berbeda terhadap Laju Konsumsi Oksigen Ikan Gurame (*Osteogaster gouramy*) Skala Laboratorium. 1(1), 1–4.



SEKOLAH PASCASARJANA