

DAFTAR PUSTAKA

- Abarca, E., Karam, H., Hemond, H.F., Harvey, C.F. 2013. Transient groundwater dynamics in a coastal aquifer: The effects of tides, the lunar cycle, and the beach profile. *Water Resour. Res.* 49, 2473–2488.
- Abdullah, Said. 2018. *Air Sumur Tercemar, Warga Banjarbaru Diimbau Gunakan PDAM.* Cendana News. <https://www.cendananeWS.com/2018/02/air-sumur-tercemar-warga-banjarbaru-diimbau-gunakan-pdam.html> [diakses pada 3 Maret 2020].
- Abdullahi, U.S. 2009. Evaluation of Models for Assessing Groundwater Vulnerability to Pollution in Nigeria. *Bayero Journal of Pure and Applied Sciences.* 2, 138-142.
- ADB (Asian Development Bank). 2016. *Indonesia: Country Water Assessment.* Mandaluyong City, Philippines.
- Adimalla, N. 2019. Spatial Distribution, exposure, and potential health risk assessment from nitrate in drinking water from Semi-Arid Region of South India. *Hum. Ecol. Risk Assess Int. J.*, 26, 1–25.
- Aleem, M., Shun, C.J., Li, C., Aslam, A.M., Yang, W., Nawaz, M.I., Ahmed, W.S., Buttar, N.A. 2018. Evaluation of Groundwater Quality in the Vicinity of Khurrianwala Industrial Zone, Pakistan. *Water*, 10, 1321. <https://doi.org/10.3390/w10101321>
- Alfarrah N, Walraevens K. Groundwater Overexploitation and Seawater Intrusion in Coastal Areas of Arid and Semi-Arid Regions. *Water.* 2018; 10(2):143. <https://doi.org/10.3390/w10020143>
- Aller, L., Bennet, T., Lehr, J. H., Petty, R. J., dan Hacket, G. 1985. *A Standardized System For Evaluating Ground Water Pollution Potential Using Hydrogeologic Settings.* United State : U.S. Environmental Protection Agency.
- Anisyah, Anisyah., Mashuri, A., Haris, A., Krisdianto, Krisdianto. Analisa Kualitas Air Sumur Gali di Kota Banjarbaru Provinsi Kalimantan Selatan. *Enviroscienteae*, vol. 9, no. 1, Apr. 2013, pp. 10-13.
- Anonim. _____. *Profil Perusahaan.* <https://pdamintanbanjar.co.id/tentang/> [diakses pada 31 Juli 2021]
- Awangga, Rolly Maulana. 2019. *Pengantar Sistem Informasi Geografis Berbasiskan Open Source.* Bandung, Alfabeta.
- Baalousha, H. M. 2016. Groundwater Vulnerability Mapping of Qatar Aquifers. *Journal of African Earth Sciences*, 124, 75–93.
- Babiker, I.S., Mohamed, M.A.A., Hiyama, T., Kato, K. 2005. A GIS-based *DRASTIC* Model for Assessing Aquifer Vulnerability in Kakamigahara Heights, Gifu Prefecture, Central Japan. Central Japan. *Sci Total Environ.* 345, 127–40.
- Badan Pusat Statistik (BPS) Kabupaten Banjar. (2015). *Kabupaten Banjar Dalam Angka*, Martapura: Badan Pusat Statistik.
- Badan Pusat Statistik (BPS) Kabupaten Banjar. (2021). *Kabupaten Banjar Dalam Angka*, Martapura : Badan Pusat Statistik.

- Badan Pusat Statistik (BPS) Kabupaten Tanah Laut. (2015). *Kota Banjarbaru Dalam Angka*. Pelaihari: Badan Pusat Statistik.
- Badan Pusat Statistik (BPS) Kabupaten Tanah Laut. (2021). *Kota Banjarbaru Dalam Angka*. Pelaihari: Badan Pusat Statistik.
- Badan Pusat Statistik (BPS) Kota Banjarbaru. (2015). *Kota Banjarbaru Dalam Angka*. Banjarbaru: Badan Pusat Statistik.
- Badan Pusat Statistik (BPS) Kota Banjarbaru. (2021). *Kota Banjarbaru Dalam Angka*. Banjarbaru : Badan Pusat Statistik.
- Badr, E.-S.A., Al-Naeem, A.A. 2021. Assessment of Drinking Water Purification Plant Efficiency in Al-Hassa, Eastern Region of Saudi Arabia. *Sustainability*, 13, 6122. <https://doi.org/10.3390/su13116122>
- Baghnapour, M., Nobandegani, A., Talebbeydokhti, N., Bagherzadeh, S., Nadiri, A., Gharekhani, M., & Chitsazan, N. 2016. Optimization of DRASTIC Method by Artificial Neural Network, Nitrate Vulnerability Index, and Composite Drastic Models to Assess Groundwater Vulnerability of Unconfined Aquifer of Shiraz Plain, Iran. *Journal of Environmental Health Science and Engineering*, 14, 13.
- Baghnapour, M.A., Nobandegani, A.F., Talebbeydokhti, N., Bagherzadeh, S., Nadiri, A.A., Gharekhani, M., Chitsazan, N. 2016. Optimization of DRASTIC Method by Artificial Neural Network, Nitrate Vulnerability Index, and Composite DRASTIC Models to Assess Groundwater Vulnerability of Unconfined Aquifer of Shiraz Plain, Iran. *Journal of Environmental Health Science and Engineering*. 14, 13.
- Barbulescu, A. 2020. Assessing Groundwater Vulnerability: DRASTIC and DRASTIC-Like Methods: A Review. *Water*, 12(1356), pp. 1-22.
- Bear, J. 1979. *Hydraulics of Groundwater*. Mc-Graw-Hill Book Company.
- Bisri, M. 2012. *Studi Tentang Pendugaan Airtanah, Sumur Airtanah dan Upaya dalam Konservasi Airtanah*. UB Press, Malang.
- Bouwer, H. 1978. *Groundwater Hydrology*. McGraw-Hill College. Retrieved from <https://books.google.co.id/books?id=1FmLQgAACAAJ>
- Chachadi, A.G., Ferreira, J.P.L. 2005. Assessing aquifer vulnerability to sea-water intrusion using GALDIT method: Part 2 – GALDIT Indicators Description. Proc. 4th Fourth Inter Celt. Colloq. *Hydrol. Manag. Water Resour.* 1–12.
- Chachadi, A.G.; Lobo-Ferreira, J.-P. 2001. Sea water intrusion vulnerability mapping of aquifers using the GALDIT method. In Proceedings of the UNESCO-IHP Workshop on Modelling in Hydrogeology, Chennai, India, 3–7 December 2001; Available online: <http://www.teriin.org/teri-wr/coastin/newslett/coastin4.pdf>
- Chang SW, Chung I-M, Kim M-G, Tolera M, Koh G-W. Application of GALDIT in Assessing the Seawater Intrusion Vulnerability of Jeju Island, South Korea. *Water*. 2019; 11(9):1824. <https://doi.org/10.3390/w11091824>
- Chegbeleh, L.P. 2020. Aklika, D.K.; Akurugu, B.A. Hydrochemical Characterization and Suitability Assessment of Groundwater Quality in the Saboba and Chereponi Districts, Ghana. *Hydrology*, 7, 53. <https://doi.org/10.3390/hydrology7030053>

- Cimino, A., Cosentino, C., Oieni, A. *et al.* A geophysical and geochemical approach for seawater intrusion assessment in the Acquedolci coastal aquifer (Northern Sicily). *Environ. Geol.* 55, 1473 (2008). <https://doi.org/10.1007/s00254-007-1097-8>
- Civita, M., De Regibus, C. 1995. Testing Methodologies for Assessing Aquifer Vulnerability. *Quad. Geol. Appl. Pitagora Ed. Bologna.* 3, 63–71.
- Cooray, T., Wei, Y., Zhong, H., Zheng, L., Weragoda, S.K., Weerasooriya, R. 2019. Assessment of Groundwater Quality in CKDu Affected Areas of Sri Lanka: Implications for Drinking Water Treatment. *Int. J. Environ. Res. Public Health*, 16, 1698. <https://doi.org/10.3390/ijerph16101698>
- Darmanto, D. 2014. *Pencemaran Airtanah Studi Kasus Kawasan Sekitar Peternakan Ayam Wedomartani Sleman.* Deepublish. Yogyakarta.
- Davis, S.N. dan DeWiest, R.J., 1966. *Hydrogeology.* Wiley, Newyork.
- Direktorat Jenderal Cipta Karya. 1996. *Standar Kebutuhan Air Bersih Untuk Keperluan Rumah Tangga.* Jakarta.
- Denny S. 2018. *Krisis Air Bersih Lnada Wilayah Pesisir Kalsel.* Media Indonesia. <https://mediaindonesia.com/nusantara/181841/krisis-air-bersih-landa-wilayah-pesisir-kalsel> (04 Desember 2021; 23.23 WIB)
- Djémin, J. K. 2016. Contribution of the Sensitivity Analysis in Groundwater Vulnerability Assessing Using the DRASTIC Method: Application to Groundwater in Dabou Region (Southern of Côte d'Ivoire). *Journal of Environmental Protection*, 7, 129–143.
- Don, N.C., Hang, N.T.M., Araki, H., Yamanishi, H., Koga, K. 2006. Groundwater resources management under environmental constraints. *Environ. Geol.* 49, 601–609.
- Duraisamy, S., Govindhaswamy, V. dan Duraisamy, K. 2018. Hydrogeochemical characterization and evaluation of groundwater quality in Kangayam Taluk, Tirupur District, Tamil Nadu, India, sing GIS techniques. *Environ. Geochem. Health*, 41(2), hal.851-873.
- Effendi, H., 2003. *Telaah Kualitas Air, Bagi Pengelolaan Sumber Daya dan Lingkungan Perairan.* Kanisius, Yogyakarta.
- Eminoglou, G., Gkiougkis, I., Kallioras, A., Pliakas, F. 2017. Updated Groundwater Vulnerability Evaluation at a Coastal Aquifer System in NE Greece. *Eur. Water.* 57, 423-428.
- Ferguson, G., Gleeson, T. 2012. Vulnerability of coastal aquifers to groundwater use and climate change. *Nat. Clim. Chang.* 2, 342–345.
- Fetter, C.W. 2001. *Applied Hydrogeology,* Prentice-Hall Inc., Upper Saddle River, New Jersey 07458.
- Foster, S.S.D dan Hirata, R.C.A. 1992. *Groundwater Pollution Risk Assessmeent, A Methodology Using Available Data.* Peru: WHO-PAHO-CEPIS Technical Report p.73
- Gemilang, W.A., Kusumah, G., dan Wisha, U.J. 2017. Penilaian Kerentanan Airtanah Menggunakan Metode GALDIT (studi Kasus : kawasan pertanian garam Pademawu, Madura-Indonesia). *Jurnal Kelautan Nasional.* 12(3), 117–125.

- Ghazavi, R., & Ebrahimi, Z. 2015. Assessing groundwater vulnerability to contamination in an arid environment using DRASTIC and GOD models. *Int. J. Environ. Sci. Technol.*, 1-15.
- Gibbs, R.J. 1970. Mechanisms Controlling World Water Chemistry. *Science* 17, 1088–1090.
- Gu, B., Ge, Y., Chang, S.X., Luo, W., dan Chang, J. 2013. Nitrate in groundwater of China:sources and driving forces. *Glob. Environ. Chang.*, 23 (5), 1112–1121.
- Gupta, N. 2014. Groundwater Vulnerability Assessment using DRASTIC Method in Jabalpur District of Madhya Pradesh. *International Journal of Recent Technology and Engineering (IJRTE)*, 3(3), 36-43.
- Harter, T. dan Walker, L.G. 2001. Booklet: *Assessing Vulnerability of Groundwater*, California Department of Health Services.
- Hasiniaina, F., Zhou, J., & and Guoyi, L. 2010. Regional assessment of groundwater vulnerability in Tamtsag basin, Mongolia using drastic model. *Journal of American Science*, 6(11), 68-78.
- Hastuti, D., Yulianto, T. dan Putranto, T.T. 2016. Analisis Kerentanan Airtanah Terhadap Pencemaran di Dataran Alluvial Kota Semarang Menggunakan Metode GOD Dengan Memanfaatkan Data Resistivitas dan Data Hidrogeologi. *Youngster Physics Journal*. 5(4), 277–289.
- Hatori, C.A. 2008. *Studi Kerentanan Intrusi Air Laut di Kota Semarang (Tesis)*. Universitas Gadjah Mada, Yogyakarta. (tidak dipublikasikan)
- Heath, R.C. 2004. *Basic Ground-water Hydrology*, United States Geological Survey Water-Supply Paper 2220, 86 p.
- Hendrayana, H. 2002. *Intrusi Air Asin ke dalam Akuifer di Daratan*. Universitas Gajah Mada : Yogyakarta.
- Hendrayana, H. 2011. *Pengantar Kerentanan Airtanah terhadap Pencemaran dan Pemompaan Airtanah*. Universitas Gajah Mada, Yogyakarta.
- Hussain, M.S, Abd-Elhamid, H.F., Javadi, A.A., Sherif, M.M. 2019. Management of Seawater Intrusion in Coastal Aquifers: A Review. *Water*. 11(12), 2467.
- IEC (Indonesia Environment Center). Aspek dan Prinsip Pengelolaan Sumberdaya Air. <https://environment-indonesia.com/articles/aspek-dan-prinsip-pengelolaan-sumberdaya-air/>
- Iqbal, J., Gorai, A.K., Katpatal, Y.B., Pathak, G. 2015. Development of GIS-based fuzzy pattern recognition modell modified *DRASTIC* modell for groundwater vulnerability to pollution assessment. *Int. J. Environ. Sci. Technol.* 12, 3161–3174.
- Jahanshahi, R., dan Zare, M. 2016 Hydrochemical investigations for delineating salt-water intrusion into the Coastal Aquifer of Maharlou Lake, Iran *Journal of African Earth Sciences*. 121, 16-29.
- Jain, C.K., Bandyopadhyay, A., dan Bhadra, A. 2010. Assessment of ground water quality for drinking purpose, District Nainital, Uttarakhand, India. *Environ. Monit. Assess.* 166, 663–676.
- Jurnal Kalimantan. 2021. *Krisis Air Bersih, PMI Tanah Laut Percepat Distribusi Tandon*. <https://jurnalkalimantan.com/krisis-air-bersih-pmi-tanah-laut-percepat-distribusi-tandon/>. (04 Desember 2021; 21.50 WIB)

- Kawo, Nafyad Serre. dan Karuppannan, Shankar. 2018. Groundwater quality assessment using water quality index and gis technique in Modjo River Basin, Central Ethiopia. *Jornal of African Earth Science*. 147, 300-311.
- Kazaki, N., Pavlou, A., Vargemezis, G., Voudouris, K.S., Sulios, G., Pliakas, F., Tsokas, G. 2016. Seawater intrusion mapping using electrical resistivity tomography and hydrochemical data. An application in the coastal area of eastern Thermaikos Gulf, Greece. *Science of the Total Environment*. 543, 373-378.
- Kemenperin, 2021. Direktori Perusahaan Industri.
<https://kemenperin.go.id/direktoriperusahaan?what=emas&prov=0&hal=2>.
(04 Desember 2021; 22.30 WIB)
- Kesuma, D.A., Purwanto, P., Putranto., Rahmana, T.P.D. 2017. Factor weighting in *DRASTIC* modelling for assessing the groundwater vulnerability in Salatiga groundwater basin, Central Java Province, Indonesia. 3rd International Conference of Planning in the Era of Uncertainty, Malang, Indonesia, 6-7 March 2017; Institute of Physics Publishing (IOP): *Earth and Environmental Science*. 70, 012008.
- Kim IH, Chung I-M, Chang SW. 2021. Development of Seawater Intrusion Vulnerability Assessment for Averaged Seasonality of Using Modified GALDIT Method. *Water*, 13(13):1820.
<https://doi.org/10.3390/w13131820>
- Kodoatie, R. J. 1996. *Pengantar Hidrologi (Ed. I)*. Andi Offset, Yogyakarta.
- Kodoatie, R. J. 2012. *Tata Ruang Airtanah (Ed. I)*. Andi Offset, Yogyakarta.
- Kowalska, J.B., Mazurek, R., Gasiorek, M., Zaleski, T. 2018. Pollution indices as useful tools for the comprehensive evaluation of the degree of soil contamination-a review. *Environ. Geochem. Health.* 40, 2395–2420.
- Krishna, Kumar S., Logeshkumaran, A., Magesh, N.S. 2012. Hydro-geochemistry and application of water quality index (WQI) for groundwater quality assessment, Anna Nagar, part of Chennai City, Tamil Nadu, India. *Appl Water Sci.* 5, 335–343.
- Kumari, S., Jha, R., Singh, V., Baier, K. and Sinha, M.K. 2016. Groundwater vulnerability assessment using SINTACS model and GIS in Raipur and Naya Raipur, Chhattisgarh, India. *Indian Journal of Science and Technology*. 9, 1-6.
- Kusuma, K.I. 2009. *Studi kerentanan airtanah menggunakan metode DRASTIC di urban area Kota Semarang*. Universitas Diponegoro, Semarang. (tidak dipublikasikan).
- Laporan Akhir RPI2JM Kota Banjarbaru. Tahun 2011-2016
sippa.ciptakarya.pu.go.id/sippa_online/ws_file/dokumen/rpi2jm/DOCRPIJ_M_d4e17563b3_BAB%20IVBab%204%20bjb.pdf. (04 Desember 2021; 22.50 WIB)
- Laporan Akhir RPIJM Tahun 2016-2021.
https://sippa.ciptakarya.pu.go.id/sippa_online/ws_file/dokumen/rpi2jm/DOCRPIJM_4f1b82aabe_BAB%20IIIBab%203.%20ARAHAN%20KEBIJAKAN%20DAN%20RENCANA%20STRATEGIS%20INFRASTRUKTU

R%20BIDANG%20CIPTA%20KARYA%20Print.pdf. (04 Desember 2021; 22.50 WIB)

- Lee, H., Kim, S., Jun, K.W., Park, H.K., Park, J.S. 2016. The effects of groundwater pumping and infiltration on seawater intrusion in coastal aquifer. *J. Coast. Res.* 75, 652–656.
- Li, P., Qian, H., dan Wu, J. 2011. Groundwater suitability for drinking and agricultural usage in Yinchuan Area, China. *Int. J. Environ. Sci.* 1, 1241–1249.
- Li, P., Wu, J., Tian, R., He, S., He, X., Xue, C., dan Zhang, K., 2018a. Geochemistry, Hydraulic Connectivity and Quality Appraisal of Multilayered Groundwater in the Hongdunzi Coal Mine, Northwest China. *Mine Water Environ.*, 37 (2), hal.222–237.
- Li, R.; Merchant, J.W. 2013. Modelling vulnerability of groundwater to pollution under future scenarios of climate change and biofuels-related land use change: a case study in North Dakota, USA. *Sci. Total Environ.* 447, 32–45.
- Lobo-Ferreira, J.P.; Chachadi, A.G. 2005a. Assessing aquifer vulnerability to seawater intrusion using Galdit method. Part 2 GALDIT Indicators Description. In Proceedings of the 4th InterCeltic Colloquium on Hydrology and Management of Water. Water in Celtic Countries: Quantity, Quality, and Climate Variability, Guimaraes, Portugal, 11–13 July 2005.
- Lobo-Ferreira, J.P.; Chachadi, A.G.; Diamantino, C.; Henriques, M.J. 2005b. Assessing aquifer vulnerability to seawater intrusion using Galdit method. Part 1: Application to the Portuguese aquifer of Monte Gordo. In Proceedings of the 4th InterCeltic Colloquium on Hydrology and Management of Water. Water in Celtic Countries: Quantity, Quality, and Climate Variability, Guimaraes, Portugal, 11–13 July 2005.
- Lubis, Rachmat Fajar., Purwoarminta, Ananta., Bakti, Hendra., Kusumah, Gunardi W. 2018. *Penetuan indeks kerentanan airtanah pesisir jawa di wilayah selat sunda dengan menggunakan metode GALDIT*. *Riset Geologi dan Pertambangan*. 28 (1), 49-59.
- Machdar,L., Zulfikar, T., Rinaldi, W. Alfiansyah, Y. 2018. Assessment of groundwater vulnerability using DRASTIC model and GIS: a case study of two Sub-Districts in Banda Aceh City, Indonesia. The 3rd International Conference on Chemical Engineering Sciences and Applications, Banda Aceh, Indonesia, 20-21 September 2017; Institute of Physics Publishing (IOP): *Materials Science and Engineering*. 334, 012032.
- Mahamat, H.B., Coz, M.L., Abderamane, H., Sardini, P. dan Razack, M. 2017. Hydrochemical and isotopic characteristics of the basement aquifer in the Wadi Fira Area, Eastern Chad. *J. Water Resour. Protect.* 9, 1688–1708.
- Maria, R. 2018. Comparative Studies of Groundwater Vulnerability Assessment. Global Colloquium on GeoSciences and Engineering, Bandung, Indonesia, 18–19 October 2017; Institute of Physics Publishing (IOP): *Earth and Environmental Science*. 118, 012018.

- Martinez-Bastida, Juan. J., Arauzo, Mercedes., Valladolid, Maria. 2009. *Intrinsic and specific vulnerability of groundwater in Central Spain: the risk of nitrate pollution*. *Hydrogeology Journal*. 18, 681-698.
- Meng, L., Zhang, Q., Liu, P., He, H., Xu, W. 2020. Influence of agricultural irrigation activity on the potential risk of groundwater pollution: a study with DRASTIC method in a Semi-arid agricultural Region of China. *Sustainability*. 12, 1954.
- Min, L.L., Qi, Y.Q., Shen, Y.J., Wang, P., Wang, S.Q., Liu, M.Y. 2019. Groundwater recharge under irrigated agro-ecosystems in the North China plain: from a critical zone perspective. *J. Geogr. Sci.* 29, 877–890.
- Minarto, O., Wahyono, S.C., Wianto, T. 2014. Penentuan pola sebaran intrusi air laut di pesisir Pantai Batakan Kalimantan Selatan dengan metode geolistrik. *Jurnal Fisika FLUX*. 11 (1), 89-95.
- Mohammad, A.H. 2017. Assessing the groundwater vunerability in the upper aquifers of Zarqa River Basin, Jordan using DRASTIC, SINTACS and GOD methods. *Internasional Journal of Water Resources and Environmental Engineering*. 9, 44-53.
- Moleko, M.D., Avtar, R., Kumar, P., Minh, H.V.T., Kurniawan, T.A. 2019. Hydrogeochemical Assessment of Groundwater Quality of Mokopane Area, Limpopo, South Africa Using Statistical Approach. *Water*, 11, 1891. <https://doi.org/10.3390/w11091891>
- Morris, B.L., Lawrence, A.R.L., Chilton, P.J.C., Adams, B., Calow, R.C., dan Klinck, B.A. 2003. *Groundwater and its susceptibility to degradation : a global assessment of the problem and options for management* (Vol. 03–3). United Nations Environment Programme. Retrieved from <http://nora.nerc.ac.uk/id/eprint/19395/>
- Oroji, B. 2018. Assessing groundwater vulnerability by pollution mapping in Iran: Case study Hamadan – Bahar plain. *Geofísica internacional*, 57(3), 161-174.
- Ortiz-Letechipia, J., González-Trinidad, J., Júnez-Ferreira, H.E., Bautista-Capillo, C., Dávila-Hernández, S. 2021. Evaluation of Groundwater Quality for Human Consumption and Irrigation in Relation to Arsenic Concentration in Flow Systems in a Semi-Arid Mexican Region. *Int. J. Environ. Res. Public Health*, 18, 8045. <https://doi.org/10.3390/ijerph18158045>
- Oude Essink, G.H.P., van Baaren, E.S., de Louw, P.G.B. 2010. Effects of climate change on coastal groundwater systems: a modeling study in the Netherlands. *Water Resour. Res.* 46, W00F04.
- Ouedraogo, I., Defourny, P., & Vanclooster, M. 2016. Mapping the groundwater vulnerability for pollution at the pan African scale. *Science of the Total Environment*, 544, 939-953.
- Palar, H. 2004. *Pencemaran dan Toksikologi Logam Berat* : Rineka Cipta, Jakarta.
- Papaioannou, A., Plageras, P., Dovriki, E., Minas, A., Krikellis, V., Nastos, PTh., Kakavas, K. dan Paliatsos, AG. 2006. Groundwater quality and location of

- productive activities in the Region of Thessaly (Greece). *Desalinati.*, 213, 209-217.
- Peraturan Menteri ESDM No. 2 Tahun 2017 tentang Cekungan Airtanah.
- Permenkes. 2010. *Peraturan Menteri Kesehatan NOMOR 492/MENKES/PER/IV/2010 Tentang Persyaratan Kualitas Air Minum.* Sumber: <http://pppl.depkes.go.id/> [diakses pada 15 Februari 2020].
- Piper, A. M. 1944. *A Graphic Procedure In The Geomechanical Interpretation of Water-Analyses.* EOS: Earth & Space Science News
- Polemio, M., Walraevens, K. 2019. Recent research results on groundwater resources and saltwater intrusion in a changing environment. *Water.* 11 (6), 1118.
- Posen, P., Lovett, A., Hiscock, K., Evers, S., Ward, R., Reid, B. 2006. Incorporating variations in pesticide catabolic activity into a GIS-based groundwater risk assessment. *Sci. Total Environ.* 367, 641–652.
- Pourkhosravani, M., Jamshidi, F., & Sayari, N. 2021. Evaluation of groundwater vulnerability to pollution using DRASTIC, composite DRASTIC, and nitrate vulnerability models. *Environmental Health Engineering and Management Journal,* 8(2), 129-140.
- Prabowo, R. dan Dewi, N.K. 2016. Kandungan nitrit pada air suur gali di Kelurahan Meteseh, Kecamatan Tembalang, Kota Semarang. *Bioma,* 5(1), 1-15.
- Prahasta, Eddy. 2002. *Konsep-konsep dasar sistem informasi geografis.* Informatika, Bandung.
- Purushothman, P., Rao, M.S., Kumar, B., Rawat, Y.S., Krishan, G., Gupta, S., Marwah, S., Bhatia, A.K., Kaushik, Y.B., Angurala, M.P. dan Singh, G.P. 2012. Drinking and irrigation water quality in Jalandhar and Kapurthala Districts, Punjab, India: Using Hydrochemistry. *IJEE.* 5 (6), 1599–1608.
- Putra, D.P.E. dan Indrawan, I.G.B. 2014. *Assessment of aquifer susceptibility due to excessive groundwater abstraction: a case study of Yogyakarta-Sleman Groundwater Basin.* ASEAN Engineering Journal, Yogyakarta.
- Putranto, T.T., dan Kuswoyo, B. 2008. Zona kerentanan airtanah terhadap kontaminan dengan metode DRASTIC. *TEKNIK.* 29(2), 110–119.
- Putranto, T.T., Widiarso, D.A. dan Susanto, N., 2017. Assessment of groundwater quality to achieve sustainable development in Semarang Coastal Areas. IOP Conf. Series: *Earth and Environmental Science.* 79, 012001.
- Putranto, T.T., Widiarso, D.A., dan Yuslihanu, F. 2016. Studi kerentanan airtanah terhadap kontaminan menggunakan metode DRASTIC di Kota Pekalongan. *TEKNIK.* 37 (1), 26–31.
- Putranto. T.T. 2013. *Hydrological and Numerical Groundwater Flow Model in Semarang, Indonesia.* RWTH Aachen University: Germany.
- Raghunath, H.M. 1987. *Ground Water: Hydrogeology, Ground Water Survey and Pumping Tests, Rural Water Supply and Irrigation Systems.* New Age International (P) Ltd. Publishers ISBN-10: 0470206985.
- Rahmadhani, 2015. *Harga Air Tandon di Banjarbaru Kalimantan Selatan Melonjak.* <https://www.tribunnews.com/regional/2015/11/12/harga-air-tandon-di-banjarbaru-kalimantan-selatan-melonjak>.

tandon-di-banjarbaru-kalimantan-selatan-melonjak (04 Desember 2021; 20.50 WIB)

- Rahman, A. 2008. A GIS-based *DRASTIC* modell for assessing groundwater vulnerability in the shallow aquifer in Aligarh, India. *Appl. Geogr.* 28, 32–53.
- Recinos, N., Kallioras, A., Pliakas, F., Schuth, C. 2015. Application of *GALDIT* index to assess the intrinsic vulnerability to seawater intrusion of coastal granular aquifers. *Environ Earth Sci.* 73, 1017-1032.
- Richard, L.A. 1954. *Diagnosis and Improvement of Saline and Alkali Soils*. US Department of Agriculture Handbook, Vol 60, Washington DC, USA.
- Saatsaz, M., Eslamian, S., Sulaiman, W.N.A. 2011. GIS *DRASTIC* model for groundwater vulnerability estimation of Astaneh-Kouchesfahan Plain, Northern Iran. *International Journal of Water*. 6, 1-14.
- Sadashivaiah, C., Ramakrishnaiah, R., dan Ranganna, G. 2008. Hydrochemical analysis and evaluation of groundwater quality in Tumkur Taluk, Karnataka State, India. *International Journal of Environmental Research and Public Health*. 5 (3), 158-164.
- Sahu, P., dan Sikdar, P.K., 2008. Hydrochemical framework of the aquifer in and around east kolkata wetlands, West Bengal, India. *Environ. Geol.* 55, 823–835.
- Sanford, W.E., Pope, J.P. 2010. Current challenges using models to forecast seawater intrusion, lessons from the Eastern Shore of Virginia, USA. *J. Hydrogeol.* 18, 73–93.
- Saracino, A. dan Phipps, H. 2002. *Groundwater Contaminants and Contaminant Sources* : California Department of Health Services.
- Sawyer, C. dan McCarthy, P., 1967. *Chemical and Sanitary Engineering*. second ed. McGraw-Hill, New York.
- Sener, E., Sener, S., Davraz, A. 2009. Assessment of aquifer vulnerability based on GIS and *DRASTIC* methods: a case Study of the Senirkent-Uluborlu Basin (Isparta, Turkey). *Hydrogeol Journal*. 17, 2023–2035.
- Sener, Sehnaz., Sener, Erhan. dan Davraz, Aysen. 2017. Evaluation of water quality using water quality index (wqi) method and gis in Aksu River (SW-Turkey). *Science of the Total Environment*. 584-585, 131-144.
- Shahab, A., Shihua, Q., Rad, S., Keita, S., Khan, M., Adnan, S. 2019. Groundwater vulnerability assessment using GIS-based *DRASTIC* method in the irrigated and coastal region of Sindh Province, Pakistan. *Hydrol. Res.* 50, 319–338.
- Shekhar, S., Pandey, A.C. 2015. A GIS-based *DRASTIC* modell for assessing groundwater vulnerability in Hard Rock Granitic Aquifer Arab. *J. Geosci.* 8, 1385–1401.
- Sherif, M., Kacimov, A., Javadi, A., Ebraheem, A.Z. 2012. Modeling groundwater flow and seawater intrusion in the coastal aquifer of Wadi HamUAE. *Water Resour. Manag.* 26751–774.
- Snguo, L., Putra, D., & Hendrayana, H. 2010. Groundwater Vulnerability of Pandak and Bambanglipuro, Yogyakarta Special Province, Indonesia. *J. SE Asian Appl. Geol.*, 2(2), 121–128.

- Sreekanth, J., Datta, B. 2010. Multi-objective management of saltwater intrusion in coastal aquifers using genetic programming and modular neural network based surrogate models. *J. Hydrol.* 393, 245–256.
- Subba Rao, N., Surya Rao, P., Venkram Reddy, G., Nagamani, M., Vidyasagar, G., & Satyanarayana, N. L. V. V. 2012. Chemical characteristics of groundwater and assessment of groundwater quality in Varaha River Basin, Visakhapatnam District, Andhra Pradesh, India. *Environ Monit Assess.* 184, 5189–5214.
- Sudarmadji, 2013. *Mata Air*. Sekolah Pascasarjana UGM, Yogyakarta.
- Sugiyono. 2010. *Metode Penelitian Pendidikan Pendekatan Kuantitatif, Kualitatif dan R&D*. Alfabeta, Bandung.
- Suharto, Eko. 2020. PDAM Tanah Laut: Akan Optimalkan SPAM IKK Pelaihari Menjadi Berkapasitas 20 Liter per Detik. Pelaihari Post. <http://www.pelpost.com/Ls/Br/?s=5jdYKzjU>. [diakses pada 31 Juli 2021]
- Suharyadi. 1984. *Geohidrologi (ilmu Airtanah)*. Universitas Gadjah Mada: Yogyakarta.
- Sukarli. 2019. *Sungai Martapura Mulai Terkena Intrusi Air Laut*. Antara News. <https://www.antaranews.com/berita/1018144/sungai-martapura-mulai-terkena-intrusi-air-laut> [diakses pada 31 Juli 2021]
- Suprihatin. dan Suparno, O. 2013. *Teknologi Proses Pengolahan Air*. IPB Press, Bogor
- Suryana. 2010. *Metodologi Penelitian : Model Praktis Penelitian Kuantitatif dan Kualitatif*. In Universitas Pendidikan Indonesia. <https://doi.org/10.1007/s13398-014-0173-7.2>.
- Talib, M.A., Tang, Z., Shahab, A., Siddique, J., Faheem, M., Fatima, M. 2019. Hydrogeochemical Characterization and Suitability Assessment of Groundwater: A Case Study in Central Sindh, Pakistan. *Int. J. Environ. Res. Public Health* , 16, 886. <https://doi.org/10.3390/ijerph16050886>
- Todd, D.K., dan Mays, L.W. 1974. *Groundwater Hydrology*. John Wiley & Sons, New York.
- Trabelsi, R., Moncef Zairi, M., Dhia, H.B. 2007. Groundwater salinization of the Sfax super-ficial aquifer, Tunisia. *J. Hydrogeol.* 157, 1341–1355.
- Turc, L. 1954. *Water Balance of Soils; Relationship Between Precipitation, Evapotranspiration and Runoff*. Ann. Agronomy, 5, 491–595 (in French).
- UNESCO, 1978. *World Water Balance and Water Resource of the Earth*. USSR National Committee of the International Hydrological Decade, English Translation. Studies and Reports in Hydrology, 25.
- United States Departemen of Agriculture (USDA). 1986. *Urban Hydrology for small watershed*. Tecchnical report, Washington
- Varol, S. dan Davraz, A. 2015. Evaluation of the groundwater quality with WQI (WaterQuality Index) and multivariate analysis: a case study of the Tefenni Plain (Burdur/Turkey). *Environ. Earth Sci.* 73, 1725–1744.
- Vasanthavigar, M., Srinivasamoorthy, K., Vijayaragavan, K., Rajiv Ganthi, R., Chidambaram,S., Anandhan, P., Manivannan, R. dan Vasudevan, S. 2010. Application of water qualityindex for groundwater quality assessment:

- Thirumanimuttar Sub-Basin, Tamilnadu, India. *Environ. Monit. Assess.* 171, 595–609.
- Vrba, J. and Zaporosec, A. 1994. *Guidebook On Mapping Groundwater Vulnerability*. Hannover, H. Heise.
- White, N.J., Church, J.A., Gregory, J.M. 2005. Coastal and global averaged sea level rise for 1950 to 2000. *Geophys. Res. Lett.* 32, L01601.
- Wijaya, Hangga. 2016. *Analisis fasies hidrokimia dan interaksi aliran air tanah pada sistem akuifer dangkal di Perbukitan Jiwo Timur, Kecamatan Bayat, Kabupaten Klaten, Provinsi Jawa Tengah*. Universitas Diponegoro, Semarang. (tidak dipublikasikan)
- Wilcox, L. V. 1955. *Classification and Use of Irrigation Water*. US Geol Dep Agri Arc.
- World Health Organization. 2017. *Guidelines for Drinking-Water Quality: Fourth Edition Incorporating The First Addendum*. Geneva. Licence: CC BY-NC-SA 3.0 IGO.
- Wu, J. dan Sun, Z. 2016. Evaluation of shallow groundwater contamination and associated human health risk in an alluvial plain impacted by agricultural and industrial activities, Mid-West China. *Expo Health.* 8 (3), 311–329.
- Wu, J., dan Sun, Z., 2016. Evaluation of Shallow groundwater contamination and associated human health risk in an alluvial plain impacted by agricultural and industrial activities, Mid-West China. *Expo Health.* 8 (3), hal.311–329.
- Zhang, Y., Jia, R., Wu, J., Wang, H., Luo, Z. 2021. Evaluation of Groundwater Using an Integrated Approach of Entropy Weight and Stochastic Simulation: A Case Study in East Region of Beijing. *Int. J. Environ. Res. Public Health*, 18, 7703. <https://doi.org/10.3390/ijerph18147703>
- Zhu S, Zhou Z, Guo Q, Ma J. 2020. A Study on the cause of layered seawater intrusion in the Daqing River Estuary of Liaodong Bay, China. *Sustainability*. 12(7):2842. <https://doi.org/10.3390/su12072842>