

**LEMBAR
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU *PEER REVIEW*
KARYA ILMIAH : PROSIDING**

Judul Karya Ilmiah : Shooting Simulator System Design Based on Augmented Reality
 Jumlah Penulis : 2 Orang (Kurniawan Teguh Martono, **Okny Dwi Nurhayati**)

Status Pengusul : Penulis ke-2

Identitas Prosiding : a. Judul Prosiding : 2016 3rd International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE)
 b. ISBN/ISSN : 978-1-5090-0890-2
 c. Thn Terbit, Tempat Pelaks. : 2017, Semarang, Indonesia
 d. Penerbit/Organiser : IEEE
 e. Alamat Repository/Web : <https://ieeexplore.ieee.org/abstract/document/7892475>
 Alamat Artikel : https://eprints2.undip.ac.id/1549/1/Pros_ICITACEE.2016.7892475.pdf
 f. Terindeks di (jika ada) : Scopus


Kategori Publikasi Makalah : *Prosiding* Forum Ilmiah Internasional
 (beri ✓ pada kategori yang tepat) *Prosiding* Forum Ilmiah Nasional

Hasil Penilaian *Peer Review* :

Komponen Yang Dinilai	Nilai Reviewer		Nilai Rata-rata
	Reviewer I	Reviewer II	
a. Kelengkapan unsur isi prosiding (10%)	2,25	2,37	2,31
b. Ruang lingkup dan kedalaman pembahasan (30%)	7,08	7,15	7,12
c. Kecukupan dan kemutakhiran data/informasi dan metodologi (30%)	7,17	7,20	7,18
d. Kelengkapan unsur dan kualitas terbitan/prosiding(30%)	6,75	7,25	7,00
Total = (100%)	23,25	23,97	23,61
Nilai Pengusul = (40% x 23,61)= 9,44			


Semarang, 16 April 2020

Reviewer 2



Dr. Adian Fatchur Rochim, S.T., M.T.
 NIP. 197302261998021001
 Unit Kerja : Dept. Teknik Komputer FT UNDIP

Reviewer 1



Dr. Ir. R. Rizal Isnanto, S.T., M.M., M.T.
 NIP. 197007272000121001
 Unit Kerja : Dept. Teknik Komputer FT UNDIP

**LEMBAR
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW
KARYA ILMIAH : PROSIDING**

Judul Karya Ilmiah : Shooting Simulator System Design Based on Augmented Reality
 Jumlah Penulis : 2 Orang (Kurniawan Teguh Martono, **Oky Dwi Nurhayati**)

Status Pengusul : Penulis ke-2
 Identitas Prosiding : a. Judul Prosiding : 2016 3rd International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE)
 b. ISBN/ISSN : 978-1-5090-0890-2
 c. Thn Terbit, Tempat Pelaks. : 2017, Semarang, Indonesia
 d. Penerbit/Organiser : IEEE
 e. Alamat Repository/Web : <https://ieeexplore.ieee.org/abstract/document/7892475>
 Alamat Artikel : https://eprints2.undip.ac.id/1549/1/Pros_ICITACEE.2016.7892475.pdf
 f. Terindeks di (jika ada) : Scopus

Kategori Publikasi Makalah : Prosiding Forum Ilmiah Internasional
 (beri \checkmark pada kategori yang tepat) Prosiding Forum Ilmiah Nasional

Hasil Penilaian *Peer Review* :

Komponen Yang Dinilai	Nilai Maksimal Prosiding		Nilai Akhir Yang Diperoleh
	Internasional <input type="text" value="25"/>	Nasional <input type="text" value=""/>	
a. Kelengkapan unsur isi prosiding (10%)	2,50		2,25
b. Ruang lingkup dan kedalaman pembahasan (30%)	7,50		7,08
c. Kecukupan dan kemutakhiran data/informasi dan metodologi (30%)	7,50		7,17
d. Kelengkapan unsur dan kualitas terbitan/prosiding(30%)	7,50		6,75
Total = (100%)	25,00		23,25
Nilai Pengusul = (40% x 23,25)= 9,30			

Catatan Penilaian Paper oleh Reviewer :

1. Kesesuaian dan kelengkapan unsur isi paper:

Isi makalah dari Introduction sampai dengan References sudah sesuai dengan format dan sudah lengkap dilihat dari aspek unsur-unsur isi prosidingnya.

2. Ruang lingkup dan kedalaman pembahasan:

Ruang lingkup pembahasan sudah memenuhi sesuai kelaziman publikasi ilmiah pada prosiding internasional. Pembahasan yang ada pada tulisan yang diusulkan sudah cukup komprehensif dan mendalam.

3. Kecukupan dan kemutakhiran data/informasi dan metodologi:


Data/informasi yang digunakan untuk penelitian sudah mencukupi. Metodologi penelitian : metode yang digunakan dalam penelitian termasuk metode yang mutakhir.

4. Kelengkapan unsur dan kualitas terbitan:

Terbitan Prosiding International Conference ICITACEE adalah bersifat *Online* dan juga versi tercetak, sudah terindeks di Scopus, Scimago dan IEEE Xplore, sangat lengkap, kualitas terbitan *Online* sudah bagus dan sesuai standar penerbitan yang berlaku.

Semarang, 16 April 2020

Reviewer 1



Dr. R. Rizal Isyanto, S.T., M.M., M.T.

NIP. 197007272000121001

Unit Kerja : Dept. Teknik Komputer FT UNDIP

**LEMBAR
HASIL PENILAIAN SEJAWAT SEBIDANG ATAU PEER REVIEW
KARYA ILMIAH : PROSIDING**

Judul Karya Ilmiah : Shooting Simulator System Design Based on Augmented Reality
 Jumlah Penulis : 2 Orang (Kurniawan Teguh Martono, **Okky Dwi Nurhayati**)

Status Pengusul : Penulis ke-2
 Identitas Prosiding : a. Judul Prosiding : 2016 3rd International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE)
 b. ISBN/ISSN : 978-1-5090-0890-2
 c. Thn Terbit, Tempat Pelaks. : 2017, Semarang, Indonesia
 d. Penerbit/Organiser : IEEE
 e. Alamat Repository/Web : <https://ieeexplore.ieee.org/abstract/document/7892475>
 Alamat Artikel : https://eprints2.undip.ac.id/1549/1/Pros_ICITACEE.2016.7892475.pdf
 f. Terindeks di (jika ada) : Scopus

Kategori Publikasi Makalah : *Prosiding* Forum Ilmiah Internasional
 (beri ✓ pada kategori yang tepat) *Prosiding* Forum Ilmiah Nasional

Hasil Penilaian *Peer Review* :

Komponen Yang Dinilai	Nilai Maksimal Prosiding		Nilai Akhir Yang Diperoleh
	Internasional <input type="text" value="25"/>	Nasional <input type="text" value=""/>	
a. Kelengkapan unsur isi prosiding (10%)	2,50		2,37
b. Ruang lingkup dan kedalaman pembahasan (30%)	7,50		7,15
c. Kecukupan dan kemutakhiran data/informasi dan metodologi (30%)	7,50		7,20
d. Kelengkapan unsur dan kualitas terbitan/prosiding(30%)	7,50		7,25
Total = (100%)	25,00		23,97
Nilai Pengusul = (40% x 23,97)= 9,59			

Catatan Penilaian Paper oleh Reviewer :

1. Kesesuaian dan kelengkapan unsur isi paper:

Sesuai dengan "Guide for Author" (Judul, Pendahuluan, Metodologi, Hasil dan Pembahasan, Kesimpulan, Daftar Pustaka). Substansi artikel sesuai bidang ilmu pengusul/penulis.

2. Ruang lingkup dan kedalaman pembahasan:

Substansi artikel cukup sesuai dengan ruang lingkup jurnal. Kedalaman pembahasan tergolong cukup baik.

3. Kecukupan dan kemutakhiran data/informasi dan metodologi:

Data hasil penelitian cukup menunjukkan ada kebaruan informasi/metodologi.

4. Kelengkapan unsur dan kualitas terbitan:

Prosiding diterbitkan oleh IEEE Explore, tergolong dalam Conferences dan Proceeding Terindeks Scopus dengan SJR 0.13, ISBN: 978-1-5090-0890-2, Similaritas berdasarkan turnitin adalah 15%.

Semarang, 26 Februari 2020

Reviewer 2



Dr. Adian Fatchur Rochim, S.T., M.T.

NIP. 197302261998021001

Unit Kerja : Dept. Teknik Komputer FT UNDIP



Document details

< Back to results | < Previous 12 of 22 Next >

[↗](#) Export [↓](#) Download [🖨](#) Print [✉](#) E-mail [📄](#) Save to PDF [★](#) Add to List [More... >](#)

[View at Publisher](#)

Proceedings - 2016 3rd International Conference on Information Technology, Computer, and Electrical Engineering, ICITACEE 2016
4 April 2017, Article number 7892475, Pages 377-382
3rd International Conference on Information Technology, Computer, and Electrical Engineering, ICITACEE 2016; Hom Hotel Semarang; Indonesia; 19 October 2016 through 21 October 2016; Category number CFP1689Z-PRT; Code 127215

Shooting simulator system design based on augmented reality (Conference Paper)

Martono, K.T. [✉](#), Nurhayati, O.D. [✉](#)

Computer Engineering Department, Diponegoro University, Semarang, Indonesia

Abstract

[View references \(8\)](#)

Development of computer technology today has a major role in the development process of interaction in computer-based applications. Various innovations in creating the user experience of applications began are increasing. Augmented reality is a technology model the interaction between humans and computers by using a model of a merger between the real world with the virtual world. This development certainly can help people or community in various fields, especially in the field of shooting. Shooting is one of the many activities carried out by members of the TNI, POLRI and PERBAKIN. Activities in course are requires skill and a good psychological condition. To obtain good craftsmanship, each member takes a routine of training activities. Computer graphics technology is use in the process of shooting practice. This process utilizes Augmented Reality technology roles. With this technology in practice shooting environment can be created artificially or virtually. Methodology used in this research is system software of development, it is called waterfall model. The use of this method is to generate a reliable system so that the system can work according to the needs. Based on testing the functionality of the system has meet the initial needs, the system works in accordance with the scenario. The minimum distance of the camera to the marker to be recognized is 20 cm and the maximum distance is 300 cm. © 2016 IEEE.

SciVal Topic Prominence ⓘ

Topic: Students | Algorithms | Greedy algorithms

Prominence percentile: 29.174 ⓘ

Author keywords

Augmented Reality Computer graphics marker shooting

Indexed keywords

Engineering controlled terms: Computer graphics Explosive well stimulation Virtual reality

Metrics ⓘ [View all metrics >](#)

3 Citations in Scopus
72nd percentile

1.05 Field-Weighted
Citation Impact



PlumX Metrics [v](#)

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 3 documents

Use of virtual reality simulators for training programs in the areas of security and defense: a systematic review

de Armas, C. , Tori, R. , Netto, A.V.
(2020) *Multimedia Tools and Applications*

Augmented reality technology as one of the media in therapy for children with special needs

Martono, K.T. , Eridani, D. , Fauzi, A.
(2019) *2019 6th International Conference on Information Technology, Computer and Electrical Engineering, ICITACEE 2019*

Design of learning media for fish classification with augmented reality technology

Martono, K.T. , Fauzi, A.
(2017) *Proceedings - 2017 4th International Conference on Information Technology, Computer, and Electrical Engineering, ICITACEE 2017*

[View all 3 citing documents](#)

Inform me when this document is cited in Scopus:

Engineering uncontrolled terms

Augmented reality technology

Computer graphics technology

Computer technology

Computer-based applications

Development process

marker

Technology-in-practice

Training activities

Set citation alert >

Set citation feed >

Engineering main heading:

Augmented reality

Related documents

Study of VRML based virtual manipulation for high speed pasting label machine

Wei, X.-X. , Guo, X.-H. (2005) *Journal of Soochow University Engineering Science Edition*

Role navigation of cultural heritage based on web interactive technology

Yang, C. , Zhang, F. , Wu, Q. (2009) *Proceeding 2009 IEEE 10th International Conference on Computer-Aided Industrial Design and Conceptual Design: E-Business, Creative Design, Manufacturing - CAID and CD'2009*

The fire emergency response plan simulation based on particle system

Zhou, S. , Zhang, T. , Qin, H. (2008) *Proceedings - The 1st International Conference on Intelligent Networks and Intelligent Systems, ICINIS 2008*

View all related documents based on references

Find more related documents in Scopus based on:

Authors > Keywords >

ISBN: 978-150901434-7

Source Type: Conference Proceeding

Original language: English

DOI: 10.1109/ICITACEE.2016.7892475

Document Type: Conference Paper

Volume Editors: Widiyanto E.D., Arfan M., Riyadi M.A., Facta M.

Sponsors:

Publisher: Institute of Electrical and Electronics Engineers Inc.

References (8)

View in search results format >

All Export Print E-mail Save to PDF Create bibliography

- 1 Sulistyono, E.M. (2013) *Penggunaan Processing Dalam Komputer Grafik*. *TELEMATIKA*, 10 (1), pp. 53-62. JULI, 2013

- 2 Gutiérrez A., M.A., Vexo, F., Thalmann, D.

Stepping into virtual reality

(2008) *Stepping into Virtual Reality*, pp. 1-214. Cited 118 times.

<http://www.springerlink.com/openurl.asp?genre=book&isbn=978-1-84800-116-9>

ISBN: 978-184800116-9

doi: 10.1007/978-1-84800-117-6

View at Publisher

- 3 accessed 2 August 2016 11.00
<http://escience.anu.edu.au/lecture/cg/Maths/cartesian3D.en.html>

- 4 accessed 2 August 2016 12.00
<https://www.opengl.org/sdk/docs/man2/xhtml/glVertex.xml>

- 5 Martono, K.T. Augmented reality sebagai metafora baru dalam teknologi interaksi manusia dan komputer (2011) *Jurnal Sistem Komputer*, 1 (2). Cited 3 times.

- 6 Sanni, S. Theory and applications of marker-based augmented reality (2012) *Espoo, VTT. 199 P. + App. 43 P. VTT Science*, 3.

□ 7 accessed 4 August 2016 10.00
http://www.cs.unc.edu/~azuma/azuma_AR.html

□ 8 Brutzman, D.
The virtual reality modeling language and Java
(1998) *Communications of the ACM*, 41 (6), pp. 57-64. Cited 61 times.
<http://dl.acm.org/citation.cfm?id=J79>
doi: 10.1145/276609.276620

View at Publisher

© Copyright 2017 Elsevier B.V., All rights reserved.

< Back to results | < Previous 12 of 22 Next >

^ Top of page

About Scopus

What is Scopus
Content coverage
Scopus blog
Scopus API
Privacy matters

Language

日本語に切り替える
切换到简体中文
切换到繁體中文
Русский язык

Customer Service

Help
Contact us

ELSEVIER

[Terms and conditions ↗](#) [Privacy policy ↗](#)

Copyright © Elsevier B.V. ↗. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

 RELX

ISBN : 978-1-5090-1434-7



THE 3rd INTERNATIONAL CONFERENCE
ON INFORMATION TECHNOLOGY, COMPUTER,
AND ELECTRICAL ENGINEERING

“GREEN TECHNOLOGY
STRENGTHENING IN INFORMATION TECHNOLOGY,
ELECTRICAL AND COMPUTER ENGINEERING
IMPLEMENTATION”

PROCEEDINGS

SEMARANG, 19TH - 21ST OCTOBER 2016



UNIVERSITAS
DIPONEGORO
BECOMES AN EXCELLENT RESEARCH UNIVERSITY



IEEE

Proceedings

2016 3rd International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE 2016)

October 19-21st, 2016, Semarang, Indonesia

Editor:

Mochammad Facta
Munawar Agus Riyadi
Eko Didik Widiyanto
M. Arfan

Proceedings

2016 3rd International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE 2016)

Copyright and Reprint Permission: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923. For reprint or republication permission, email to IEEE Copyrights Manager at pubs-permissions@ieee.org. All rights reserved.

Copyright ©2016 by IEEE.

Publisher :

Department of Electrical Engineering
Diponegoro University

ISBN : 978-1-5090-1434-7 (PRINT, Part Number : CFP1689Z-PRT)

ISBN : 978-1-5090-1433-0 (DVD, Part Number : CFP1689Z-DVD)

ISBN : 978-1-5090-0890-2 (XPLORE COMPLIANT, Part Number : CFP1689Z-ART)

Additional copies may be ordered to:
Department of Electrical Engineering
Diponegoro University,
Jl. Prof. H. Soedarto, S.H., Tembalang
Semarang, Indonesia 50275

CONFERENCE COMMITTEE



General Chair : Abdul Syakur (Universitas Diponegoro)
Co-Chair : R. Rizal Isnanto (Universitas Diponegoro)
Secretary : M. Arfan

Organizing Committee:

Trias Andromeda
Eko Didik Widiyanto
Teguh Prakoso
Achmad Hidayatno
Ajub Ajulian Zahra
Agung Budi P.
Aghus Sofwan
Yuli Christyono
Sukiswo
Dania Eridani
Rinta Kridalukmana

Steering Committee:

Hermawan (Diponegoro University)
Muhammad Nadzir Marsono (Universiti Teknologi Malaysia)
Riri Fitri Sari (Universitas Indonesia)
Yanuarsyah Haroen (Institut Teknologi Bandung)
Taufik (California Polytechnic State, USA)
Satriyo Dharmanto (IEEE Indonesia Section Chair)

Technical Program Committee:

Mochammad Facta (Diponegoro University, Indonesia)

Masayuki Kurosaki (Kyushu University, Japan)

Trio Adiono (Bandung Institute of Technology, Indonesia)

P. Insap Santosa (Gadjah Mada University, Indonesia)

Mauridhi Heri Purnomo (Sepuluh Nopember Institute of Technology, Indonesia)

Khoirul Anwar (Japan Advanced Institute of Science and Technology, Japan)

Wahyudi (Diponegoro University, Indonesia)

Wahyul Amien Syafei (Diponegoro University, Indonesia)

Munawar Agus Riyadi (Diponegoro University, Indonesia)

Sidiq Syamsul Hidayat (Semarang State Polytechnics, Indonesia)

Supari (Semarang University, Indonesia)

Slamet Riyadi (Soegijapranoto Catholic University, Indonesia)

M. Hadin (Sultan Agung Islamic University, Indonesia)

Onil Nazra Persada (CEA, France)

Zolkafle Buntat (Universiti Teknologi Malaysia)

Taufik (California Polytechnic State University, USA)

Hashim Uledi Iddi (University of Dar es Salaam, Tanzania)

Aris Triwiyatno (Diponegoro University, Indonesia)

Pandu Sandi Pratama (Pusan National University, South Korea)

Razali Ismail (Universiti Teknologi Malaysia, Malaysia)

Ismail Saad (University Malaysia Sabah, Malaysia)

Oky Dwi Nurhayati (Diponegoro University, Indonesia)

TABLE OF CONTENTS

Keynote Speakers

- 1 Hydro, Solar, and Wind Energy as Potential Electrical Power Plant in Indonesia - Past Conditions and Future Prospects
Yanuarsyah Haroen
- 2 Low Latency Network-on-Chip Router Using Static Straight Allocator
Alireza Monemi, Chia Yee Ooi, Maurizio Palesi, Muhammad Nadzir Marsono
- 10 Smart Video-Based Surveillance: Opportunities and Challenges from Image Processing Perspectives
Syed Abdurrahman

Electronic Circuit and Control

- 11 Human Tracking Application in a Certain Closed Area Using RFID Sensors and IP Camera
Daniel Patricko Hutabarat, Darma Patria, Santoso Budijono, Robby Saleh
- 17 Designing and Implementation of Autonomous Quadrotor as Unmanned Aerial Vehicle
Felix Yustian Setiono, Anthony Candrasaputra, Tobias Bimo Prasetyo, Kho Lukas Budi Santoso
- 21 Multi Channel Electromyography (EMG) Signal Acquisition using Microcontroller with Rectifier
Florentinus Budi Setiawan, S. Siswanto
- 25 ECG Signal Processing using Offline-Wavelet Transform Method based on ECG-IoT Device
M. Faizal Amri, Muhammad Ilham R, Arjon Turnip
- 31 Trans-impedance Amplifier (TIA) Design for Visible Light Communication (VLC) using Commercially Available OP-AMP
Syifaul Fuada, Angga Pratama Putra, Yulian Aska, Trio Adiono
- 37 Robot ARM Controlled by Muscle Tension Based on Electromyography and PIC18F4550
Ricky Fajar Adiputra, Florentinus Budi Setiawan
- 42 A Low Cost Anthropomorphic Prosthetic hand Using DC Micro Metal Gear motor
Mochammad Ariyanto, M. Munadi, Gunawan D. Haryadi, Rifky Ismail, Jonny A. Pakpahan, Khusnul A. Mustaqim
- 47 New Watershed Segmentation Algorithm based on Hybrid Gradient and Self-Adaptive Marker Extraction
Yuan Li, Yu Qingsong, Shen Chaomin, Hu Wenxin
- 52 Variations on Load and Distance Controller for Modern Elevator with Fuzzy
Ainil Syafitri, Iwa Garniwa MK, Ridwan Gunawan, I Made Ardita
- 56 Fuzzy-PID Simulations on Ropeless Elevator Performance
Ainil Syafitri, Iwa Garniwa MK, Ridwan Gunawan, I Made Ardita
- 60 A Simple Proportional plus PD Sign for Asymptotically Stable Robot Manipulators
Adha Imam Cahyadi, Samiadji Herdjunanto, H. Herianto
- 64 Arrival Time Field Based Path Planning Algorithm for Mobile Robot
Imaduddin A. Majid, Adha Imam Cahyadi, Igi Ardiyanto, Muhammad Saifussalam
- 68 Design of Soft Contact Lens Indexer Inspection Semi-Automatic
Didi Istarti, Kemas Syaiful
- 74 Yuarm: A Low Cost Android Platform for Vision Based Manipulators Control
Sisdarmanto Adinandra, Dany Erfawan
- 79 Development of Unmanned Aerial Vehicle (UAV) Ornithopter with Wireless Radio Control
Farika T. Putri, Mochammad Ariyanto, Ismoyo Haryanto, Moh. Arozi, Wahyu Caesarendra, M. Rizki Ibrahim Hanan
- 85 Comparison Methods of Edge Detection for USG Images
M. Khairudin, Dessy Irmawati

- 89 Ultrasonic Signal Denoising Based on Wavelet Haar Decomposition Level
H. Herlinawati, Umi Murdika, Grienda Elan, Titin Yulianti
- 95 Sliding Mode Control for Therapeutic Pool Model Control System
M. Munadi, Henry Kristianto, Mochammad Ariyanto, Ismoyo Haryanto, Hari Peni Julianti
- 100 Experiment of Networked Control System (NCS) Using Network Emulator
Indra Sakti, Dicky Rianto Prajitno
- 106 Brainwave-Controlled Applications with the Emotiv EPOC Using Support Vector Machine
Ha Hoang Kha, Vo Anh Kha, Dinh Quoc Hung
- 112 Development of Hovercraft Prototype with Stability Control System using PID Controller
Munawar A. Riyadi, Lazyo Rahmando, Aris Triwiyatno
- 117 Design of Color Based Object Sorting Through Arm Manipulator with Inverse Kinematics Method
S. Sumardi, Lanang Febriramadhan, Aris Triwiyatno
- 123 Designing Internal-External Control Method for Delta Robot Prototype to Manipulate Non-Linear Movement Object
Aris Triwiyatno, Muhammad Fikko Fadmiratno, S. Sumardi
- 129 Real Time Classification of SSVEP Brain Activity with Adaptive Feedforward Neural Networks
Arjon Turnip, M. Ilham Rizgyawan, Dwi Esti K., Jasman Pardede, Sandi Yanyoan, Edi Mulyana
- 134 Fuzzy-Mamdani Inference System in Predicting the Correlation Between Learning Method, Discipline and Motivation with Student's Achievement
J. Juningtyastuti, Fransiskus Allan Gunawan

Electric and Power System

- 140 Investigation of Temperature Rise Considering the Stator Parameters in a High-Speed Spindle Motor
Wawan Purwanto, Jerry Chih Tsong Su
- 147 Voltage Balancing Circuits for Five-Level Power Inverter With A Single DC Voltage Source
S. Suroso, Abdullah Nur Aziz
- 151 The Use of Neural Network (NN) to Predict Voltage Drop during Starting of Medium Voltage Induction Motor
Fidelis Galla Limbong
- 156 Research on Positive Narrow Bipolar Events in Padang
Ariadi Hazmi, Primas Emeraldi, M. Imran Hamid, Nobuyaki Takagi
- 160 Minimization of Cogging Torque Based on Different Shape of Anti-Notch Method
H. Herlina, Rudy Setiabudy, Uno Bintang Sudibyo
- 164 Investigation of the Influence of Variations in the Number and Width of Anti-Notch depending on Cogging Torque Reduction
Rudy Setiabudy, H. Herlina
- 168 Voltage Drop Simulation at Southern Sulawesi Power System Considering Composite Load Model
Ardiaty Arief, Muhammad Bachtiar Nappu
- 172 Analytical Design of Sea Wave Energy Power Plant Using Tubular Linear PM Generator in Southern Coast of Yogyakarta, Indonesia
Budi Azhari, Fransisco Danang Wijaya, Dewangga Adhyaksa, Wassy Prawinnetou
- 177 Reduction on Cogging Torque in Dual Stator Radial Flux Permanent Magnet Generator for Low Speed Wind Turbine
Adeguna Ridlo Pramurti, Eka Firmansyah, S. Suharyanto
- 181 Network Losses Reduction Due To New Hydro Power Plant Integration
Muhammad Bachtiar Nappu, Muhammad Imran Bachtiar, Ardiaty Arief
- 186 Electrical and Temperature Correlation to Monitor Fault Condition of ZnO Surge Arrester
N. Novizon, Zulkurnain Abdul-Malek
- 191 Discrimination of Particle-Initiated Defects in Gas-Insulated System Using C4.5 Algorithm
Firmansyah Nur Budiman, Elvira Sukma Wahyuni
- 197 Enhanced Fault Ride – Through Ability of DFIG-Based Wind Energy System Using Superconducting Fault Current Limiter
Chandan Kumar Sharma, Subhendu Sekhar Sahoo, Kalyan Chatterjee

- 202 Design of Photovoltaic BLDC Motor-Water Pump System with Single Converter
Slamet Riyadi
- 208 Integrated LC Resonant Converter and Silent Discharge Ozonizer for Colour Removal
Mochammad Facta, H. Hermawan, Zolkafle Buntat
- 213 A Prototype of Multistage Dynamic Braking of Three Phase Squirrel Cage Induction Motor
Tejo Sukmadi, Syauqie Candra Buana, Trias Andromeda, Mochammad Facta
- 216 Application of Dielectric Barrier Discharge Plasma for Reducing Chemical Oxygen Demand (COD) on Industrial Rubber Waste Treatment
Abdul Syakur, Badrus Zaman, F. Fauzan, Nur Jannah, Nurmaliakasih Dias Yunita

Information and Computer Technologies

- 220 Calculation of Phantom Volume for Computed Tomography (CT) Scan Images
Kusworo Adi, Catur Edi Widodo, Aris Sugiharto, Qidir Maulana B.S., Adi Pamungkas
- 224 Design and Development of Android-based Cloud ECG Monitoring System
Muhammad Ilham Rizqyawan, M. Faizal Amri, Rian Putra Pratama, Arjon Turnip
- 229 Designing Framework for Software Reuse Maturity Improvement
Bagus Setyawan Wijaya, Yudi Satria Gondokaryono
- 234 Performance Evaluation of Teleprotection using OpenDSS
M. Kahlil F., Muhammad Hamdani Rizal, Muhammad Raid Mukhtar, Riri Fitri Sari
- 239 Design Architecture Enterprise Service Bus to Support Multi-Tenant Client and Resource Provider
Taufik Sulaeman, A. Albarda
- 244 Data Envelopment Analysis - Analytic Hierarchy Process Method for Performance Evaluation Study Program
Ali Wedo Sarjono, F. Farikhin, Catur Edi Wibowo
- 249 Eating for physical rather than emotional: A Bayesian Belief Network Approach for Android- Based Intuitive Eating Measurement
Anggita Dian Cahyani, M. Meiliana, Widodo Budiharto
- 253 Detection of the Beef Quality Using Mobile-Based K-Mean Clustering Method
Okky Dwi Nurhayati, Kusworo Adi, Sri Pujiyanto
- 260 English – Indonesian Phrase Translation using Recurrent Neural Network and ADJ Technique
Wenty Octoviani, Muhammad Fachrurrozi, Novi Yusliani
- 264 IT Adoption Strategy to Promote Batik Micro-Scale Industry in Central Java, Indonesia
Rinta Kridalukmana, Naili Farida, Hari Susanta Nugraha
- 269 The Study of Theory of Planned Behavior of Building Automation System in Industrial Sector
Shu-Chiang Lin, Jacky Chin
- 274 A Literature Review of Question Answering System using Named Entity Recognition
Rini Wongso, M. Meiliana, Derwin Suhartono
- 278 The Benefit of the Web 2.0 Technologies in Higher Education: Student's Perspectives
Yohana Dewi Lulu Widyasari, Lukito Edi Nugroho, Adhistya Erna Permanasari
- 283 A New Image Watermarking Scheme Using Contourlet Transforms
Sy C. Nguyen, Kha H. Ha, Hoang M. Nguyen
- 289 Detection Plagiarism Documents on Indonesian using Min-Hash and Synonym Recognition
Muhammad Badriansyah Putra
- 293 Nearest Tourism Site Searching using Haversine Method
Zainal Arifin, Muhammad Rivani Ibrahim, Heliza Rahmania Hatta
- 297 Decision Support System For New Employee Recruitment Using Weighted Product Method
Dyna Marisa Khairina, Muhammad Reski Asrian, Heliza Rahmania Hatta
- 302 Ontology Model For Complementary Breastfeeding Recipes
Sari Widya Sihwi, A. Athiyah, Afrizal Doewes
- 308 Development of Conceptual Model in Understanding The Role of Organizational Factor in KMS Acceptance
Hetty Rohayani, Setiawan Assegaff, K. Kurniabudi

- 313 Pattern Discovery of Indonesian Customers in an Online Shop: A Case of Fashion Online Shop
R. Rianto, Lukito Edi Nugroho, P. Insap Santosa
- 317 Traffic Sign Detection Based On HOG and PHOG Using Binary SVM And k-NN
Aris Sugiharto, Agus Harjoko
- 322 Utilization of Social Media in Livestock Product Marketing Group of Cattle
Kurniawan Teguh Martono, Cahya Setya Utama, Bambang Sulistiyanto, Merry Christiyanto
- 327 ST-DBSCAN Clustering Module in SpagoBI for Hotspots Distribution in Indonesia
Sarah Shanaz Shaztika, Rina Trisminingsih
- 331 CBE : Corpus-Based of Emotion for Emotion Detection in Text Document
Fika Hastarita Rachman, Riyanarto Sarno, Chastine Fatichah
- 336 Evaluation of IT Governance to Support IT Operation Excellent Based on COBIT 4.1 at the PT Timah Tbk
I. Ibrahim, Lela Nurpulaela
- 340 Disclosing the Automation of Quality Assurance System of Higher Education (QAS-HE) in Indonesia Using DevOps Approach
Acep Taryana, S. Setiawan
- 345 Implementation of HoneyPot to Detect and Prevent Distributed Denial of Service Attack
Irwan Sembiring
- 351 Trends Information Technology in E-Agriculture: A Systematic Literature Review
Erick Fernando, Setiawan Assegaff, Hetty Rohayani AH
- 356 Parameter Optimization of Brown's and Holt's Double Exponential Smoothing Using Golden Section Method for Predicting Indonesian Crude Oil Price (ICP)
Nurrahim Dwi Saputra, Abdul Aziz, Bambang Harjito
- 361 The Analysis of Instagram Technology Adoption as Marketing Tools by Small Medium Enterprise
Trianggoro Wiradinata, Bobby Iswandi
- 367 Commodity Cluster Using Single System Image Based on Linux/Kerrighed for High-Performance Computing
Iwan Setiawan, Eko Murdyantoro
- 373 Noise Removal on Batak Toba Handwritten Script using Artificial Neural Network
Novie Theresia Br Pasaribu, M. Jimmy Hasugian
- 377 Shooting Simulator System Design Based on Augmented Reality
Kurniawan Teguh Martono, Oky Dwi Nurhayati
- 383 Optimizing MySQL Database System on Information Systems Research, Publications and Community Service
Kodrat Iman Satoto, R. Rizal Isnanto, Rinta Kridalukmana, Kurniawan Teguh Martono
- 388 Information Technology Audit For Management Evaluation Using COBIT and IT Security
Assaf Arief, Iis Hamsir Ayub Wahab
- 393 Performance Comparisons of Web Server Load Balancing Algorithms on HAProxy and Heartbeat
Agung B. Prasetijo, Eko D. Widiyanto, Ersya T. Hidayatullah
- 397 Performance Analysis of MAC Protocol for Resource Sharing D2D and M2M in Unlicensed Channel
Aghus Sofwan
- 403 Mobile Cloud Computing Security Using Cryptographic Hash Function Algorithm
M. Arfan
- 408 On The Implementation of ZFS (Zettabyte File System) Storage System
Eko D. Widiyanto, Agung B. Prasetijo, Ahmad Ghufroni

Telecommunication and Radio Frequency

- 414 Improving Accuracy In International Direct Dial (IDD) Call Fraud Suspect using Hybrid NBTree Algorithm and Kullback Leibler Divergence
Aries Yulianto, A. Adiwijaya, M. Arif Bijaksana

- 421 Implementation of Ultrasonic Communication for Wireless Body Area Network Using Amplitude Shift Keying Modulation
Muhammad Harry Bintang Pratama, Khusnil Mujib, Ajub Ajulian Zahra, Arif Munandar, Erizco Satya Wicaksono
- 425 Energy Efficiency Beamformers for K-User MIMO Interference Channels with Interference Alignment
Ha Hoang Kha, Tuan Do-Hong
- 429 Cyclic Prefix-based Noise Estimation with DVB-T Input for Spectrum Sensing in Cognitive Radio
Dzata Farahiyah, Trung Thanh Nguyen, Thomas Kaiser
- 434 Path Loss Model Estimation Based on Measurements of Off-Body and On-Body Communication Using Textile Antenna at 2.45 GHz
B. Basari, Novi Yohanna, Ria Aprilliyani, Rian Gilang Prabowo
- 439 Signal Analysis of GMSK Modulation-based CubeSat Automatic Identification System Receiver
Achmad Munir, Nazmi Febrian, Antrisha Daneraici Setiawan, C. Chairunnisa
- 443 Coupling Analysis of Isotropic and Anisotropic Dielectric Materials in Rectangular Waveguide
Muhammad Reza Hidayat, Achmad Munir
- 447 Effect of Element Number of SRR-based BPF to Its Characteristics
Mohammad Syahral, Achmad Munir
- 451 Methods of MIMO Decoders for Very High Throughput WLAN IEEE802.11ac
Wahyul Amien Syafei, Zuhrotul Maulida, Imam Santoso
- 455 Pattern Recognition on Herbs Leaves Using Region-Based Invariants Feature Extraction
R. Rizal Isnanto, Ajub Ajulian Zahra, Patricia Julietta

Institutional Sign In

Browse

My Settings

Get Help

Subscribe

Conferences > 2016 3rd International Confer...

Hydro, solar, and wind energy as potential electrical power plant in Indonesia — Past conditions and future prospects

Publisher: IEEE

Cite This

Cite This

PDF

1 Author(s)

Yanuarsyah Haroen

View All Authors

Export to

Collabratec

Alerts

Manage

Content Alerts

Add to

Citation Alerts

350 Full Text Views

More Like This

Impacts of pumped storage power station on large-scale wind power integration into grid

2011 4th International Conference on Electric Utility Deregulation and Restructuring and Power Technologies (DRPT)


Published: 2011

A new unit commitment model considering wind power and pumped storage power station

2014 IEEE Workshop on Electronics, Computer and Applications
Published: 2014

View More

Top Organizations with Patents on Technologies Mentioned in This Article



Abstract

Document Sections

1. Synopsis

Authors

Keywords

Metrics

More Like This

Downl PDF

Abstract: Medium reservoir hydro electric power plant has been long serving as conventional renewable energy source in Indonesia, mostly in Jawa Island. Shortly after the independence... [View more](#)

Metadata

Abstract:

Medium reservoir hydro electric power plant has been long serving as conventional renewable energy source in Indonesia, mostly in Jawa Island. Shortly after the independence of Republic of Indonesia, large hydro power plants began to be constructed for example Jatiluhur and Riam Kanan, followed by Sigura-gura, Cirata, Saguling, and several others more. Meanwhile, small-sized and microhydro-run-of-river type hydro power plant has been developed since the early of 1970s through the joint corporation of ITB and Eindhoven University, this corporation developed turbine for microhydro and also dummy load for load regulation. Some local industries, for instance PT. Hexa Pratama in Bandung, which have capacity to develop complete microhydro power plant system up to 300kW have been emerged after succesfully GTZ Programme back in the 1980s. Large hydro power plant is currently undergoing construction phase, it is expected that in 2019 Upper Cisokan pumped storage power plant with capacity of 1040 MW will be integrated with Jawa-Bali Interconnection System. Simple pico-hydro power plants are also constructed in several remote areas in Indonesia.

IEEE websites place cookies on your device to give you the best user experience. By using our websites, you agree to the placement of these cookies. To learn more, read our Privacy Policy.
Date of Conference: 19-20 Oct. 2016 INSPEC Accession Number: 16791823

Accept & Close

Date Added to IEEE *Xplore*: 06 April 2017 DOI: 10.1109/ICITACEE.2016.7892398

ISBN Information:

Publisher: IEEE

Conference Location: Semarang,
Indonesia

Yanuarsyah Haroen

School of Electrical Engineering and Informatics, Institut Teknologi Bandung, Indonesia

Contents

Synopsis

Medium reservoir hydro electric power plant has been long serving as conventional renewable energy source in Indonesia, mostly in Jawa Island. Shortly after the independence of Republic of Indonesia, large hydro power plants began to be constructed for example Jatiluhur and Riam Kanan, followed by Sigura-gura, Cirata, Saguling, and several others more. Meanwhile small-sized and microhydro-run-of-river type hydro power plant has been developed since the early of 1970s through the joint corporation of ITB and Eindhoven University, this corporation developed turbine for microhydro power plant for load regulation. Some local industries, for instance PT. Hexa Pratama in Bandung, which have capacity to develop complete microhydro power plant system up to 300kW have been emerged after succesfully GTZ Programme back in the 1980s. Large hydro power plant is currently undergoing construction phase, it is expected that in 2019 Upper Cisokan pumped storage power plant with capacity of 1040 MW will be integrated with Jawa-Bali Interconnection System. Simple pico-hydro power plants are also constructed in several remote areas in Indonesia.

Authors

Yanuarsyah Haroen

School of Electrical Engineering and Informatics, Institut Teknologi Bandung,
Indonesia

Keywords

Metrics

IEEE Personal Account

CHANGE USERNAME/PASSWORD

Purchase Details

PAYMENT OPTIONS

VIEW PURCHASED DOCUMENTS

Profile Information

COMMUNICATIONS PREFERENCES

PROFESSION AND EDUCATION

TECHNICAL INTERESTS

Need Help?

US & CANADA: +1 800 678 4333

WORLDWIDE: +1 732 981 0060

CONTACT & SUPPORT

Follow



About IEEE *Xplore* | Contact Us | Help | Accessibility | Terms of Use | Nondiscrimination Policy | Sitemap | Privacy & Opting Out of Cookies

A not-for-profit organization, IEEE is the world's largest technical professional organization dedicated to advancing technology for the benefit of humanity.

© Copyright 2020 IEEE - All rights reserved. Use of this web site signifies your agreement to the terms and conditions.

IEEE websites place cookies on your device to give you the best user experience. By using our websites, you agree to the placement of these cookies. To learn more, read our [Privacy Policy](#).

Accept & Close

Institutional Sign In

Browse

My Settings

Get Help

Subscribe

Conferences > 2016 3rd International Confer...

Low latency network-on-chip router using static straight allocator

Publisher: IEEE

Cite This

Cite This

PDF

4 Author(s)

Alireza Monemi ; Chia Yee Ooi ; Maurizio Palesi ; Muhammad Nadzir Mars...

View All Authors

Export to

Collabratec

Alerts

Manage Content Alerts

Add to Citation Alerts

3 Paper Citations

242 Full Text Views


More Like This

A configurable, programmable and software-defined network on chip 2014 IEEE Workshop on Advanced Research and Technology in Industry Applications (WARTIA) Published: 2014

HiWA: A hierarchical Wireless Network-on-Chip architecture 2014 International Conference on High Performance Computing & Simulation (HPCS) Published: 2014

View More

Top Organizations with Patents on Technologies Mentioned in This Article



Abstract

Document Sections

- I. Introduction
- II. Related Works
- III. Static Straight Allocator
- IV. Router Architecture
- V. Experimental Results

Authors

Figures

References

Citations

Keywords

Metrics

Download PDF

Abstract: One clock cycle is the ideal latency for a network-on-chip (NoC) router to pass the received flit in the current cycle to its requested destination output port when there... [View more](#)

Metadata

Abstract: One clock cycle is the ideal latency for a network-on-chip (NoC) router to pass the received flit in the current cycle to its requested destination output port when there is no contention with other flits. In order to achieve this goal, a newly arrived flit is required to go through all router's pipeline stages to the switch traversal stage. In this paper, we present a low latency synchronized NoC router micro-architecture that achieves single clock cycle latency for packets traveling to the same direction using a static straight VC/SW allocator (SSA). In comparison to existing single clock cycle latency routers which require more complex VC/SW allocator or crossbar switch architectures, our proposed SSA has simpler architecture and works in parallel with the previously proposed baseline VC/SW allocator. The simulation results using six different synthetic traffic patterns shows SSA reduces the communication latency of a 2-cycle latency baseline router by 24% in average.

Published in: 2016 3rd International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE)

IEEE websites place cookies on your device to give you the best user experience. By using our websites, you agree to the placement of these cookies. To learn more, read our Privacy Policy.

Accept & Close

ISBN Information:

Publisher: IEEE

Conference Location: Semarang,
Indonesia

Alireza Monemi

Faculty of Electrical Engineering, Universiti Teknologi Malaysia, 81310 Johor Bahru, Malaysia

Chia Yee Ooi

Malaysia-Japan International, Institute of Technology (MJIT), Universiti Teknologi Malaysia, 54100, Kuala Lumpur, Malaysia

Maurizio Palesi

University of Enna, KORE, Italy

Muhammad Nadzir Marsono

Faculty of Electrical Engineering, Universiti Teknologi Malaysia, 81310 Johor Bahru, Malaysia

Contents

I. Introduction

Network-on-Chip (NoC) [1] provides a flexible and extensible inter-core-communication infrastructure for many-core system-on-chips. However, due to multiple number of routers a packet has to traverse between a source and destination cores, as well as each individual router buffering, NoC-based systems can suffer from significant communication latency. Reducing NoC communication latency is important as many-core based applications are highly sensitive to inter-core communication latency. However, designing a low latency NoC router can be a challenge.

Authors

Alireza Monemi

Faculty of Electrical Engineering, Universiti Teknologi Malaysia, 81310 Johor Bahru, Malaysia

Chia Yee Ooi

Malaysia-Japan International, Institute of Technology (MJIT), Universiti Teknologi Malaysia, 54100, Kuala Lumpur, Malaysia

Maurizio Palesi

University of Enna, KORE, Italy

Muhammad Nadzir Marsono

Faculty of Electrical Engineering, Universiti Teknologi Malaysia, 81310 Johor Bahru, Malaysia

Figures

References

Citations

Keywords

IEEE websites place cookies on your device to give you the best user experience. By using our websites, you agree to the placement of these cookies. To learn more, read our Privacy Policy.

Accept & Close

Institutional Sign In

Browse

My Settings

Get Help

Subscribe

Conferences > 2016 3rd International Confer...

Smart video-based surveillance: Opportunities and challenges from image processing perspectives

Publisher: IEEE

Cite This

Cite This

PDF

1 Author(s)

Syed Abdurrahman

View All Authors

2 Paper Citations

243 Full Text Views

Export to

Collabratec

Alerts

Manage

Content Alerts

Add to

Citation Alerts

More Like This

An experimental evaluation of different face recognition algorithms using closed circuit television images


2017 IEEE 2nd International Conference on Signal and Image Processing (ICSIP) Published: 2017

An Abandoned Object Detection System Based on Dual Background Segmentation

2009 Sixth IEEE International Conference on Advanced Video and Signal Based Surveillance Published: 2009

View More

Top Organizations with Patents on Technologies Mentioned in This Article



Abstract

Authors

Citations

Keywords

Metrics

More Like This

Downl PDF

Abstract: Summary form only given. Traditionally CCTV security and surveillance systems are meant for deterrent rather than for prevention where these systems will simply record sc... [View more](#)

Metadata

Abstract: Summary form only given. Traditionally CCTV security and surveillance systems are meant for deterrent rather than for prevention where these systems will simply record scenes as viewed by video cameras regardless whether there is any activity or not. In the event of some criminal prosecution procedures, these recorded videos may be served as evidence in the court of law. The 9/11 incident has changed the way on how these video-based surveillance systems are being employed. More automated functions and "smart" algorithms have been incorporated into such systems so that these systems can detect moving object, identify to some degree what the object is and possibly tracking its movement. However, the problems of object identification, recognition, and tracking are far from being solved. The London bombing and the recently Boston bombing are proof that automatic system failed to identify the suspect. In fact, it took hundreds of man hours for the authority to finally identify the criminals. In this talk we will look at emerging smart vide-based surveillance systems. The talk will not focus on any particular model, or system or algorithms. Instead, the talk will concentrate on what are the opportunities and challenges faced by the existing systems. In particular, we will be exploring these from the perspective of image processing. Thus the talk will serve

two purposes. Firstly, it will give a brief overview on what smart video-based

IEEE websites place cookies on your device to give you the best user experience. By using our websites,

you agree to the placement of these cookies. To learn more, read our Privacy Policy. This talk will be on Face Recognition, Activity Recognition, Plate Recognition, Object

Accept & Close

Abandon/Stolen Recognition, and Crowd Detection. It is hoped that this talk will motivate and inspire many other young researchers particularly from the ASEAN region to take more serious effort in this exciting field.

Published in: 2016 3rd International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE)

Date of Conference: 19-20 Oct. 2016 **INSPEC Accession Number:** 16791820

Date Added to IEEE Xplore: 06 April 2017 **DOI:** 10.1109/ICITACEE.2016.7892400

ISBN Information:

Publisher: IEEE

Conference Location: Semarang, Indonesia

Syed Abdurrahman
Faculty of Electrical Engineering, Universiti Teknologi Malaysia, 81310 Johor Bahru, Malaysia

Authors ^

Syed Abdurrahman
Faculty of Electrical Engineering, Universiti Teknologi Malaysia, 81310 Johor Bahru, Malaysia

Citations v

Keywords v

Metrics v

IEEE Personal Account

CHANGE USERNAME/PASSWORD

Purchase Details

PAYMENT OPTIONS
VIEW PURCHASED DOCUMENTS

Profile Information

COMMUNICATIONS PREFERENCES
PROFESSION AND EDUCATION
TECHNICAL INTERESTS

Need Help?

US & CANADA: +1 800 678 4333
WORLDWIDE: +1 732 981 0060
CONTACT & SUPPORT

Follow



About IEEE Xplore | Contact Us | Help | Accessibility | Terms of Use | Nondiscrimination Policy | Sitemap | Privacy & Opting Out of Cookies
A not-for-profit organization, IEEE is the world's largest technical professional organization dedicated to advancing technology for the benefit of humanity.

© Copyright 2020 IEEE - All rights reserved. Use of this web site signifies your agreement to the terms and conditions.

IEEE Account

» Change Username/Password
» Update Address

Purchase Details

» Payment Options
» Order History
» View Purchased Documents

Profile Information

» Communications Preferences
» Profession and Education
» Technical Interests

Need Help?

» **US & Canada:** +1 800 678 4333
» **Worldwide:** +1 732 981 0060
» Contact & Support

About IEEE Xplore | Contact Us | Help | Accessibility | Terms of Use | Nondiscrimination Policy | Sitemap | Privacy & Opting Out of Cookies

© Copyright 2020 IEEE - All rights reserved. Use of this web site signifies your agreement to the terms and conditions.

IEEE websites place cookies on your device to give you the best user experience. By using our websites, you agree to the placement of these cookies. To learn more, read our Privacy Policy.

Accept & Close

Institutional Sign In

Browse

My Settings

Get Help

Subscribe

Conferences > 2016 3rd International Confer...

Shooting simulator system design based on augmented reality

Publisher: IEEE

Cite This

Cite This

PDF

2 Author(s)

Kurniawan Teguh Martono ; Oky Dwi Nurhayati [View All Authors](#)

Export to

Collabratec

Alerts

Manage

Content Alerts

Add to

Citation Alerts

2 Paper Citations

159 Full Text Views

More Like This

The User Experience Analysis of Computer Graphics Educational Comics (GRAFMIC) based on Markerless Augmented Reality 2019 International Conference on Electrical, Electronics and Information Engineering (ICEEIE) Published: 2019

Online environment model estimation for augmented reality 2009 8th IEEE International Symposium on Mixed and Augmented Reality Published: 2009

[View More](#)

Top Organizations with Patents on Technologies Mentioned in This Article



Abstract

Document Sections

- I. Introduction
- II. Literature
- III. Methodology
- IV. Result
- 5. Conclusion

Authors

Figures

References

Citations

Keywords

Metrics

More Like This

Downl PDF

Abstract: Development of computer technology today has a major role in the development process of interaction in computer-based applications. Various innovations in creating the us... [View more](#)

Metadata

Abstract: Development of computer technology today has a major role in the development process of interaction in computer-based applications. Various innovations in creating the user experience of applications began are increasing. Augmented reality is a technology model the interaction between humans and computers by using a model of a merger between the real world with the virtual world. This development certainly can help people or community in various fields, especially in the field of shooting. Shooting is one of the many activities carried out by members of the TNI, POLRI and PERBAKIN. Activities in course are requires skill and a good psychological condition. To obtain good craftsmanship, each member takes a routine of training activities. Computer graphics technology is use in the process of shooting practice. This process utilizes Augmented Reality technology roles. With this technology in practice shooting environment can be created artificially or virtually. Methodology used in this research is system software of development, it is called waterfall model. The use of this method is to generate a reliable system so that the system can work according to the needs. Based on testing the functionality of the system has meet the initial needs, the system works in accordance with the scenario. The minimum distance of the camera to the marker to be recognized is 20 cm and the maximum distance is 300 cm.

IEEE websites place cookies on your device to give you the best user experience. By using our websites, you agree to the placement of these cookies. To learn more, read our [Privacy Policy](#).

Accept & Close

Date of Conference: 19-20 Oct. 2016 INSPEC Accession Number: 16791827

Date Added to IEEE Xplore: 06 April 2017 DOI: 10.1109/ICITACEE.2016.7892475

ISBN Information:

Publisher: IEEE

Conference Location: Semarang, Indonesia

Kurniawan Teguh Martono
Computer Engineering Department, Diponegoro University, Semarang, Indonesia

Okky Dwi Nurhayati

Computer Engineering Department, Diponegoro University, Semarang, Indonesia

Contents

I. Introduction

Shooting is one of the many activities carried out by members of the TNI, POLRI and PERBAKIN. Activity ni course requires skill and a good psychological condition. To obtain good craftsmanship, each member takes a routine of training activities. Besides Reading activities, requires a rigorous process from making the viewfinder image, regulate breathing and set the rhythm to pull the trigger so that the bullet from the rifle off towards the intended target liking.

Authors

Kurniawan Teguh Martono
Computer Engineering Department, Diponegoro University, Semarang, Indonesia

Okky Dwi Nurhayati
Computer Engineering Department, Diponegoro University, Semarang, Indonesia

Figures

References

Citations

Keywords

Metrics

IEEE Personal Account

CHANGE USERNAME/PASSWORD

Purchase Details

PAYMENT OPTIONS

VIEW PURCHASED DOCUMENTS

Profile Information

COMMUNICATIONS PREFERENCES

PROFESSION AND EDUCATION

TECHNICAL INTERESTS

Need Help?

US & CANADA: +1 800 678 4333

WORLDWIDE: +1 732 981 0060

CONTACT & SUPPORT

Follow



About IEEE Xplore | Contact Us | Help | Accessibility | Terms of Use | Nondiscrimination Policy | Sitemap | Privacy & Opting Out of Cookies
IEEE websites place cookies on your device to give you the best user experience. By using our websites,

you agree to the placement of these cookies. To learn more, read our Privacy Policy.

Accept & Close

Institutional Sign In

Browse

My Settings

Get Help

Subscribe

Conferences > 2016 3rd International Confer...

Brainwave-controlled applications with the Emotiv EPOC using support vector machine

Publisher: IEEE

Cite This

Cite This

PDF

3 Author(s)

Ha Hoang Kha ; Vo Anh Kha ; Dinh Quoc Hung

View All Authors

1 Paper Citation

446 Full Text Views

Export to

Collabratec

Alerts

Manage

Content Alerts

Add to

Citation Alerts

More Like This

Comparison between the Canonical Correlation Analysis and the Support Vector Machines as classification algorithms in an SSVEP-based Brain-Computer Interface

2017 14th International Conference on Electrical Engineering, Computing Science and Automatic Control (CCE)

Published: 2017

Classification of motor imagery ecog signals using support vector machine for brain computer interface

2013 Fifth International Conference on Advanced Computing (ICoAC)

Published: 2013

View More

Top Organizations with Patents on Technologies Mentioned in This Article



Abstract

Document Sections

- I. Introduction
- II. The Proposed Brainwave-Controlled System
- III. Experimental Results and Discussion
- IV. Conclusion

Authors

Figures

References

Citations

Keywords

Metrics

Downl PDF

Abstract: Electroencephalography (EEG) which is the electrical signal recorded by the sensors attached on the human scalp to detect brain activities has been the emerging trends in... [View more](#)

Metadata

Abstract:

Electroencephalography (EEG) which is the electrical signal recorded by the sensors attached on the human scalp to detect brain activities has been the emerging trends in digital signal processing. As compared to processing other types of digital data such as speech or audio signals, EEG signal processing is more challenging. However, EEG signals have practically found a wide range of important applications. In this paper, we propose a design of a brain-computer interface (BCI) using EEG's P300 component to a control application. First, we use the Emotiv EPOC headset to capture the raw EEG signals. Then, we adopt a classification algorithm by invoking support vector machine along with the selected extracted features to classify the two-class EEG trials (with and without P300 component). The algorithm is developed to help people express their selection of one among four commands. The experimental results are provided evaluate the classification accuracy.

Published in: 2016 3rd International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE)

More Like This

IEEE websites place cookies on your device to give you the best user experience. By using our websites,

you agree to the placement of these cookies. To learn more, read our Privacy Policy.

Date of Conference: 19-20 Oct 2016

INSPEC Accession Number: 16791810

Date Added to IEEE Xplore: 06 April 2017 DOI: 10.1109/ICITACEE.2016.7892420

Accept & Close

ISBN Information:

Publisher: IEEE

Conference Location: Semarang, Indonesia

Ha Hoang Kha
Ho Chi Minh city University of Technology, VNU-HCM

Vo Anh Kha
Ho Chi Minh city University of Technology, VNU-HCM

Dinh Quoc Hung
Ho Chi Minh city University of Technology, VNU-HCM

☰ Contents

I. Introduction

Brain-computer interface (BCI) systems are designed for people with difficulties in communication or with severe motor disabilities to express the thoughts by using their bare EEG signals. On top of that, the P300 wave, which is an event-related-potential (ERP) of EEG or say in another way, a specific component of our brain signals, is used in many BCI systems thanks to its clear distinctively observable characteristics among the noisy background of EEG signals. The P300 is an endogenous component of EEG signals elicited by human's brains in the process of decision making. P300's clearly positive voltage peak usually occurs typically approximately at 300 milliseconds after stimulus onset presented by the so-called 'oddball paradigm', in which the low-probability target stimuli are mixed with high-probability non-target ones. Each stimulus is implemented on the computer screen by visual flashing (or intensification) its symbol image. Four images corresponding 4 controlled devices are shown in the screen, on which the subject would focus their eyesight at only one image as their intention, and it is implicitly known as his or her target stimuli, while the other 3 images are the non-target ones. The subject is presented with two categories of stimulus (target and non-target), and he or she is instructed to visually focus on the target stimuli to determine his or her intention.

Authors

Ha Hoang Kha
Ho Chi Minh city University of Technology, VNU-HCM

Vo Anh Kha
Ho Chi Minh city University of Technology, VNU-HCM

Dinh Quoc Hung
Ho Chi Minh city University of Technology, VNU-HCM

Figures

References

Citations

IEEE websites place cookies on your device to give you the best user experience. By using our websites, you agree to the placement of these cookies. To learn more, read our Privacy Policy.

Accept & Close

Institutional Sign In

Browse

My Settings

Get Help

Subscribe

Conferences > 2016 3rd International Confer...

Electrical and temperature correlation to monitor fault condition of ZnO surge arrester

Publisher: IEEE

Cite This

Cite This

PDF

2 Author(s)

Novizon ; Zulkurnain Abdul-Malek

View All Authors

Export to

Collabratec

Alerts

Manage

Content Alerts

Add to

Citation Alerts

230 Full Text Views

More Like This

Condition Monitoring of Metal-oxide Surge Arresters using Leakage Current Signal Analysis

2018 IEEE International Conference on High Voltage Engineering and Application (ICHVE)

Published: 2018


A review of modeling ageing behavior and condition monitoring of zinc Oxide Surge Arrester

2015 IEEE Student Conference on Research and Development (SCoReD)

Published: 2015

View More

Top Organizations with Patents on Technologies Mentioned in This Article



Abstract

Document Sections

I. Introduction

II. Thermal Image and Leakage Current Theory

III. Methodology

IV. Result and Discussion

V. Conclusion

Authors

Figures

References

Keywords

Metrics

More Like This

Downl PDF

Abstract: Third harmonic resistive leakage current and thermal imaging was commonly used as tool for monitoring and assessing the zinc oxide surge arrester condition. However, the ... [View more](#)

Metadata

Abstract:

Third harmonic resistive leakage current and thermal imaging was commonly used as tool for monitoring and assessing the zinc oxide surge arrester condition. However, the measuring of leakage current on-site is highly influenced by electromagnetic interference (EMI) and caused difficulty to get accurate measurement. Thermography technique can be used to measure temperature of ZnO arrester without interfered by the EMI. However, temperature images resulted from thermal camera were difficult to analyze due to lack of additional information. This paper proposes thermal image temperature correlation with third harmonic resistive leakage current to monitor condition of ZnO arrester. The condition of ZnO arrester classifies as normal, suspicious and faulty based on its third harmonic resistive leakage current. Statistical features of thermal image histogram together with the third harmonic resistive leakage current were used. The multilayer perceptron (MLP) neural network was used to classify the condition of ZnO arrester. The result shows that accuracy of classification is approximately 97 %, which is highly encouraging.

and Electrical Engineering (ICITACEE)

IEEE websites place cookies on your device to give you the best user experience. By using our websites,

you agree to the placement of these cookies. To learn more, read our Privacy Policy.

Date of Conference: 19-20 Oct. 2016

INSPEC Accession Number: 16791792

Accept & Close

Date Added to IEEE Xplore: 06 April 2017 DOI: 10.1109/ICITACEE.2016.7892436

ISBN Information:

Publisher: IEEE

Conference Location: Semarang, Indonesia

Novizon

Electrical Department Unand, Andalas University, Padang, Indonesia

Zulkurnain Abdul-Malek

IVAT FKE UTM, Universiti Teknologi Malaysia, Johor Bahru, Malaysia

Contents

I. Introduction

Surge arresters have been widely used to protect distribution and transmission transformers against lightning, switching overvoltage [1]. The non-linear voltage-current characteristic of surge arrester [2] lead they function as high impedances at normal operating voltages and become low impedances during overvoltage condition to release surge current from line to ground. The evolution of arrester technology has been characterized by the gradual improvement. Several different types of arresters are available such as gapped silicon carbide (SiC) and non-gapped zinc-oxide (ZnO). The performance of gapped arresters is determined by electrical and thermal properties of the ZnO block. Compared with SiC arresters, ZnO offer a protection closer to the ideal. However, the ZnO arresters are contain no gaps, the high leakage current can flow through the varistors at normal voltage level, which causes power losses and heat of ZnO elements. This condition may lead to the risk of thermal runaway [3] resulting in extensive damage of the ZnO arresters.

Authors

Novizon
Electrical Department Unand, Andalas University, Padang, Indonesia

Zulkurnain Abdul-Malek
IVAT FKE UTM, Universiti Teknologi Malaysia, Johor Bahru, Malaysia

Figures

References

Keywords

Metrics

IEEE Personal Account

Purchase Details

Profile Information

Need Help?

Follow

CHANGE USERNAME/PASSWORD

PAYMENT OPTIONS

COMMUNICATIONS PREFERENCES

US & CANADA: +1 800 678 4333



IEEE websites place cookies on your device to give you the best user experience. By using our websites you agree to the placement of these cookies. To learn more, read our Privacy Policy.

Accept & Close

Institutional Sign In

Browse

My Settings

Get Help

Subscribe

Conferences > 2016 3rd International Confer...

A new image watermarking scheme using contourlet transforms

Publisher: IEEE

Cite This

Cite This

PDF

3 Author(s)

Sy C. Nguyen ; Kha H. Ha ; Hoang M. Nguyen

View All Authors

Export to

Collabratec

Alerts

Manage

Content Alerts

Add to

Citation Alerts

1 Paper Citation

162 Full Text Views

More Like This

New Object Detection for On-board Robot Vision by Lifting Complex Wavelet Transforms


2011 IEEE 11th International Conference on Data Mining Workshops
Published: 2011

Salient Segmentation based Object Detection and Recognition using Hybrid Genetic Transform

2019 International Conference on Applied and Engineering Mathematics (ICAEM)
Published: 2019

View More

Top Organizations with Patents on Technologies Mentioned in This Article



Abstract

Document Sections

- I. Introduction
- II. Contourlet Transform
- III. Proposed Algorithm
- IV. Experiments and Results
- V. Conclusion

Downl PDF

Abstract: Digital watermarking has been recognized as an effective technique to protect intellectual property by embedding secret information into the digital products. This paper ... [View more](#)

Metadata

Abstract: Digital watermarking has been recognized as an effective technique to protect intellectual property by embedding secret information into the digital products. This paper presents a new watermarking technique for digital image applications by using the contourlet domain. The contourlet transform is a powerful tool to capture singularities along smooth object boundaries with different elongated shapes and directions that helps the watermarking technique to achieve high performance. Specifically, the host image is decomposed into subbands by using the contourlet transform. Then, the mid frequency subbands are chosen to embed watermark with suitable embedment factors. The peak signal-to-noise ratio (PSNR) and normalized correlation (NC) are used to evaluate the performance of the algorithm. Simulations on different images are carried out to evaluate the invisibility and robustness of the proposed scheme. The experimental results show that the proposed method outperforms the others in terms of invisibility and robustness for the lossy JPEG compression.

Published in: 2016 3rd International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE)

Authors

- Figures
- References
- Citations
- Keywords
- Metrics

IEEE websites place cookies on your device to give you the best user experience. By using our websites, you agree to the placement of these cookies. To learn more, read our Privacy Policy.

Date of Conference: 19-20 Oct. 2016 INSPEC Accession Number: 16791858

Date Added to IEEE Xplore: 06 April 2017 DOI: 10.1109/ICITACEE.2016.7892456

Accept & Close

ISBN Information:

Publisher: IEEE

Conference Location: Semarang, Indonesia

Sy C. Nguyen

Faculty of Electrical & Electronics Engineering, Ho Chi Minh City University of Technology, VNU-HCM, Vietnam

Kha H. Ha

Faculty of Electrical & Electronics Engineering, Ho Chi Minh City University of Technology, VNU-HCM, Vietnam

Hoang M. Nguyen

Faculty of Management Information Systems, Banking University of HCM City, Vietnam

Contents

I. Introduction

The rapid development of the Internet has resulted in new challenges in protecting copyrighted digital products. Watermarking is a potential technique to resolve this problem. In watermarking technique, by inserting hidden information into an digital product, the extracted hidden information can be used to protect the copyright ownership of the digital product. It is desired that the extra information is embedded should cause imperceptible degradation of digital host product. Then, the watermarking in the transform domain is of great importance. The wavelet transform has much success in many signal processing and communication applications such as it is used as the key transform for the new image-compression standard, JPEG-2000 [22]. However, wavelets provide an optimal representation for these signals in a certain sense for example: one-dimensional piecewise smooth signals [21] [4]. In addition to the 1-D bases, wavelets in 2-D are good at capturing the discontinuities at edge points, but will not capture the smoothness along the contours well [4]. Like signals, the orientation of signals is limited when the signals are processed by separable wavelets. Thus, we need a power tool to represent signals in higher dimensions. Here are some well-known systems that provide multi-scale and directional image representations, for example: 2-D Gabor wavelets [5], the cortex transform [6], the steerable pyramid [7], 2-D directional wavelets [8], brushlets [9], complex wavelets [10], and the contourlet transform [4]. However, the contourlet transform is flexible for multi-resolution, local, and directional image expansion using contour segments. The contourlet transform has an important feature that previous systems do not have. It allows a different number of directions at each scale and achieves nearly critical sampling. In addition, the contourlet transform can be implemented by iterated filter banks and, thus, it offers low computational complexity. Motivated by the advantages of the contourlet transform, we will focus on the image watermarking technique in the contourlet domain.

Authors



IEEE websites place cookies on your device to give you the best user experience. By using our websites, you agree to the placement of these cookies. To learn more, read our Privacy Policy.

Faculty of Electrical & Electronics Engineering, Ho Chi Minh City University of Technology, VNU-HCM, Vietnam

Accept & Close

Institutional Sign In

Browse

My Settings

Get Help

Subscribe

Conferences > 2016 3rd International Confer...

Energy efficiency beamformers for K-user MIMO interference channels with interference alignment

Publisher: IEEE

Cite This

Cite This

PDF

2 Author(s)

Ha Hoang Kha ; Tuan Do-Hong

View All Authors

2 Paper Citations

158 Full Text Views

Export to

Collabratec

Alerts

Manage Content Alerts

Add to Citation Alerts

More Like This

Full-Duplex Transmission Optimization for Bi-directional MIMO links with QoS Guarantees


2018 IEEE Global Conference on Signal and Information Processing (GlobalSIP) Published: 2018

Joint Beamforming Design and BBU Computational Resources Allocation in Heterogeneous C-RAN with QoS Guarantee

2018 International Symposium on Networks, Computers and Communications (ISNCC) Published: 2018

View More

Top Organizations with Patents on Technologies Mentioned in This Article



Abstract

Document Sections

- I. Introduction
- II. System Model
- III. Proposed Method
- IV. Numerical Results
- V. Conclusion

Authors

Figures

References

Citations

Keywords

Metrics

More Like This

Downl PDF

Abstract: In this paper, we present an optimal beamforming design for multi-user multiple-input multiple-output (MIMO) interference channels. Different from the conventional method... [View more](#)

Metadata

Abstract:

In this paper, we present an optimal beamforming design for multi-user multiple-input multiple-output (MIMO) interference channels. Different from the conventional methods which are based on the sum-rate maximization or the sum mean square error minimization, this paper focuses on maximizing the energy efficiency (EE) of the system. We seek the optimal beamformers which maximize the EE of the system subject to the per-user power constraint while guaranteeing the quality of service of each user in terms of the user rate. Such a design problem is originally formulated as a nonlinear and nonconvex optimization which is difficult to solve directly. To tackle the mathematical challenges associated with nonlinear nonconvex fractional programming design problem, the proposed method employs interference alignment (IA) to cancel inter-user interference and, then develop an iterative algorithm to cope with the fractional programming. The numerical results demonstrate that the proposed method outperforms the existing methods in terms of the achievable EE.

Published in: 2016 3rd International Conference on Information Technology, Computer,

IEEE websites place cookies on your device to give you the best user experience. By using our websites, you agree to the placement of these cookies. To learn more, read our Privacy Policy.

Date of Conference: 19-20 Oct. 2016

INSPEC Accession Number: 16791814

Accept & Close

Date Added to IEEE Xplore: 06 April 2017 DOI: 10.1109/ICITACEE.2016.7892484

ISBN Information:

Publisher: IEEE

Conference Location: Semarang, Indonesia

Ha Hoang Kha

Ho Chi Minh City University of Technology, VNU-HCM, Vietnam

Tuan Do-Hong

Ho Chi Minh City University of Technology, VNU-HCM, Vietnam

Contents

I Introduction

Research on multi-user multiple-input multiple-output (MIMO) interference channels has been of great interest since interference channels include a majority of wireless communication models [1], [2]. In such systems, multiple terminals share the same frequency at the same time and, therefore, inter-user interference makes the channel capacity degradation. Optimal designs of the precoding and postcoding matrices for interference channels are mathematically challenging due to the nonconvexity associated with the optimization problems. Extensive studies have focused on designing the transmit beamformers to maximize the sum-rate of the systems [1], [3]. Alternatively, the mean square error (MSE) minimization is often used for the transceiver designs in MIMO broadcast channels [4] and in interference channels [5]. It was shown in [6] that the weighted MSE minimization is equivalent to the sum-rate maximization when the weights are optimally chosen. Recently, interference alignment (IA) has been an emerging technique for interference mitigation in wireless networks [2], [7], [8]. In IA schemes, the transmitters cooperate each other to align their signals into a reduced dimension subspace at the unintended receivers and reserve the interference-free subspaces for the desired signals. Due to its effectiveness in dealing with interference, IA has been applied in various wireless networks [9]–[12].

Authors

Ha Hoang Kha
Ho Chi Minh City University of Technology, VNU-HCM, Vietnam

Tuan Do-Hong
Ho Chi Minh City University of Technology, VNU-HCM, Vietnam

Figures

References

Citations

Keywords

Metrics

IEEE websites place cookies on your device to give you the best user experience. By using our websites, you agree to the placement of these cookies. To learn more, read our Privacy Policy.

Accept & Close

Need Help?

Follow

Institutional Sign In

Browse

My Settings

Get Help

Subscribe

Conferences > 2016 3rd International Confer...

Cyclic prefix-based noise estimation with DVB-T input for spectrum sensing in cognitive radio

Publisher: IEEE

Cite This

Cite This

PDF

3 Author(s)

Dzata Farahiyah ; Trung Thanh Nguyen ; Thomas Kaiser View All Authors

80 Full Text Views

Export to

Collabratec

Alerts

Manage

Content Alerts

Add to

Citation Alerts

More Like This

Noise power estimation with DVB-T input for spectrum sensing in cognitive radio network


2016 2nd International Conference on Wireless and Telematics (ICWT)
Published: 2016

Effective signal detection using cooperative spectrum sensing in cognitive radio systems

2009 11th International Conference on Advanced Communication Technology
Published: 2009

View More

Top Organizations with Patents on Technologies Mentioned in This Article



Abstract

Downl PDF

Document Sections

- I. Introduction
- II. Basic Concept Theory
- III. Cyclic Prefix-Based Noise Estimation Algorithm
- IV. Simulation and Result
- V. Conclusion

Abstract: The existing blind noise estimation called cyclic prefix based noise estimation without knowledge of a priori signal is simulated along with input of DVB-T and the multip... **View more**

Metadata

Abstract:

The existing blind noise estimation called cyclic prefix based noise estimation without knowledge of a priori signal is simulated along with input of DVB-T and the multipath channel ITU-T pedestrian model A. The simulation is done by means to know NMSE and noise uncertainty over time observation with varied SNR. The NMSE shows a very good result and close to the result of the previous research. The corresponding noise uncertainty is simulated in order to observe the performance of detection of spectrum sensing. It has the result that such limitation of detection called SNR wall will not occur. Based on the research, the estimator is expected to be applied along with spectrum sensing in cognitive radio network.

Published in: 2016 3rd International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE)

Date of Conference: 19-20 Oct. 2016 **INSPEC Accession Number:** 16791793

Authors

Figures

References

Keywords

Metrics

IEEE websites place cookies on your device to give you the best user experience. By using our websites, you agree to the placement of these cookies. To learn more, read our Privacy Policy.

Accept & Close

Conference Location: Semarang,
Indonesia

Dzata Farahiyah

Dept. of Electrical Engineering, Universitas Islam Indonesia (UII), Yogyakarta, Indonesia

Trung Thanh Nguyen

Institute of Digital Signal Processing, University of Duisburg-Essen (UDE), Duisburg,
Germany

Thomas Kaiser

Institute of Digital Signal Processing, University of Duisburg-Essen (UDE), Duisburg,
Germany

☰ Contents

I. Introduction

Cognitive radio appears to be one of the solutions of the limitations of existing spectrum. Cognitive radio evolved from a software defined radio (SDR) [1]. In order to become cognitive radio, SDR developed with the ability to manage and optimize the spectrum and network resources to generate an electromagnetic source used for the benefit of telecommunication users.

Authors

Dzata Farahiyah

Dept. of Electrical Engineering, Universitas Islam Indonesia (UII), Yogyakarta,
Indonesia

Trung Thanh Nguyen

Institute of Digital Signal Processing, University of Duisburg-Essen (UDE), Duisburg,
Germany

Thomas Kaiser

Institute of Digital Signal Processing, University of Duisburg-Essen (UDE), Duisburg,
Germany

Figures

References

Keywords

Metrics

IEEE Personal Account

CHANGE USERNAME/PASSWORD

Purchase Details

PAYMENT OPTIONS

VIEW PURCHASED DOCUMENTS

Profile Information

COMMUNICATIONS PREFERENCES

PROFESSION AND EDUCATION

TECHNICAL INTERESTS

Need Help?

US & CANADA: +1 800 678 4333

WORLDWIDE: +1 732 981 0060

CONTACT & SUPPORT

Follow



IEEE websites place cookies on your device to give you the best user experience. By using our websites,

you agree to the placement of these cookies. To learn more, read our Privacy Policy.

Accept & Close



Certificate

This is to certify that
Oky Dwi Nurhidayati

has contributed as
Presenter

in The 3rd International Conference on Information Technology, Computer and Electrical Engineering (ICITACEE) 2016
at Hotel @HOM Semarang Indonesia, October, 19-21th 2016



Ir. M. Agung Wibowo, MM, MSc, PhD.
Dean of the Faculty of Engineering Diponegoro University



Dr. Abdul Syakur, ST, MT.
General Chair ICITACEE 2016