

DAFTAR PUSTAKA

- Associations, F. of E. P. F. (2006). *Thermal insulation materials made of rigid polyurethane foam (PUR/PIR)*. Brussels,Belgium: BING.
- Bołtryk, M., Krupa, A., & Pawluczuk, E. (2018). Modification of the properties of the cement composites with the organic filler. *Construction and Building Materials*, *167*, 143–153. <https://doi.org/10.1016/j.conbuildmat.2018.02.025>
- Chai, H., Duan, Q., Jiang, L., & Sun, J. (2019). Effect of inorganic additive flame retardant on fire hazard of polyurethane exterior insulation material. *Journal of Thermal Analysis and Calorimetry*, *135*(5), 2857–2868. <https://doi.org/10.1007/s10973-018-7797-3>
- Chen, C., Li, C., Yu, D., & Wu, M. (2022). A facile method to prepare superhydrophobic nanocellulose-based aerogel with high thermal insulation performance via a two-step impregnation process. *Cellulose*, *29*(1), 245–257. <https://doi.org/10.1007/s10570-021-04275-x>
- Członka, S., Kairyte, A., Miedzińska, K., & Strąkowska, A. (2021). Polyurethane composites reinforced with walnut shell filler treated with perlite, montmorillonite and halloysite. *International Journal of Molecular Sciences*, *22*(14). <https://doi.org/10.3390/ijms22147304>
- de Amorim, J. D. P., de Souza, K. C., Duarte, C. R., da Silva Duarte, I., de Assis Sales Ribeiro, F., Silva, G. S., de Farias, P. M. A., Stingl, A., Costa, A. F. S., Vinhas, G. M., & Sarubbo, L. A. (2020). Plant and bacterial nanocellulose: production, properties and applications in medicine, food, cosmetics, electronics and engineering. A review. *Environmental Chemistry Letters*, *18*(3), 851–869. <https://doi.org/10.1007/s10311-020-00989-9>
- Dolgun, G. K., Keçebaş, A., Ertürk, M., & Daşdemir, A. (2023). Optimal insulation of underground spherical tanks for seasonal thermal energy storage applications. *Journal of Energy Storage*, *69*, 107865. <https://doi.org/10.1016/j.est.2023.107865>
- Dutta, A. S. (2018). Polyurethane Foam Chemistry. In *Recycling of Polyurethane Foams* (pp. 17–27). Elsevier. <https://doi.org/10.1016/B978-0-323-51133-9.00002-4>

- Dworakowska, S., Bogdał, D., Zaccheria, F., & Ravasio, N. (2014). The role of catalysis in the synthesis of polyurethane foams based on renewable raw materials. *Catalysis Today*, 223, 148–156. <https://doi.org/10.1016/j.cattod.2013.11.054>
- Eichhorn SJ, Dufresne A, M. Aranguren, N. E. Marcovich, J. R. Capadona, S. J. Rowan, C. Weder, W. Thielemans, M. Roman, S. Renneckar, W. Gindl, S. Veigel, J. Keckes, H. Yano, K. Abe, M. Nogi, A. N. Nakagaito, A. Mangalam, J. Simonsen, ... T. Peijs. (2010). Review: current international research into cellulose nanofibres and nanocomposites. *Journal of Materials Science*, 45(1), 1–33.
- Farghali, M., Osman, A. I., Mohamed, I. M. A., Chen, Z., Chen, L., Ihara, I., Yap, P. S., & Rooney, D. W. (2023). Strategies to save energy in the context of the energy crisis: a review. In *Environmental Chemistry Letters* (Vol. 21, Issue 4). Springer International Publishing. <https://doi.org/10.1007/s10311-023-01591-5>
- Fattah, I. M. R., Ming, C., Chan, Q. N., Wehrfritz, A., Pham, P. X., Yang, W., Kook, S., Medwell, P. R., Yeoh, G. H., Hawkes, E. R., & Masri, A. R. (2018). Spray and Combustion Investigation of Post Injections under Low-Temperature Combustion Conditions with Biodiesel. *Energy & Fuels*, 32(8), 8727–8742. <https://doi.org/10.1021/acs.energyfuels.8b00284>
- Ferrer, G., Barreneche, C., Solé, A., Martorell, I., & Cabeza, L. F. (2017). New proposed methodology for specific heat capacity determination of materials for thermal energy storage (TES) by DSC. *Journal of Energy Storage*, 11, 1–6. <https://doi.org/10.1016/j.est.2017.02.002>
- Gómez H., C., Serpa, A., Velásquez-Cock, J., Gañán, P., Castro, C., Vélez, L., & Zuluaga, R. (2016). Vegetable nanocellulose in food science: A review. *Food Hydrocolloids*, 57, 178–186. <https://doi.org/10.1016/j.foodhyd.2016.01.023>
- Harikrishnan, G., Singh, S. N., Kiesel, E., & Macosko, C. W. (2010). Nanodispersions of carbon nanofiber for polyurethane foaming. *Polymer*, 51(15), 3349–3353. <https://doi.org/10.1016/j.polymer.2010.05.017>

- Hasanzadeh, R., Azdast, T., Doniavi, A., & Lee, R. E. (2019). Multi-objective optimization of heat transfer mechanisms of microcellular polymeric foams from thermal-insulation point of view. *Thermal Science and Engineering Progress*, 9, 21–29. <https://doi.org/10.1016/j.tsep.2018.11.002>
- He, L., Chu, F., Zhou, X., Song, L., & Hu, Y. (2022). Cactus-like structure of BP@MoS₂ hybrids: An effective mechanical reinforcement and flame retardant additive for waterborne polyurethane. *Polymer Degradation and Stability*, 202, 110027. <https://doi.org/10.1016/j.polymdegradstab.2022.110027>
- Hsissou, R., Seghiri, R., Benzekri, Z., Hilali, M., Rafik, M., & Elharfi, A. (2021). Polymer composite materials: A comprehensive review. *Composite Structures*, 262(November 2020), 0–3. <https://doi.org/10.1016/j.compstruct.2021.113640>
- Januari, A. D., & Agustina, H. (2022). Palm Oil Empty Fruit Bunches and The Implementation of Zero Waste and Renewable Energy Technologies. *IOP Conference Series: Earth and Environmental Science*, 1034(1), 012004. <https://doi.org/10.1088/1755-1315/1034/1/012004>
- Jarfelt, U., & Ramnäs, O. (2006). Thermal conductivity of polyurethane foam - best performance Thermal conductivity of polyurethane foam Best performance. *10th International Symposium on District Heating and Cooling, September, 12*.
- Jin, X., Guo, N., You, Z., Wang, L., Wen, Y., & Tan, Y. (2020). Rheological properties and micro-characteristics of polyurethane composite modified asphalt. *Construction and Building Materials*, 234, 117395. <https://doi.org/10.1016/j.conbuildmat.2019.117395>
- Jonjaroen, V., Ummartyotin, S., & Chittapun, S. (2020). Algal cellulose as a reinforcement in rigid polyurethane foam. *Algal Research*, 51, 102057. <https://doi.org/10.1016/j.algal.2020.102057>
- Khaleel, M., Soykan, U., & Çetin, S. (2021). Influences of turkey feather fiber loading on significant characteristics of rigid polyurethane foam: Thermal degradation, heat insulation, acoustic performance, air permeability and

- cellular structure. *Construction and Building Materials*, 308, 125014. <https://doi.org/10.1016/j.conbuildmat.2021.125014>
- Klemm, D., Cranston, E. D., Fischer, D., Gama, M., Kedzior, S. A., Kralisch, D., Kramer, F., Kondo, T., Lindström, T., Nietzsche, S., Petzold-Welcke, K., & Rauchfuß, F. (2018). Nanocellulose as a natural source for groundbreaking applications in materials science: Today's state. *Materials Today*, 21(7), 720–748. <https://doi.org/10.1016/j.mattod.2018.02.001>
- Leng, W., & Pan, B. (2019). Thermal Insulating and Mechanical Properties of Cellulose Nanofibrils Modified Polyurethane Foam Composite as Structural Insulated Material. *Forests*, 10(2), 200. <https://doi.org/10.3390/f10020200>
- Mahmood, N., Yuan, Z., Schmidt, J., & Xu, C. (2016). Depolymerization of lignins and their applications for the preparation of polyols and rigid polyurethane foams: A review. *Renewable and Sustainable Energy Reviews*, 60, 317–329. <https://doi.org/10.1016/j.rser.2016.01.037>
- Marques, A. C., Davies, G. F., Maidment, G. G., Evans, J. A., & Wood, I. D. (2014). Novel design and performance enhancement of domestic refrigerators with thermal storage. *Applied Thermal Engineering*, 63(2), 511–519. <https://doi.org/10.1016/j.applthermaleng.2013.11.043>
- Masoodi, R., El-Hajjar, R. F., Pillai, K. M., & Sabo, R. (2012). Mechanical characterization of cellulose nanofiber and bio-based epoxy composite. *Materials & Design (1980-2015)*, 36, 570–576. <https://doi.org/10.1016/j.matdes.2011.11.042>
- Meng, X., Yan, B., Gao, Y., Wang, J., Zhang, W., & Long, E. (2015). Factors affecting the in situ measurement accuracy of the wall heat transfer coefficient using the heat flow meter method. *Energy and Buildings*, 86, 754–765. <https://doi.org/10.1016/j.enbuild.2014.11.005>
- Rezk, H., Nassef, A. M., Inayat, A., Sayed, E. T., Shahbaz, M., & Olabi, A. G. (2019). Improving the environmental impact of palm kernel shell through maximizing its production of hydrogen and syngas using advanced artificial intelligence. *Science of The Total Environment*, 658, 1150–1160. <https://doi.org/10.1016/j.scitotenv.2018.12.284>

- Robles, E., Fernández-Rodríguez, J., Barbosa, A. M., Gordobil, O., Carreño, N. L. V., & Labidi, J. (2018). Production of cellulose nanoparticles from blue agave waste treated with environmentally friendly processes. *Carbohydrate Polymers*, *183*, 294–302. <https://doi.org/10.1016/j.carbpol.2018.01.015>
- Sakuma, W., Yamasaki, S., Fujisawa, S., Kodama, T., Shiomi, J., Kanamori, K., & Saito, T. (2021). Mechanically Strong, Scalable, Mesoporous Xerogels of Nanocellulose Featuring Light Permeability, Thermal Insulation, and Flame Self-Extinction. *ACS Nano*, *15*(1), 1436–1444. <https://doi.org/10.1021/acsnano.0c08769>
- Sałasińska, K., Leszczyńska, M., Celiński, M., Kozikowski, P., Kowiorski, K., & Lipińska, L. (2021). Burning Behaviour of Rigid Polyurethane Foams with Histidine and Modified Graphene Oxide. *Materials*, *14*(5), 1184. <https://doi.org/10.3390/ma14051184>
- Sauer, M., Shiozawa, H., Ayala, P., Ruiz-Soria, G., Liu, X., Chernov, A., Krause, S., Yanagi, K., Kataura, H., & Pichler, T. (2013). Internal charge transfer in metallicity sorted ferrocene filled carbon nanotube hybrids. *Carbon*, *59*, 237–245. <https://doi.org/10.1016/j.carbon.2013.03.014>
- Septevani, A. A., Evans, D. A. C., Annamalai, P. K., & Martin, D. J. (2017). The use of cellulose nanocrystals to enhance the thermal insulation properties and sustainability of rigid polyurethane foam. *Industrial Crops & Products*, *107*(December 2016), 114–121. <https://doi.org/10.1016/j.indcrop.2017.05.039>
- Septevani, A. A., Evans, D. A. C., Chaleat, C., Martin, D. J., & Annamalai, P. K. (2015). A systematic study substituting polyether polyol with palm kernel oil based polyester polyol in rigid polyurethane foam. *Industrial Crops and Products*, *66*, 16–26. <https://doi.org/10.1016/j.indcrop.2014.11.053>
- Septevani, A. A., Evans, D. A. C., Martin, D. J., Song, P., & Annamalai, P. K. (2023). Tuning the microstructure of polyurethane foam using nanocellulose for improved thermal insulation properties through an efficient dispersion methodology. *Polymer Composites*. <https://doi.org/10.1002/pc.27743>
- Shao, H., Zhang, Q., Liu, H., Guo, W., Jiang, Y., Chen, L., He, L., Qi, J., Xiao, H., Chen, Y., Huang, X., Xie, J., & Shupe, T. F. (2020). Renewable natural

- resources reinforced polyurethane foam for use of lightweight thermal insulation. *Materials Research Express*, 7(5). <https://doi.org/10.1088/2053-1591/ab8d87>
- Tang, G., Zhou, L., Zhang, P., Han, Z., Chen, D., Liu, X., & Zhou, Z. (2020). Effect of aluminum diethylphosphinate on flame retardant and thermal properties of rigid polyurethane foam composites. *Journal of Thermal Analysis and Calorimetry*, 140(2), 625–636. <https://doi.org/10.1007/s10973-019-08897-z>
- Tao, J., Yang, F., Wu, T., Shi, J., Zhao, H. B., & Rao, W. (2023). Thermal insulation, flame retardancy, smoke suppression, and reinforcement of rigid polyurethane foam enabled by in. *Chemical Engineering Journal*, 461(February), 142061. <https://doi.org/10.1016/j.cej.2023.142061>
- Tran, V. H., Kim, J.-D., Kim, J.-H., Kim, S.-K., & Lee, J.-M. (2020). Influence of Cellulose Nanocrystal on the Cryogenic Mechanical Behavior and Thermal Conductivity of Polyurethane Composite. *Journal of Polymers and the Environment*, 28(4), 1169–1179. <https://doi.org/10.1007/s10924-020-01673-3>
- Uram, K., Prociak, A., Vevere, L., Pomilovskis, R., Cabulis, U., & Kirpluks, M. (2021). Natural oil-based rigid polyurethane foam thermal insulation applicable at cryogenic temperatures. *Polymers*, 13(24). <https://doi.org/10.3390/polym13244276>
- Wang, D., Peng, H., Yu, B., Zhou, K., Pan, H., Zhang, L., Li, M., Liu, M., Tian, A., & Fu, S. (2020). Biomimetic structural cellulose nanofiber aerogels with exceptional mechanical, flame-retardant and thermal-insulating properties. *Chemical Engineering Journal*, 389, 124449. <https://doi.org/10.1016/j.cej.2020.124449>
- Yang, W., Dong, Q., Liu, S., Xie, H., Liu, L., & Li, J. (2012). Recycling and Disposal Methods for Polyurethane Foam Wastes. *Procedia Environmental Sciences*, 16, 167–175. <https://doi.org/10.1016/j.proenv.2012.10.023>
- Yiin, C. L., Ho, S., Yusup, S., Quitain, A. T., Chan, Y. H., Loy, A. C. M., & Gwee, Y. L. (2019). Recovery of cellulose fibers from oil palm empty fruit bunch for

- pulp and paper using green delignification approach. *Bioresource Technology*, 290, 121797. <https://doi.org/10.1016/J.BIORTECH.2019.121797>
- Yurid, F., Handayani, A. S., Maturbongs, F. D., Irawan, Y., Sampora, Y., Devy, Y. A., Septiyanti, M., Ramdani, D., Supriadi, E., Amin, K. N. M., & Septevani, A. A. (2023). Production of nanocellulose using controlled acid hydrolysis from large-scale production of micro-fibrillated cellulose derived from oil palm empty fruit bunches. *IOP Conference Series: Earth and Environmental Science*, 1201(1), 012078. <https://doi.org/10.1088/1755-1315/1201/1/012078>
- Zhang, T., Sun, J., Ren, L., Yao, Y., Wang, M., Zeng, X., Sun, R., Xu, J.-B., & Wong, C.-P. (2019). Nacre-inspired polymer composites with high thermal conductivity and enhanced mechanical strength. *Composites Part A: Applied Science and Manufacturing*, 121, 92–99. <https://doi.org/10.1016/j.compositesa.2019.03.017>
- Zhang, X., Zhao, X., Xue, T., Yang, F., Fan, W., & Liu, T. (2020). Bidirectional anisotropic polyimide/bacterial cellulose aerogels by freeze-drying for super-thermal insulation. *Chemical Engineering Journal*, 385, 123963. <https://doi.org/10.1016/j.cej.2019.123963>
- Zhang, Z., Tan, J., Gu, W., Zhao, H., Zheng, J., Zhang, B., & Ji, G. (2020). Cellulose-chitosan framework/polyallylene hybrid aerogel toward thermal insulation and microwave absorbing application. *Chemical Engineering Journal*, 395(March), 125190. <https://doi.org/10.1016/j.cej.2020.125190>
- Zhou, J., & Hsieh, Y. Lo. (2020). Nanocellulose aerogel-based porous coaxial fibers for thermal insulation. *Nano Energy*, 68(November 2019), 104305. <https://doi.org/10.1016/j.nanoen.2019.104305>
- Zhou, X., Sain, M. M., & Oksman, K. (2016). Semi-rigid biopolyurethane foams based on palm-oil polyol and reinforced with cellulose nanocrystals. *Composites Part A: Applied Science and Manufacturing*, 83, 56–62. <https://doi.org/10.1016/j.compositesa.2015.06.008>