

DAFTAR PUSTAKA

1. Itani R, Soubra L, Karout S, Rahme D, Karout L, Khojah HMJ. Primary Dysmenorrhea: Pathophysiology, Diagnosis, and Treatment Updates. *Korean J Fam Med*. 2022;43(2):101-108. doi:10.4082/kjfm.21.0103
2. De Sanctis V, Soliman AT, Elsedfy H, Soliman NA, Elalaily R, El Kholy M. Dysmenorrhea in adolescents and young adults: A review in different countries. *Acta Biomed*. 2016;87(3):233-246.
3. Li J, Zhang Y, Tong Y. Comment on Dysmenorrhea, a Narrative Review of Therapeutic Options [Letter]. *J Pain Res*. 2024;17(June):3313-3314. doi:10.2147/JPR.S493180
4. Anggraini MA, Lasiaprillianty IW, Danianto A. Diagnosis dan Tata Laksana Dismenore Primer. *Cermin Dunia Kedokt*. 2022;49(4):201. doi:10.55175/cdk.v49i4.1821
5. Widhawati R, Lubis VH, Komalasari O. Jurnal Peduli Masyarakat. *J Pengabdian Kpd Masy - Aphelion*. 2024;4:171-178. <https://jurnal.globalhealthsciencegroup.com/index.php/JPM/article/view/2494>
6. Amita LNM, Budiana ING, Putra IWA, Surya IGNHW. Karakteristik dismenore pada mahasiswi program studi pendidikan dokter angkatan 2015 di Fakultas Kedokteran Universitas Udayana. *E-Jurnal Med Udayana*. 2018;7(12):1-10.
7. Salsabila Putri J, Triana Nugraheni W, Tri Ningsih W. Faktor Risiko Yang Mempengaruhi Kejadian Dismenore Pada Siswi Di Mts Muhammadiyah 2 Palang Kabupaten Tuban. *J Multidisiplin Indones*. 2023;2(9):2589-2599. doi:10.58344/jmi.v2i9.508
8. Fatmawati M, Riyanti E, Widjanarko B. Perilaku Remaja dalam Mengatasi Dismenore. *Fak Kesehatan Masy*. 2017;4(PERILAKU REMAJA PUTERI

DALAM MENGATASI DISMENOURE):1036-1043.
<https://media.neliti.com/media/publications/137832-ID-perilaku-remaja-puteri-dalam-mengatasi-d.pdf>

9. Parisa N, M. Khairul Kahfi Pasaribu, Bintang Arroyantri Prananjaya, Ardesy Melizah Kurniati, Ziske Maritska. Patterns of Using Analgesics for Menstrual Pain in Female Students Sriwijaya University Faculty of Medicine. *Arch Med Case Reports*. 2021;1(2):49-57. doi:10.37275/amcr.v1i2.10
10. Paujiah S, Salman S, Hilmi IL. Penggunaan Bahan Alam Sebagai Terapi Pereda Nyeri Dysminorrhea Pada Remaja : Review Artikel. *J Pharm Sci*. 2023;6(1):178-182. doi:10.36490/journal-jps.com.v6i1.8
11. Gazali A, Surbakti CI, Antonius. Pelatihan Masyarakat Akan Pemanfaatan Rempah- Meningkatkan Daya Tahan. *J Abdimas Mutiara*. 2021;2(1):382-386. <http://e-journal.sari-mutiara.ac.id/index.php/JAM/article/view/4047/2687>
12. Sutana IG. Rempah-Rempah Sebagai Potensi Wellness Tourism Di Indonesia. *Cultoure*. 2024;5(1):20-29.
13. Nurfitriyani E, Aprianti NA, Kusteja NF, Estiningtyas Q, Adnani S. Science Midwifery Effectiveness of combined use of herbs and physical therapy in reducing dysmenorrhoea pain in adolescent girls: Scoping review. *Sci Midwifery*. 2024;12(3):2721-9453. www.midwifery.iocspublisher.orgjournalhomepage:www.midwifery.iocspublisher.org
14. Rohmayanti, R., & Wijayanti K. APLIKASI KOMBINASI AKUPRESUR TITIK SANYINJIAO DAN REBUSAN JAHE MERAH PADA REMAJA DENGAN DISMENOURE : STUDI. 2021;6(2):13-16.
15. Friesca Berlianie Poetri, Selvy Afrioza, Rina Puspitasari. Pengaruh Aromaterapi Kayu Manis Terhadap Nyeri Haid Primer Pada Remaja Di Desa

Pasir Gadung Tangerang. *J Sains dan Kesehat.* 2022;6(2):24-33.
doi:10.57214/jusika.v6i2.153

16. Tsai IC, Hsu CW, Chang CH, Lei W Te, Tseng PT, Chang KV. Comparative Effectiveness of Different Exercises for Reducing Pain Intensity in Primary Dysmenorrhea: A Systematic Review and Network Meta-analysis of Randomized Controlled Trials. *Sport Med - Open.* 2024;10(1). doi:10.1186/s40798-024-00718-4
17. Mirabi P, Alamolhoda SH, Esmailzadeh S, Mojab F. Effect of medicinal herbs on primary dysmenorrhoea - A systematic review. *Iran J Pharm Res.* 2014;13(3):757-768.
18. Raees H, Zubair S, Ajaz R, John A, Liaquat A. From Spice Rack to Medicine Cabinet: Zingiber Officinale ' s Role in Pain Management and Inflammation. Published online 2024:33-42.
19. Santoso SB, Sukmawati NE, Wulandari VM, ... Pemanfaatan jamu kunyit asam dan teknik akupresur sebagai alternatif terapi gangguan dismenorea. *ScholarArchiveOrg.* 2021;6(8):1325-1333.
<https://scholar.archive.org/work/eqg4ky4devbaxizcnhe2pzzcie/access/wayback/https://journal.unimma.ac.id/index.php/ce/article/download/4352/2605>
20. Kamsanam W, Aungkurabrut R. The improvement on thermal performance of herbal ball compress. *MATEC Web Conf.* 2018;237:0-5. doi:10.1051/mateconf/201823701013
21. Ummah T, Ismarwati. The impact of complementary therapies on dysmenorrhea in young women. *Maj Obstet Ginekol.* 2024;32(1):29-38. doi:10.20473/mog.v32i12024.29-38
22. Zaman AY, Alameen AM, Alreefi MM, et al. Comparison of herbal medicines and pain relief medications in the treatment of primary dysmenorrhoea among female medical students at Taibah University. *J Taibah Univ Med Sci.* 2023;18(3):455-460.

doi:10.1016/j.jtumed.2022.10.015

23. Nagy H, Carlson K, Khan MAB. Dysmenorrhea. In: ; 2025.
24. Esan DT, Ariyo SA, Akinlolu EF, et al. Prevalence of dysmenorrhea and its effect on the quality of life of female undergraduate students in Nigeria. *J Endometr Uterine Disord.* 2024;5(January):100059. doi:10.1016/j.jeud.2024.100059
25. Mohammed Abadi Alsaleem. Dysmenorrhea, associated symptoms, and management among students at King Khalid University, Saudi Arabia: An exploratory study. *J Fam Med Prim Care.* 2022;6(2):169-170. doi:10.4103/jfmpe.jfmpe
26. Triningsih RW, Mas'udah EK. Studi Literatur: Mengurangi Dismenorea Melalui Penanganan Komplementer. *J Kebidanan.* 2023;12(1):46-56. doi:10.47560/keb.v12i1.489
27. Mitsuhashi R, Sawai A, Kiyohara K, Shiraki H, Nakata Y. Factors Associated with the Prevalence and Severity of Menstrual-Related Symptoms: A Systematic Review and Meta-Analysis. *Int J Environ Res Public Health.* 2023;20(1). doi:10.3390/ijerph20010569
28. Nloh AM, Ngadjui E, Vogue N, et al. Prevalence and factors associated with dysmenorrhea in women at child bearing age in the dschang health district, west-cameroon. *Pan Afr Med J.* 2020;37(178):1-10. doi:10.11604/pamj.2020.37.178.19693
29. Abreu-Sánchez A, Parra-Fernández ML, Onieva-Zafra MD, Ramos-Pichardo JD, Fernández-Martínez E. Type of dysmenorrhea, menstrual characteristics and symptoms in nursing students in southern Spain. *Healthc.* 2020;8(3):1-12. doi:10.3390/healthcare8030302
30. Francavilla R, Petraroli M, Messina G, et al. Dysmenorrhea: Epidemiology, Causes and Current State of the Art for Treatment. *Clin Exp Obstet Gynecol.* 2023;50(12). doi:10.31083/j.ceog5012274

31. Miller VT. Diagnosis and initial management of stroke. *Compr Ther.* 1988;14(7):57-65.
32. Dismenore P, Farmakologi C, Misliani A, Firdaus S. Jurnal Citra Keperawatan Poltekkes Kemenkes Banjarmasin. 2019;7(1):23-32.
33. Dhippayom T, Kongkaew C, Chaiyakunapruk N, et al. Clinical effects of thai herbal compress: A systematic review and meta-analysis. *Evidence-based Complement Altern Med.* 2015;2015(1). doi:10.1155/2015/942378
34. Kashani L, Mohammadi M, Heidari M, Akhondzadeh S. Herbal medicine in the treatment of primary dysmenorrhea. *J Med Plants.* 2015;14(53):1-5.
35. Teera Piwngern KT. 17 2020 Piwngern. Published online 2020:298-306.
36. Kesehatan JI, Husada S, Radharani R. Warm Ginger Compress to Decrease Pain Intensity in Patients with Arthritis Gout. 2020;11(1):573-578. doi:10.35816/jiskh.v10i2.349
37. Liu L, Hu J, Lu J, Yang J. Clinical Observation on Auricular Acupressure for Primary Dysmenorrhea: A Study Protocol for a Randomized Clinical Trial. *J Pain Res.* 2023;16(September):3217-3225. doi:10.2147/JPR.S414416
38. Valiani M, Ghasemi N, Bahadoran P, Heshmat R. The effects of massage therapy on dysmenorrhea caused by endometriosis. *Iran J Nurs Midwifery Res.* 2010;15(4):167-171. <http://www.ncbi.nlm.nih.gov/pubmed/21589790>
<http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC3093183>
39. Lu L, Wang Y fang, Zhang Y, Lu W, Deng H ping, Zhao H yin. Therapeutic observation on herbal cake-partitioned moxibustion for dysmenorrhea due to deficiency cold. *J Acupunct Tuina Sci.* 2020;18(3):174-179. doi:10.1007/s11726-020-1176-x
40. Xu Y, Yang Q, Wang X. Efficacy of herbal medicine

(cinnamon/fennel/ginger) for primary dysmenorrhea: a systematic review and meta-analysis of randomized controlled trials. *J Int Med Res.* 2020;48(6). doi:10.1177/0300060520936179

41. Anggraini Y, Islamiyati, Sumiyati, Ekawati IW. Acupressure therapy as a pain reliever for dysmenorrhea. *Enferm Clin.* 2020;30(2019):84-87. doi:10.1016/j.enfcli.2019.11.027
42. Rahmawati AF, Prasetya H, Murti B. Meta-Analysis the Effect of Acupressure in Lowering Pain of Dysmenorrhea. *Indones J Med.* 2022;7(1):51-60. doi:10.26911/theijmed.2022.07.01.06
43. Gharloghi S, Torkzahrani S, Akbarzadeh AR, Heshmat R. The effects of acupressure on severity of primary dysmenorrhea. *Patient Prefer Adherence.* 2012;6:137-142. doi:10.2147/PPA.S27127
44. Novitasari E, Soemanto R, Prasetya H. Effect of Acupuncture Therapy on Pain Reduction in Dysmenorrhea Patients: A Meta-Analysis. *J Matern Child Heal.* 2020;5(6):705-714. doi:10.26911/thejmch.2020.05.06.10.
45. Popławska NA, Śliz J, Skorupska M, Czeczotka MJ, Woźniak K. Ginger (*Zingiber officinale*) - A Beneficial Effect on Health and Physical Activity. *Qual Sport.* 2024;16:52218. doi:10.12775/qs.2024.16.52218
46. Laelasari I, Zakiyatus Syadza N. Pendampingan Pemanfaatan Jahe (*Zingiber officinale*) Sebagai Bahan Rempah Dalam Pembuatan Inovasi Makanan Herbal Penambah Immunitas. *J Bakti Saintek.* 2022;6(2):31-37. doi:10.14421/jbs.3483
47. Anita Anita, Rini Lidia Tamba, Shen Shen Panggabean, et al. Pemanfaatan Rebusan Serai dalam Pengobatan Tradisional untuk Nyeri Kaki di Posyandu Desa Manen Kaleka Tahun 2024. *Calory J Med Lab J.* 2024;2(3):95-103. doi:10.57213/caloryjournal.v2i3.366
48. Wulandari ET, Kumalasari D. The Effect Of Ginger Candy (*Zingiber Officinale* Rosc.) on PGF2 A Levels in Adolescents with Primary

- Dysmenorrhea. *J Aisyah J Ilmu Kesehatan*. 2022;7(S1):31-36. doi:10.30604/jika.v7is1.1194
49. Odeniran OM, Ilesanmi A, Fijabi OE, Kolapo T. A detailed review on some effects of turmeric curcuminoids on inflammation in obese individuals. 2024;6.
50. Sumardiko DS, Maulida Rizki Roswandi A, Purwitasari N, Hamsidi R. the Effect of Abdominal Massage and Kunyit Asam Herbs To Reduce Primary Menstrual Pain (Dysmenorrhea). *J Vocat Heal Stud*. 2023;7(2):126-131. doi:10.20473/jvhs.v7.i2.2023.126-131
51. Maharianingsih NM, Made N, Poruwati D. Pengaruh Pemberian Aromaterapi Kayu Manis terhadap Intensitas Nyeri Dismenore Primer pada Remaja The Effect of Cinnamon Aromatherapy on The Intensity of Primary Dysmenorrhea Pain in Adolescents. 2021;7(1):55-61.
52. Dysmenorrhea P, Jaafarpour M, Hatefi M, Najafi F, Khajavikhan J, Khani A. The Effect of Cinnamon on Menstrual Bleeding and Systemic Symptoms With The Effect of Cinnamon on Menstrual Bleeding and Systemic Symptoms With Primary Dysmenorrhea. 2015;17(April). doi:10.5812/ircmj.17(4)2015.27032
53. Safitri S, Gustina G. Effect of Routine Consumption of Turmeric-Tamarind Herb on Dysmenorrhea among Adolescent Girls. *Embrio*. 2023;15(1):41-48. doi:10.36456/embrio.v15i1.6120
54. Putri Amalia R, Dinengsih S, Kundaryanti R. Pemberian Minum Kunyit Asam terhadap Dismenore pada Wanita Usia Subur. *Midwiferia J Kebidanan*. 2023;9(2):100-109. doi:10.21070/midwiferia.v9i2.1681
55. Ongthanasup T, Kanokkangsadal P, Panthong S, Itharat A. Anti-inflammatory activity of extracts from Thai herbal compress ball and its plant ingredients. *Sci Technol Asia*. 2020;25(3):68-77. doi:10.14456/scitechasia.2020.36

56. Mikaili P, Mojaverrostami S, Moloudizargari M, Aghajanshakeri S. Pharmacological and therapeutic effects of *Mentha Longifolia* L. and its main constituent, menthol. *Anc Sci Life*. 2013;33(2):131. doi:10.4103/0257-7941.139059
57. Masoumi S, Asl H, Poorolajal J, Panah M, Oliaei S. Evaluation of mint efficacy regarding dysmenorrhea in comparison with mefenamic acid: A double blinded randomized crossover study. *Iran J Nurs Midwifery Res*. 2016;21(4):363-367. doi:10.4103/1735-9066.185574
58. Mizuta R, Maeda N, Tashiro T, et al. Quality of life by dysmenorrhea severity in young and adult Japanese females: A webbased cross-sectional study. *PLoS One*. 2023;18(3 March):1-16. doi:10.1371/journal.pone.0283130
59. Teherán AA, Piñeros LG, Pulido F, Mejía Guatibonza MC. WaLIDD score, a new tool to diagnose dysmenorrhea and predict medical leave in University students. *Int J Womens Health*. 2018;10:35-45. doi:10.2147/IJWH.S143510
60. Halitopo Y. The Relationship of the Dysmenorrhea a in Students with Learning Activities. *Sci Midwifery*. 2022;10(5):4149-4154. doi:10.35335/midwifery.v10i5.1000
61. Rautenberg TA, Ng SKA, Downes M. A cross-sectional study of symptoms and health-related quality of life in menopausal-aged women in China. *BMC Womens Health*. 2023;23(1):1-10. doi:10.1186/s12905-023-02728-y
62. Gupta S, Goel G, Agrawal S, Garg P, Khanuja E. Clinical and ultrasonological features of adenomyosis and its histopathological correlation. *Int J Reprod Contraception, Obstet Gynecol*. 2016;5(10):3283-3289. doi:10.18203/2320-1770.ijrcog20163158
63. Diyu IANP, Satriani NLA. Menopausal symptoms in women aged 40-65 years in Indonesia. *Int J Heal Med Sci*. 2022;5(2):169-176. doi:10.21744/ijhms.v5n2.1896

64. Lertlop W. The Appropriate Temperature of the Thai Herbal Ball Compress for Relaxing Effect. *Procedia - Soc Behav Sci.* 2015;197(February):1653-1660. doi:10.1016/j.sbspro.2015.07.215
65. Goss GL. Dysmenorrhea in Adolescents. *J Nurse Pract.* 2023;19(8):104710. doi:10.1016/j.nurpra.2023.104710
66. Sari TM, Suprida, Amalia R, Yunola S. Faktor - Faktor yang Berhubungan dengan Dismenore Pada Remaja Putri. *J 'Aisyiyah Med.* 2023;8:219-231.
67. Tadese M, Kassa A, Muluneh AA, Altaye G. Prevalence of dysmenorrhoea, associated risk factors and its relationship with academic performance among graduating female university students in Ethiopia: A cross-sectional study. *BMJ Open.* 2021;11(3):1-9. doi:10.1136/bmjopen-2020-043814
68. Thania WF, Arumsari I, Aini RN. Konsumsi Makanan Cepat Saji berhubungan dengan Dismenore Primer pada Remaja di Wilayah Urban. *Muhammadiyah J Nutr Food Sci.* 2023;4(1):37. doi:10.24853/mjnf.4.1.37-45
69. Pouraliroudbaneh S, Marino J, Riggs E, Saber A, Jayasinghe Y, Peate M. Heavy menstrual bleeding and dysmenorrhea in adolescents: A systematic review of self-management strategies, quality of life, and unmet needs. *Int J Gynecol Obstet.* 2024;(September 2023):16-41. doi:10.1002/ijgo.15554