

## DAFTAR PUSTAKA

- Ab Wahab, M. N., Nazir, A., Zhen Ren, A. T., Mohd Noor, M. H., Akbar, M. F., & Mohamed, A. S. A. (2021). Efficientnet-Lite and Hybrid CNN-KNN Implementation for Facial Expression Recognition on Raspberry Pi. *IEEE Access*, 9, 134065–134080. <https://doi.org/10.1109/ACCESS.2021.3113337>
- Abd, R. G., Sami Ibrahim, A.-W., & Noor, A. A. (2023). Facial Emotion Recognition Using HOG and Convolution Neural Network. *Ingenierie Des Systemes d'Information*, 28(1), 169 – 174. <https://doi.org/10.18280/isi.280118>
- Abdullah, M. K., Mohd Suradi, N. R., Jamaluddin, N., Mokhtar, A. S., Abu Talib, A. R., & Zainuddin, M. F. (2006). K-chart: a tool for research planning and monitoring. *J. of Quality Management And Analysis*, 2(1), 123–130.
- Adjailia, F., Ramdani, M., Rasamoelina, A. D., & Sincak, P. (2022). INTEGRATION OF 2D TEXTURAL AND 3D GEOMETRIC FEATURES FOR ROBUST FACIAL EXPRESSION RECOGNITION. *Computing and Informatics*, 40(5), 988 – 1007. [https://doi.org/10.31577/CAI\\_2021\\_5\\_988](https://doi.org/10.31577/CAI_2021_5_988)
- Agarwal, R., & Sharma, H. (2019). Recognition of facial emotion using swarm optimization and component analysis. *Journal of Advanced Research in Dynamical and Control Systems*, 11(10 Special Issue), 603 – 609. <https://doi.org/10.5373/JARDCS/V11SP10/20192848>
- Albraikan, A. A., Alzahrani, J. S., Alshahrani, R., Yafoz, A., Alsini, R., Hilal, A. M., Alkhayyat, A., & Gupta, D. (2022). Intelligent facial expression recognition and classification using optimal deep transfer learning model. *Image and Vision Computing*, 128. <https://doi.org/10.1016/j.imavis.2022.104583>
- AL-Dujaili, M. J., Ahily, H. J. S., & Fatlawi, A. (2023). *Hybrid approach for optimizing the face recognition based on SIFT, SURF and HOG features*. 020091. <https://doi.org/10.1063/5.0181967>
- Alenazy, W. M., & Alqahtani, A. S. (2020). Gravitational search algorithm based optimized deep learning model with diverse set of features for facial expression recognition. *Journal of Ambient Intelligence and Humanized Computing*, 12(2), 1631 – 1646. <https://doi.org/10.1007/s12652-020-02235-0>
- Ali, A. A. A., & Mallaiiah, S. (2021). Intelligent handwritten recognition using hybrid CNN architectures based-SVM classifier with dropout. *Journal of King Saud University - Computer and Information Sciences*. <https://doi.org/10.1016/j.jksuci.2021.01.012>
- Alphonse, A. S., & Starvin, M. S. (2019). A novel maximum and minimum response-based Gabor (MMRG) feature extraction method for facial expression recognition. *Multimedia Tools and Applications*, 78(16), 23369 – 23397. <https://doi.org/10.1007/s11042-019-7646-9>

- An, F., & Liu, Z. (2020). Facial expression recognition algorithm based on parameter adaptive initialization of CNN and LSTM. *Visual Computer*, 36(3), 483 – 498. <https://doi.org/10.1007/s00371-019-01635-4>
- An, Y., Lee, J., Bak, E., & Pan, S. (2023). Deep Facial Emotion Recognition Using Local Features Based on Facial Landmarks for Security System. *Computers, Materials and Continua*, 76(2), 1817 – 1832. <https://doi.org/10.32604/cmc.2023.039460>
- Anzalone, L., Barra, P., Barra, S., Narducci, F., & Nappi, M. (2019). Transfer Learning for Facial Attributes Prediction and Clustering. In *Communications in Computer and Information Science* (Vol. 1122, pp. 105–117). [https://doi.org/10.1007/978-981-15-1301-5\\_9](https://doi.org/10.1007/978-981-15-1301-5_9)
- Ayeche, F., & Alti, A. (2021). HDG and HDGG: an extensible feature extraction descriptor for effective face and facial expressions recognition. *Pattern Analysis and Applications*, 24(3), 1095 – 1110. <https://doi.org/10.1007/s10044-021-00972-2>
- Babu, E. K., Mistry, K., Anwar, M. N., & Zhang, L. (2022). Facial Feature Extraction Using a Symmetric Inline Matrix-LBP Variant for Emotion Recognition. *Sensors*, 22(22). <https://doi.org/10.3390/s22228635>
- Babu, K., Kumar, C., & Kannaiyaraju, C. (2022). Face Recognition System Using Deep Belief Network and Particle Swarm Optimization. *Intelligent Automation and Soft Computing*, 33(1), 317 – 329. <https://doi.org/10.32604/iasc.2022.023756>
- Bhatti, Y. K., Jamil, A., Nida, N., Yousaf, M. H., Viriri, S., & Velastin, S. A. (2021). Facial Expression Recognition of Instructor Using Deep Features and Extreme Learning Machine. *Computational Intelligence and Neuroscience*, 2021. <https://doi.org/10.1155/2021/5570870>
- Canal, F. Z., Müller, T. R., Matias, J. C., Scotton, G. G., de Sa Junior, A. R., Pozzebon, E., & Sobieranski, A. C. (2022). A survey on facial emotion recognition techniques: A state-of-the-art literature review. *Information Sciences*, 582, 593–617. <https://doi.org/10.1016/j.ins.2021.10.005>
- Ch, S., & P, V. (2023). Ameliorate grasshopper optimization algorithm based long short term memory classification for face emotion recognition system. *Multimedia Tools and Applications*. <https://doi.org/10.1007/s11042-023-16837-1>
- Chen, Q., Georganas, N. D., & Petriu, E. M. (2007). Real-time Vision-based Hand Gesture Recognition Using Haar-like Features. *2007 IEEE Instrumentation & Measurement Technology Conference IMTC 2007*, 1–6. <https://doi.org/10.1109/IMTC.2007.379068>
- Chen, X., Ke, L., Du, Q., Li, J., & Ding, X. (2021). Facial Expression Recognition Using Kernel Entropy Component Analysis Network and DAGSVM. *Complexity*, 2021. <https://doi.org/10.1155/2021/6616158>

- Debnath, T., Reza, Md. M., Rahman, A., Beheshti, A., Band, S. S., & Alinejad-Rokny, H. (2022). Four-layer ConvNet to facial emotion recognition with minimal epochs and the significance of data diversity. *Scientific Reports*, *12*(1), 6991. <https://doi.org/10.1038/s41598-022-11173-0>
- Deivalakshmi, S., & Palanisamy, P. (2016). Removal of high density salt and pepper noise through improved tolerance based selective arithmetic mean filtering with wavelet thresholding. *AEU - International Journal of Electronics and Communications*, *70*(6), 757–776. <https://doi.org/10.1016/j.aeue.2016.03.002>
- Du, L., & Hu, H. (2019). Weighted Patch-based Manifold Regularization Dictionary Pair Learning model for facial expression recognition using Iterative Optimization Classification Strategy. *Computer Vision and Image Understanding*, *186*, 13 – 24. <https://doi.org/10.1016/j.cviu.2019.06.003>
- Dubey, A. K., & Jain, V. (2022). An accurate recognition of facial expression by extended wavelet deep convolutional neural network. *Multimedia Tools and Applications*, *81*(20), 28295 – 28325. <https://doi.org/10.1007/s11042-022-12871-7>
- Dupré, D., Krumhuber, E. G., Küster, D., & McKeown, G. J. (2020). A performance comparison of eight commercially available automatic classifiers for facial affect recognition. *PLOS ONE*, *15*(4), e0231968. <https://doi.org/10.1371/journal.pone.0231968>
- Erkan, U., Enginoğlu, S., Thanh, D. N. H., & Hieu, L. M. (2020a). Adaptive frequency median filter for the salt and pepper denoising problem. *IET Image Processing*, *14*(7), 1291–1302. <https://doi.org/10.1049/iet-ipr.2019.0398>
- Erkan, U., Enginoğlu, S., Thanh, D. N. H., & Hieu, L. M. (2020b). Adaptive frequency median filter for the salt and pepper denoising problem. *IET Image Processing*, *14*(7), 1291–1302. <https://doi.org/10.1049/iet-ipr.2019.0398>
- Fan, X., & Tjahjadi, T. (2019a). Fusing dynamic deep learned features and handcrafted features for facial expression recognition. *Journal of Visual Communication and Image Representation*, *65*, 102659. <https://doi.org/10.1016/j.jvcir.2019.102659>
- Fan, X., & Tjahjadi, T. (2019b). Fusing dynamic deep learned features and handcrafted features for facial expression recognition. *Journal of Visual Communication and Image Representation*, *65*. <https://doi.org/10.1016/j.jvcir.2019.102659>
- Fang, B., Li, X., Han, G., & He, J. (2023). Facial Expression Recognition in Educational Research From the Perspective of Machine Learning: A Systematic Review. *IEEE Access*, *11*, 112060–112074. <https://doi.org/10.1109/ACCESS.2023.3322454>
- Gabor, D. (1947). Theory of communication. *Journal of the Institution of Electrical Engineers - Part I: General*, *94*(73), 58–58. <https://doi.org/10.1049/ji-1.1947.0015>

- Gao, Z., Zhao, W., Liu, S., Liu, Z., Yang, C., & Xu, Y. (2021). Facial Emotion Recognition in Schizophrenia. *Frontiers in Psychiatry*, 12. <https://doi.org/10.3389/fpsy.2021.633717>
- Georgescu, M.-I., Ionescu, R. T., & Popescu, M. (2019). Local Learning With Deep and Handcrafted Features for Facial Expression Recognition. *IEEE Access*, 7, 64827–64836. <https://doi.org/10.1109/ACCESS.2019.2917266>
- Georghiadis, A. S., Belhumeur, P. N., & Kriegman, D. J. (2001). From few to many: illumination cone models for face recognition under variable lighting and pose. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 23(6), 643–660. <https://doi.org/10.1109/34.927464>
- Georghiadis, A. S., Belhumeur, P. N., & Kriegman, D. J. (2002). From few to many: generative models for recognition under variable pose and illumination. *Proceedings Fourth IEEE International Conference on Automatic Face and Gesture Recognition (Cat. No. PR00580)*, 277–284. <https://doi.org/10.1109/AFGR.2000.840647>
- Goodfellow, I. J., Erhan, D., Luc Carrier, P., Courville, A., Mirza, M., Hamner, B., Cukierski, W., Tang, Y., Thaler, D., Lee, D.-H., Zhou, Y., Ramaiah, C., Feng, F., Li, R., Wang, X., Athanasakis, D., Shave-Taylor, J., Milakov, M., Park, J., ... Bengio, Y. (2015). Challenges in representation learning: A report on three machine learning contests. *Neural Networks*, 64, 59–63. <https://doi.org/10.1016/j.neunet.2014.09.005>
- Goulart, C., Valadão, C., Delisle-Rodriguez, D., Funayama, D., Favarato, A., Baldo, G., Binotte, V., Caldeira, E., & Bastos-Filho, T. (2019). Visual and thermal image processing for facial specific landmark detection to infer emotions in a child-robot interaction. *Sensors (Switzerland)*, 19(13). <https://doi.org/10.3390/s19132844>
- Happy, S. L., Dantcheva, A., & Bremond, F. (2021). Expression recognition with deep features extracted from holistic and part-based models. *Image and Vision Computing*, 105. <https://doi.org/10.1016/j.imavis.2020.104038>
- Hu, M., Zheng, Y., Yang, C., Wang, X., He, L., & Ren, F. (2019). Facial Expression Recognition Using Fusion Features Based on Center-Symmetric Local Octonary Pattern. *IEEE Access*, 7, 29882 – 29890. <https://doi.org/10.1109/ACCESS.2019.2899024>
- Huang, Y., & Huang, H. (2023). Stacked attention hourglass network based robust facial landmark detection. *Neural Networks*, 157, 323 – 335. <https://doi.org/10.1016/j.neunet.2022.10.021>
- Ilham, A. (2022). *Ahmad Ilham Simple Face Database*. <https://doi.org/10.5281/ZENODO.7437652>
- Ilham, A., Hadiyanto, H., & Widodo, C. E. (2023). Optimizing ANN-Based Lyapunov Stability for Facial Expression Recognition as A Base Monitoring Neurological Disorders. *International Journal of Computing and Digital Systems*, 14(1), 10395 – 10405. <https://doi.org/10.12785/IJCDS/1401109>

- Ilham, A., Suryono, S., & Widodo, C. E. (2023). A review of face expression recognition system recommendation for psychiatric disease. *AIP Conference Proceedings*, 2683, 050020. <https://doi.org/10.1063/5.0125595>
- Islam, M. S., Foysal, F. A., Neehal, N., Karim, E., & Hossain, S. A. (2018). IncePTB: A CNN based classification approach for recognizing traditional Bengali games. *Procedia Computer Science*, 143, 595–602. <https://doi.org/10.1016/j.procs.2018.10.436>
- Jabberi, M., Wali, A., Chaudhuri, B. B., & Alimi, A. M. (2023). 68 landmarks are efficient for 3D face alignment: what about more? *Multimedia Tools and Applications*, 82(27), 41435–41469. <https://doi.org/10.1007/s11042-023-14770-x>
- Jain, N., Kumar, S., & Kumar, A. (2019). Effective approach for facial expression recognition using hybrid square-based diagonal pattern geometric model. *Multimedia Tools and Applications*, 78(20), 29555 – 29571. <https://doi.org/10.1007/s11042-019-7325-x>
- Jeen Retna Kumar, R., Sundaram, M., Arumugam, N., & Kavitha, V. (2021). Face feature extraction for emotion recognition using statistical parameters from subband selective multilevel stationary biorthogonal wavelet transform. *Soft Computing*, 25(7), 5483–5501. <https://doi.org/10.1007/s00500-020-05550-y>
- Kafetsios, K., Chatzakou, D., Tsigilis, N., & Vakali, A. (2017). Experience of emotion in face to face and computer-mediated social interactions: An event sampling study. *Computers in Human Behavior*, 76, 287–293. <https://doi.org/10.1016/j.chb.2017.07.033>
- Kas, M., merabet, Y. El, Ruichek, Y., & Messoussi, R. (2021). New framework for person-independent facial expression recognition combining textural and shape analysis through new feature extraction approach. *Information Sciences*, 549, 200 – 220. <https://doi.org/10.1016/j.ins.2020.10.065>
- Kashif, M., Hussain, A., Munir, A., Siddiqui, A. B., Abbasi, A., Aakif, M., Malik, A. J., Alazemi, F. E., & Song, O.-Y. (2021). A Machine Learning Approach for Expression Detection in Healthcare Monitoring Systems. *Computers, Materials and Continua*, 67(2), 2123 – 2139. <https://doi.org/10.32604/cmc.2021.014782>
- Khan, N., Singh, A. V., & Agrawal, R. (2023). Enhancing Feature Extraction Technique Through Spatial Deep Learning Model for Facial Emotion Detection. *Annals of Emerging Technologies in Computing*, 7(2), 9 – 22. <https://doi.org/10.33166/AETiC.2023.02.002>
- Kim, J.-C., Kim, M.-H., Suh, H.-E., Naseem, M. T., & Lee, C.-S. (2022). Hybrid Approach for Facial Expression Recognition Using Convolutional Neural Networks and SVM. *Applied Sciences*, 12(11), 5493. <https://doi.org/10.3390/app12115493>

- Kola, D. G. R., & Samayamantula, S. K. (2021). Facial expression recognition using singular values and wavelet-based LGC-HD operator. *IET Biometrics*, *10*(2), 207 – 218. <https://doi.org/10.1049/bme2.12012>
- Kong, F. (2019). Facial expression recognition method based on deep convolutional neural network combined with improved LBP features. *Personal and Ubiquitous Computing*, *23*(3–4), 531 – 539. <https://doi.org/10.1007/s00779-019-01238-9>
- Krithika, L. B., & Priya, G. G. L. (2021). Graph based feature extraction and hybrid classification approach for facial expression recognition. *Journal of Ambient Intelligence and Humanized Computing*, *12*(2), 2131 – 2147. <https://doi.org/10.1007/s12652-020-02311-5>
- Kumar, R. J. R., Sundaram, M., & Arumugam, N. (2020). Facial emotion recognition using subband selective multilevel stationary wavelet gradient transform and fuzzy support vector machine. *Visual Computer*, *37*(8), 2315 – 2329. <https://doi.org/10.1007/s00371-020-01988-1>
- Lewis, S. F., & Garver, D. L. (1995). Treatment and diagnostic subtype in facial affect recognition in schizophrenia. *Journal of Psychiatric Research*, *29*(1), 5–11. [https://doi.org/10.1016/0022-3956\(94\)00033-N](https://doi.org/10.1016/0022-3956(94)00033-N)
- Li, J., Jin, K., Zhou, D., Kubota, N., & Ju, Z. (2020). Attention mechanism-based CNN for facial expression recognition. *Neurocomputing*, *411*, 340–350. <https://doi.org/10.1016/j.neucom.2020.06.014>
- Li, M., Xu, H., Huang, X., Song, Z., Liu, X., & Li, X. (2021). Facial Expression Recognition with Identity and Emotion Joint Learning. *IEEE Transactions on Affective Computing*, *12*(2), 544 – 550. <https://doi.org/10.1109/TAFFC.2018.2880201>
- Li, S., & Deng, W. (2020). Deep Facial Expression Recognition: A Survey. *IEEE Transactions on Affective Computing*, 1–25. <https://doi.org/10.1109/TAFFC.2020.2981446>
- Liang, X., Xu, L., Liu, J., Liu, Z., Cheng, G., Xu, J., & Liu, L. (2021). Patch attention layer of embedding handcrafted features in CNN for facial expression recognition. *Sensors (Switzerland)*, *21*(3), 1 – 15. <https://doi.org/10.3390/s21030833>
- Liu, C., Hirota, K., Ma, J., Jia, Z., & Dai, Y. (2021). Facial Expression Recognition Using Hybrid Features of Pixel and Geometry. *IEEE Access*, *9*, 18876 – 18889. <https://doi.org/10.1109/ACCESS.2021.3054332>
- Liu, C., Hirota, K., Wang, B., Dai, Y., & Jia, Z. (2020). Two-Channel Feature Extraction Convolutional Neural Network for Facial Expression Recognition. *Journal of Advanced Computational Intelligence and Intelligent Informatics*, *24*(6), 792 – 801. <https://doi.org/10.20965/JACIII.2020.P0792>
- Liu, J., Feng, Y., & Wang, H. (2021). Facial Expression Recognition Using Pose-Guided Face Alignment and Discriminative Features Based on Deep Learning.

- IEEE Access*, 9, 69267–69277.  
<https://doi.org/10.1109/ACCESS.2021.3078258>
- Liu, J., Wang, H., & Feng, Y. (2021). An End-to-End Deep Model with Discriminative Facial Features for Facial Expression Recognition. *IEEE Access*, 9, 12158 – 12166. <https://doi.org/10.1109/ACCESS.2021.3051403>
- Liu, Z.-T., Li, S.-H., Cao, W.-H., Li, D.-Y., Hao, M., & Zhang, R. (2019). Combining 2D Gabor and local binary pattern for facial expression recognition using extreme learning machine. *Journal of Advanced Computational Intelligence and Intelligent Informatics*, 23(3), 444 – 455. <https://doi.org/10.20965/jaciii.2019.p0444>
- Lu, Y., Wang, S., & Zhao, W. (2019). Facial expression recognition based on discrete separable shearlet transform and feature selection. *Algorithms*, 12(1). <https://doi.org/10.3390/a12010011>
- Lyons, M., Kamachi, M., & Gyoba, J. (1998). The Japanese Female Facial Expression (JAFFE) Dataset. *Zenodo*.
- Ma, X., & Ma, Y. (2022). Relation and context augmentation network for facial expression recognition. *Image and Vision Computing*, 127. <https://doi.org/10.1016/j.imavis.2022.104556>
- Mame, A. B., & Tapamo, J.-R. (2023). Parameter optimization of histogram-based local descriptors for facial expression recognition. *PeerJ Computer Science*, 9. <https://doi.org/10.7717/PEERJ-CS.1388>
- Marblestone, A. H., Wayne, G., & Kording, K. P. (2016). Toward an Integration of Deep Learning and Neuroscience. *Frontiers in Computational Neuroscience*, 10. <https://doi.org/10.3389/fncom.2016.00094>
- Mehrotra, R., Namuduri, K. R., & Ranganathan, N. (1992). Gabor filter-based edge detection. *Pattern Recognition*, 25(12), 1479–1494. [https://doi.org/10.1016/0031-3203\(92\)90121-X](https://doi.org/10.1016/0031-3203(92)90121-X)
- Mohammadian, R., Mahlouji, M., & Shahidinejad, A. (2020). Multi-View Face Detection in Open Environments using Gabor Features and Neural Networks. *Journal of AI and Data Mining*, 8(4), 461–470. <https://doi.org/10.22044/jadm.2020.8853.2019>
- Murugappan, M., & Mutawa, A. (2021). Facial geometric feature extraction based emotional expression classification using machine learning algorithms. *PLoS ONE*, 16(2 February). <https://doi.org/10.1371/journal.pone.0247131>
- Murugappan, M., Nagarajan, R., & Yaacob, S. (2009). Comparison of different wavelet features from EEG signals for classifying human emotions. *2009 IEEE Symposium on Industrial Electronics & Applications*, 836–841. <https://doi.org/10.1109/ISIEA.2009.5356339>
- Mustafa, R., Min, Y., & Zhu, D. (2014). Obscenity Detection Using Haar-Like Features and Gentle Adaboost Classifier. *The Scientific World Journal*, 2014. <https://doi.org/10.1155/2014/753860>

- Muthamilselvan, T., Brindha, K., Senthilkumar, S., Saransh, Chatterjee, J. M., & Hu, Y.-C. (2023). Optimized face-emotion learning using convolutional neural network and binary whale optimization. *Multimedia Tools and Applications*, 82(13), 19945–19968. <https://doi.org/10.1007/s11042-022-14124-z>
- Najmabadi, M., & Moallem, P. (2022). Local symmetric directional pattern: A novel descriptor for extracting compact and distinctive features in face recognition. *Optik*, 251. <https://doi.org/10.1016/j.ijleo.2021.168331>
- Othman, G., & Zeebaree, D. Q. (2020). The Applications of Discrete Wavelet Transform in Image Processing: A Review. *Journal of Soft Computing and Data Mining*, 1(2 SE-Articles), 31–43.
- Patil, S., & Patil, Y. M. (2022). Face Expression Recognition Using {SVM} and {KNN} Classifier with {HOG} Features. In *Smart Innovation, Systems and Technologies* (pp. 416–424). Springer Nature Singapore.
- Perveen, N., Roy, D., & Chalavadi, K. M. (2020). Facial Expression Recognition in Videos Using Dynamic Kernels. *IEEE Transactions on Image Processing*, 29, 8316 – 8325. <https://doi.org/10.1109/TIP.2020.3011846>
- Petrou, M. M. P., & Petrou, C. (2010). *Image processing: the fundamentals*. John Wiley & Sons.
- Pise, A. A., Alqahtani, M. A., Verma, P., K, P., Karras, D. A., S, P., & Halifa, A. (2022). Methods for Facial Expression Recognition with Applications in Challenging Situations. *Computational Intelligence and Neuroscience*, 2022, 1–17. <https://doi.org/10.1155/2022/9261438>
- Pizer, S. M., Amburn, E. P., Austin, J. D., Cromartie, R., Geselowitz, A., Greer, T., ter Haar Romeny, B., Zimmerman, J. B., & Zuiderveld, K. (1987). Adaptive histogram equalization and its variations. *Computer Vision, Graphics, and Image Processing*, 39(3), 355–368. [https://doi.org/10.1016/S0734-189X\(87\)80186-X](https://doi.org/10.1016/S0734-189X(87)80186-X)
- Prasad, S. B. R., & Chandana, B. S. (2023). Human Face Emotions Recognition from Thermal Images Using DenseNet. *International Journal of Electrical and Computer Engineering Systems*, 14(2), 155 – 167. <https://doi.org/10.32985/ijeces.14.2.5>
- Rajendra Kurup, A., Ajith, M., & Martínez Ramón, M. (2019). Semi-supervised facial expression recognition using reduced spatial features and Deep Belief Networks. *Neurocomputing*, 367, 188–197. <https://doi.org/10.1016/j.neucom.2019.08.029>
- Revina, I. M., & Emmanuel, W. R. S. (2021). Face expression recognition using LDN and Dominant Gradient Local Ternary Pattern descriptors. *Journal of King Saud University - Computer and Information Sciences*, 33(4), 392–398. <https://doi.org/10.1016/j.jksuci.2018.03.015>

- Sadeghi, H., & Raie, A.-A. (2019). Human vision inspired feature extraction for facial expression recognition. *Multimedia Tools and Applications*, 78(21), 30335 – 30353. <https://doi.org/10.1007/s11042-019-07863-z>
- Saeed, U., Masood, K., & Dawood, H. (2021). Illumination normalization techniques for makeup-invariant face recognition. *Computers and Electrical Engineering*, 89. <https://doi.org/10.1016/j.compeleceng.2020.106921>
- Sajjad, M., Ullah, F. U. M., Ullah, M., Christodoulou, G., Alaya Cheikh, F., Hijji, M., Muhammad, K., & Rodrigues, J. J. P. C. (2023). A comprehensive survey on deep facial expression recognition: challenges, applications, and future guidelines. *Alexandria Engineering Journal*, 68, 817–840. <https://doi.org/10.1016/j.aej.2023.01.017>
- Satiyan, M., Hariharan, M., & Nagarajan, R. (2010). Recognition of facial expression using Haar wavelet transform. *Journal of Electrical and Electronics Systems Research (JEESR)*, 3, 89–96.
- Savchenko, A. V, Savchenko, L. V, & Makarov, I. (2022). Classifying Emotions and Engagement in Online Learning Based on a Single Facial Expression Recognition Neural Network. *IEEE Transactions on Affective Computing*, 13(4), 2132 – 2143. <https://doi.org/10.1109/TAFFC.2022.3188390>
- Savvides, M., & Vijaya Kumar, B. V. K. (2003). Illumination Normalization Using Logarithm Transforms for Face Authentication. *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 2688, 549–556. [https://doi.org/10.1007/3-540-44887-x\\_65](https://doi.org/10.1007/3-540-44887-x_65)
- Shanthi, P., & Nickolas, S. (2020). An efficient automatic facial expression recognition using local neighborhood feature fusion. *Multimedia Tools and Applications*, 80(7), 10187 – 10212. <https://doi.org/10.1007/s11042-020-10105-2>
- Sharifnejad, M., Shahbahrami, A., Akoushideh, A., & Hassanpour, R. Z. (2020a). Facial expression recognition using a combination of enhanced local binary pattern and pyramid histogram of oriented gradients features extraction. *IET Image Processing*, 15(2), 454 – 467. <https://doi.org/10.1049/ipr2.12035>
- Sharifnejad, M., Shahbahrami, A., Akoushideh, A., & Hassanpour, R. Z. (2020b). Facial expression recognition using a combination of enhanced local binary pattern and pyramid histogram of oriented gradients features extraction. *IET Image Processing*, 15(2), 454 – 467. <https://doi.org/10.1049/ipr2.12035>
- Shiguang Shan, Gao, W., Bo Cao, & Debin Zhao. (2003). Illumination normalization for robust face recognition against varying lighting conditions. *2003 IEEE International SOI Conference. Proceedings (Cat. No.03CH37443)*, 157–164. <https://doi.org/10.1109/AMFG.2003.1240838>
- Shilaskar, S., Khadse, M., Shaikh, S., Bhatlawande, S., Kulkarni, S., & Sayam, S. (2023). HOG Based Surveillance System for Chain Snatching Detection. *2023 International Conference on Advanced Computing Technologies and*

- Applications* (ICACTA), 1–7.  
<https://doi.org/10.1109/ICACTA58201.2023.10392621>
- Shin, H., Lee, B., Ku, B., & Ko, H. (2024). Noisy label facial expression recognition via face-specific label distribution learning. *Image and Vision Computing*, *143*, 104901. <https://doi.org/10.1016/j.imavis.2024.104901>
- Simonyan, K., & Zisserman, A. (2015). Very Deep Convolutional Networks for Large-Scale Image Recognition. *3th International Conference on Learning Representations (ICLR 2015)*.
- Singh, R., & Om, H. (2017). Newborn face recognition using deep convolutional neural network. *Multimedia Tools and Applications*, *76*(18), 19005–19015. <https://doi.org/10.1007/s11042-016-4342-x>
- Singh Tomar, P., Mathur, K., & Suman, U. (2023). Unimodal approaches for emotion recognition: A systematic review. *Cognitive Systems Research*, *77*, 94–109. <https://doi.org/10.1016/j.cogsys.2022.10.012>
- Soni, P., & Soni, V. (2024). HOG and Haar Feature Extraction-Based Security System for Face Detection and Counting. In *Deep Learning Techniques for Automation and Industrial Applications* (pp. 99–108). Wiley. <https://doi.org/10.1002/9781394234271.ch7>
- Subudhiray, S., Palo, H. K., & Das, N. (2023). Effective recognition of facial emotions using dual transfer learned feature vectors and support vector machine. *International Journal of Information Technology (Singapore)*, *15*(1), 301 – 313. <https://doi.org/10.1007/s41870-022-01093-7>
- Sumithra, M., & Rajkumar, N. (2023). A novel weighted deep convolution model – African vultures optimization algorithm for an automated facial emotion recognition system. *Multimedia Tools and Applications*. <https://doi.org/10.1007/s11042-023-17638-2>
- Sun, K., Zhang, B., Chen, Y., Luo, Z., Zheng, K., Wu, H., & Sun, X. (2021). The Facial Expression Recognition Method Based on Image Fusion and CNN. *Integrated Ferroelectrics*, *217*(1), 198 – 213. <https://doi.org/10.1080/10584587.2021.1911313>
- Sun, N., Li, Q., Huan, R., Liu, J., & Han, G. (2019). Deep spatial-temporal feature fusion for facial expression recognition in static images. *Pattern Recognition Letters*, *119*, 49 – 61. <https://doi.org/10.1016/j.patrec.2017.10.022>
- Sun, X., & Lv, M. (2019). Facial Expression Recognition Based on a Hybrid Model Combining Deep and Shallow Features. *Cognitive Computation*, *11*(4), 587 – 597. <https://doi.org/10.1007/s12559-019-09654-y>
- Sun, Z., Hu, Z., & Zhao, M. (2019). Automatically query active features based on pixel-level for facial expression recognition. *IEEE Access*, *7*, 104630 – 104641. <https://doi.org/10.1109/ACCESS.2019.2929753>
- Tadalagi, M., & Joshi, A. M. (2021). AutoDep: automatic depression detection using facial expressions based on linear binary pattern descriptor. *Medical and*

- Biological Engineering and Computing*, 59(6), 1339 – 1354.  
<https://doi.org/10.1007/s11517-021-02358-2>
- Tong, Y., Chen, R., & Liang, R. (2020). Unconstrained Facial Expression Recognition Based on Feature Enhanced CNN and Cross-Layer LSTM. *IEICE Transactions on Information and Systems*, E103D(11), 2403 – 2406.  
<https://doi.org/10.1587/transinf.2020EDL8065>
- Tripathi, R. K., & Jalal, A. S. (2021). Novel local feature extraction for age invariant face recognition. *Expert Systems with Applications*, 175.  
<https://doi.org/10.1016/j.eswa.2021.114786>
- Tsalera, E., Papadakis, A., Samarakou, M., & Voyiatzis, I. (2022). Feature Extraction with Handcrafted Methods and Convolutional Neural Networks for Facial Emotion Recognition. *Applied Sciences*, 12(17), 8455.  
<https://doi.org/10.3390/app12178455>
- Ukwu, H. U., & Yurtkan, K. (2022). 4D Facial Expression Recognition Using Geometric Landmark-based Axes-angle Feature Extraction. *Intelligent Automation and Soft Computing*, 34(3), 1819 – 1838.  
<https://doi.org/10.32604/iasc.2022.025695>
- Ullah, A., Wang, J., Anwar, M. S., Whangbo, T. K., & Zhu, Y. (2021). Empirical Investigation of Multimodal Sensors in Novel Deep Facial Expression Recognition In-the-Wild. *Journal of Sensors*, 2021.  
<https://doi.org/10.1155/2021/8893661>
- Ullah, F. U. M., Obaidat, M. S., Muhammad, K., Ullah, A., Baik, S. W., Cuzzolin, F., Rodrigues, J. J. P. C., & de Albuquerque, V. H. C. (2022). An intelligent system for complex violence pattern analysis and detection. *International Journal of Intelligent Systems*, 37(12), 10400–10422.  
<https://doi.org/10.1002/int.22537>
- Vedantham, R., & Reddy, E. S. (2020). A robust feature extraction with optimized DBN-SMO for facial expression recognition. *Multimedia Tools and Applications*, 79(29–30), 21487–21512. <https://doi.org/10.1007/s11042-020-08901-x>
- Viola, P., & Jones, M. (2001). Rapid object detection using a boosted cascade of simple features. *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*.  
<https://doi.org/10.1109/cvpr.2001.990517>
- Wang, H., Wei, S., & Fang, B. (2020). Facial expression recognition using iterative fusion of MO-HOG and deep features. *Journal of Supercomputing*, 76(5), 3211 – 3221. <https://doi.org/10.1007/s11227-018-2554-8>
- Wang, Y., Li, M., Zhang, C., Chen, H., & Lu, Y. (2020). Weighted-fusion feature of MB-LBPUH and HOG for facial expression recognition. *Soft Computing*, 24(8), 5859 – 5875. <https://doi.org/10.1007/s00500-019-04380-x>

- Wu, J., Tong, T., Chen, Y., Kang, X., & Sun, W. (2022). An adversarial learning framework with cross-domain loss for median filtered image restoration and anti-forensics. *Computers & Security*, *112*, 102497. <https://doi.org/10.1016/j.cose.2021.102497>
- Wu, W., Yin, Y., Wang, Y., Wang, X., & Xu, D. (2018). Facial Expression Recognition for Different Pose Faces Based on Special Landmark Detection. *2018 24th International Conference on Pattern Recognition (ICPR)*, 1524–1529. <https://doi.org/10.1109/ICPR.2018.8545725>
- Xu, X., Zhang, Y., Tang, M., Gu, H., Yan, S., & Yang, J. (2019). Emotion recognition based on double tree complex wavelet transform and machine learning in internet of things. *IEEE Access*, *7*, 154114–154120. <https://doi.org/10.1109/ACCESS.2019.2948884>
- Yadav, K. S., & Singha, J. (2020). Facial expression recognition using modified Viola-John's algorithm and KNN classifier. *Multimedia Tools and Applications*, *79*(19–20), 13089 – 13107. <https://doi.org/10.1007/s11042-019-08443-x>
- Yan, L., Shi, Y., Wei, M., & Wu, Y. (2023). Multi-feature fusing local directional ternary pattern for facial expressions signal recognition based on video communication system. *Alexandria Engineering Journal*, *63*, 307–320. <https://doi.org/10.1016/j.aej.2022.08.003>
- Yang, W., Gao, H., Jiang, Y., Yu, J., Sun, J., Liu, J., & Ju, Z. (2021). A Cascaded Feature Pyramid Network with Non-Backward Propagation for Facial Expression Recognition. *IEEE Sensors Journal*, *21*(10), 11382 – 11392. <https://doi.org/10.1109/JSEN.2020.2997182>
- Zarbakhsh, P. (2023). Spatial Attention Mechanism and Cascade Feature Extraction in a U-Net Model for Enhancing Breast Tumor Segmentation. *Applied Sciences*, *13*(15), 8758. <https://doi.org/10.3390/app13158758>
- Zhang, Y., & Wu, L. (2012). Classification of Fruits Using Computer Vision and a Multiclass Support Vector Machine. *Sensors*, *12*(9), 12489–12505. <https://doi.org/10.3390/s120912489>
- Zhou, J., Zhang, X., Lin, Y., & Liu, Y. (2021). Facial expression recognition using frequency multiplication network with uniform rectangular features. *Journal of Visual Communication and Image Representation*, *75*. <https://doi.org/10.1016/j.jvcir.2020.103018>