

Dye-sensitized solar cell based carbon nanotube as counter electrode

Adi Prasetyo¹, Agus Subagio, Agus Purwanto, and Hendri Widiyandari¹

Citation: *AIP Conference Proceedings* **1710**, 030054 (2016); doi: 10.1063/1.4941520

View online: <http://dx.doi.org/10.1063/1.4941520>

View Table of Contents: <http://aip.scitation.org/toc/apc/1710/1>

Published by the *American Institute of Physics*

Dye-Sensitized Solar Cell Based Carbon Nanotube as Counter Electrode

Adi Prasetyo^{1a)}, Agus Subagio¹, Agus Purwanto² and Hendri Widiyandari^{1b)}

¹Department of Physics, Diponegoro University, Jl. Prof. H. Soedarto SH, Semarang, 50275, Indonesia

²Department of Chemical Engineering, Sebelas Maret University, Jl. Ir. Sutami No. 36 A, Surakarta, Indonesia

^{a)}adiprasetyo@st.fisika.undip.ac.id

^{b)}Corresponding author: h.widiyandari@undip.ac.id

Abstract. The counter electrode using Carbon nanotube (CNT) has been successfully fabricated by the doctor blade method and their performances were investigated. We found that increasing mass of the CNT powder in binder increases electrocatalytic activity which is beneficial to conversion efficiency of the Dye-sensitized solar cell (DSSC). The photovoltaic performance of the DSSCs with 0.01, 0.02 and 0.04 gr of the CNT obtained overall conversion efficiencies of 0.32%, 0.74% and 0.91%, respectively. The results suggest that the CNT counter electrode has potential as alternative to the Pt free counter electrode for DSSC.

Keywords: CNT, counter electrode, DSSC, photovoltaic performance, electrocatalytic

INTRODUCTION

Silicon (Si) based solar cell are commonly used as a photovoltaic device due to currently more efficient. However, Si-based solar cell is known to be a very expensive solar cell. Another type of solar cell Dye-sensitized solar cell (DSSC) is the third generation solar cell which reported by O'Regan and Grätzelin 1991 has advantages over Si-based solar cell [1]. Recently, the DSSC has attracted considerable attention of researchers due to its high conversion efficiency, simple production process, low production cost and environment friendly [2-3]. Basically, the DSSC consists of a conducting glass coated with nanocrystalline titanium dioxide (TiO₂) anode, a ruthenium based sensitizer, an electrolyte solution containing iodide/ triiodide (I⁻/I₃⁻) redox couple and a counter electrode [4-6]. The counter electrode is one of the most important components in DSSC which it plays a crucial role in collecting electrons from the external circuit into electrolyte and reduces I₃⁻ to I⁻, simultaneously [7-8]. Generally, Platinum (Pt) is the most widely used as CE at present due to its high electric conductivity and excellent electrocatalytic activity for the I₃⁻ reduction [9-10]. However, owing to its relatively expensive, rarity and corrosion in corrosive electrolyte, Pt has to be replaced by other low cost materials with high conductivity and high electrocatalytic activity, such as carbon materials [11], metal oxides [12-13], alloys [14] and conducting polymers [15]. Carbon materials such as graphene, carbon black, hard carbon spherules, activated carbon and graphite have been studied as counter electrode owing to their corrosion resistance, high electrocatalytic activity and low cost [16-17]. Recently, carbon nanotube (CNT) has attracted attention to replace platinum due to its high ratio area, good electric conductivity, heat as well as corrosion resistance and high electrocatalytic activity for triiodide reduction [18-19]. In the present work, CNT films with different mass were

deposited onto FTO glasses using the doctor blade method and their performance of the DSSCs were investigated using AM 1.5G solar illumination and Keithley 2440 Source Meter.

METHOD

Material

Fluorine-doped tin oxide (FTO) substrates (Dyesol, Australia) were used in this research which cut with area of $2.5 \times 2.5 \text{ cm}^2$. TiO_2 paste (20 nm, Dyesol, Australia) was used as photoanode layer material. Electrolyte which consists of iodine and triiodide I/I_3^- (HPE, Dyesol, Australia) was used as the transport mechanism for the redox mediator from the TiO_2 electrode to the counter electrode and will be reduced to iodide. Ruthenium dye N719 (Dyesol, Australia) solution was used as photoactive element of the photovoltaic device. The CNT powder which prepared using spray pyrolysis method as previous reported by Subagio, et al., 2009 [20] was used as counter electrode layer material. Sealants (Dyesol, Australia) were used for sealing DSSC devices for longer term applications. Ethanol (Merck, Jerman), terpineol (Sigma Aldrich, USA) and ethylcellulose (Sigma Aldrich, USA) were used without purification.

Preparation of CNT based counter electrode

The CNT counter electrodes with different mass of 0.01, 0.02 and 0.04 gr of CNT powder are named as CNT 0.01, CNT 0.02 and CNT 0.04, respectively. To prepare the CNT counter electrode by the doctor blade method, 0.2 gr ethylcellulose was dissolved in 2 ml ethanol which stirred for 5 minutes, followed by mixing 0.8 gr terpineol into the solution used as binder. The CNT powder was dispersed in the binder with stirred for 5 minutes. FTO glass substrates were washed with 70% ethanol and aquades several times to remove impurities. The CNT paste was deposited onto the FTO substrate by using the doctor blade method with a thickness equal to the thickness of scotch tape. After drying at 80°C for 5 minutes, the CNT counter electrode annealed at 450°C for 1 hour.

Preparation and Assembly of DSSC

The FTO glass substrates were washed with 70% ethanol and pure water several times. After that, the working electrodes for DSSCs were prepared by the doctor blade method of TiO_2 paste onto the FTO substrate then sintered at 325, 375, 350 and 500°C for 5, 5, 15 and 15 minutes, respectively. After cooling down to 80°C , the working electrodes were immersed into ruthenium dye solution for 24 hours at room temperature. The area active of the working electrode and the counter electrode was fixed at $1 \times 1 \text{ cm}^2$.

The sealant was sandwiched between the two electrodes and secured the electrode assembly using two binder clips on each side. The electrolyte was injected through hole from the counter electrode by using a micro pipet. Finally, the holes were sealed using silicon glue to prevent electrolyte evaporation.

Characterization

Surface morphology of the CNT counter electrodes was investigated by scanning electron microscope (SEM, JEOL JSM-6360 LA, Japan). Photocurrent–voltage (I-V) characteristics of the DSSCs were performed with a Keithley 2440 Source Meter and performed under simulated AM 1.5 G solar illumination using $100 \text{ mW}/\text{cm}^2$ (Abet technology inc.).

RESULT AND DISCUSSION

Figure 1 shows low-magnification and high-magnification SEM images of the CNT counter electrodes with various masses of CNT on FTO glass. The CNT counter electrodes are composed with various diameters of the CNT on the order of 70 to 115 nm. Additionally, the CNTs are randomly oriented, agglomerated and woven into each other. The density of the CNT was increased owing to it has more CNT in binder which is beneficial to the electron transfer from the counter electrode to electrolyte interface [21]. The one dimensional structure of the CNTs helps them in making a good electrical conductivity [22,23].




FIGURE 1. SEM images low-magnification (top) and high- magnification (bottom) of prepared CNT layers deposited on FTO glasses with various masses of the CNT (a,b) 0.01 (c,d) 0.02 and (e,f) 0.04 gr




FIGURE 2. Cross-sectional SEM image of prepared CNT layers deposited on FTO glass

Figure 2 shows a representative cross-sectional SEM images of the CNT layer on FTO substrates with a thickness of about 0.5 μm . The characteristics of the counter electrode should be related to the electrocatalytic activity.




FIGURE 3. The DSSC prototype using CNT of 0.04 gr as counter electrode with the dimension of active area of 1 cm in length and 1 cm in width

Figure 3 shows the prototype of DSSC which used CNT of 0.04 gr as a counter electrode. The dimension of active area is 1 cm in length and 1 cm in width. Figure 4 shows the current density-voltage (J-V) curves of the DSSC fabricated with various masses of the CNT were performed under simulated AM 1.5 G solar illumination using 100 mW/cm^2 .




FIGURE 4. J-V curves of DSSCs with 0.01, 0.02 and 0.04 gr of the CNT counter electrodes

The fill factor (FF) can be calculated using the following equation :

$$FF = \frac{V_{\max} \times J_{\max}}{V_{oc} \times J_{sc}} \quad (1)$$

Following the fill factor, the next step is to calculate the efficiency of the DSSC using equation (2) :

$$\eta = \frac{FF \times J_{sc} \times V_{oc}}{P_{in}} \quad (2)$$

TABLE 1. Photovoltaic properties of DSSCs with various mass of CNT as counter electrode.

Sample name	J_{sc} (mA/cm ²)	V_{oc} (V)	FF (%)	η (%)
CNT 0.01	2.093	0.49	31	0.32
CNT 0.02	4.829	0.48	32	0.74
CNT 0.04	6.413	0.45	32	0.91

The photovoltaic properties, short circuit current density (J_{sc}), open circuit voltage (V_{oc}), FF and η are listed in Table 1. Figure 4 and Table 1 show that the DSSC with highest mass of the CNT has more efficiency than the other DSSCs. Photovoltaic performance of DSSCs with 0.01, 0.02 and 0.04 gr of CNT obtained overall conversion efficiencies (η) of 0.32%, 0.74% and 0.91%, respectively. When the mass of CNT counter electrodes increases cause to J_{sc} , FF and η increase, which should be related to electrocatalytic activity of different mass of the CNT counter electrodes [24, 25, 26].

CONCLUSION

In conclusion, counter electrodes with various masses of the CNT prepared by the doctor blade method have been investigated. By the optimization mass of CNT, efficiency of the DSSC reaches 0.91%. This value is lower than Pt counter electrode due to low FF and J_{sc} . However, considering low cost and high electrocatalytic activity the CNT counter electrode, it should be a competitive alternative to the Pt free counter electrode for DSSC.

ACKNOWLEDGMENTS

This work was supported by Indonesia Toray Science Foundation Japan. The authors gratefully thank to Dr. Rahmad Hidayat from Bandung Institute of Technology (ITB) for supporting solar simulator.

REFERENCES

1. B. O'Regan and M. Grätzel, *Nature* **353**, 740 (1991).
2. J. Wu, Z. Lan, S. Hao, P. Li, J. Lin, M. Huang, L. Fang, Y. Huang, *Pure Appl. Chem.* **80**, 2241 (2008).
3. A. K. Chandiran, M. Abdi-Jalebi, M. K. Nazeeruddin, M. Grätzel, *ACS Nano* **8**, 2261 (2014).
4. M. Grätzel, *J. Photochem. Photobiol. C Photochem. Rev.* **4**, 145 (2003).
5. M. K. Nazeeruddin, E. Baranoff, M. Grätzel, *Solar Energy* **85**, 1172 (2011).
6. Y. Chiba, A. Islam, Y. Watanabe, R. Komiya, N. Koide, L. Han, *Japan. J. Appl. Phys.* **45**, 638 (2006).
7. K. Lee, L. Lin, C. Chen and V. Suryanarayanan, C. Wu, *Electrochim. Acta* **135**, 578 (2014).
8. Z. Tang, J. Wu, M. Zheng, J. Huo, Z. Lan, *Nano Energy* **2**, 622 (2013).
9. Y. L. Lee, C. L. Chen, L. W. Chong, C. H. Chen, Y. F. Liu, C. F. Chi, *Electrochem. Commun.* **12**, 1662 (2010).
10. W. J. Hong, Y. X. Xu, G. W. Lu, C. Li, G. Q. Shi, *Electrochem. Commun.* **10**, 1555 (2008).
11. Q. W. Jiang, G. R. Li, X. P. Gao, *Chem. Commun.* **44**, 6720 (2009).
12. S. Yun, L. Wang, W. Guo, T. Ma, *Electrochem. Commun.* **24**, 69 (2012).
13. M. Wu, X. Lin, A. Hagfeldt, T. Ma, *Chem. Commun.* **47**, 4535 (2011).
14. B. He, X. Meng, Q. Tang, *ACS Appl. Mater. Inter.* **6**, 4812 (2014).
15. Q. Li, J. Wu, Q. Tang, Z. Lan, P. Li, J. Lin, L. Fan, *Electrochem. Commun.* **10**, 1299 (2008).
16. H. Kim, H. Choi, S. Hwang, Y. Kim, M. Jeon, *Nanoscale Res Lett.* **7**, 53 (2012).
17. Z. Huang, X. Liu, K. Li, D. Li, Y. Luo, H. Li, W. Song, L. Chen, Q. Meng, *Electrochem. Commun.* **9**, 596 (2007).
18. F. L. Jin, S. J. Park, *Carbon letters* **12**, 57 (2011).
19. Y. Y. Kim, J. M. Yun, Y. S. Lee, H. Kim, *Carbon letters* **2**, 48 (2011).
20. A. Subagio, Pardoyo, K. Ngurah Ayu, V. Gunawan, Sony, Rowi, J. Nanosains Nanotek, **2**, 13 (2009).

21. S. Shanmugam, A. Gedanken, [Electrochem. Commun.](#) **8**, 1099 (2006).
22. A. Mostofizadeh, Y. Li, B. Song, and Y. Huang, [Journal of Nanomaterials](#) **2011**, 21(2011).
23. P. L. McEuen, M. Bockrath, D. H. Cobden, and J. G. Lu, [Microelectr. Eng.](#) **47**, 417 (1999).
24. J. Han, H. Kim, D. Y. Kim, S. M. Jo, S. Y. Jang, [ACS Nano](#) **4**, 3503 (2010).
25. E. Ramasamy, W. J. Lee, D. Y. Lee, J. S. Song, [Electrochem. Commun.](#) **10**, 1087 (2008).
26. G. Zhu, L. Pan, T. Lu, X. Liu, T. Lv, T. Xu, Z. Sun, [Electrochim. Acta](#) **56**, 10288 (2011).

Dye-sensitized solar cell based carbon nanotube

by Agus Subagio

Submission date: 12-Nov-2019 09:10PM (UTC+0700)

Submission ID: 1212224322

File name: Dye-sensitized_solar_cell_based_carbon_nanotube.pdf (1.14M)

Word count: 2560

Character count: 12975

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/293633318>

Dye-sensitized solar cell based carbon nanotube as counter electrode

CONFERENCE PAPER · NOVEMBER 2015

DOI: 10.1063/1.4941520

READS

22

4 AUTHORS, INCLUDING:



[Adi Prasetyo](#)

Universitas Diponegoro

1 PUBLICATION 0 CITATIONS

[SEE PROFILE](#)



[Agus Purwanto](#)

Universitas Sebelas Maret

63 PUBLICATIONS 491 CITATIONS

[SEE PROFILE](#)



[Hendri Widiyandari](#)

Universitas Diponegoro

18 PUBLICATIONS 193 CITATIONS

[SEE PROFILE](#)



Dye-sensitized solar cell based carbon nanotube as counter electrode

Adi Prasetyo, Agus Subagio, Agus Purwanto, and Hendri Widiyandari

Citation: [AIP Conference Proceedings](#) **1710**, 030054 (2016); doi: 10.1063/1.4941520

View online: <http://dx.doi.org/10.1063/1.4941520>

View Table of Contents: <http://scitation.aip.org/content/aip/proceeding/aipcp/1710?ver=pdfcov>

Published by the [AIP Publishing](#)

Articles you may be interested in

[Carbon nanotube based flexible counter electrode for quasi-solid state dye sensitized solar cells](#)

J. Renewable Sustainable Energy **6**, 043116 (2014); 10.1063/1.4892546

[Conducting polymers based counter electrodes for dye-sensitized solar cells](#)

AIP Conf. Proc. **1591**, 1048 (2014); 10.1063/1.4872848

[Enhanced efficiency of the dye-sensitized solar cells by excimer laser irradiated carbon nanotube network counter electrode](#)

Appl. Phys. Lett. **104**, 051114 (2014); 10.1063/1.4864059

[High performance dye-sensitized solar cell based on hydrothermally deposited multiwall carbon nanotube counter electrode](#)

Appl. Phys. Lett. **100**, 243303 (2012); 10.1063/1.4726177

[Conducting polymer/carbon nanotube composite as counter electrode of dye-sensitized solar cells](#)

Appl. Phys. Lett. **93**, 143103 (2008); 10.1063/1.2996270

Dye-Sensitized Solar Cell Based Carbon Nanotube as Counter Electrode

Adi Prasetyo^{1a)}, Agus Subagio¹, Agus Purwanto² and Hendri Widiyandari^{1b)}

¹Department of Physics, Diponegoro University, Jl. Prof. H. Soedarto SH, Semarang, 50275, Indonesia

²Department of Chemical Engineering, Sebelas Maret University, Jl. Ir. Sutami No. 36 A, Surakarta, Indonesia

^{a)}adiprasetyo@st.fisika.undip.ac.id

^{b)}Corresponding author: h.widiyandari@undip.ac.id

Abstract. The counter electrode using Carbon nanotube (CNT) has been successfully fabricated by the doctor blade method and their performances were investigated. We found that increasing mass of the CNT powder in binder increases electrocatalytic activity which is beneficial to conversion efficiency of the Dye-sensitized solar cell (DSSC). The photovoltaic performance of the DSSCs with 0.01, 0.02 and 0.04 gr of the CNT obtained overall conversion efficiencies of 0.32%, 0.74% and 0.91%, respectively. The results suggest that the CNT counter electrode has potential as alternative to the Pt free counter electrode for DSSC.

Keywords: CNT, counter electrode, DSSC, photovoltaic performance, electrocatalytic

INTRODUCTION

Silicon (Si) based solar cell are commonly used as a photovoltaic device due to currently more efficient. However, Si-based solar cell is known to be a very expensive solar cell. Another type of solar cell Dye-sensitized solar cell (DSSC) is the third generation solar cell which reported by O'Regan and Grätzel in 1991 has advantages over Si-based solar cell [1]. Recently, the DSSC has attracted considerable attention of researchers due to its high conversion efficiency, simple production process, low production cost and environment friendly [2-3]. Basically, the DSSC consists of a conducting glass coated with nanocrystalline titanium dioxide (TiO₂) anode, a ruthenium based sensitizer, an electrolyte solution containing iodide/triiodide (I⁻/I₃⁻) redox couple and a counter electrode [4-6]. The counter electrode is one of the most important components in DSSC which it plays a crucial role in collecting electrons from the external circuit into electrode and reduces I₃⁻ to I⁻, simultaneously [7-8]. Generally, Platinum (Pt) is the most widely used as CE at present due to its high electric conductivity and excellent electrocatalytic activity for the I₃⁻ reduction [9-10]. However, owing to its relatively expensive, rarity and corrosion in corrosive electrolyte, Pt has to be replaced by other low cost materials with high conductivity and high electrocatalytic activity, such as carbon materials [11], metal oxides [12-13], alloys [14] and conducting polymers [15]. Carbon materials such as graphene, carbon black, hard carbon spherules, activated carbon and graphite have been studied as counter electrode owing to their corrosion resistance, high electrocatalytic activity and low cost [16-17]. Recently, carbon nanotube (CNT) has attracted attention to replace platinum due to its high ratio area, good electric conductivity, heat as well as corrosion resistance and high electrocatalytic activity for triiodide reduction [18-19]. In the present work, CNT films with different mass were

deposited onto FTO glasses using the doctor blade method and their performance of the DSSCs were investigated using AM 1.5G solar illumination and Keithley 2440 Source Meter.

METHOD

Material

Fluorine-doped tin oxide (FTO) substrates (Dyesol, Australia) were used in this research which cut with area of 2.5 x 2.5 cm². TiO₂ paste (20 nm, Dyesol, Australia) was used as photoanode layer material. Electrolyte which consists of iodine and triiodide I⁻/I₃⁻ (HPE, Dyesol, Australia) was used as the transport mechanism for the redox mediator from the TiO₂ electrode to the counter electrode and will be reduced to iodide. Ruthenium dye N719 (Dyesol, Australia) solution was used as photoactive element of the photovoltaic device. The CNT powder which prepared using spray pyrolysis method as previous reported by Subagio, et al., 2009 [20] was used as counter electrode layer material. Sealants (Dyesol, Australia) were used for sealing DSSC devices for longer term applications. Ethanol (Merck, Jerman), terpineol (Sigma Aldrich, USA) and ethylcellulose (Sigma Aldrich, USA) were used without purification.

Preparation of CNT based counter electrode

The CNT counter electrodes with different mass of 0.01, 0.02 and 0.04 gr of CNT powder are named as CNT 0.01, CNT 0.02 and CNT 0.04, respectively. To prepare the CNT counter electrode by the doctor blade method, 0.2 gr ethylcellulose was dissolved in 2 ml ethanol which stirred for 5 minutes, followed by mixing 0.8 gr terpineol into the solution used as binder. The CNT powder was dispersed in the binder with stirred for 5 minutes. FTO glass substrates were washed with 70% ethanol and aquades several times to remove impurities. The CNT paste was deposited onto the FTO substrate by using the doctor blade method with a thickness equal to the thickness of scotch tape. After drying at 80°C for 5 minutes, the CNT counter electrode annealed at 450°C for 1 hour.

Preparation and Assembly of DSSC

The FTO glass substrates were washed with 70% ethanol and pure water several times. After that, the working electrodes for DSSCs were prepared by the doctor blade method of TiO₂ paste onto the FTO substrate then sintered at 325, 375, 350 and 500°C for 5, 5, 15 and 15 minutes, respectively. After cooling down to 80°C, the working electrodes were immersed into ruthenium dye solution for 24 hours at room temperature. The area active of the working electrode and the counter electrode was fixed at 1 x 1 cm².

The sealant was sandwiched between the two electrodes and secured the electrode assembly using two binder clips on each side. The electrolyte was injected through hole from the counter electrode by using a micro pipet. Finally, the holes were sealed using silicon glue to prevent electrolyte evaporation.

Characterization

Surface morphology of the CNT counter electrodes was investigated by scanning electron microscope (SEM, JEOL JSM-6360 LA, Japan). Photocurrent–voltage (I-V) characteristics of the DSSCs were performed with a Keithley 2440 Source Meter and performed under simulated AM 1.5 G solar illumination using 100 mW/cm² (Abet technology inc.).

RESULT AND DISCUSSION

Figure 1 shows low-magnification and high-magnification SEM images of the CNT counter electrodes with various masses of CNT on FTO glass. The CNT counter electrodes are composed with various diameters of the CNT on the order of 70 to 115 nm. Additionally, the CNTs are randomly oriented, agglomerated and wove into each other. The density of the CNT was increased owing to it has more CNT in binder which is beneficial to the electron transfer from the counter electrode to electrolyte interface [21]. The one dimensional structure of the CNTs helps them in making a good electrical conductivity [22,23].




FIGURE 1. SEM images low-magnification (top) and high-magnification (bottom) of prepared CNT layers deposited on FTO glasses with various masses of the CNT (a,b) 0.01 (c,d) 0.02 and (e,f) 0.04 gr




FIGURE 2. Cross-sectional SEM image of prepared CNT layers deposited on FTO glass

Figure 2 shows a representative cross-sectional SEM images of the CNT layer on FTO substrates with a thickness of about 0.5 μm . The characteristics of the counter electrode should be related to the electrocatalytic activity.




FIGURE 3. The DSSC prototype using CNT of 0.04 gr as counter electrode with the dimension of active area of 1 cm in length and 1 cm in width

Figure 3 shows the prototype of DSSC which used CNT of 0.04 gr as a counter electrode. The dimension of active area is 1 cm in length and 1 cm in width. Figure 4 shows the current density-voltage (J-V) curves of the DSSC fabricated with various masses of the CNT were performed under simulated AM 1.5 G solar illumination using 100 mW/cm^2 .




FIGURE 4. J-V curves of DSSCs with 0.01, 0.02 and 0.04 gr of the CNT counter electrodes

13

The fill factor (FF) can be calculated using the following equation :

$$FF = \frac{V_{\max} \times J_{\max}}{V_{oc} \times J_{sc}} \quad (1)$$

Following the fill factor, the next step is to calculate the efficiency of the DSSC using equation (2) :

$$\eta = \frac{FF \times J_{sc} \times V_{oc}}{P_{in}} \quad (2)$$

TABLE 1. Photovoltaic properties of DSSCs with various mass of CNT as counter electrode.

Sample name	J_{sc} (mA/cm ²)	V_{oc} (V)	FF (%)	η (%)
CNT 0.01	2.093	0.49	31	0.32
CNT 0.02	4.829	0.48	32	0.74
CNT 0.04	6.413	0.45	32	0.91

The photovoltaic properties, short circuit current density (J_{sc}), open circuit voltage (V_{oc}), FF and η are listed in Table 1. Figure 4 and Table 1 show that the DSSC with highest mass of the CNT has more efficiency than the other DSSCs. Photovoltaic performance of DSSCs with 0.01, 0.02 and 0.04 gr of CNT obtained overall conversion efficiencies (η) of 0.32%, 0.74% and 0.91%, respectively. When the mass of CNT counter electrodes increases cause to J_{sc} , FF and η increase, which should be related to electrocatalytic activity of different mass of the CNT counter electrodes [24, 25, 26].

CONCLUSION

In conclusion, counter electrodes with various masses of the CNT prepared by the doctor blade method have been investigated. By the optimization mass of CNT, efficiency of the DSSC reaches 0.91%. This value is lower than Pt counter electrode due to low FF and J_{sc} . However, considering low cost and high electrocatalytic activity the CNT counter electrode, it should be a competitive alternative to the Pt free counter electrode for DSSC.

ACKNOWLEDGMENTS

This work was supported by Indonesia Toray Science Foundation Japan. The authors gratefully thank to Dr. Rahmad Hidayat from Bandung Institute of Technology (ITB) for supporting solar simulator.

REFERENCES

1. B. O'Regan and M. Grätzel, *Nature* **353**, 740 (1991).
2. J. Wu, Z. Lan, S. Hao, P. Li, J. Lin, M. Huang, L. Fang, Y. Huang, *Pure Appl. Chem.* **80**, 2241 (2008).
3. A. K. Chandiran, M. Abdi-Jalebi, M. K. Nazeeruddin, M. Grätzel, *ACS Nano* **8**, 2261 (2014).
4. M. Grätzel, *J. Photochem. Photobiol. C Photochem. Rev.* **4**, 145 (2003).
5. M. K. Nazeeruddin, E. Baranoff, M. Grätzel, *Solar Energy* **85**, 1172 (2011).
6. Y. Chiba, A. Islam, Y. Watanabe, R. Komiya, N. Koide, L. Han, *Japan. J. Appl. Phys.* **45**, 638 (2006).
7. K. Lee, L. Lin, C. Chen and V. Suryanarayanan, C. Wu, *Electrochim. Acta* **135**, 578 (2014).
8. Z. Tang, J. Wu, M. Zheng, J. Huo, Z. Lan, *Nano Energy* **2**, 622 (2013).
9. Y. L. Lee, C. L. Chen, L. W. Chong, C. H. Chen, Y. F. Liu, C. F. Chi, *Electrochem. Commun.* **12**, 1662 (2010).
10. W. J. Hong, Y. X. Xu, G. W. Lu, C. Li, G. Q. Shi, *Electrochem. Commun.* **10**, 1555 (2008).
11. Q. W. Jiang, G. R. Li, X. P. Gao, *Chem. Commun.* **44**, 6720 (2009).
12. S. Yun, L. Wang, W. Guo, T. Ma, *Electrochem. Commun.* **24**, 69 (2012).
13. M. Wu, X. Lin, A. Hagfeldt, T. Ma, *Chem. Commun.* **47**, 4535 (2011).
14. B. He, X. Meng, Q. Tang, *ACS Appl. Mater. Inter.* **6**, 4812 (2014).
15. Q. Li, J. Wu, Q. Tang, Z. Lan, P. Li, J. Lin, L. Fan, *Electrochem. Commun.* **10**, 1299 (2008).
16. H. Kim, H. Choi, S. Hwang, Y. Kim, M. Jeon, *Nanoscale Res Lett.* **7**, 53 (2012).
17. Z. Huang, X. Liu, K. Li, D. Li, Y. Luo, H. Li, W. Song, L. Chen, Q. Meng, *Electrochem. Commun.* **9**, 596 (2007).
18. F. L. Jin, S. J. Park, *Carbon letters* **12**, 57 (2011).
19. Y. Y. Kim, J. M. Yun, Y. S. Lee, H. Kim, *Carbon letters* **2**, 48 (2011).
20. A. Subagio, Pardoyo, K. Ngurah Ayu, V. Gunawan, Sony, Rowi, J. *Nanosains Nanotek.* **2**, 13 (2009).

21. S. Shanmugam, A. Gedanken, *Electrochem. Commun.* **8**, 1099 (2006).
22. A. Mostofizadeh, Y. Li, B. Song, and Y. Huang, *Journal of Nanomaterials* **2011**, 21(2011).
23. P. L. McEuen, M. Bockrath, D. H. Cobden, and J. G. Lu, *Microelectr. Eng.* **47**, 417 (1999).
24. J. Han, H. Kim, D. Y. Kim, S. M. Jo, S. Y. Jang, *ACS Nano* **4**, 3503 (2010).
25. E. Ramasamy, W. J. Lee, D. Y. Lee, J. S. Song, *Electrochem. Commun.* **10**, 1087 (2008).
26. G. Zhu, L. Pan, T. Lu, X. Liu, T. Lv, T. Xu, Z. Sun, *Electrochim. Acta* **56**, 10288 (2011).

Dye-sensitized solar cell based carbon nanotube

ORIGINALITY REPORT

10%

SIMILARITY INDEX

1%

INTERNET SOURCES

10%

PUBLICATIONS

4%

STUDENT PAPERS

PRIMARY SOURCES

- 1** Yue, Gentian, Jeng-Yu Lin, Sheng-Yen Tai, Yaoming Xiao, and Jihuai Wu. "A catalytic composite film of MoS₂/graphene flake as a counter electrode for Pt-free dye-sensitized solar cells", *Electrochimica Acta*, 2012. 1%
Publication
- 2** Samy Yousef, A. M. Visco, G. Galtieri, James Njuguna. "Wear Characterizations of Polyoxymethylene (POM) Reinforced with Carbon Nanotubes (POM/CNTs) Using the Paraffin Oil Dispersion Technique", *JOM*, 2015. 1%
Publication
- 3** Yue, G.. "Low cost poly(3,4-ethylenedioxythiophene):polystyrenesulfonate/carbon black counter electrode for dye-sensitized solar cells", *Electrochimica Acta*, 20120415. 1%
Publication
- 4** Krishnaiah Mokurala, Mokurala Nagaraju, Sudhanshu Mallick. "Sb₂S₃ Nanorods Based Electrochemical Catalyst for Triiodide Reduction in Dye-Sensitized Solar Cells", *Journal of* 1%

5

Submitted to Indian Institute of Science Education and Research

Student Paper

1%

6

Xiao, Yaoming, Wei-Yan Wang, Shu-Wei Chou, Tsung-Wu Lin, and Jeng-Yu Lin. "In situ electropolymerization of polyaniline/cobalt sulfide decorated carbon nanotube composite catalyst toward triiodide reduction in dye-sensitized solar cells", Journal of Power Sources, 2014.

Publication

1%

7

Huo, Jinghao, Jihuai Wu, Min Zheng, Yongguang Tu, and Zhang Lan. "High performance sponge-like cobalt sulfide/reduced graphene oxide hybrid counter electrode for dye-sensitized solar cells", Journal of Power Sources, 2015.

Publication

<1%

8

Arnab Ghosh, Puspendu Guha, Subhrajit Mukherjee, Rajshekhar Bar, Samit K. Ray, Parlapalli V. Satyam. " Growth of Au capped GeO nanowires for visible-light photodetection ", Applied Physics Letters, 2016

Publication

<1%

9

Hu, H.. "Stability study of carbon-based counter

electrodes in dye-sensitized solar cells",
Electrochimica Acta, 20111001

Publication

<1%

10

182.73.176.163

Internet Source

<1%

11

Zhang, Taihong, Sining Yun, Xue Li, Xinlei Huang, Yuzhi Hou, Yanfang Liu, Jing Li, Xiao Zhou, and Wen Fang. "Fabrication of niobium-based oxides/oxynitrides/nitrides and their applications in dye-sensitized solar cells and anaerobic digestion", Journal of Power Sources, 2017.

Publication

<1%

12

Submitted to 87988

Student Paper

<1%

13

Submitted to Sheffield Hallam University

Student Paper

<1%

14

Chen, Taiqiang, Likun Pan, Xinjuan Liu, Kai Yu, and Zhuo Sun. "One-step synthesis of SnO₂â€"reduced graphene oxideâ€"carbon nanotube composites via microwave assistance for lithium ion batteries", RSC Advances, 2012.

Publication

<1%

15

Submitted to University of Limpopo

Student Paper

<1%

16

Kouhnavard, Mojgan, Norasikin Ahmad Ludin,

Babak V. Ghaffari, Kamarozzaman Sopian, and Shoichiro Ikeda. "Carbonaceous Materials and Their Advances as a Counter Electrode in Dye-Sensitized Solar Cells: Challenges and Prospects", ChemSusChem, 2015.

Publication

<1%

17

Kun Seok Lee. "Flexible and Platinum-Free Dye-Sensitized Solar Cells with Conducting-Polymer-Coated Graphene Counter Electrodes", ChemSusChem, 02/13/2012

Publication

<1%

18

Taher Alizadeh, Fatemeh Zargar, Mohammad Reza Zamanloo. "Multi-walled carbon nanotube/barbituric acid-based dye/TiO₂ nanocomposite as a photoanode in dye-sensitized solar cell: activation of the dye with MWCNTs", Journal of Materials Science: Materials in Electronics, 2019

Publication

<1%

19

Wu, Mao-Sung, Che-Ju Chung, and Zhi-Zhen Ceng. "Cyclic voltammetric deposition of discrete nickel phosphide clusters with mesoporous nanoparticles on fluorine-doped tin oxide glass as a counter electrode for dye-sensitized solar cells", RSC Advances, 2014.

Publication

<1%

20

Hyun-Jun Shin, Sang Soo Jeon, Seung Soon

<1%

Im. "CNT/PEDOT core/shell nanostructures as a counter electrode for dye-sensitized solar cells",
Synthetic Metals, 2011

Publication

21

Peng, S.. "Facile fabrication of polypyrrole/functionalized multiwalled carbon nanotubes composite as counter electrodes in low-cost dye-sensitized solar cells", Journal of Photochemistry & Photobiology, A: Chemistry, 20110925

Publication

<1%

Exclude quotes Off

Exclude matches Off

Exclude bibliography On

Dye-sensitized solar cell based carbon nanotube

GRADEMARK REPORT

FINAL GRADE

/0

GENERAL COMMENTS

Instructor

PAGE 1

PAGE 2

PAGE 3

PAGE 4

PAGE 5

PAGE 6

PAGE 7

PAGE 8



Document details

< Back to results | < Previous 23 of 30 Next >

↗ Export ↴ Download 🖨 Print ✉ E-mail 📄 Save to PDF ☆ Add to List More... >

View at Publisher

AIP Conference Proceedings

Volume 1710, 8 February 2016, Article number 4941520

6th Nanoscience and Nanotechnology Symposium, NNS 2015; Sunan HotelSurakarta; Indonesia;

4 November 2015 through 5 November 2015; Code 119431

Dye-sensitized solar cell based carbon nanotube as counter electrode (Conference Paper)

Prasetyo, A.^a ✉, Subagio, A.^a, Purwanto, A.^b, Widiyandari, H.^a ✉

^aDepartment of Physics, Diponegoro University, Jl. Prof. H. Soedarto SH, Semarang, 50275, Indonesia

^bDepartment of Chemical Engineering, Sebelas Maret University, Jl. Ir. Sutami No. 36A, Surakarta, Indonesia

Abstract

View references (26)

The counter electrode using Carbon nanotube (CNT) has been successfully fabricated by the doctor blade method and their performances were investigated. We found that increasing mass of the CNT powder in binder increases electrocatalytic activity which this beneficial to conversion efficiency of the Dye-sensitized solar cell (DSSC). The photovoltaic performance of the DSSCs with 0.01, 0.02 and 0.04 gr of the CNT obtained overall conversion efficiencies of 0.32%, 0.74% and 0.91%, respectively. The results suggest that the CNT counter electrode has potential as alternative to the Pt free counter electrode for DSSC. © 2016 AIP Publishing LLC.

SciVal Topic Prominence ⓘ

Topic: Solar cells | Dyes | Electrodes CEs

Prominence percentile: 99.583



Author keywords

CNT counter electrode DSSC electrocatalytic photovoltaic performance

ISSN: 0094243X

ISBN: 978-073541357-3

Source Type: Conference Proceeding

Original language: English

DOI: 10.1063/1.4941520

Document Type: Conference Paper

Volume Editors: Nur A., Rahmawati F., Purwanto A., Dyartanti E.R., Jumari A.

Sponsors:

Publisher: American Institute of Physics Inc.

References (26)

View in search results format >

All | Export 🖨 Print ✉ E-mail 📄 Save to PDF Create bibliography

Metrics ⓘ View all metrics >

3 Citations in Scopus

1.81 Field-Weighted Citation Impact



PlumX Metrics

Usage, Captures, Mentions, Social Media and Citations beyond Scopus.

Cited by 3 documents

Facile synthesis and characterization of two dimensional SnO₂-decorated graphene oxide as an effective counter electrode in the DSSC

Mahmoud, M.S., Motlak, M., Barakat, A.M. (2019) *Catalysts*

Low temperature growth of carbon nanotubes using chemical bath deposited Ni(OH)₂ – An efficient Pt-free counter electrodes for dye-sensitized solar cells

Chuang, T.-K., Anuratha, K.S., Lin, J.-Y. (2018) *Surface and Coatings Technology*

Nanoarchitectures in dye-sensitized solar cells: Metal oxides, oxide perovskites and carbon-based materials

Shaikh, J.S., Shaikh, N.S., Mali, S.S. (2018) *Nanoscale*

View all 3 citing documents

Inform me when this document is cited in Scopus:

Set citation alert >

Set citation feed >

Related documents

- 1 O'Regan, B., Grätzel, M.
A low-cost, high-efficiency solar cell based on dye-sensitized colloidal TiO₂ films

(1991) *Nature*, 353 (6346), pp. 737-740. Cited 22603 times.

<http://www.nature.com/nature/index.html>

doi: 10.1038/353737a0

[View at Publisher](#)

- 2 Wu, J., Lan, Z., Hao, S., Li, P., Lin, J., Huang, M., Fang, L., (...), Huang, Y.
Progress on the electrolytes for dye-sensitized solar cells ([Open Access](#))

(2008) *Pure and Applied Chemistry*, 80 (11), pp. 2241-2258. Cited 165 times.

<http://media.iupac.org/publications/pac/2008/pdf/8011x2241.pdf>

doi: 10.1351/pac200880112241

[View at Publisher](#)

- 3 Chandiran, A.K., Abdi-Jalebi, M., Nazeeruddin, M.K., Grätzel, M.
Analysis of electron transfer properties of ZnO and TiO₂ photoanodes for dye-sensitized solar cells

(2014) *ACS Nano*, 8 (3), pp. 2261-2268. Cited 193 times.

doi: 10.1021/nn405535j

[View at Publisher](#)

- 4 Grätzel, M.
Dye-sensitized solar cells

(2003) *Journal of Photochemistry and Photobiology C: Photochemistry Reviews*, 4 (2), pp. 145-153. Cited 3457 times.

<http://www.elsevier.com/locate/jphotochemrev>

doi: 10.1016/S1389-5567(03)00026-1

[View at Publisher](#)

- 5 Nazeeruddin, M.K., Baranoff, E., Grätzel, M.
Dye-sensitized solar cells: A brief overview

(2011) *Solar Energy*, 85 (6), pp. 1172-1178. Cited 506 times.

doi: 10.1016/j.solener.2011.01.018

[View at Publisher](#)

- 6 Chiba, Y., Islam, A., Watanabe, Y., Komiya, R., Koide, N., Han, L.
Dye-sensitized solar cells with conversion efficiency of 11.1%

(2006) *Japanese Journal of Applied Physics, Part 2: Letters*, 45 (24-28), pp. L638-L640. Cited 1632 times.

<http://jap.ipap.jp/link?JJAP/45/L638/pdf>

doi: 10.1143/JJAP.45.L638

[View at Publisher](#)

- 7 Lee, K.-M., Lin, L.-C., Chen, C.-Y., Suryanarayanan, V., Wu, C.-G.
Preparation of high transmittance platinum counter electrode at an ambient temperature for flexible dye-sensitized solar cells

(2014) *Electrochimica Acta*, 135, pp. 578-584. Cited 21 times.

<http://www.journals.elsevier.com/electrochimica-acta/>

doi: 10.1016/j.electacta.2014.05.004

[View at Publisher](#)

Platinum-free, carbon-based materials as efficient counter electrodes for dye-sensitized solar cells

Widiyandari, H., Prasetyo, A., Purwanto, A.

(2018) *Japanese Journal of Applied Physics*

Several highly efficient catalysts for Pt-free and FTO-free counter electrodes of dye-sensitized solar cells

Wang, Y., Wu, M., Lin, X.

(2012) *Journal of Materials Chemistry*

Low-cost dye-sensitized solar cell based on nine kinds of carbon counter electrodes

Wu, M., Lin, X., Wang, T.

(2011) *Energy and Environmental Science*

[View all related documents based on references](#)

[Find more related documents in Scopus based on:](#)

[Authors >](#) [Keywords >](#)

- 8 Tang, Z., Wu, J., Zheng, M., Huo, J., Lan, Z.
A microporous platinum counter electrode used in dye-sensitized solar cells
(2013) *Nano Energy*, 2 (5), pp. 622-627. Cited 71 times.
doi: 10.1016/j.nanoen.2013.07.014
[View at Publisher](#)
-
- 9 Lee, Y.-L., Chen, C.-L., Chong, L.-W., Chen, C.-H., Liu, Y.-F., Chi, C.-F.
A platinum counter electrode with high electrochemical activity and high transparency for dye-sensitized solar cells
(2010) *Electrochemistry Communications*, 12 (11), pp. 1662-1665. Cited 92 times.
doi: 10.1016/j.elecom.2010.09.022
[View at Publisher](#)
-
- 10 Hong, W., Xu, Y., Lu, G., Li, C., Shi, G.
Transparent graphene/PEDOT-PSS composite films as counter electrodes of dye-sensitized solar cells
(2008) *Electrochemistry Communications*, 10 (10), pp. 1555-1558. Cited 690 times.
doi: 10.1016/j.elecom.2008.08.007
[View at Publisher](#)
-
- 11 Jiang, Q.W., Li, G.R., Gao, X.P.
Highly ordered TiN nanotube arrays as counter electrodes for dye-sensitized solar cells
(2009) *Chemical Communications*, (44), pp. 6720-6722. Cited 278 times.
<http://pubs.rsc.org/en/journals/journal/cc>
doi: 10.1039/b912776c
[View at Publisher](#)
-
- 12 Yun, S., Wang, L., Guo, W., Ma, T.
Non-Pt counter electrode catalysts using tantalum oxide for low-cost dye-sensitized solar cells
(2012) *Electrochemistry Communications*, 24 (1), pp. 69-73. Cited 80 times.
doi: 10.1016/j.elecom.2012.08.008
[View at Publisher](#)
-
- 13 Wu, M., Lin, X., Hagfeldt, A., Ma, T.
A novel catalyst of WO₂ nanorod for the counter electrode of dye-sensitized solar cells
(2011) *Chemical Communications*, 47 (15), pp. 4535-4537. Cited 288 times.
doi: 10.1039/c1cc10638d
[View at Publisher](#)
-
- 14 He, B., Meng, X., Tang, Q.
Low-cost counter electrodes from CoPt alloys for efficient dye-sensitized solar cells
(2014) *ACS Applied Materials and Interfaces*, 6 (7), pp. 4812-4818. Cited 73 times.
<http://pubs.acs.org/journal/aamick>
doi: 10.1021/am405706q
[View at Publisher](#)
-

- 15 Li, Q., Wu, J., Tang, Q., Lan, Z., Li, P., Lin, J., Fan, L.
Application of microporous polyaniline counter electrode for dye-sensitized solar cells

(2008) *Electrochemistry Communications*, 10 (9), pp. 1299-1302. Cited 398 times.
doi: 10.1016/j.elecom.2008.06.029

[View at Publisher](#)

- 16 Kim, H., Choi, H., Hwang, S., Kim, Y., Jeon, M.
Fabrication and characterization of carbon-based counter electrodes prepared by electrophoretic deposition for dye-sensitized solar cells ([Open Access](#))

(2012) *Nanoscale Research Letters*, 7, art. no. 53, pp. 1-12. Cited 51 times.
doi: 10.1186/1556-276X-7-53

[View at Publisher](#)

- 17 Huang, Z., Liu, X., Li, K., Li, D., Luo, Y., Li, H., Song, W., (...), Meng, Q.
Application of carbon materials as counter electrodes of dye-sensitized solar cells

(2007) *Electrochemistry Communications*, 9 (4), pp. 596-598. Cited 430 times.
doi: 10.1016/j.elecom.2006.10.028

[View at Publisher](#)

- 18 Jin, F.L., Park, S.J.
(2011) *Carbon Letters*, 12, p. 57. Cited 41 times.

- 19 Kim, Y.Y., Yun, J.M., Lee, Y.S., Kim, H.
(2011) *Carbon Letters*, 2, p. 48. Cited 28 times.

- 20 Subagio, A., Pardoyo, NgurahAyu, K., Gunawan, V., Sony, R.
(2009) *J. Nanosains Nanotek.*, 2, p. 13. Cited 4 times.

- 21 Shanmugam, S., Gedanken, A.
Electrochemical properties of bamboo-shaped multiwalled carbon nanotubes generated by solid state pyrolysis

(2006) *Electrochemistry Communications*, 8 (7), pp. 1099-1105. Cited 46 times.
doi: 10.1016/j.elecom.2006.05.001

[View at Publisher](#)

- 22 Mostofizadeh, A., Li, Y., Song, B., Huang, Y.
Synthesis, properties, and applications of low-dimensional carbon-related nanomaterials ([Open Access](#))

(2011) *Journal of Nanomaterials*, 2011, art. no. 685081. Cited 41 times.
doi: 10.1155/2011/685081

[View at Publisher](#)

- 23 McEuen, P.L., Bockrath, M., Cobden, D.H., Lu, J.G.
One dimensional transport in carbon nanotubes

(1999) *Microelectronic Engineering*, 47 (1), pp. 417-420. Cited 17 times.
doi: 10.1016/S0167-9317(99)00248-8

[View at Publisher](#)

□ 24 Han, J., Kim, H., Kim, D.Y., Jo, S.M., Jang, S.-Y.

Water-soluble polyelectrolyte-grafted multiwalled carbon nanotube thin films for efficient counter electrode of dye-sensitized solar cells

(2010) *ACS Nano*, 4 (6), pp. 3503-3509. Cited 228 times.

doi: 10.1021/nn100574g

[View at Publisher](#)

□ 25 Ramasamy, E., Lee, W.J., Lee, D.Y., Song, J.S.

Spray coated multi-wall carbon nanotube counter electrode for tri-iodide (I_3^-) reduction in dye-sensitized solar cells

(2008) *Electrochemistry Communications*, 10 (7), pp. 1087-1089. Cited 334 times.

doi: 10.1016/j.elecom.2008.05.013

[View at Publisher](#)

□ 26 Zhu, G., Pan, L., Lu, T., Liu, X., Lv, T., Xu, T., Sun, Z.

Electrophoretic deposition of carbon nanotubes films as counter electrodes of dye-sensitized solar cells

(2011) *Electrochimica Acta*, 56 (27), pp. 10288-10291. Cited 54 times.

doi: 10.1016/j.electacta.2011.09.028

[View at Publisher](#)

🔍 Widiyandari, H.; Department of Physics, Diponegoro University, Jl. Prof. H. Soedarto SH, Semarang, Indonesia;

email:h.widiyandari@undip.ac.id

© Copyright 2016 Elsevier B.V., All rights reserved.

[Back to results](#) | [Previous](#) 23 of 30 [Next](#) >

[Top of page](#)

About Scopus

[What is Scopus](#)
[Content coverage](#)
[Scopus blog](#)
[Scopus API](#)
[Privacy matters](#)

Language

[日本語に切り替える](#)
[切换到简体中文](#)
[切换到繁體中文](#)
[Русский язык](#)

Customer Service

[Help](#)
[Contact us](#)

ELSEVIER

[Terms and conditions](#) ↗ [Privacy policy](#) ↗

Copyright © Elsevier B.V. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies.

 RELX



Source details

AIP Conference Proceedings

Scopus coverage years: from 1974 to 1978, from 1983 to 1984, 1993, from 2000 to 2001, from 2003 to 2019

ISSN: 0094-243X E-ISSN: 1551-7616

Subject area: Environmental Science: Nature and Landscape Conservation Environmental Science: Ecology
Agricultural and Biological Sciences: Plant Science Physics and Astronomy: General Physics and Astronomy

View all ▾

CiteScore 2018 **0.37** ⓘ

SJR 2018 **0.182** ⓘ

SNIP 2018 **0.385** ⓘ

[View all documents >](#)

[Set document alert](#)

[Save to source list](#)

CiteScore CiteScore rank & trend CiteScore presets Scopus content coverage

CiteScore 2018 ▾ Calculated using data from 30 April, 2019

$$0.37 = \frac{\text{Citation Count 2018}}{\text{Documents 2015 - 2017}^*} = \frac{10,085 \text{ Citations} >}{27,335 \text{ Documents} >}$$

*CiteScore includes all available document types

[View CiteScore methodology >](#) [CiteScore FAQ >](#)

CiteScore rank ⓘ

Category	Rank	Percentile
Environmental Science	#113/141	19th
└ Nature and Landscape Conservation		
Environmental Science	#275/333	17th
└ Ecology		

CiteScoreTracker 2019 ⓘ Last updated on 08 December, 2019 Updated monthly

$$0.34 = \frac{\text{Citation Count 2019}}{\text{Documents 2016 - 2018}} = \frac{11,484 \text{ Citations to date} >}{33,880 \text{ Documents to date} >}$$

[View CiteScore trends >](#)

[Add CiteScore to your site](#) 🔗

Metrics displaying this icon are compiled according to Snowball Metrics ↗, a collaboration between industry and academia.

About Scopus

- [What is Scopus](#)
- [Content coverage](#)
- [Scopus blog](#)
- [Scopus API](#)
- [Privacy matters](#)

Language

- [日本語に切り替える](#)
- [切换到简体中文](#)
- [切换到繁體中文](#)
- [Русский язык](#)

Customer Service

- [Help](#)
- [Contact us](#)

AIP Conference Proceedings
FLASH WINTER SALE!
50% OFF ALL PRINT PROCEEDINGS ENTER CODE **50DEC19** AT CHECKOUT

AIP Conference Proceedings

HOME

BROWSE

MORE ▾

Table of Contents

6TH NANOSCIENCE AND NANOTECHNOLOGY SYMPOSIUM (NNS2015)

< PREV NEXT >



Conference date: 4–5 November 2015

Location: Surakarta, Indonesia

ISBN: 978-0-7354-1357-3

Editors: Agus Purwanto, Adrian Nur, Fitria Rahmawati, Endah Retno Dyartanti and Arif Jumari

Volume number: 1710

Published: Feb 8, 2016

DISPLAY : 20 50 100 all

PRELIMINARY

February 2016

Preface: 6th Nanoscience and Nanotechnology Symposium

AIP Conference Proceedings 1710, 010001 (2016); <https://doi.org/10.1063/1.4941461>



PLENARY AND INVITED PAPERS

February 2016

Solid electrolyte for solid-state batteries: Have lithium-ion batteries reached their technical limit?

Evy Kartini and Maykel Manawan

AIP Conference Proceedings **1710**, 020001 (2016); <https://doi.org/10.1063/1.4941462>

SHOW ABSTRACT



February 2016

An overview of nanoparticles utilization in magnetorheological materials

S. A. N. Leong, S. A. Mazlan, N. Mohamad, S. A. A. Aziz and Ubaidillah

AIP Conference Proceedings **1710**, 020002 (2016); <https://doi.org/10.1063/1.4941463>

SHOW ABSTRACT



February 2016

Structure and properties of solid polymer electrolyte based on chitosan and ZrO₂ nanoparticle for lithium ion battery

Sudaryanto, Evi Yulianti and Patimatuzzohrah

AIP Conference Proceedings **1710**, 020003 (2016); <https://doi.org/10.1063/1.4941464>

SHOW ABSTRACT



February 2016

Analysis of carrier gas flow rate effect on hydroxyapatite particle formation in ultrasonic spray pyrolysis

W. Widiyastuti, Adhi Setiawan, Tantular Nurtono and Sugeng Winardi

AIP Conference Proceedings **1710**, 020004 (2016); <https://doi.org/10.1063/1.4941465>

SHOW ABSTRACT



February 2016

The optical properties and photocatalytic activity of CdS-ZnS-TiO₂/Graphite for isopropanol degradation under visible light irradiation

Fitria Rahmawati, Rini Wulandari, Irvinna M. Murni and Mudjijono

AIP Conference Proceedings 1710, 020005 (2016); <https://doi.org/10.1063/1.4941466>

SHOW ABSTRACT



CONTRIBUTED ORAL PAPERS

February 2016

Low frequency magneto-impedance effects in electrode-posed multilayer [Ni₈₀Fe₂₀/Cu]₃ on Cu-wire substrates with different sample geometry

B. Anggit Wicaksono, Ahmad Asrori Nahrin, Nuryani and Budi Purnama

AIP Conference Proceedings 1710, 030001 (2016); <https://doi.org/10.1063/1.4941467>

SHOW ABSTRACT



February 2016

Influence of sample length to magneto-impedance effect in electrodeposited [Cu/Ni₈₀Fe₂₀]₃ multilayer wires at low frequency

Ismail, Nuryani and Budi Purnama

AIP Conference Proceedings 1710, 030002 (2016); <https://doi.org/10.1063/1.4941468>

SHOW ABSTRACT



February 2016

Synthesis of TiO₂ by electrochemical method from TiCl₄ solution as anode material for lithium-ion batteries

Adrian Nur, Agus Purwanto, Arif Jumari, Endah R. Dyartanti, Sifa Dian Permata Sari and Ita Nur Hanifah

AIP Conference Proceedings 1710, 030003 (2016); <https://doi.org/10.1063/1.4941469>

SHOW ABSTRACT



February 2016

Improving lithium-ion battery performances by adding fly ash from coal combustion on cathode film

Endah Retno Dyartanti, Arif Jumari, Adrian Nur and Agus Purwanto

AIP Conference Proceedings **1710**, 030004 (2016); <https://doi.org/10.1063/1.4941470>

SHOW ABSTRACT



February 2016

The influence of reduced graphene oxide on electrical conductivity of LiFePO₄-based composite as cathode material

Muhammad Arifin, Akfiny Hasdi Aimon, Toto Winata, Mikrajuddin Abdullah and Ferry Iskandar

AIP Conference Proceedings **1710**, 030005 (2016); <https://doi.org/10.1063/1.4941471>

SHOW ABSTRACT



February 2016

The influences of mole composition of strontium (x) on properties of barium strontium titanate (Ba_{1-x}Sr_xTiO₃) prepared by solid state reaction method

Dianisa Khoirum Sandi, Agus Supriyanto, Anif Jamaluddin and Yofentina Iriani

AIP Conference Proceedings **1710**, 030006 (2016); <https://doi.org/10.1063/1.4941472>

SHOW ABSTRACT



February 2016

Synthesis of gadolinium carbonate-conjugated-poly(ethylene)glycol (Gd₂(CO₃)₃@PEG) particles via a modified solvothermal method

Erika L. Y. Nasution, Atika Ahab, Bebeh W. Nuryadin, Freddy Haryanto, Idam Arif and Ferry Iskandar

AIP Conference Proceedings **1710**, 030007 (2016); <https://doi.org/10.1063/1.4941473>

SHOW ABSTRACT



Study on characteristics of PVDF/nano-clay composite polymer electrolyte using PVP as pore-forming agent

Endah R. Dyartanti, Agus Purwanto, I. Nyoman Widiassa and Heru Susanto

AIP Conference Proceedings **1710**, 030008 (2016); <https://doi.org/10.1063/1.4941474>

SHOW ABSTRACT



February 2016

Solution of D dimensional Dirac equation for coulombic potential using NU method and its thermodynamics properties

C. Cari, A. Suparmi, M. Yuniyanto and A. S. Husein

AIP Conference Proceedings **1710**, 030009 (2016); <https://doi.org/10.1063/1.4941475>

SHOW ABSTRACT



February 2016

Solution of D dimensional Dirac equation for hyperbolic tangent potential using NU method and its application in material properties

A. Suparmi, C. Cari, B. N. Pratiwi and U. A. Deta

AIP Conference Proceedings **1710**, 030010 (2016); <https://doi.org/10.1063/1.4941476>

SHOW ABSTRACT



February 2016

Influence of pH on the formulation of TiO₂ powder prepared by co-precipitation of TiCl₃ and photocatalytic activity

Gatut Yudoyono, Vicran Zharvan, Nur Ichzan, Rizqa Daniyati, Bachtera Indarto, Yono Hadi Pramono, Mochamad Zainuri and Darminto

AIP Conference Proceedings **1710**, 030011 (2016); <https://doi.org/10.1063/1.4941477>

SHOW ABSTRACT



February 2016

Anthocyanin extracted from Hibiscus (*Hibiscus rosa sinensis L.*) as a photosensitizer on nanostructured-TiO₂ dye sensitized solar cells

A. H. Ramelan, S. Wahyuningsih, N. A. Rosyida, E. Supriyanto, S. Saputro, Q. A. Hanif and L. Rinawati

AIP Conference Proceedings **1710**, 030012 (2016); <https://doi.org/10.1063/1.4941478>

SHOW ABSTRACT



February 2016

Modification of natural matrix lac-*bagasse* for matrix composite films

Nanik Dwi Nurhayati, Karna Widjaya and Triyono

AIP Conference Proceedings **1710**, 030013 (2016); <https://doi.org/10.1063/1.4941479>

SHOW ABSTRACT



February 2016

Micromagnetic study of exchange interaction effect on magnetization reversal mode of CoFeAl

Umi Muflihatun Nurul Azizah, Suryasatriya Trihandaru and Nur Aji Wibowo

AIP Conference Proceedings **1710**, 030014 (2016); <https://doi.org/10.1063/1.4941480>

SHOW ABSTRACT



February 2016

Preparation of silver-chitosan nanocomposites and coating on bandage for antibacterial wound dressing application

Endang Susilowati, Maryani and Ashadi

AIP Conference Proceedings **1710**, 030015 (2016); <https://doi.org/10.1063/1.4941481>

SHOW ABSTRACT



February 2016

Evaluation of biosurfactants grown in corn oil by *Rhodococcus rhodochrous* on removing of heavy metal ion from aqueous solution

AIP Conference Proceedings **1710**, 030016 (2016); <https://doi.org/10.1063/1.4941482>

SHOW ABSTRACT



February 2016

The *Scaevola frutescen* (Mill.) Krause dried-leaves extract as a potential natural reduction system for synthesis of gold nanoparticles and their evaluation for antibacterial of *Eschericia coli*

Salprima Yudha S., Eka Angasa, Totok Eka Suharto, Yuta Nishina, Zulfikri Achid Mardlia and Sipriyadi

AIP Conference Proceedings **1710**, 030017 (2016); <https://doi.org/10.1063/1.4941483>

SHOW ABSTRACT



February 2016

Effect of concentration of sodium silicate solution in the synthesis of silica-coated magnetite nanoparticles by ultrasonication

Fauziatul Fajaroh, Sumari and Nazriati

AIP Conference Proceedings **1710**, 030018 (2016); <https://doi.org/10.1063/1.4941484>

SHOW ABSTRACT



February 2016

The influence of Ca-Mg-Al hydrotalcite synthesized from brine water on thermal and mechanical properties of HTlc-EVA composite

Wiwiek Karina, Eddy Heraldly, Edi Pramono, Heriyanto and Shanti Astuti

AIP Conference Proceedings **1710**, 030019 (2016); <https://doi.org/10.1063/1.4941485>

SHOW ABSTRACT



February 2016

Poly lactide nanocomposites for packaging materials: A review

Indah Widiastuti

AIP Conference Proceedings **1710**, 030020 (2016); <https://doi.org/10.1063/1.4941486>

[BROWSE VOLUMES](#)

SHOW ABSTRACT



February 2016

The preparation of polyelectrolyte complexes carboxymethyl chitosan(CMC)-pectin by reflux method as a Pb (II) metal ion adsorbent

Budi Hastuti, Mudasir, Dwi Siswanta and Triyono

AIP Conference Proceedings **1710**, 030021 (2016); <https://doi.org/10.1063/1.4941487>

SHOW ABSTRACT



February 2016

Biosorption of toxic lead (II) ions using tomato waste (*Solanum lycopersicum*) activated by NaOH

Diah Permatasari, Eddy Heraldly and Witri Wahyu Lestari

AIP Conference Proceedings **1710**, 030022 (2016); <https://doi.org/10.1063/1.4941488>

SHOW ABSTRACT



February 2016

Synthesis of anatase and rutile TiO₂ nanostructures from natural ilmenite

Sayekti Wahyuingsih, Ari Handono Ramelan, Edi Pramono, Ariantama Djati Sulistya, Panji Rofa Argawan, Frenandha Dwi Dharmawan, Ludfiaastu Rinawati, Qonita Awliya Hanif, Eko Sulistiyono and Florentinus Firdiyono

AIP Conference Proceedings **1710**, 030023 (2016); <https://doi.org/10.1063/1.4941489>

SHOW ABSTRACT



February 2016

Effect of varieties composition of wall material on physical and chemistry characteristics of microcapsulated kaffir lime leave oleoresin (*Citrus hystrix DC*)

Zhulfani Nur Latifatunissa, Kawiji, Lia Umi Khasanah and Rohula Utami

AIP Conference Proceedings **1710**, 030024 (2016); <https://doi.org/10.1063/1.4941490>

February 2016

Adsorption of Procion Red MX 8B using spent tea leaves as adsorbent

Eddy Heraldly, Riesta Ramdhaniyati Osa and Venty Suryanti

AIP Conference Proceedings **1710**, 030025 (2016); <https://doi.org/10.1063/1.4941491>

SHOW ABSTRACT



February 2016

Low pressure hand made PVD system for high crystalline metal thin film preparation in micro-nanometer scale

Ahmad Rosikhin, Aulia Fikri Hidayat, Rinaldo Marimpul, Ibnu Syuhada and Toto Winata

AIP Conference Proceedings **1710**, 030026 (2016); <https://doi.org/10.1063/1.4941492>

SHOW ABSTRACT



February 2016

Green synthesis of ZnO nanoparticles via complex formation by using *Curcuma longa* extract

Is Fatimah, Septian P. Yudha and Nur Afisa Lintang Mutiara

AIP Conference Proceedings **1710**, 030027 (2016); <https://doi.org/10.1063/1.4941493>

SHOW ABSTRACT



February 2016

Optimizing deacetylation process for chitosan production from green mussel (*perna viridis*) shell

Y.C. Danarto and Sperisa Distantina

AIP Conference Proceedings **1710**, 030028 (2016); <https://doi.org/10.1063/1.4941494>

SHOW ABSTRACT



Effect of natural Bayah zeolite particle size reduction to physico-chemical properties and absorption against potassium permanganate (KMnO₄)

Siti Mariana Widayanti, Khaswar Syamsu, Endang Warsiki and Sri Yuliani

AIP Conference Proceedings **1710**, 030029 (2016); <https://doi.org/10.1063/1.4941495>

SHOW ABSTRACT



February 2016

Effect of adhesive thickness and surface treatment on shear strength on single lap joint Al/CFRP using adhesive of epoxy/Al fine powder

Kuncoro Diharjo, Miftahul Anwar, Roy Aries P. Tarigan and Ahmad Rivai

AIP Conference Proceedings **1710**, 030030 (2016); <https://doi.org/10.1063/1.4941496>

SHOW ABSTRACT



February 2016

The influences of elastomer toward degradability of poly (lactic acid)

Mujtahid Kaavessina, Sperisa Distantina, Achmad Chafidz, Fadilah and Saeed M. Al-Zahrani

AIP Conference Proceedings **1710**, 030031 (2016); <https://doi.org/10.1063/1.4941497>

SHOW ABSTRACT



February 2016

Wear and impact resistance of HVOF sprayed ceramic matrix composites coating

B. Prawara, E. Martides, B. Priyono, H. Ardy and N. Rikardo

AIP Conference Proceedings **1710**, 030032 (2016); <https://doi.org/10.1063/1.4941498>

SHOW ABSTRACT



February 2016

Effect of precursor concentration on the electrical properties of LiFePO₄ prepared by solvothermal method

Ahmad Yasin Rabbani, Hafizh A. Fakhri, Muhammad Arifin, Akfiny Hasdi Aimon and Ferry Iskandar

SHOW ABSTRACT



February 2016

Effect of nano-scale characteristics of graphene on electrochemical performance of activated carbon supercapacitor electrodes

M. R. M. Jasni, M. Deraman, M. Suleman, E. Hamdan, N. E. S. Sazali, N. S. M. Nor and S. A. Shamsudin

AIP Conference Proceedings **1710**, 030034 (2016); <https://doi.org/10.1063/1.4941500>

SHOW ABSTRACT



February 2016

Biosorption of Cu(II) ions by cellulose of cabbage waste as biosorbent from agricultural waste

Eddy Herald, Wireni and Witri Wahyu Lestari

AIP Conference Proceedings **1710**, 030035 (2016); <https://doi.org/10.1063/1.4941501>

SHOW ABSTRACT



February 2016

Biosorption of lead (II) ions by NaOH-activated apple (*Malus domestica*) juice residue

Devita Dwi Arimurti, Eddy Herald and Witri Wahyu Lestari

AIP Conference Proceedings **1710**, 030036 (2016); <https://doi.org/10.1063/1.4941502>

SHOW ABSTRACT



February 2016

Synthesis of nano-forsterite powder by making use of natural silica sand

Upik Nurbaiti, Fikriyatul Azizah Suud, Darminto, Triwikantoro, Mochamad Zainuri and Suminar Pratapa

AIP Conference Proceedings **1710**, 030037 (2016); <https://doi.org/10.1063/1.4941503>

February 2016

Detection of CdSe quantum dot photoluminescence for security label on paper

Isnaeni, Lyon Titok Sugiarto, Ratu Bilqis and Jatmiko Endro Suseno

AIP Conference Proceedings **1710**, 030038 (2016); <https://doi.org/10.1063/1.4941504>

SHOW ABSTRACT



February 2016

Effects of temperature on Cu structure deposited on Si substrate: A molecular dynamics study

Aulia Fikri Hidayat, Ahmad Rosikhin, Ibnu Syuhada and Toto Winata

AIP Conference Proceedings **1710**, 030039 (2016); <https://doi.org/10.1063/1.4941505>

SHOW ABSTRACT



February 2016

Synthesis of nano-sized ZnO particles by co-precipitation method with variation of heating time

S. Y. Purwaningsih, S. Pratapa, Triwikantoro and Darminto

AIP Conference Proceedings **1710**, 030040 (2016); <https://doi.org/10.1063/1.4941506>

SHOW ABSTRACT



February 2016

Electrophoretic deposition of adsorbed arsenic on fine iron oxide particles in tap water

Syahira Mohd Sharif, Noor Fitrah Abu Bakar, M. Nazli Naim, Norazah Abd Rahman and Suhaimi Abdul Talib

AIP Conference Proceedings **1710**, 030041 (2016); <https://doi.org/10.1063/1.4941507>

SHOW ABSTRACT



Electrochemical performance of LiFePO_4 cylinder cell battery

Wagiyo Honggowiranto, Sudaryanto, Evvy Kartini and Agus Purwanto

AIP Conference Proceedings **1710**, 030042 (2016); <https://doi.org/10.1063/1.4941508>

SHOW ABSTRACT



February 2016

Preparation and characterization of semi-refined kappa carrageenan-based edible film for nano coating application on minimally processed food

Godras Jati Manuhara, Danar Praseptiangga, Dimas Rahadian Aji Muhammad and Bawani Hindami Maimuni

AIP Conference Proceedings **1710**, 030043 (2016); <https://doi.org/10.1063/1.4941509>

SHOW ABSTRACT



February 2016

Study of TiO_2 particles size, dyes, and catalyst to improve the performance of DSSC

Sahrul Saehana, Darsikin and Muslimin

AIP Conference Proceedings **1710**, 030044 (2016); <https://doi.org/10.1063/1.4941510>

SHOW ABSTRACT



1 2 >

Resources

AUTHOR

LIBRARIAN

BROWSE VOLUMES

General Information

[ABOUT](#)

[CONTACT](#)

[HELP](#)

[PRIVACY POLICY](#)

[TERMS OF USE](#)

FOLLOW AIP PUBLISHING:



Website © 2019 AIP Publishing LLC.

Article copyright remains as
specified within the article.

Scitation



AIP

Conference Proceedings

HOME

BROWSE

MORE ▼

[Home](#) > [AIP Conference Proceedings](#) > [Volume 1710, Issue 1](#) > [10.1063/1.4941461](#)

NEXT >

Published Online: 09 February 2016

Preface: 6th Nanoscience and Nanotechnology Symposium

AIP Conference Proceedings **1710**, 010001 (2016); <https://doi.org/10.1063/1.4941461>



PREFACE: 6th Nanoscience and Nanotechnology Symposium

Nanotechnology is the key of forefront technology in modern live. The application of nanomaterial can be found in our daily products to space application devices. The ability to custom a product with high performance properties is the advantage of nanotechnology. In addition, the new property of nanomaterial that is not found in its



PDF

The 6th Nanoscience and Nanotechnology Symposium (NNS 2015) is an international symposium held every two years and a forum for meeting of nanoscience and nanotechnology scientists. This symposium is organized by Sebelas Maret University supported by Bandung Institute of Technology, Indonesia. The 6th Nanoscience and Nanotechnology Symposium (NNS 2015) held in Sunan Hotel - Surakarta on November 4-5, 2015. The participants from seven countries made the symposium truly international in scope. In this symposium, it had been presented 120 abstracts. The abstracts were split almost equally between the five main conference areas, i.e., Nanotechnology in Energy Application (NNS A), Nanomaterial Synthesis and Characterization (NNS B), Nano Biotechnology and Nanomedicine (NNS C), Nanooptics, Nanooptoelectronics, Nanophotonics (NNS D), and Advanced Materials (NNS E). The papers published in this proceeding are those presented in the symposium and has been peer reviewed. This proceeding consists of 65 full-text papers which have been selected from the presented abstract.

Finally, we would like to extend our thanks to the symposium committee who run all aspect of the technical organization of this event. Special thanks go to our plenary, invited and contributed speaker who present and share their work.


Editors

Agus Purwanto, Adrian Nur, Fitria Rahmawati, Endah Retno Dyartanti, Arif Jumari

6th Nanoscience and Nanotechnology Symposium (NNS2015)
AIP Conf. Proc. 1710, 010001-1-010001-1; doi: 10.1063/1.4941461
© 2016 AIP Publishing LLC 978-0-7354-1357-3/\$30.00

010001-1

 PDF



 **Chemical
Physics Reviews** **Now open for submissions**
LEARN MORE >>> **NEW!**

Resources

[AUTHOR](#)

[LIBRARIAN](#)

[ADVERTISER](#)

General Information

[ABOUT](#)

[CONTACT](#)

[HELP](#)

[PRIVACY POLICY](#)

[TERMS OF USE](#)

FOLLOW AIP PUBLISHING:



 PDF

Website © 2020 AIP Publishing LLC.

Article copyright remains as
specified within the article.

Scitation

