DAFTAR PUSTAKA

Afrisawati, A., & Sahren, S. (2020). Analisis Perbandingan Menggunakan Metode Moora Dan Waspas Pemilihan Bibit Sapi Potong Terbaik. *JURTEKSI (Jurnal Teknologi Dan Sistem Informasi)*, *6*(3), 269–276. https://doi.org/10.33330/jurteksi.v6i3.827

Agmalaro, M. A., Kustiyo, A., & Akbar, A. R. (2013). Identifikasi Tanaman Buah Tropika Berdasarkan Tekstur Permukaan Daun Menggunakan Jaringan Syaraf Tiruan. *Jurnal Ilmu Komputer Dan Agri-Informatika*, *2*(2), 73. https://doi.org/10.29244/jika.2.2.73-82

Anguo Xie, Yu Zhang, Han Wu, M. C. (2024). *Monitoring the Aging and Edible Safety of Pork in Postmortem Storage Based on HSI and Wavelet Transform*.

Armi, L., & Fekri-Ershad, S. (2019). *Texture image analysis and texture classification methods - A review*. *2*(1), 1–29.

Asmara, R. A., Romario, R., Batubulan, K. S., Rohadi, E., Siradjuddin, I., Ronilaya, F., Ariyanto, R., Rahmad, C., & Rahutomo, F. (2018). Classification of pork and beef meat images using extraction of color and texture feature by Grey Level Co-Occurrence Matrix method. *IOP Conference Series: Materials Science and Engineering*, *434*(1). https://doi.org/10.1088/1757-899X/434/1/012072

Ávila, M. M., Durán, M. L., Caballero, D., Antequera, T., Palacios-Pérez, T., Cernadas, E., & Fernández-Delgado, M. (2019). Magnetic Resonance Imaging, texture analysis and regression techniques to non-destructively predict the quality characteristics of meat pieces. *Engineering Applications of Artificial Intelligence*, *82*(March), 110–125. https://doi.org/10.1016/j.engappai.2019.03.026

Berutu, R. S. (2020). Perancangan Aplikasi Deteksi Citra Mentimun Yang Berkualitas Denganmetode Transformasi Haar Wavelet. *Pelita Informatika: Informasi Dan …*, *8*(April), 457–460. http://ejurnal.stmik-budidarma.ac.id/index.php/pelita/article/view/2443

Bianconi, F., & Fernández, A. (2014). Rotation invariant co-occurrence features based on digital circles and discrete Fourier transform. *Pattern Recognition Letters*, *48*, 34–41. https://doi.org/10.1016/j.patrec.2014.04.006

Caballero, D., Caro, A., Amigo, J. M., Ávila, M., Antequera, T., & Pérez-Palacios, T. (2019). Radial textures: A new approach to analyze meat quality by using MRI. *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, *11401 LNCS*, 479–486. https://doi.org/10.1007/978-3-

030-13469-3_56

Caridade, C. M. R., Pereira, C. D., Pires, A. F., Marnotes, N. G., & Viegas, J. F. (2022). Image analysis as a tool for beef grading. *Computer Methods in Biomechanics and Biomedical Engineering: Imaging and Visualization*, *10*(5), 466–475. https://doi.org/10.1080/21681163.2020.1776159

Cernadas, E., Fernández-delgado, M., Fulladosa, E., & Muñoz, I. (2022). Automatic marbling prediction of sliced dry-cured ham using image segmentation , texture analysis and regression. *Expert Systems With Applications*, *206*(October 2021), 117765. https://doi.org/10.1016/j.eswa.2022.117765

Cevik, T., Alshaykha, A. M. A., & Cevik, N. (2016). Performance analysis of GLCM-based classification on Wavelet Transform-compressed fingerprint images. *2016 6th International Conference on Digital Information and Communication Technology and Its Applications, DICTAP 2016*, 131–135. https://doi.org/10.1109/DICTAP.2016.7544014

Chairunnisa, J., Iskandar Muda, T., Katul Fikriah, F., Anggi Pramunendar, R., Fajar Shidik, G., Zainul Fanani, A., & Soeleman, A. (2018). Pork and Beef Features Extractions. *Proceedings - 2018 International Seminar on Application for Technology of Information and Communication: Creative Technology for Human Life, ISemantic 2018*, 295–298. https://doi.org/10.1109/ISEMANTIC.2018.8549765

Chang, R., Wei, Y., Ma, L., Wang, Y., Liu, H., & Song, M. (2011). The judgment of beef marble texture based on the MATLAB image processing technology. *IFIP Advances in Information and Communication Technology*, *346 AICT*(PART 3), 106–112. https://doi.org/10.1007/978-3-642-18354-6_15

Dandung Prakoso, L., Widia, T., & Salma Hanifah, H. (2022). Implementasi Metode Moving Average dalam Analisis Rantai Pasok Daging Sapi di Indonesia. *Jurnal Riset Komputer)*, *9*(3), 2407–389. https://doi.org/10.30865/jurikom.v9i3.4223

Datta, G., Kundu, S., Yin, Z., Lakkireddy, R. T., Mathai, J., Jacob, A. P., Beerel, P. A., & Jaiswal, A. R. (2022). A processing-in-pixel-in-memory paradigm for resource-constrained TinyML applications. *Scientific Reports*, *12*(1), 1–16. https://doi.org/10.1038/s41598-022-17934-1

Don Africa, A. M., Claire Alberto, S. T., & Evan Tan, T. Y. (2020). Development of a portable electronic device for the detection and indication of fireworks and firecrackers for security personnel. *Indonesian Journal of Electrical Engineering and Computer Science*, *19*(3), 1194–1203. https://doi.org/10.11591/ijeecs.v19.i3.pp

Döner, D., Çokgezme, Ö. F., Çevik, M., Engin, M., & İçier, F. (2020). Thermal Image

Processing Technique for Determination of Temperature Distributions of Minced Beef Thawed by Ohmic and Conventional Methods. *Food and Bioprocess Technology*, *13*(11), 1878–1892. https://doi.org/10.1007/s11947-020-02530-w

Gallego, A. J., Rico-juan, J. R., & Valero-mas, J. J. (2022). Efficient k -nearest neighbor search based on clustering and adaptive k values. *Pattern Recognition*, *122*, 108356. https://doi.org/10.1016/j.patcog.2021.108356

Handayani, L., Jasril, Budianita, E., Oktista, W., Hadi, R., Fattah, D., Yendra, R., & Fudholi, A. (2017). Comparison of target Probabilistic Neural network (PNN) classification for beef and pork. *Journal of Theoretical and Applied Information Technology*, *95*(12), 2753– 2760.

Haralick, R., Shanmugam, K., and D. (1973). *TexturalFeatures.pdf*.

He, X., Shao, C., & Xiong, Y. (2014). Improving time series classification accuracy: Combining global and local information in the similarity criterion. *Latin American Applied Research*, *44*(3), 225–229. https://doi.org/10.52292/j.laar.2014.445

Hosseinpour, S., Ilkhchi, A. H., & Aghbashlo, M. (2019). An intelligent machine vision-based smartphone app for beef quality evaluation. *Journal of Food Engineering*, *248*(August 2018), 9–22. https://doi.org/10.1016/j.jfoodeng.2018.12.009

Jackman, P., Sun, D. W., Du, C. J., & Allen, P. (2009). Prediction of beef eating qualities from colour, marbling and wavelet surface texture features using homogenous carcass treatment. *Pattern Recognition*, *42*(5), 751–763. https://doi.org/10.1016/j.patcog.2008.09.009

Jasril, J., & Sanjaya, S. (2018). Learning Vector Quantization 3 (LVQ3) and Spatial Fuzzy C-Means (SFCM) for Beef and Pork Image Classification. In *Indonesian Journal of …*. download.garuda.kemdikbud.go.id. http://download.garuda.kemdikbud.go.id/article.php?article=802930&val=11324&title= Learning Vector Quantization 3 LVQ3 and Spatial Fuzzy C-Means SFCM for Beef and Pork Image Classification

Jiang, Rongchang, Rongchang Jiang, Jingxin Shen, Xinran Li, Rui Gao, Qinghe Zhao, Z. S. (2022). Detection and recognition of veterinary drug residues in beef using hyperspectral discrete wavelet transform and deep learning. *International Journal of Agricultural and Biological Engineering*, *15*(1), 224–232. https://doi.org/10.25165/j.ijabe.20221501.6459

Jain, A. K., Duin, R. P. W., & Mao, J. (2000). Statistical Pattern Recognition: A Review. IEEE Transactions on Pattern Analysis and Machine Intelligence, 22(1), 4–37.

Khoerul Anwar, S. S. (2022). The Identification of Beef and Pork Using Neural Network Based

on Texture Features. *Journal of Engineering Research*, 1–19. https://doi.org/10.36909/jer.17983

Kiswanto, Fitriyanti, B. W. (2020). Model RGB , CV , Indeks R , Indeks G , Indeks B , HSI Dan Metode Wavelet Daubechies untuk Identifikasi Jenis Daging Sapi untuk Mendapatkan Kualitas Daging Terbaik Models RGB , CV , Index R , Index G , Index B , HSI And Daubechies Wavelet Method for Identi. *Jurnal Multimedia & Artificial Intelligence*, 13–20.

Kiswanto, H., & Sediyono, E. (2024). Meat Texture Image Classification Using the Haar Wavelet Approach and a Gray-Level Co-Occurrence Matrix. *Applied System Innovation*, *7*(3), 49. https://doi.org/10.3390/asi7030049

Kiswanto, K., & Hadiyanto, H. (2024). *Meat Texture Image Classification Using the Haar Wavelet Approach and a Gray-Level Co-Occurrence Matrix*.

Liu, L., Meng, L., Peng, Y., & Wang, X. (2021). A data hiding scheme based on U-Net and wavelet transform. *Knowledge-Based Systems*, *223*, 107022. https://doi.org/10.1016/j.knosys.2021.107022

Malikhah, M., Sarno, R., & Sabilla, S. I. (2021). Ensemble Learning for Optimizing Classification of Pork Adulteration in Beef Based on Electronic Nose Dataset. *International Journal of Intelligent Engineering and Systems*, *14*(4), 44–55. https://doi.org/10.22266/ijies2021.0831.05

Manivannan, K., Aggarwal, P., Devabhaktuni, V., Kumar, A., Nims, D., & Bhattacharya, P. (2012). Particulate matter characterization by gray level co-occurrence matrix based support vector machines. *Journal of Hazardous Materials*, *223–224*, 94–103. https://doi.org/10.1016/j.jhazmat.2012.04.056

Muhaimin Gusrin, A. F. (2020). Pepper Powder Quality Identification System Based on Silent Angle Imagery. *Buletin Ilmiah Sarjana Teknik Elektro*, *2*(1), 24. https://doi.org/10.12928/biste.v2i1.1491

Mukti, B. P. (2019). STRATEGI KETAHANAN PANGAN NABI YUSUF Studi Analisis tentang Sistem Ketahanan Pangan Nabi Yusuf dalam Al-Quran Surat Yusuf Ayat : 46-49. *Jurnal Tarjih Dan Pengembangan Pemikiran Islam*, *16*(1), 35–47.

Neneng, N., Adi, K., & Isnanto, R. (2016). Support Vector Machine Untuk Klasifikasi Citra Jenis Daging Berdasarkan Tekstur Menggunakan Ekstraksi Ciri Gray Level Co-Occurrence Matrices (GLCM). *Jurnal Sistem Informasi Bisnis*, *6*(1), 1. https://doi.org/10.21456/vol6iss1pp1-10

Nubiato, K. E. Z., Mazon, M. R., Antonelo, D. S., Calkins, C. R., Naganathan, G. K., Subbiah,

J., & da Luz e Silva, S. (2018). A bench-top hyperspectral imaging system to classify beef from Nellore cattle based on tenderness. *Infrared Physics and Technology*, *89*, 247–254. https://doi.org/10.1016/j.infrared.2018.01.005

Pare, S., Bhandari, A. K., Kumar, A., & Singh, G. K. (2017). An optimal color image multilevel thresholding technique using grey-level co-occurrence matrix. *Expert Systems with Applications*, *87*, 335–362. https://doi.org/10.1016/j.eswa.2017.06.021

Poulose, A., & Han, D. S. (2019). Hybrid indoor localization using IMU sensors and smartphone camera. *Sensors (Switzerland)*, *19*(23). https://doi.org/10.3390/s19235084

Pu, H., Xie, A., Sun, D. W., Kamruzzaman, M., & Ma, J. (2015). Application of Wavelet Analysis to Spectral Data for Categorization of Lamb Muscles. *Food and Bioprocess Technology*, *8*(1), 1–16. https://doi.org/10.1007/s11947-014-1393-8

Putri, A. R. (2016). Pengolahan citra dengan menggunakan web cam pada kendaraan bergerak di jalan raya. *JIPI (Jurnal Ilmiah Pendidikan Informatika)*, *1*, 1–6.

R. Choudhary, J. Paliwal, D. S. J. (2008). Classification of cereal grains using wavelet, morphological, colour, and textural features of non-touching kernel images. *Biosystems Engineering*, *99*(3), 330–337. https://doi.org/10.1016/j.biosystemseng.2007.11.013

Rahman, D., Sarno, R., & Zulaika, E. (2021). Sensors and Actuators : B . Chemical DWTLSTM for electronic nose signal processing in beef quality monitoring. *Sensors and Actuators: B. Chemical*, *326*(March 2020), 128931. https://doi.org/10.1016/j.snb.2020.128931

Ranitovic, A., Pezo, L., Sovljanski, O., Tomic, A., Cvetkovic, D., & Markov, S. (2021). Artificial neural network prediction of microbiological quality of beef minced meat processed for fast-food meals. *IOP Conference Series: Earth and Environmental Science*, *854*(1). https://doi.org/10.1088/1755-1315/854/1/012091

R Rizal Isnanto. (2012). Ekstraksi ciri berdasarkan tekstur terhadap iris mata menggunakan alihragam gelombang singkat. Disertasi, Universitas Gadjah Mada.

Ratna, S. (2020). Pengolahan citra digital dan histogram dengan phyton dan text editor phycharm. *Jurnal Ilmiah "Technologia,"* *11*(3), 181–186.

Roberti de Siqueira, F., Robson Schwartz, W., & Pedrini, H. (2013). Multi-scale gray level co-occurrence matrices for texture description. *Neurocomputing*, *120*, 336–345. https://doi.org/10.1016/j.neucom.2012.09.042

Sadaghiyanfam, S. (2018). Using gray-level-co-occurrence matrix and wavelet transform for textural fabric defect detection: A comparison study. *2018 Electric Electronics, Computer Science, Biomedical Engineerings' Meeting, EBBT 2018*, 1–5.

https://doi.org/10.1109/EBBT.2018.8391440

Salsabila, A., Yunita, R., & Rozikin, C. (2021). Identifikasi Citra Jenis Bunga menggunakan Algoritma KNN dengan Ekstrasi Warna HSV dan Tekstur GLCM. *Technomedia Journal*, *6*(1), 124–137. https://doi.org/10.33050/tmj.v6i1.1667

Sarno, R. (2020). Detecting Pork Adulteration in Beef for Halal Authentication using an Optimized Electronic Nose System. *IEEE Access*. https://doi.org/10.1109/ACCESS.2020.3043394

Sarno, R., & Wijaya, D. R. (2019). Recent development in electronic nose data processing for beef quality assessment. *Telkomnika (Telecommunication Computing Electronics and Control)*, *17*(1), 337–348. https://doi.org/10.12928/TELKOMNIKA.v17i1.10565

Schreuders, F. K. G., Schlangen, M., Kyriakopoulou, K., Boom, R. M., & van der Goot, A. J. (2021). Texture methods for evaluating meat and meat analogue structures: A review. *Food Control*, *127*(January), 108103. https://doi.org/10.1016/j.foodcont.2021.108103

Sun, X., Chen, K. J., Berg, E. P., Newman, D. J., Schwartz, C. A., Keller, W. L., & Maddock Carlin, K. R. (2014). Prediction of troponin-T degradation using color image texture features in 10d aged beef longissimus steaks. *Meat Science*, *96*(2), 837–842. https://doi.org/10.1016/j.meatsci.2013.09.012

Tan, W. K. (2020). Feasibility Study of Beef Quality Assessment using Computer Vision and Deep Neural Network (DNN) Algorithm. In *2020 8th International Conference on Information Technology and Multimedia, ICIMU 2020* (pp. 243–246). https://doi.org/10.1109/ICIMU49871.2020.9243353

Velásquez, L., Cruz-Tirado, J. P., Siche, R., & Quevedo, R. (2017). An application based on the decision tree to classify the marbling of beef by hyperspectral imaging. *Meat Science*, *133*, 43–50. https://doi.org/10.1016/j.meatsci.2017.06.002

Wijaya, D. R., Sarno, R., & Zulaika, E. (2019). Noise filtering framework for electronic nose signals: An application for beef quality monitoring. *Computers and Electronics in Agriculture*, *157*(December 2018), 305–321. https://doi.org/10.1016/j.compag.2019.01.001

Wong, T. T. (2015). Performance evaluation of classification algorithms by k-fold and leave-one-out cross validation. *Pattern Recognition*, *48*(9), 2839–2846. https://doi.org/10.1016/j.patcog.2015.03.009

Wu, H., & Li, Z. (2009). *Scale Issues in Remote Sensing: A Review on Analysis, Processing and Modeling*. 1768–1793. https://doi.org/10.3390/s90301768

Yang, D., Lu, A., Ren, D., & Wang, J. (2018). Detection of total viable count in spiced beef

using hyperspectral imaging combined with wavelet transform and multiway partial least squares algorithm. *Journal of Food Safety*, *38*(1), 1–13. https://doi.org/10.1111/jfs.12390

Yang, X., Zhao, Y., Qi, H., & Tabler, G. T. (2021). Characterizing sounds of different sources in a commercial broiler house. *Animals*, *11*(3), 1–11. https://doi.org/10.3390/ani11030916

Yang, Y., Wang, W., Zhuang, H., Yoon, S. C., & Jiang, H. (2018). Fusion of spectra and texture data of hyperspectral imaging for the prediction of the water-holding capacity of fresh chicken breast filets. *Applied Sciences (Switzerland)*, *8*(4). https://doi.org/10.3390/app8040640

Zada, L., & Aziz, I. (2022). Numerical solution of fractional partial differential equations via Haar wavelet. *Numerical Methods for Partial Differential Equations*, *38*(2), 222–242. https://doi.org/10.1002/num.22658