

## DAFTAR PUSTAKA

- AAT Bioquest, Inc. (2024). *IC50 Calculator*. 4 Dec. 2024, <https://www.aatbio.com/tools/ic50-calculator>
- Abu Lila, A. S., & Ishida, T. (2017). Liposomal Delivery Systems: Design Optimization and Current Applications. *Biological & Pharmaceutical Bulletin*, 40(1), 1–10. <https://doi.org/10.1248/bpb.b16-00624>
- Akbarzadeh, A., Rezaei-Sadabady, R., Davaran, S., Joo, S. W., Zarghami, N., Hanifehpour, Y., Samiei, M., Kouhi, M., & Nejati-Koshki, K. (2013). Liposome: classification, preparation, and applications. *Nanoscale Research Letters*, 8(1), 102. <https://doi.org/10.1186/1556-276X-8-102>
- Ali, S. S., Ahsan, H., Zia, M. K., Siddiqui, T., & Khan, F. H. (2020). Understanding oxidants and antioxidants: Classical team with new players. *Journal of Food Biochemistry*, 44(3). <https://doi.org/10.1111/jfbc.13145>
- Amatya, S., Park, E. J., Park, J. H., Kim, J. S., Seol, E., Lee, H., Choi, H., Shin, Y.-H., & Na, D. H. (2013). Drug release testing methods of polymeric particulate drug formulations. *Journal of Pharmaceutical Investigation*, 43(4), 259–266. <https://doi.org/10.1007/s40005-013-0072-5>
- Bonner, M. Y., & Arbiser, J. L. (2014). The Antioxidant Paradox: What are Antioxidants and How Should They Be Used in a Therapeutic Context for Cancer. *Future Medicinal Chemistry*, 6(12), 1413–1422. <https://doi.org/10.4155/fmc.14.86>
- Chakraborty, S., Doktorova, M., Molugu, T. R., Heberle, F. A., Scott, H. L., Dzikovski, B., Nagao, M., Stingaciu, L.-R., Standaert, R. F., Barrera, F. N., Katsaras, J., Khelashvili, G., Brown, M. F., & Ashkar, R. (2020). How cholesterol stiffens unsaturated lipid membranes. *Proceedings of the National Academy of Sciences*, 117(36), 21896–21905. <https://doi.org/10.1073/pnas.2004807117>
- Chaves, M. A., Ferreira, L. S., Baldino, L., Pinho, S. C., & Reverchon, E. (2023). Current Applications of Liposomes for the Delivery of Vitamins: A Systematic Review. *Nanomaterials*, 13(9), 1557. <https://doi.org/10.3390/nano13091557>
- Chen, C. C., Tsai, T. H., Huang, Z. R., & Fang, J. Y. (2010). Effects of lipophilic emulsifiers on the oral administration of lovastatin from nanostructured lipid carriers: Physicochemical characterization and pharmacokinetics. *European Journal of Pharmaceutics and Biopharmaceutics*, 74(3), 474–482. <https://doi.org/10.1016/J.EJPB.2009.12.008>
- Chen, O., Zhuang, J., Guzzetta, F., Lynch, J., Angerhofer, A., & Cao, Y. C. (2009). Synthesis of Water-Soluble 2,2'-Diphenyl-1-Picrylhydrazyl

- Nanoparticles: A New Standard for Electron Paramagnetic Resonance Spectroscopy. *Journal of the American Chemical Society*, 131(35), 12542–12543. <https://doi.org/10.1021/ja905395u>
- Chen, W., Palazzo, A., Hennink, W. E., & Kok, R. J. (2017). Effect of Particle Size on Drug Loading and Release Kinetics of Gefitinib-Loaded PLGA Microspheres. *Molecular Pharmaceutics*, 14(2), 459–467. <https://doi.org/10.1021/acs.molpharmaceut.6b00896>
- De Caro, C. A., Toledo, M., & Claudia, H. (2015). *UV/VIS Spectrophotometry-Fundamentals and Applications*. <https://www.researchgate.net/publication/321017142>
- Desmarchelier, C., Tourniaire, F., Prévéraud, D. P., Samson-Kremser, C., Crenon, I., Rosilio, V., & Borel, P. (2013). The distribution and relative hydrolysis of tocopheryl acetate in the different matrices coexisting in the lumen of the small intestine during digestion could explain its low bioavailability. *Molecular Nutrition & Food Research*, 57(7), 1237–1245. <https://doi.org/10.1002/mnfr.201200720>
- Detoni, C. B., Cabral-Albuquerque, E. C. M., Hohlemweger, S. V. A., Sampaio, C., Barros, T. F., & Velozo, E. S. (2009). Essential oil from *Zanthoxylum tingoassuiba* loaded into multilamellar liposomes useful as antimicrobial agents. *Journal of Microencapsulation*, 26(8), 684–691. <https://doi.org/10.3109/02652040802661887>
- Di Lonardo, A., De Rosa, M., Graziano, A., Pascone, C., & Lucattelli, E. (2019). Effectiveness of topical  $\alpha$ -Tocopherol Acetate in burn infection treatment. *Annals of burns and fire disasters*, 32(4), 282–288.
- Divya, P. M., Roopa, B. S., Manusha, C., & Balannara, P. (2023). A concise review on oil extraction methods, nutritional and therapeutic role of coconut products. *Journal of Food Science and Technology*, 60(2), 441–452. <https://doi.org/10.1007/s13197-022-05352-0>
- D'Souza, S. S., & DeLuca, P. P. (2006). Methods to Assess in Vitro Drug Release from Injectable Polymeric Particulate Systems. *Pharmaceutical Research*, 23(3), 460–474. <https://doi.org/10.1007/s11095-005-9397-8>
- Duhem, N., Danhier, F., & Pr at, V. (2014). Vitamin E-based nanomedicines for anti-cancer drug delivery. *Journal of Controlled Release*, 182, 33–44. <https://doi.org/10.1016/j.jconrel.2014.03.009>
- Emami, S., Azadmard-Damirchi, S., Peighambardoust, S. H., Valizadeh, H., & Hesari, J. (2016). Liposomes as carrier vehicles for functional compounds in food sector. *Journal of Experimental Nanoscience*, 11(9), 737–759. <https://doi.org/10.1080/17458080.2016.1148273>

- Eroğlu, İ., & İbrahim, M. (2020). Liposome–ligand conjugates: a review on the current state of art. *Journal of Drug Targeting*, 28(3), 225–244. <https://doi.org/10.1080/1061186X.2019.1648479>
- Fauziah, A., Sudirga, S. K., & Parwanayoni, N. M. S. (2021). Uji Antioksidan Ekstrak Daun Tanaman Leunca (*Solanum nigrum* L.). *Metamorfosa: Journal of Biological Sciences*, 8(1), 28. <https://doi.org/10.24843/metamorfosa.2021.v08.i01.p03>
- Foti, M. C. (2015). Use and Abuse of the DPPH• Radical. *Journal of Agricultural and Food Chemistry*, 63(40), 8765–8776. <https://doi.org/10.1021/acs.jafc.5b03839>
- Ghaferi, M., Asadollahzadeh, M. J., Akbarzadeh, A., Ebrahimi Shahmabadi, H., & Alavi, S. E. (2020). Enhanced Efficacy of PEGylated Liposomal Cisplatin: In Vitro and In Vivo Evaluation. *International Journal of Molecular Sciences*, 21(2), 559. <https://doi.org/10.3390/ijms21020559>
- Gonnet, M., Lethuaut, L., & Boury, F. (2010). New trends in encapsulation of liposoluble vitamins. Dalam *Journal of Controlled Release* (Vol. 146, Nomor 3, hlm. 276–290). <https://doi.org/10.1016/j.jconrel.2010.01.037>
- Gulcin, İ., & Alwasel, S. H. (2023). DPPH Radical Scavenging Assay. *Processes*, 11(8), 2248. <https://doi.org/10.3390/pr11082248>
- Hidayati, S. N. (2023). *Studi Enkapsulasi Vitamin E Asetat dalam Liposom dari Fosfolipid Kelapa melalui Pendekatan In Vitro dan In Silico*. Skripsi: Universitas Diponegoro.
- Hudiyanti, D. (2018). *Fosfolipida Biosurfaktan*. Deepublish Publisher. Kota: Yogyakarta.
- Hudiyanti, D., Al Khafiz, M. F., Anam, K., Siahaan, P., & Suyati, L. (2021a). Assessing encapsulation of curcumin in cocoliposome: In vitro study. *Open Chemistry*, 19(1), 358–366. <https://doi.org/10.1515/chem-2021-0036>
- Hudiyanti, D., Al Khafiz, M. F., Anam, K., Siahaan, P., & Suyati, L. (2021b). Assessing encapsulation of curcumin in cocoliposome: In vitro study. *Open Chemistry*, 19(1), 358–366. <https://doi.org/10.1515/chem-2021-0036>
- Hudiyanti, D., Raharjo, T. J., Narsito, N., & Noegrohati, S. (2015). Study on leakage of sesame (*Sesamum indicum* L.) and coconut (*Cocos nucifera* L.) liposomes. *Oriental Journal of Chemistry*, 31(1), 435–439. <https://doi.org/10.13005/OJC/310152>
- Jayachandran, P., Ilango, S., Suseela, V., Nirmaladevi, R., Shaik, M. R., Khan, M., Khan, M., & Shaik, B. (2023). Green Synthesized Silver Nanoparticle-Loaded Liposome-Based Nanoarchitectonics for Cancer

- Management: In Vitro Drug Release Analysis. *Biomedicines*, 11(1).  
<https://doi.org/10.3390/biomedicines11010217>
- K, S. R., M, D. S. R., & P, V. (2022). A review on: liposomes. *International Journal of Indigenous Herbs and Drugs*, 08–11.  
<https://doi.org/10.46956/ijhd.v7i1.271>
- Kim, E., Graceffa, O., Broweleit, R., Ladha, A., Boies, A., Mudakannavar, S. P., & Rawle, R. J. (2024). Lipid loss and compositional change during preparation of simple two-component liposomes. *Biophysical Reports*, 4(3), 100174. <https://doi.org/https://doi.org/10.1016/j.bpr.2024.100174>
- Lee, M. K. (2020). Liposomes for enhanced bioavailability of water-insoluble drugs: In vivo evidence and recent approaches. Dalam *Pharmaceutics* (Vol. 12, Nomor 3). MDPI AG.  
<https://doi.org/10.3390/pharmaceutics12030264>
- Li, J., Lei, Y., Sun, C.-L., Zheng, W., Jiang, X., & Zhang, H.-L. (2015). Rationally Designed Peptide Interface for Potential Modulated Cell Adhesion and Migration. *Advanced Materials Interfaces*, 2(15), 1500335. <https://doi.org/10.1002/admi.201500335>
- Liu, X., Shen, B., Shen, C., Zhong, R., Wang, X., & Yuan, H. (2018). Nanoparticle-loaded gels for topical delivery of nitrofurazone: Effect of particle size on skin permeation and retention. *Journal of Drug Delivery Science and Technology*, 45, 367–372.  
<https://doi.org/10.1016/J.JDDST.2018.04.005>
- Maja, L., Željko, K., & Mateja, P. (2020). Sustainable technologies for liposome preparation. *The Journal of Supercritical Fluids*, 165, 104984.  
<https://doi.org/10.1016/j.supflu.2020.104984>
- Mambro, V. M. D., Azzolini, A. E. C. S., Valim, Y. M. L., & Fonseca, M. J. V. (2003). Comparison of antioxidant activities of tocopherols alone and in pharmaceutical formulations. *International Journal of Pharmaceutics*, 262(1–2), 93–99. [https://doi.org/10.1016/S0378-5173\(03\)00333-8](https://doi.org/10.1016/S0378-5173(03)00333-8)
- Mandelli De Almeida, M., Rosana, C., De Castro Lima, R., Santos Quenca-Guillen, J., Filho, M., Mercuri, L. P., Rocha, M. I., Santoro, M., Rosa, E., & Kedor-Hackmann, M. (2010). Stability evaluation of tocopheryl acetate and ascorbyl tetraisopalmitate in isolation and incorporated in cosmetic formulations using thermal analysis. Dalam *Article Brazilian Journal of Pharmaceutical Sciences* (Vol. 46, Nomor 1).
- Mardiatmoko, G. (2018). *Produksi Tanaman Kelapa (Cocos nucifera L.)*.  
<https://www.researchgate.net/publication/323257747>
- McVean, M., & Liebler, D. C. (1999). Prevention of DNA photodamage by vitamin E compounds and sunscreens: roles of ultraviolet absorbance and cellular uptake. *Molecular carcinogenesis*, 24(3), 169–176.

[https://doi.org/10.1002/\(sici\)1098-2744\(199903\)24:3<169::aid-mc3>3.0.co;2-a](https://doi.org/10.1002/(sici)1098-2744(199903)24:3<169::aid-mc3>3.0.co;2-a)

- Munteanu, I. G., & Apetrei, C. (2021). Analytical Methods Used in Determining Antioxidant Activity: A Review. *International Journal of Molecular Sciences*, 22(7), 3380. <https://doi.org/10.3390/ijms22073380>
- Murakami, M., Morita, Y., Koide, T., Saito, H., & Tanimoto, T. (2003). [Tocopherol Acetate Reference Standard (Control 021) of National Institute of Health Sciences]. *Kokuritsu Iyakuhin Shokuhin Eisei Kenkyujo hokoku = Bulletin of National Institute of Health Sciences*, 121, 68–70.
- Nagoba, B., Wadher, B., Kulkarni, P., & Kolhe, S. (2008). Acetic Acid Treatment of Pseudomonal Wound Infections. Dalam *Eur J Gen Med* (Vol. 5, Nomor 2).
- Najafi, N.M., Arianmehr, A., & Sani, A. M. (2020). Preparation of Barije (Ferula gummosa) Essential Oil–Loaded Liposomes and Evaluation of Physical and Antibacterial Effect on Escherichia coli O157:H7. *Journal of Food Protection*, 83(3), 511–517. <https://doi.org/10.4315/0362-028X.JFP-19-285>
- Nakhaei, P., Margiana, R., Bokov, D. O., Abdelbasset, W. K., Jadidi Kouhbanani, M. A., Varma, R. S., Marofi, F., Jarahian, M., & Beheshtkhoo, N. (2021). Liposomes: Structure, Biomedical Applications, and Stability Parameters With Emphasis on Cholesterol. *Frontiers in Bioengineering and Biotechnology*, 9. <https://doi.org/10.3389/fbioe.2021.705886>
- Nam, Y. S., Kim, J.-W., Park, J., Shim, J., Lee, J. S., & Han, S. H. (2012). Tocopheryl acetate nanoemulsions stabilized with lipid–polymer hybrid emulsifiers for effective skin delivery. *Colloids and Surfaces B: Biointerfaces*, 94, 51–57. <https://doi.org/10.1016/j.colsurfb.2012.01.016>
- Nasab, M. E., Takzaree, N., Saffaria, P. M., & Partoazar, A. (2019). In vitro antioxidant activity and in vivo wound-healing effect of lecithin liposomes: A comparative study. *Journal of Comparative Effectiveness Research*, 8(8), 633–643. <https://doi.org/10.2217/cer-2018-0128>
- Nijhu, R. S., Khatun, A., & Hossen, Md. F. (2024). A comprehensive review of particle size analysis techniques. *International Journal of Pharmaceutical Research and Development*, 6(1), 01–05. <https://doi.org/10.33545/26646862.2024.v6.i1a.37>
- Pachioni-Vasconcelos, J. de A., Lopes, A. M., Apolinário, A. C., Valenzuela-Oses, J. K., Costa, J. S. R., Nascimento, L. de O., Pessoa, A., Barbosa, L. R. S., & Rangel-Yagui, C. de O. (2016). Nanostructures for protein drug delivery. *Biomaterials Science*, 4(2), 205–218. <https://doi.org/10.1039/C5BM00360A>

- Patel, P., Ahir, K., Patel, V., Manani, L., & Patel, C. (2015). Drug-Excipient compatibility studies: First step for dosage form development. Dalam ~ 14 ~ *The Pharma Innovation Journal* (Vol. 4, Nomor 5). [www.thepharmajournal.com](http://www.thepharmajournal.com)
- Ravindran Chandrasekaran, A., Yoke Jia, C., Sheau Theng, C., Muniandy, T., Muralidharan, S., & Arumugam Dhanaraj, S. (t.t.). Invitro studies and evaluation of metformin marketed tablets-Malaysia. *Journal of Applied Pharmaceutical Science*, 2011(05), 214–217.
- Sesario, D. T. (2023). *Karakteristik Spektroskopi dan Uji Aktivitas Antioksidan dari Kurkumin Terenkapsulasi Cocoliposom*. Skripsi: Universitas Diponegoro.
- Shen, S., Qu, X., Liu, Y., Wang, M., Zhou, H., & Xia, H. (2024). Evaluation of Antioxidant Activity and Treatment of Eczema by Berberine Hydrochloride-Loaded Liposomes-in-Gel. *Molecules*, 29(7), 1566. <https://doi.org/10.3390/molecules29071566>
- Uchino, T., Fujimori, S., Hatta, I., Miyazaki, Y., Kamiya, D., Fujino, H., Suzuki, R., Kirishita, Y., Eda, T., Murashima, K., & Kagawa, Y. (2021). Development of novel polyglycerol fatty acid ester-based nanoparticles for the dermal delivery of tocopherol acetate. *International Journal of Pharmaceutics*, 592, 120004. <https://doi.org/10.1016/j.ijpharm.2020.120004>
- Utomo, S. B., Sanubari, F., Utami, B., & Nurhayati, N. D. (2018). Analysis of a Quantitative Relationship Between the Structure and Analgesic Activity of Meperidin Derivatives Using Semi-Empirical AM1 Method. *JKPK (Jurnal Kimia dan Pendidikan Kimia)*, 2(3), 158. <https://doi.org/10.20961/jkpk.v2i3.12092>
- Valenzuela, S. M. (2007). Liposome Techniques for Synthesis of Biomimetic Lipid Membranes. Dalam *Nanobiotechnology of Biomimetic Membranes* (hlm. 75–87). Springer US. [https://doi.org/10.1007/0-387-37740-9\\_3](https://doi.org/10.1007/0-387-37740-9_3)
- Yahya, S. (2013). *Spektrofotometri UV-Vis*. Erlangga.
- Zahid, S., Khalid, H., Ikram, F., Iqbal, H., Samie, M., Shahzadi, L., Shah, A. T., Yar, M., Chaudhry, A. A., Awan, S. J., Khan, A. F., & Rehman, I. ur. (2019). Bi-layered  $\alpha$ -tocopherol acetate loaded membranes for potential wound healing and skin regeneration. *Materials Science and Engineering: C*, 101, 438–447. <https://doi.org/10.1016/j.msec.2019.03.080>
- Zhao, L., & Temelli, F. (2017). Preparation of anthocyanin-loaded liposomes using an improved supercritical carbon dioxide method. *Innovative Food Science & Emerging Technologies*, 39, 119–128. <https://doi.org/10.1016/j.ifset.2016.11.013>