

## DAFTAR PUSTAKA

- Bina Marga Direktorat Jenderal, (2018). *Spesifikasi Umum Untuk Pekerjaan Konstruksi Jalan dan Jembatan Revisi 2*. Jakarta.
- Badan Pusat Statistik Jakarta Pusat. (2021). Statistik Transportasi Darat. BPS.
- Detikcom. (2025, Februari 14). Jalan berlubang makan korban, DPRD Kabupaten Bogor minta Pemkab perbaiki. Detikcom. <https://news.detik.com/berita/d-7778004/jalan-berlubang-makan-korban-dprd-kabupaten-bogor-minta-pemkab-perbaiki>
- Antara Jateng. (2025, Februari 7). Polres Batang evakuasi dua korban tewas akibat hindari jalan berlubang. Antara Jateng. <https://jateng.antaranews.com/berita/569889/polres-batang-evakuasi-dua-korban-tewas-akibat-hindari-jalan-berlubang>
- Sukirman, S. (2003). Beton aspal campuran panas. Granit.
- Akbar, S. J., & Wesli. (2012). Stabilitas lapis aspal beton AC-WC menggunakan abu sekam padi. *Teras Jurnal*, 2(4), 285–294.
- Hananta, R. (2016). Makalah abu sekam padi dan manfaatnya. <https://download.dokumen.tips/getdownload/document/?id=z01nXrYirZ%2BfkioiT78RKsFu%2FMiI5UbmCyv7nUhvNhKZHaIM5%2BtYiqBOmcWvp9RVRQyJkg05Ma1qWV58eDvHg%3D%3D>
- Satbaev, B., Yefremova, S., Zharmenov, A., Kablanbekov, A., Yermishin, S., Shalabaev, N., Satbaev, A., & Khen, V. (2021). Rice husk research: From environmental pollutant to a promising source of organo-mineral raw materials. *Materials*, 14(14), 4119. <https://doi.org/10.3390/ma14154119>
- Nadiyya, A., Laila, L. L., Nashiroh, P. K., Mawanta, E., & Wahyu, A. T. (2022). Pemberdayaan karang taruna melalui pelatihan pemanfaatan limbah sekam padi menjadi briket bioarang di Desa Gumul, Kabupaten Klaten. *Jurnal BUDIMAS*, 4(2).

Badan Pusat Statistik. (2025, Februari 3). Berita Resmi Statistik. <https://www.bps.go.id/id/pressrelease/2025/02/03/2414/pada-2024--luas-panen-padi-mencapai-sekitar-10-05-juta-hektare-dengan-produksi-padi-sebanyak-53-14-juta-ton-gabah-kering-giling--gkg--.html>

Hossain, M. T., Zaman, M., Sakib, S., & Mahmud, S. M. I. (2016). Hazard assessment of rice husk ash generated from rice mills in Bangladesh and way forward to overcome or adopt the hazards. *IOP Conference Series: Materials Science and Engineering*, 1305(1), 012016. <https://doi.org/10.1088/1757-899X/1305/1/012016>

Amiwarti, Purwanto, H., Firdaus, M., & Afriyadi. (2024). Pengaruh penambahan abu sekam padi terhadap komposisi campuran aspal beton (AC WC). *JCEBT (Journal of Civil Engineering, Building and Transportation)*, 8(1). <http://ojs.uma.ac.id/index.php/jcebt>

Amal, A. S. (2011). Pemanfaatan getah karet pada aspal AC 60/70 terhadap stabilitas Marshall pada asphalt treated base (ATB). *Jurnal Teknik Sipil*, 8(1), 16–21.

Irfansyah, P. A., Setyawan, A., & Djumari. (2017). Karakteristik Marshall pada campuran aspal beton menggunakan daspal sebagai bahan pengikat. *e-Jurnal Matriks Teknik Sipil*, (947).

Widianto, B. W., & Faisal, M. I. (2020). Perubahan karakteristik aspal Pen 60/70 dengan substitusi getah karet alam Pangkalan Balai, Sumatera Selatan. *RekaRacana: Jurnal Teknik Sipil*, 6(3), 243–250.

Farisqi, M. H., Sugiarto, A., & Rahman, A. (2025). Pengaruh getah karet sebagai substitusi aspal terhadap karakteristik Marshall pada campuran asphalt concrete-wearing course. *JOS - MRK (Jurnal Online Skripsi Manajemen Rekayasa Konstruksi)*, 6(2), 315–320. <http://jos-mrk.polinema.ac.id/>

Badan Pusat Statistik Indonesia. (2024). Statistik karet Indonesia. BPS.

Pusat Sosial Ekonomi dan Kebijakan Pertanian, Kementerian Pertanian. (2023). Prospek keberlanjutan produksi karet alam Indonesia (Policy Brief PB-04/07/2023). <https://pusluh.pertanian.go.id>

Yanti, A. T., Masthura, L., & Basrin, D. (2024). Pengaruh penambahan getah karet terhadap stabilitas nilai Marshall pada campuran aspal (AC-WC). *JMTS: Jurnal Mitra Teknik Sipil*, 7(1), 71–78.

Sadeeq, J. A., Kaura, J. M., Joshua, O., & Rabilu, A. (2014). Recycling of reclaimed asphalt pavement (RAP) with rice husk ash (RHA)/ordinary Portland cement (OPC) blend as filler. *Jordan Journal of Civil Engineering*, 8(4), 473–483. <https://jjce.just.edu.jo/Download.ashx?f=Y3sJL2V7GIm2%2BEf9A%2BNMic8OHBXy1GF%2Frp2LF0lijIM%3D>

Tuntiworawit, N., Lavansiri, D., Phromsorn, C., & Engineer, C. (2005). The modification of asphalt with natural rubber latex. *Proceedings of the Eastern Asia Society for Transportation Studies*, 5, 679–694. [https://east.info/online/proceedings\\_05/679.pdf](https://east.info/online/proceedings_05/679.pdf)

Al-Sabaeei, A. M., Yussof, N. I. M., Napiah, M., & Sutanto, M. H. (2019). A review of using natural rubber in the modification of bitumen and asphalt mixtures used for road construction. *Jurnal Teknologi (Sciences & Engineering)*, 81(6), 81–88. <https://doi.org/10.11113/jt.v81.13487>

Suaryana, N., & Sofyan, T. S. (2019). Performance evaluation of hot mixture asphalt using concentrated rubber latex, rubber compound and synthetic polymer as modifier. *Civil Engineering Dimension*, 21(1), 36–42. <https://doi.org/10.9744/ced.21.1.36-42>

Nugraha, D. C., & Agustapraja, H. R. (2024). Pengaruh sekam padi & serbuk kayu sebagai substitusi filler pada campuran laston AC-WC. *Jurnal Talenta Sipil*, 7(1), 42–49. <https://doi.org/10.33087/talentalipil.v7i1.361>

Farida, I., & Juniyani, S. (2024). Pengaruh filler abu sekam padi terhadap campuran AC-WC untuk daerah pesisir pantai (The effect of rice husk ash filler on AC-WC mixtures at coastal areas). *Jurnal Jalan Jembatan*, 41(1), 43–52.

Akbar, S. J., & Wesli. (2012). Stabilitas lapis aspal beton AC-WC menggunakan abu sekam padi. *Teras Jurnal*, 2(4).

Shafii, M. A., Veng, C. L. Y., Rais, N. M., & Ab Latif, A. (2017). Effect of blending temperature and blending time on physical properties of NRL-modified bitumen. *International Journal of Applied Engineering Research*, 12(13), 3844–3849. [https://www.ripublication.com/ijaer17/ijaerv12n13\\_39.pdf](https://www.ripublication.com/ijaer17/ijaerv12n13_39.pdf)

Shaffie, E., Arshad, A. K., Alisibramulisi, A., Ahmad, J., Hashim, W., Abd Rahman, Z., & Jaya, R. P. (2018). Effect of mixing variables on physical properties of modified bitumen using natural rubber latex. *International Journal of Civil Engineering and Technology*, 9(7), 1812–1821. [http://iaeme.com/Home/article\\_id/IJCIET\\_09\\_07\\_193](http://iaeme.com/Home/article_id/IJCIET_09_07_193)

Chen, J., Wang, J., Li, M., Zhao, Z., & Ren, J. (2023). Mesoscopic mechanical properties of aggregate structure in asphalt mixtures and gradation optimization. *Materials*, 16(13), 4709.

Gungat, L., Hamsah, N. S., Yusoff, N. I. Md., Yusoff, S. F. M., Bolong, N., & Surugau, N. (2024). Review of mixing mechanism and performance of natural rubber with bituminous materials. *MATEC Web of Conferences*, 397, 02003. <https://doi.org/10.1051/mateconf/202439702003>

Mahmud, M., Tilik, L. F., Harijadi, S., Ahd, M. A., Qalbi, R. D., & Septian, R. (2022). Studi karakteristik Marshall pada aspal dengan perbandingan lateks pada lapisan wearing course. *Journal of Applied Civil Engineering and Infrastructure Technology (JACEIT)*, 3(2), 26–32. <http://journal.isas.or.id/index.php/JACEIT>

Asri, J., Kurniasari, F. D., & Bunyamin. (2022). Pemanfaatan getah karet untuk substitusi aspal modifikasi lapisan asphalt concrete wearing course (AC-WC) dengan metode basah. *Jurnal Teknik Sipil*, 8(1), 60–68.

Zinnurain, M., Hossain, M. A., Shanto, A. A., Tushar, F. H., & Miah, M. F. (2025). Sustainable asphalt concrete: Combined effects of rice husk ash as mineral filler and waste plastic bottles as additive. In Proceedings of the 1st International Conference on Recent Innovation of Civil Engineering & Architecture for Sustainable Development (IICASD-2024). Gazipur, Bangladesh. [https://www.researchgate.net/publication/391667407\\_SUSTAINABLE\\_ASPHALT\\_CONCRETE\\_COMBINED\\_EFFECTS\\_OF\\_RICE\\_HUSK\\_ASH\\_AS\\_MINERAL\\_FILLER\\_AND\\_WASTE\\_PLASTIC\\_BOTTLES\\_AS\\_ADDITIVE](https://www.researchgate.net/publication/391667407_SUSTAINABLE_ASPHALT_CONCRETE_COMBINED_EFFECTS_OF_RICE_HUSK_ASH_AS_MINERAL_FILLER_AND_WASTE_PLASTIC_BOTTLES_AS_ADDITIVE)

Šimun, M., Dimter, S., Grubješić, G., & Vukelić, K. (2023). Contribution to the research on the application of bio-ash as a filler in asphalt mixtures. *Applied Sciences*, 13(13), 6555. <https://doi.org/10.3390/app13136555>

Li, F., Yang, Y., & Wang, L. (2020). Evaluation of physicochemical interaction between asphalt binder and mineral filler through interfacial adsorbed film thickness. *Construction and Building Materials*, 252, 119135. <https://doi.org/10.1016/j.conbuildmat.2020.119135>

Rohayzi, N. F., Katman, H. Y. B., Ibrahim, M. R., Norhisham, S., & Rahman, N. A. (2023). Potential additives in natural rubber-modified bitumen: A review. *Polymers*, 15(8), 1951. <https://doi.org/10.3390/polym15081951>

Krishna, N. K., Sandeep, S., & Mini, K. M. (2016). Study on concrete with partial replacement of cement by rice husk ash. *IOP Conference Series: Materials Science and Engineering*, 149(1), 012109. <https://doi.org/10.1088/1757-899X/149/1/012109>

Mohseni, E., Naseri, F., Amjadi, R., Khotbehsara, M. M., & Ranjbar, M. M. (2016). Microstructure and durability properties of cement mortars containing nano-TiO<sub>2</sub> and rice husk ash. *Construction and Building Materials*, 114, 656–664. <https://doi.org/10.1016/j.conbuildmat.2016.03.136>

Endale, S. A., Taffese, W. Z., Vo, D.-H., & Yehualaw, M. D. (2023). Rice husk ash in concrete. *Sustainability*, 15(1), 137. <https://doi.org/10.3390/su15010137>

Sunarjono, S., Hidayati, N., Aji, M. W. S., Cindikia, W. F., & Magfirona, A. (2023). The improvement of asphalt mixture durability using Portland cement filler and rice husk ash. *Civil Engineering and Architecture*, 11(2), 1091–1098. <https://doi.org/10.13189/cea.2023.110240>

Ansari, A. H., Jakarni, F. M., Muniandy, R., & Hassim, S. (2021). A review on the application of natural rubber as asphalt modifier. *IOP Conference Series: Materials Science and Engineering*, 1075, 012031. <https://doi.org/10.1088/1757-899X/1075/1/012031>

Prastanto, H., Firdaus, Y., Puspitasari, S., Ramadhan, A., & Falaah, A. F. (2019). Study of physical characteristic of rubberized hot mix asphalt based on various dosage of natural rubber latex and solid rubber. *IOP Conference Series: Materials Science and Engineering*, 509, 012049. <https://doi.org/10.1088/1757-899X/509/1/012049>

Putra, A. R., Abrar, A., & Abdillah, N. (2023). Pengaruh campuran aspal dengan bahan tambah lateks cair 60% dan filler serbuk kaca terhadap karakteristik Marshall. *SLUMP TeS: Jurnal Teknik Sipil*, 1(2), 69–80.

Simanjuntak, R. D. Z., Rifai, A., & Wicaksono, A. W. (2021). Pengaruh penggunaan abu sekam padi sebagai bahan pengisi pada campuran AC-WC. *Inersia: Jurnal Teknik Sipil dan Infrastruktur*, 13(2), 121–128.

Saepudin, U. (2021). Analisis perbandingan kualitas lapis aspal beton (laston) dengan menggunakan filler abu batu dan abu sekam padi. *JALUSI: Jurnal Ilmu Sipil Program Studi Teknik Sipil Universitas Galuh*, 5(1), 1–6.

Helal, M., & Mahdy, H. (2020). Effect of rice husk ash on the performance of hot asphalt mixes. *Middle East Journal of Engineering*, 45(2), 55–66.

Ramadhan, R., & Saputra, A. (2025). Pengaruh additif lateks terhadap ketahanan campuran AC-WC. *Journal of Civil Engineering for Sustainable Future (JCESF)*, 1(1), 1–8.

La One, Tjaronge, M. W., Irmawaty, R., & Hustim, M. (2020). Effect of buton granular asphalt gradation and cement as filler on performance of cold mix asphalt using limestone aggregate. *Journal of Engineering Science and Technology*, 15(1), 493–507.