



LAMPIRAN


Lampiran 1. Sel setelah pengeringan

Bakteri	Perlakuan	
	Glukosa	Glukosa + sodium laktat
<i>Burkholderia</i> sp. B73		
<i>Cupriavidus</i> <i>oxalaticus</i> B71		
<i>Bacillus</i> <i>thuringiensis</i> B1165		




Lampiran 2. Sel setelah perlakuan SDS

Bakteri	Perlakuan	
	Glukosa	Glukosa + sodium laktat
<i>Burkholderia</i> sp. B73		
<i>Cupriavidus</i> <i>oxalaticus</i> B71		
<i>Bacillus</i> <i>thuringiensis</i> B1165		

Lampiran 3. Setelah pencucian dengan akuades dan etanol

Bakteri	Perlakuan	
	Glukosa	Glukosa + sodium laktat
<i>Burkholderia</i> sp. B73		
<i>Cupriavidus</i> <i>oxalaticus</i> B71		
<i>Bacillus</i> <i>thuringiensis</i> B1165		




Lampiran 4. Ekstraksi PHA dengan kloroform

Bakteri	Perlakuan	
	Glukosa	Glukosa + sodium laktat
<i>Burkholderia</i> sp. B73		
<i>Cupriavidus</i> <i>oxalaticus</i> B71		
<i>Bacillus</i> <i>thuringiensis</i> B1165		

Lampiran 5. Pengendapan menggunakan metanol

Bakteri	Perlakuan	
	Glukosa	Glukosa + sodium laktat
<i>Burkholderia</i> sp. B73		
<i>Cupriavidus</i> <i>oxalaticus</i> B71		
<i>Bacillus</i> <i>thuringiensis</i> B1165		

Lampiran 6. PHA setelah penguapan

Bakteri	Perlakuan	
	Glukosa	Glukosa + sodium laktat
<i>Burkholderia</i> sp. B73		
<i>Cupriavidus</i> <i>oxalaticus</i> B71		
<i>Bacillus</i> <i>thuringiensis</i> B1165		

Lampiran 7. Data akumulasi PHA

No.	Isolat	Perlakuan	Volume fermentasi (mL)	DCW (g)	Ekstrak (g)	Ekstrak (g/L)	DCW (g/L)	Ekstrak PHA (%)	
1.	B73	GSL 1	38	0,1568	0,1115	2,93	4,13	71,11	
		GSL 2	38	0,1593	0,1278	3,36	4,19	80,23	
		GSL 3	38	0,1577	0,1312	3,45	4,15	83,20	
		G1	38	0,0515	0,0351	0,92	1,36	68,16	
		G2	38	0,0564	0,0339	0,89	1,48	60,11	
		G3	38	0,0571	0,0297	0,78	1,50	52,01	
		rata-rata GSL			0,1579	0,1235	3,25	4,16	78,18
		rata-rata Glukosa			0,0550	0,0329	0,87	1,45	60,09
2.	B71	GSL 1	38	0,1345	0,0528	1,39	3,54	39,26	
		GSL 2	38	0,1311	0,0512	1,35	3,45	39,05	
		GSL 3	38	0,1335	0,0567	1,49	3,51	42,47	
		G1	38	0,1115	0,0305	0,80	2,93	27,35	
		G2	38	0,0195	0,0077	0,20	0,51	39,49	
		G3	38	0,1440	0,0337	0,89	3,79	23,40	
		rata-rata GSL			0,1330	0,0536	1,41	3,50	40,26
		rata-rata Glukosa			0,0917	0,0240	0,63	2,41	30,08
3.	B1165	GSL 1	38	0,0179	0,0103	0,27	0,47	57,54	
		GSL 2	38	0,0224	0,0126	0,33	0,59	56,25	
		GSL 3	38	0,0164	0,0109	0,29	0,43	66,46	
		G1	38	0,0090	0,0048	0,13	0,24	53,33	
		G2	38	0,0236	0,0111	0,29	0,62	47,03	
		G3	38	0,0206	0,0127	0,33	0,54	61,65	
		rata-rata GSL			0,0189	0,0113	0,30	0,50	60,09
		rata-rata Glukosa			0,0177	0,0095	0,25	0,47	54,01

Lampiran 8. Uji Normalitas faktor isolat terhadap hasil ekstrak PHA

Tests of Normality							
Isolat		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
Ekstrak PHA	<i>Burkholderia</i> sp. B73	.159	6	.200*	.962	6	.837
	<i>Cupriavidus oxalaticus</i>	.357	6	.016	.811	6	.074
	B71						
	<i>Bacillus thuringiensis</i>	.137	6	.200*	.993	6	.995
	B1165						
	Kontrol	.	2	.			
*. This is a lower bound of the true significance.							
a. Lilliefors Significance Correction							

Lampiran 9. Uji Normalitas faktor perlakuan terhadap hasil ekstrak PHA

Tests of Normality							
Perlakuan		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
Ekstrak PHA	Glukosa + sodium laktat	.175	9	.200*	.914	9	.346
	Glukosa	.157	9	.200*	.941	9	.592
	Kontrol	.	2	.			
*. This is a lower bound of the true significance.							
a. Lilliefors Significance Correction							

Lampiran 10. Uji Homogenitas terhadap hasil ekstrak PHA

Levene's Test of Equality of Error Variances^{a,b}					
		Levene Statistic	df1	df2	Sig.
Ekstrak PHA	Based on Mean	1.443	6	13	.272
	Based on Median	.584	6	13	.737
	Based on Median and with adjusted df	.584	6	9.730	.736
	Based on trimmed mean	1.373	6	13	.296
Tests the null hypothesis that the error variance of the dependent variable is equal across groups.					
a. Dependent variable: ekstrak					
b. Design: Intercept + isolat + perlakuan + isolat * perlakuan					

Lampiran 11. Uji ANOVA terhadap hasil ekstrak PHA

Tests of Between-Subjects Effects					
Dependent Variable: Ekstrak PHA					
Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	9465.206 ^a	6	1577.534	38.904	<.001
Intercept	26033.822	1	26033.822	642.020	<.001
Isolat	3556.852	2	1778.426	43.858	<.001
Perlakuan	589.847	1	589.847	14.546	.002
Isolat * perlakuan	111.743	2	55.871	1.378	.287
Error	527.148	13	40.550		
Total	56853.234	20			
Corrected Total	9992.354	19			

a. R Squared = .947 (Adjusted R Squared = .923)

Lampiran 12. Uji Duncan faktor isolat terhadap hasil ekstrak PHA

Ekstrak PHA						
Isolat	N	Subset				
		1	2	3	4	
Duncan ^{a,b,c}	Kontrol	2	.0000			
	<i>Cupriavidus oxalaticus</i>	6		35.1700		
	B71					
	<i>Bacillus thuringiensis</i>	6			57.0433	
	B1165					
	<i>Burkholderia sp.</i>	6				69.1367
	B73					
	Sig.		1.000	1.000	1.000	1.000

Means for groups in homogeneous subsets are displayed.
Based on observed means.
The error term is Mean Square(Error) = 40.550.

a. Uses Harmonic Mean Sample Size = 4.000.

b. The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.


c. Alpha = .05.

Lampiran 13. Uji Duncan faktor perlakuan terhadap hasil ekstrak PHA

Ekstrak PHA					
	Perlakuan	N	Subset		
			1	2	3
Duncan ^{a,b,c}	Kontrol	2	.0000		
	Glukosa	9		48.0589	
	Glukosa + sodium laktat	9			59.5078
	Sig.		1.000	1.000	1.000
Means for groups in homogeneous subsets are displayed.					
Based on observed means.					
The error term is Mean Square(Error) = 40.550.					
a. Uses Harmonic Mean Sample Size = 4.154.					
b. The group sizes are unequal. The harmonic mean of the group sizes is used. Type I error levels are not guaranteed.					
c. Alpha = .05.					

Lampiran 14. Inokulasi bakteri**Lampiran 15.** Uji Benedict sampel fermentasi

Lampiran 16. Sonikasi sel menggunakan larutan SDS 1%



Lampiran 17. Analisis sampel PHA menggunakan alat Pyrolysis-GC/MS



Lampiran 18. Penyaringan *minimal salt medium* (MSM) menggunakan *Syringe filter*

