

DAFTAR PUSTAKA

Abdulgader, F. S., Eid, R., & Rouyendegh, B. D. (2018). Development of decision support model for selecting a maintenance plan using a fuzzy MCDM approach: A theoretical framework. *Applied Computational Intelligence and Soft Computing*, 2018. <https://doi.org/10.1155/2018/9346945>

Abkarian, H., Tahlyan, D., Mahmassani, H., & Smilowitz, K. (2022). Characterizing visitor engagement behavior at large-scale events: Activity sequence clustering and ranking using GPS tracking data. *Tourism Management*, 88. <https://doi.org/10.1016/j.tourman.2021.104421>

Abubakar, I., A. Sinaga, E., Budiarto, Sinulingga, T., Gd Agung, T., Sembiring, Na., Djajasinga, N., Hallah Surti, B., Ginting, R., Yani, A., Nurida, C., & Sutiono, E. (1998). *Pedoman Perencanaan dan Pengoperasian Fasilitas Parkir*. Direktorat Bina Sistem Lalu Lintas dan Angkutan Kota.

Agarwal, S., Kant, R., & Shankar, R. (2020). Evaluating solutions to overcome humanitarian supply chain management barriers: A hybrid fuzzy SWARA – Fuzzy WASPAS approach. *International Journal of Disaster Risk Reduction*, 51, 101838. <https://doi.org/10.1016/j.ijdr.2020.101838>

Alaskar, H., Vaiyapuri, T., & Sbai, Z. (2019). Twitter Analytics for Discovering Socially Important Locations for Business Improvement. *2019 IEEE International Symposium on Signal Processing and Information Technology (ISSPIT)*, 1–5. <https://doi.org/10.1109/ISSPIT47144.2019.9001873>

AlFanatseh, A. A., & Sababhi, S. (2023). Applying GIS using location allocation models for improved spatial planning of Civil Defence Services: a Case Study of the Karak Governorate, Jordan. *GeoJournal*, 88(1), 691–710. <https://doi.org/10.1007/s10708-022-10632-5>

Alfares, H. K., & Duffuaa, S. O. (2016). Simulation-Based Evaluation of Criteria Rank-Weighting Methods in Multi-Criteria Decision-Making. *International*

Journal of Information Technology & Decision Making, 15(01), 43–61.
<https://doi.org/10.1142/S0219622015500315>

Ali, A., Qureshi, M. A., Shiraz, M., & Shamim, A. (2021). Mobile crowd sensing based dynamic traffic efficiency framework for urban traffic congestion control. *Sustainable Computing: Informatics and Systems*, 32.
<https://doi.org/10.1016/j.suscom.2021.100608>

Ali, S. A., Parvin, F., Al-Ansari, N., Pham, Q. B., Ahmad, A., Raj, M. S., Anh, D. T., Ba, L. H., & Thai, V. N. (2021). Sanitary landfill site selection by integrating AHP and FTOPSIS with GIS: a case study of Memari Municipality, India. *Environmental Science and Pollution Research*, 28(6), 7528–7550.
<https://doi.org/10.1007/s11356-020-11004-7>

Al-Kaisy, A., Kirkemo, Z., Veneziano, D., & Dorrington, C. (2011). Traffic Use of Rest Areas on Rural Highways. *Transportation Research Record: Journal of the Transportation Research Board*, 2255(1), 146–155. <https://doi.org/10.3141/2255-16>

Alossta, A., Elmansouri, O., & Badi, I. (2021). Resolving a location selection problem by means of an integrated AHP-RAFSI approach. *Reports in Mechanical Engineering*, 2(1), 135–142. <https://doi.org/10.31181/rme200102135a>

An, S. H., Lee, B. H., & Shin, D. R. (2011). A survey of intelligent transportation systems. *Proceedings - 3rd International Conference on Computational Intelligence, Communication Systems and Networks, CICSyN 2011*, 332–337.
<https://doi.org/10.1109/CICSyN.2011.76>

Ardagna, C. A., Bellandi, V., Damiani, E., Bezzi, M., & Hebert, C. (2021). Big Data Analytics-as-a-Service: Bridging the gap between security experts and data scientists. *Computers and Electrical Engineering*, 93.
<https://doi.org/10.1016/j.compeleceng.2021.107215>

Arkanuddin, A. S. I. B., Sulisty, S., & Persada, A. G. (2019). Adaptive Traffic Light Control Based on Actual Condition Using Google Map API. *IJITEE*

(*International Journal of Information Technology and Electrical Engineering*), 3(2), 61. <https://doi.org/10.22146/ijitee.49964>

Bagherzadeh, A., & Gholizadeh, A. (2016). Modeling land suitability evaluation for wheat production by parametric and TOPSIS approaches using GIS, northeast of Iran. *Modeling Earth Systems and Environment*, 2(3), 126. <https://doi.org/10.1007/s40808-016-0177-8>

Bagočius, V., Zavadskas, E. K., & Turskis, Z. (2014). Selecting A Location For A Liquefied Natural Gas Terminal In The Eastern Baltic Sea. *Transport*, 29(1), 69–74. <https://doi.org/10.3846/16484142.2014.897996>

Bakibillah, A. S. M., Tan, Y. H., Loo, J. Y., Tan, C. P., Kamal, M. A. S., & Pu, Z. (2022). Robust estimation of traffic density with missing data using an adaptive-R extended Kalman filter. *Applied Mathematics and Computation*, 421. <https://doi.org/10.1016/j.amc.2022.126915>

Balbontin, C., & Hensher, D. A. (2020). Identifying the role of stated process strategies in business location decisions. *Transportation Research Part E: Logistics and Transportation Review*, 141. <https://doi.org/10.1016/j.tre.2020.102028>

Balbontin, C., & Hensher, D. A. (2021). Understanding business location decision making for transport planning: An investigation of the role of process rules in identifying influences on firm location. *Journal of Transport Geography*, 91. <https://doi.org/10.1016/j.jtrangeo.2021.102955>

Balioti, V., Tzimopoulos, C., & Evangelides, C. (2018). Multi-Criteria Decision Making Using TOPSIS Method Under Fuzzy Environment. Application in Spillway Selection. *EWaS3* 2018, 637. <https://doi.org/10.3390/proceedings2110637>

Balist, J., Heydarzadeh, H., & Salehi, E. (2019). Modeling, evaluation, and zoning of Marivan county ecotourism potential using fuzzy logic, FAHP, and TOPSIS. *Geographica Pannonica*, 23(1), 47–63. <https://doi.org/10.5937/gp23-18879>

Ban, A. L., Ban, O. Iuliana, Bogdan, V., Popa, D. C. S., & Tuse, D. (2020). Performance evaluation model of Romanian manufacturing listed companies by fuzzy AHP and TOPSIS. *Technological and Economic Development of Economy*, 26(4), 808–836. <https://doi.org/10.3846/tede.2020.12367>

Banerjee, I., Lee, J. H., Jang, K., Pande, S., & Ragland, D. (2009). *Rest Areas – Reducing Accidents Involving Driver Fatigue*. California Department of Transportation. <https://dot.ca.gov/-/media/dot-media/programs/research-innovation-system-information/documents/final-reports/ca09-1092-finalreport-ally.pdf>

Baušys, R., & Juodagalvienė, B. (2017). Garage location selection for residential house by WASPAS-SVNS method. *Journal Of Civil Engineering And Management*, 23(3), 421–429. <https://doi.org/10.3846/13923730.2016.1268645>

Beeco, J. A., Hallo, J. C., & Brownlee, M. T. J. (2014). GPS Visitor Tracking and Recreation Suitability Mapping: Tools for understanding and managing visitor use. *Landscape and Urban Planning*, 127, 136–145. <https://doi.org/10.1016/j.landurbplan.2014.04.002>

Behzadian, M., Khanmohammadi Otaghsara, S., Yazdani, M., & Ignatius, J. (2012). A state-of-the-art survey of TOPSIS applications. *Expert Systems with Applications*, 39(17), 13051–13069. <https://doi.org/10.1016/j.eswa.2012.05.056>

Beskese, A., Demir, H. H., Ozcan, H. K., & Okten, H. E. (2015). Landfill site selection using fuzzy AHP and fuzzy TOPSIS: a case study for Istanbul. *Environmental Earth Sciences*, 73(7), 3513–3521. <https://doi.org/10.1007/s12665-014-3635-5>

Bhosale, M., & Ukhalkar, P. (2020). *The role of Big Data in enhancing Business value through Business Intelligence and Big Data Analytics*. 68(27), 411041. <https://www.researchgate.net/publication/344432858>

Biswas, D., Su, H., Wang, C., Stevanovic, A., & Wang, W. (2019). An automatic traffic density estimation using Single Shot Detection (SSD) and MobileNet-SSD.

Physics and Chemistry of the Earth, 110, 176–184.
<https://doi.org/10.1016/j.pce.2018.12.001>

Bittencourt, L., Immich, R., Sakellariou, R., Fonseca, N., Madeira, E., Curado, M., Villas, L., da Silva, L., Lee, C., & Rana, O. (2018). The internet of things, fog and cloud continuum: Integration and challenges. *ArXiv*.
<https://doi.org/10.1016/j.iot.2018.09.005>

Boone, E. L., Kurtz, D., Anwar, F., Chandra Kristiaji, W., & Salim, E. (2002). *Pengantar Bisnis Jilid 2* (W. Chandra Kristiaji, Ed.). Jakarta Erlangga.

Bordón, M. R., Montagna, J. M., & Corsano, G. (2021). Solution approaches for solving the log transportation problem. *Applied Mathematical Modelling*, 98, 611–627. <https://doi.org/10.1016/j.apm.2021.06.003>

Boukerche, A., Tao, Y., & Sun, P. (2020). Artificial intelligence-based vehicular traffic flow prediction methods for supporting intelligent transportation systems. In *Computer Networks* (Vol. 182). Elsevier B.V.
<https://doi.org/10.1016/j.comnet.2020.107484>

Božanic, D., Tešić, D., & Kocic, J. (2019). Multi-criteria fucom -fuzzy mabac model for the selection of location for construction of single-span bailey bridge. *Decision Making: Applications in Management and Engineering*, 2(1), 132–146.
<https://doi.org/10.31181/dmame1901132b>

B.Pick, J. (2005). *Geographic Information Systems in Business* (A. Bubnis, Ed.). Idea Group Publishing.
https://books.google.co.id/books/about/Geographic_Information_Systems_in_Business.html?id=4hZrCVw7WUIC&redir_esc=y

Budak, A., Kaya, İ., Karaşan, A., & Erdoğan, M. (2020). Real-time location systems selection by using a fuzzy MCDM approach: An application in humanitarian relief logistics. *Applied Soft Computing Journal*, 92.
<https://doi.org/10.1016/j.asoc.2020.106322>

- Centorrino, P., Corbetta, A., Cristiani, E., & Onofri, E. (2021). Managing crowded museums: Visitors flow measurement, analysis, modeling, and optimization. *Journal of Computational Science*, 53. <https://doi.org/10.1016/j.jocs.2021.101357>
- Chang, X., & Li, J. (2019). Business performance prediction in location-based social commerce. *Expert Systems with Applications*, 126, 112–123. <https://doi.org/10.1016/j.eswa.2019.01.086>
- Cheng, E. W. L., Li, H., & Yu, L. (2005). The analytic network process (ANP) approach to location selection: a shopping mall illustration. *Construction Innovation*, 5(2), 83–97. <https://doi.org/10.1108/14714170510815195>
- Chien, F., Wang, C. N., Nguyen, V. T., Nguyen, V. T., & Chau, K. Y. (2020). An evaluation model of quantitative and qualitative fuzzy multi-criteria decision-making approach for hydroelectric plant location selection. *Energies*, 13(11). <https://doi.org/10.3390/en13112783>
- Chuang, I. T., Benita, F., & Tunçer, B. (2022). Effects of urban park spatial characteristics on visitor density and diversity: A geolocated social media approach. *Landscape and Urban Planning*, 226. <https://doi.org/10.1016/j.landurbplan.2022.104514>
- Church, R. L. (2002). Geographical information systems and location science. *Computers & Operations Research*, 29(6), 541–562. [https://doi.org/10.1016/S0305-0548\(99\)00104-5](https://doi.org/10.1016/S0305-0548(99)00104-5)
- Cori, J. M., Downey, L. A., Sletten, T. L., Beatty, C. J., Shiferaw, B. A., Soleimanloo, S. S., Turner, S., Naqvi, A., Barnes, M., Kuo, J., Lenné, M. G., Anderson, C., Tucker, A. J., Wolkow, A. P., Clark, A., Rajaratnam, S. M. W., & Howard, M. E. (2021). The impact of 7-hour and 11-hour rest breaks between shifts on heavy vehicle truck drivers' sleep, alertness and naturalistic driving performance. *Accident Analysis and Prevention*, 159. <https://doi.org/10.1016/j.aap.2021.106224>

- Costa, C., Ha, J., & Lee, S. (2021). Spatial disparity of income-weighted accessibility in Brazilian Cities: Application of a Google Maps API. *Journal of Transport Geography*, 90. <https://doi.org/10.1016/j.jtrangeo.2020.102905>
- Creany, N. E., Monz, C. A., D'Antonio, A., Sisneros-Kidd, A., Wilkins, E. J., Nesbitt, J., & Mitrovich, M. (2021). Estimating trail use and visitor spatial distribution using mobile device data: An example from the nature reserve of orange county, California USA. *Environmental Challenges*, 4. <https://doi.org/10.1016/j.envc.2021.100171>
- D'Antonio, A., Monz, C. A., Crabb, B., Baggio, J. A., & Howe, P. D. (2022). Proof of concept study using GPS-based tracking data to build agent-based models of visitors' off-trail behavior in nature-based tourism settings. *Applied Geography*, 147. <https://doi.org/10.1016/j.apgeog.2022.102771>
- de Souza, A. M., Yokoyama, R. S., Maia, G., Loureiro, A., & Villas, L. (2016). Real-time path planning to prevent traffic jam through an intelligent transportation system. *2016 IEEE Symposium on Computers and Communication (ISCC)*, 726–731. <https://doi.org/10.1109/ISCC.2016.7543822>
- Dehshiri, S. S. H., & Dehshiri, S. J. H. (2022). Locating wind farm for power and hydrogen production based on Geographic information system and multi-criteria decision making method: An application. *International Journal of Hydrogen Energy*. <https://doi.org/10.1016/j.ijhydene.2022.03.083>
- Deveci, M., Camtez, F., & Gökaşar, I. (2018). WASPAS and TOPSIS based interval type-2 fuzzy MCDM method for a selection of a car sharing station. *Sustainable Cities and Society*, 41, 777–791. <https://doi.org/10.1016/j.scs.2018.05.034>
- Díaz, H., & Guedes Soares, C. (2020). An integrated GIS approach for site selection of floating offshore wind farms in the Atlantic continental European coastline. *Renewable and Sustainable Energy Reviews*, 134. <https://doi.org/10.1016/j.rser.2020.110328>

- Domino, M. A., Schrag, D., Webinger, M., & Troy, C. (2021). Linking data analytics to real-world business issues: The power of the pivot table. *Journal of Accounting Education*, 57. <https://doi.org/10.1016/j.jaccedu.2021.100744>
- Donaire, J. A., Galí, N., & Gulisova, B. (2020). Tracking visitors in crowded spaces using zenith images: Drones and time-lapse. *Tourism Management Perspectives*, 35. <https://doi.org/10.1016/j.tmp.2020.100680>
- Dutkowski, M. (2021). Geographic information science in supporting business decisions. *Procedia Computer Science*, 192, 2926–2930. <https://doi.org/10.1016/j.procs.2021.09.064>
- Dweiri, F., Khan, S. A., & Almulla, A. (2018). A multi-criteria decision support system to rank sustainable desalination plant location criteria. *Desalination*, 444, 26–34. <https://doi.org/10.1016/j.desal.2018.07.007>
- Emam, E., & AI-Deek, H. (2006). Using Real-Life Dual-Loop Detector Data to Develop New Methodology for Estimating Freeway Travel Time Reliability'. *Transp. Res. Rec. J. Transp. Res. Board*, 1959, 140–150.
- Erdin, C., & Akbaş, H. E. (2019). A Comparative Analysis of Fuzzy TOPSIS and Geographic Information Systems (GIS) for the Location Selection of Shopping Malls: A Case Study from Turkey. *Sustainability*, 11(14), 3837. <https://doi.org/10.3390/su11143837>
- Erol, İ., Sencer, S., Özmen, A., & Searcy, C. (2014). Fuzzy MCDM framework for locating a nuclear power plant in Turkey. *Energy Policy*, 67, 186–197. <https://doi.org/10.1016/j.enpol.2013.11.056>
- Esmaelian, M., Tavana, M., Santos Arteaga, F. J., & Mohammadi, S. (2015). A multicriteria spatial decision support system for solving emergency service station location problems. *International Journal of Geographical Information Science*, 29(7), 1187–1213. <https://doi.org/10.1080/13658816.2015.1025790>
- Fadhil, R. A., Prabowo, E. G., & Redi, A. A. N. P. (2020). Penentuan Lokasi Distribution Center Dengan Metode P-Median di PT Pertamina EP. *Jurnal*

Manajemen Industri Dan Logistik, 4(1), 01–09.
<https://doi.org/10.30988/jmil.v4i1.282>

Fashiha Hastawan, A., Septiana, R., Windarto, Y. E., & Alamat, *. (2019). Perbaikan Hasil Segmentasi HSV Pada Citra Digital Menggunakan Metode Segmentasi RGB Grayscale Info Artikel. *Edu Komputika*, 6(1).
<http://journal.unnes.ac.id/sju/index.php/edukom>

Fetanat, A., & Khorasaninejad, E. (2015). A novel hybrid MCDM approach for offshore wind farm site selection: A case study of Iran. *Ocean & Coastal Management*, 109, 17–28. <https://doi.org/10.1016/j.ocecoaman.2015.02.005>

Fielbaum, A., & Jara-Diaz, S. (2021). Assessment of the socio-spatial effects of urban transport investment using Google Maps API. *Journal of Transport Geography*, 91. <https://doi.org/10.1016/j.jtrangeo.2021.102993>

Gao, J., Guo, F., Ma, Z., & Huang, X. (2021). Multi-criteria decision-making framework for large-scale rooftop photovoltaic project site selection based on intuitionistic fuzzy sets. *Applied Soft Computing*, 102. <https://doi.org/10.1016/j.asoc.2021.107098>

Garbarino, S., Lino, N., Beelke, M., Carli, F. De, & Ferrillo, F. (2001). The Contributing Role of Sleepiness in Highway Vehicle Accidents. *Sleep*, 24(2), 201–206. <https://doi.org/10.1093/sleep/24.2.201>

Gigović, L., Pamučar, D., Božanić, D., & Ljubojević, S. (2017). Application of the GIS-DANP-MABAC multi-criteria model for selecting the location of wind farms: A case study of Vojvodina, Serbia. *Renewable Energy*, 103, 501–521. <https://doi.org/10.1016/j.renene.2016.11.057>

Gil-García, I. C., Ramos-Escudero, A., García-Cascales, M. S., Dagher, H., & Molina-García, A. (2022). Fuzzy GIS-based MCDM solution for the optimal offshore wind site selection: The Gulf of Maine case. *Renewable Energy*, 183, 130–147. <https://doi.org/10.1016/j.renene.2021.10.058>

Guan, C. H., Song, J., Keith, M., Zhang, B., Akiyama, Y., Da, L., Shibasaki, R., & Sato, T. (2021). Seasonal variations of park visitor volume and park service area in Tokyo: A mixed-method approach combining big data and field observations. *Urban Forestry and Urban Greening*, 58. <https://doi.org/10.1016/j.ufug.2020.126973>

Gupta, C., Tewari, V. K., Machavaram, R., & Shrivastava, P. (2022). An image processing approach for measurement of chili plant height and width under field conditions. *Journal of the Saudi Society of Agricultural Sciences*, 21(3), 171–179. <https://doi.org/10.1016/j.jssas.2021.07.007>

Hadi, A., & Abdullah, M. Z. (2022). Web and IoT-based hospital location determination with criteria weight analysis. *Bulletin of Electrical Engineering and Informatics*, 11(1), 386–395. <https://doi.org/10.11591/eei.v11i1.3214>

Han, J., & Pei, J. (2012). *Data Mining: Concepts and Techniques* (3rd ed.). Elsevier. <https://doi.org/10.1016/C2009-0-61819-5>

He, T., Wei, G., Lu, J., Wu, J., Wei, C., & Guo, Y. (2020). A novel edas based method for multiple attribute group decision making with pythagorean 2-tuple linguistic information. *Technological and Economic Development of Economy*, 26(6), 1125–1138. <https://doi.org/10.3846/tede.2020.12733>

Hensher, D. A., Ho, C. Q., Teye, C., Liu, W., & Wei, E. (2020). Integrating Business Location Choices into Transport and Land Use Planning Tools. *Journal of Transport Economics and Policy (JTEP)*, 54(2), 121–150.

Herman, S. C. (1981). *Landscape and environmental Design (Transportation Research 822)* (S. C. Herman, Ed.). National Academy of Sciences. <https://onlinepubs.trb.org/Onlinepubs/trr/1981/822/822.pdf>

Heyns, E., Uniyal, S., Dugundji, E., Tillema, F., & Huijboom, C. (2019). Predicting traffic phases from car sensor data using machine learning. *Procedia Computer Science*, 151, 92–99. <https://doi.org/10.1016/j.procs.2019.04.016>

Hezam, I. M., Mishra, A. R., Rani, P., Cavallaro, F., Saha, A., Ali, J., Strielkowski, W., & Štreimikienė, D. (2022). A Hybrid Intuitionistic Fuzzy-MEREC-RS-DNMA Method for Assessing the Alternative Fuel Vehicles with Sustainability Perspectives. *Sustainability (Switzerland)*, *14*(9). <https://doi.org/10.3390/su14095463>

Higgins, J. S., Michael, J., Austin, R., Åkerstedt, T., Van Dongen, H. P. A., Watson, N., Czeisler, C., Pack, A. I., & Rosekind, M. R. (2017). Asleep at the Wheel—The Road to Addressing Drowsy Driving. *Sleep*, *40*(2). <https://doi.org/10.1093/sleep/zsx001>

Horst, L., Taczanowska, K., Porst, F., & Arnberger, A. (2023). Evaluation of GNSS-based Volunteered Geographic Information for assessing visitor spatial distribution within protected areas: A case study of the Bavarian Forest National Park, Germany. *Applied Geography*, *150*. <https://doi.org/10.1016/j.apgeog.2022.102825>

Huang, R. (2023). Analyzing national parks visitor activities using geotagged social media photos. *Journal of Environmental Management*, *330*. <https://doi.org/10.1016/j.jenvman.2022.117191>

Huawei. (2020). Enterprise Smart Application Platform. In *Huawei Technologies Co., Ltd.* (pp. 5–6). Huawei Technologies Co., Ltd.

Husain, N. A., Mohamad, J., & Idris, M. A. (2019). Daily emotional demands on traffic crashes among taxi drivers: Fatigue and safety motivation as mediators. *IATSS Research*, *43*(4), 268–276. <https://doi.org/10.1016/j.iatssr.2019.03.001>

Hwang, C.-L., & Yoon, K. (1981). *Multiple Attribute Decision Making* (1st ed., Vol. 186). Springer Berlin Heidelberg. <https://doi.org/10.1007/978-3-642-48318-9>

Ikram, M., Sroufe, R., & Zhang, Q. (2020). Prioritizing and overcoming barriers to integrated management system (IMS) implementation using AHP and G-TOPSIS. *Journal of Cleaner Production*, *254*, 120121. <https://doi.org/10.1016/j.jclepro.2020.120121>

- Imron, A., & Mochammad, H. (2021). *Pengantar Bisnis Modern* (A. Puspitasari, Ed.; 1st ed.). Desanta Muliavisitama. https://www.google.co.id/books/edition/Pengantar_Bisnis_Modern/aS8dEAAQBAJ?hl=id&gbpv=1&printsec=frontcover
- Iyer, L. S. (2021). AI enabled applications towards intelligent transportation. *Transportation Engineering*, 5. <https://doi.org/10.1016/j.treng.2021.100083>
- Jain, D. K., Boyapati, P., Venkatesh, J., & Prakash, M. (2022). An Intelligent Cognitive-Inspired Computing with Big Data Analytics Framework for Sentiment Analysis and Classification. *Information Processing and Management*, 59(1). <https://doi.org/10.1016/j.ipm.2021.102758>
- Jaydarifard, S., Behara, K., Baker, D., & Paz, A. (2023). Driver fatigue in taxi, ride-hailing, and ridesharing services: a systematic review. *Transport Reviews*, 1–19. <https://doi.org/10.1080/01441647.2023.2278446>
- Jung, S., Joo, S., & Oh, C. (2017a). Evaluating the effects of supplemental rest areas on freeway crashes caused by drowsy driving. *Accident Analysis and Prevention*, 99, 356–363. <https://doi.org/10.1016/j.aap.2016.12.021>
- Jung, S., Joo, S., & Oh, C. (2017b). Evaluating the effects of supplemental rest areas on freeway crashes caused by drowsy driving. *Accident Analysis and Prevention*, 99, 356–363. <https://doi.org/10.1016/j.aap.2016.12.021>
- Kabak, M., Erbaş, M., Çetinkaya, C., & Özceylan, E. (2018). A GIS-based MCDM approach for the evaluation of bike-share stations. *Journal of Cleaner Production*, 201, 49–60. <https://doi.org/10.1016/j.jclepro.2018.08.033>
- Kaplinski, O., Peldschus, F., & Tupenaite, L. (2014). Development of MCDM methods - in honour of professor Edmundas Kazimieras Zavadskas on the occasion of his 70th birthday. *International Journal of Computers, Communications and Control*, 9(3), 305–312. <https://doi.org/10.15837/ijccc.2014.3.1084>
- Karasan, A., Zavadskas, E. K., Kahraman, C., & Keshavarz-Ghorabae, M. (2019). Residential Construction Site Selection Through Interval-Valued Hesitant Fuzzy

CODAS Method. *Informatica (Netherlands)*, 30(4), 689–710.
<https://doi.org/10.15388/Informatica.2019.225>

Kazemi, A., & Amiri, M. (2017). Selecting Shopping Center Site Using MADM Techniques. *Conference: International Conference on Education, E-Governance, Law and Business (ICEELB-17)*, 50–54.
<https://doi.org/10.15242/ICEHM.UH0117002>

Kebete, Y., & Wondirad, A. (2019). Visitor management and sustainable destination management nexus in Zegie Peninsula, Northern Ethiopia. *Journal of Destination Marketing and Management*, 13, 83–98.
<https://doi.org/10.1016/j.jdmm.2019.03.006>

Kellner, F., & Schroder, N. (2022). Location Planning & Analysis Using Uncertain Data. *2021 International Conference on Decision Aid Sciences and Application (DASA)*, 720–723. <https://doi.org/10.1109/dasa53625.2021.9682323>

Keshavarz-Ghorabae, M. (2021a). Assessment of distribution center locations using a multi-expert subjective–objective decision-making approach. *Scientific Reports*, 11(1). <https://doi.org/10.1038/s41598-021-98698-y>

Keshavarz-Ghorabae, M. (2021b). Assessment of distribution center locations using a multi-expert subjective–objective decision-making approach. *Scientific Reports*, 11(1). <https://doi.org/10.1038/s41598-021-98698-y>

Keshavarz-Ghorabae, M., Amiri, M., Zavadskas, E. K., Turskis, Z., & Antucheviciene, J. (2021). Determination of Objective Weights Using a New Method Based on the Removal Effects of Criteria (MERECE). *Symmetry*, 13(4). <https://doi.org/10.3390/sym13040525>

Kieu, P. T., Nguyen, V. T., Nguyen, V., & Ho, T. P. (2021). A Spherical Fuzzy Analytic Hierarchy Process (SF-AHP) and Combined Compromise Solution (CoCoSo) Algorithm in Distribution Center Location Selection_ A Case Study in Agricultural Supply Chain. *Axioms*, 10(53).

Komchornrit, K. (2017). The Selection of Dry Port Location by a Hybrid CFA-MACBETH-PROMETHEE Method: A Case Study of Southern Thailand. *The Asian Journal of Shipping and Logistics*, 33(3), 141–153. <https://doi.org/10.1016/j.ajsl.2017.09.004>

Korpilo, S., Virtanen, T., Saukkonen, T., & Lehvavirta, S. (2018). More than A to B: Understanding and managing visitor spatial behaviour in urban forests using public participation GIS. *Journal of Environmental Management*, 207, 124–133. <https://doi.org/10.1016/j.jenvman.2017.11.020>

Kouchaksaraei, R. H., Zolfani, S. H., & Golabchi, M. (2015). Glasshouse Locating Based On SWARA-COPRAS Approach. *International Journal of Strategic Property Management*, 19(2), 111–122. <https://doi.org/10.3846/1648715X.2015.1004565>

Kusi-Sarpong, S., Orji, I. J., Gupta, H., & Kunc, M. (2021). Risks associated with the implementation of big data analytics in sustainable supply chains. *Omega (United Kingdom)*, 105. <https://doi.org/10.1016/j.omega.2021.102502>

Kusumanto, R. D., & Tompunu, A. N. (2011). Pengolahan Citra Digital Untuk Mendeteksi Obek Menggunakan Pengolahan Warna Model Normalisasi RGB. *Vol. 1 No. 1 (2011): Prosiding Semantik 2011*.

Labianca, C., de Gisi, S., & Notarnicola, M. (2022). Multi-criteria decision-making. *Assessing Progress Towards Sustainability*, 219–243. <https://doi.org/10.1016/B978-0-323-85851-9.00003-1>

Larose, D. T., & Larose, C. D. (2014). *Discovering Knowledge in Data An Introduction to Data Mining* (D. T. Larose, Ed.; 2nd ed.). John Wiley & Sons, Inc. All rights reserved.

Layuk, N. S., & Patasik, M. (2015). “Perancangan Aplikasi Pendeteksi Daerah Macet Di Kota Makassar.” *Prosiding Seminar Ilmiah Sistem Informasi Dan Teknologi Informasi*, 214–223.

- Lee, H., Lee, J., & Chung, Y. (2021). Traffic density estimation using vehicle sensor data. *Journal of Intelligent Transportation Systems*, 1–15. <https://doi.org/10.1080/15472450.2021.1966626>
- Li, J., Boonaert, J., Doniec, A., & Lozenguez, G. (2021). Multi-models machine learning methods for traffic flow estimation from Floating Car Data. *Transportation Research Part C: Emerging Technologies*, 132, 103389. <https://doi.org/10.1016/j.trc.2021.103389>
- Li, L., Lin, J., Ouyang, Y., & Luo, X. (2021). Evaluating the impact of big data analytics usage on the decision-making quality of organizations. *Technological Forecasting and Social Change*. <https://doi.org/10.1016/j.techfore.2021.121355>
- Lin, P. P., Li, D. F., Jiang, B. Q., Yu, G. F., & Wei, A. P. (2020). Evaluating the comprehensive impacts of tourism in Hainan by intergrating input-output model with mcdm methods. *Technological and Economic Development of Economy*, 26(5), 989–1029. <https://doi.org/10.3846/tede.2020.12706>
- Liu, J., Li, J., Zhang, L., Dai, F., Zhang, Y., Meng, X., & Shen, J. (2018). Secure intelligent traffic light control using fog computing. *Future Generation Computer Systems*, 78, 817–824. <https://doi.org/10.1016/j.future.2017.02.017>
- Liu, P., & Li, Y. (2020). Multiattribute decision method for comprehensive logistics distribution center location selection based on 2-dimensional linguistic information. *Information Sciences*, 538, 209–244. <https://doi.org/10.1016/j.ins.2020.05.131>
- Liu, X., Chien, S., & Kim, K. (2012). Evaluation of floating car technologies for travel time estimation'. *J. Mod. Transp*, 20(1), 49–56.
- Liu, X., Zhou, X., Zhu, B., He, K., & Wang, P. (2019). Measuring the maturity of carbon market in China: An entropy-based TOPSIS approach. *Journal of Cleaner Production*, 229, 94–103. <https://doi.org/10.1016/j.jclepro.2019.04.380>

- Marcus, J. H., & Rosekind, M. R. (2017). Fatigue in transportation: NTSB investigations and safety recommendations. *Injury Prevention*, 23(4), 232–238. <https://doi.org/10.1136/injuryprev-2015-041791>
- Mateusz, R. (2021). A method to analyze variability and seasonality the visitors in mountain national park in period 2017–2020 (Stołowe Mts. National Park; Poland). *Journal of Outdoor Recreation and Tourism*, 35, 100407. <https://doi.org/10.1016/j.jort.2021.100407>
- Mathayomchan, B., & Taecharungroj, V. (2020). “How was your meal?” Examining customer experience using Google maps reviews. *International Journal of Hospitality Management*, 90. <https://doi.org/10.1016/j.ijhm.2020.102641>
- Mazur, X., Rinaldi, M., & Viti, F. (2021). Heuristic methods for minimal controller location set problem in transportation networks. *Transportation Research Procedia*, 52, 83–90. <https://doi.org/10.1016/j.trpro.2021.01.011>
- McArthur, A., Kay, J., Savolainen, P. T., & Gates, T. J. (2013). Effects of Public Rest Areas on Fatigue-Related Crashes. *Transportation Research Record: Journal of the Transportation Research Board*, 2386(1), 16–25. <https://doi.org/10.3141/2386-03>
- Meshram, C., & Agrawal, S. S. (2015). Fuzzy Multi-criteria Decision Making associated with Risk and Confidence Attributes. *Bulletin of Electrical Engineering and Informatics*, 4(3). <https://doi.org/10.11591/eei.v4i3.506>
- Messaoudi, D., Settou, N., Negrou, B., & Settou, B. (2019). GIS based multi-criteria decision making for solar hydrogen production sites selection in Algeria. *International Journal of Hydrogen Energy*, 44(60), 31808–31831. <https://doi.org/10.1016/j.ijhydene.2019.10.099>
- Mi, X., Liao, H., Liao, Y., Lin, Q., Lev, B., & Al-Barakati, A. (2020). Green Supplier Selection By An Integrated Method With Stochastic Acceptability Analysis And Multimoora. *Technological and Economic Development of Economy*, 26(3), 549–572. <https://doi.org/10.3846/tede.2020.11964>

Mihajlović, J., Rajković, P., Petrović, G., & Ćirić, D. (2019). The selection of the logistics distribution fruit center location based on MCDM methodology in southern and eastern region in Serbia. *Operational Research in Engineering Sciences: Theory and Applications*, 2(2), 72–85. <https://doi.org/10.31181/oresta190247m>

Mishra, S., Bhattacharya, D., & Gupta, A. (2018). Congestion adaptive traffic light control and notification architecture using google maps APIs. *Data*, 3(4). <https://doi.org/10.3390/data3040067>

Mohammadi, F., Mahmoudi, H., Ranjbaran, Y., & Ahmadzadeh, F. (2022). Compilation and prioritizing human-wildlife conflict management strategies using the WASPAS method in Iran. *Environmental Challenges*, 7, 100482. <https://doi.org/10.1016/j.envc.2022.100482>

Mohan, V., Kumar M, S., Kumar, C. P. G., Yuvaraj, J., Krishnan, A., Amarchand, R., & Prabu, R. (2020). Using global positioning system technology and Google My Maps in follow-up studies—An experience from influenza surveillance study, Chennai, India. *Spatial and Spatio-Temporal Epidemiology*, 32. <https://doi.org/10.1016/j.sste.2019.100321>

Mohsin, M., Ali, S. A., Shamim, S. K., & Ahmad, A. (2022). A GIS-based novel approach for suitable sanitary landfill site selection using integrated fuzzy analytic hierarchy process and machine learning algorithms. *Environmental Science and Pollution Research*, 29(21), 31511–31540. <https://doi.org/10.1007/s11356-021-17961-x>

Moradi, S., Yousefi, H., Noorollahi, Y., & Rosso, D. (2020). Multi-criteria decision support system for wind farm site selection and sensitivity analysis: Case study of Alborz Province, Iran. *Energy Strategy Reviews*, 29, 100478. <https://doi.org/10.1016/j.esr.2020.100478>

Mulyawan, H., Zen, M., Samsono, H., Jurusan, S., Elektronika, T.-P., & Surabaya, N. (2011). *Identifikasi dan Tracking Objek Berbasis Image Processing secara Real Time*.

- Muñoz-Villamizar, A., Solano-Charris, E. L., AzadDisfany, M., & Reyes-Rubiano, L. (2021). Study of urban-traffic congestion based on google maps API: The case of Boston. *IFAC-PapersOnLine*, *54*(1), 211–216. <https://doi.org/10.1016/j.ifacol.2021.08.079>
- Musrifah, Arief, M., & Andriani, N. (2017). Penentuan Lokasi Usaha Berdasarkan Pendekatan Mystique (Study Fenomenologi). *Jurnal Studi Manajemen Dan Bisnis*, *4*(2), 288–294.
- Nguyen, H. Q., Nguyen, V. T., Phan, D. P., Tran, Q. H., & Vu, N. P. (2022). Multi-Criteria Decision Making in the PMEDM Process by Using MARCOS, TOPSIS, and MAIRCA Methods. *Applied Sciences (Switzerland)*, *12*(8). <https://doi.org/10.3390/app12083720>
- Niu, Y., Ying, L., Yang, J., Bao, M., & Sivaparthipan, C. B. (2021). Organizational business intelligence and decision making using big data analytics. *Information Processing and Management*, *58*(6). <https://doi.org/10.1016/j.ipm.2021.102725>
- Noorollahi, Y., Yousefi, H., & Mohammadi, M. (2016). Multi-criteria decision support system for wind farm site selection using GIS. *Sustainable Energy Technologies and Assessments*, *13*, 38–50. <https://doi.org/10.1016/j.seta.2015.11.007>
- Ocampo, L., Genimelo, G. J., Lariosa, J., Guinitaran, R., Borromeo, P. J., Aparente, M. E., Capin, T., & Bongo, M. (2020). Warehouse location selection with TOPSIS group decision-making under different expert priority allocations. *Engineering Management in Production and Services*, *12*(4), 22–39. <https://doi.org/10.2478/emj-2020-0025>
- OECD/WHO (2020). (2020). Road safety. In *Health at a Glance: Asia/Pacific 2020: Measuring Progress Towards Universal Health Coverage*. OECD Publishing. <https://doi.org/10.1787/65afc565-en>
- Onokala, P. C., & Olajide, C. J. (2020). Problems and Challenges Facing the Nigerian Transportation System Which Affect Their Contribution to the Economic

Development of the Country in the 21st Century. *Transportation Research Procedia*, 48, 2945–2962. <https://doi.org/10.1016/j.trpro.2020.08.189>

Opricovic, S., & Tzeng, G.-H. (2004). Compromise solution by MCDM methods: A comparative analysis of VIKOR and TOPSIS. *European Journal of Operational Research*, 156(2), 445–455. [https://doi.org/10.1016/S0377-2217\(03\)00020-1](https://doi.org/10.1016/S0377-2217(03)00020-1)

Orsi, F., & Geneletti, D. (2013). Using geotagged photographs and GIS analysis to estimate visitor flows in natural areas. *Journal for Nature Conservation*, 21(5), 359–368. <https://doi.org/10.1016/j.jnc.2013.03.001>

Ozdemir, S., & Sahin, G. (2018). Multi-criteria decision-making in the location selection for a solar PV power plant using AHP. *Measurement*, 129, 218–226. <https://doi.org/10.1016/j.measurement.2018.07.020>

Özkan, B., Dengiz, O., & Demirağ Turan, İ. (2019). Site suitability assessment and mapping for rice cultivation using multi-criteria decision analysis based on fuzzy-AHP and TOPSIS approaches under semihumid ecological condition in delta plain. *Paddy and Water Environment*, 17(4), 665–676. <https://doi.org/10.1007/s10333-019-00692-8>

Özmen, M., & Aydoğan, E. K. (2020). Robust multi-criteria decision making methodology for real life logistics center location problem. *Artificial Intelligence Review*, 53(1), 725–751. <https://doi.org/10.1007/s10462-019-09763-y>

Papadopoulos, T., & Balta, M. E. (2021). Climate Change and big data analytics: Challenges and opportunities. *International Journal of Information Management*. <https://doi.org/10.1016/j.ijinfomgt.2021.102448>

Popovic, G., Stanujkic, D., Brzakovic, M., & Karabasevic, D. (2019). A multiple-criteria decision-making model for the selection of a hotel location. *Land Use Policy*, 84, 49–58. <https://doi.org/10.1016/j.landusepol.2019.03.001>

Pouwels, R., van Eupen, M., Walvoort, D. J. J., & Jochem, R. (2020). Using GPS tracking to understand the impact of management interventions on visitor densities

and bird populations. *Applied Geography*, 116. <https://doi.org/10.1016/j.apgeog.2020.102154>

Prasetyani, M., Isnanto, R. R., & Rosyida, I. (2023). Determining The Location Detection on Several Sectors to Support The Business Center: Literature Review. *E3S Web of Conferences*, 448, 02050. <https://doi.org/10.1051/e3sconf/202344802050>

Prasetyani, M., Isnanto, R. R., & Widodo, C. E. (2024). Analyzing Road Users' Behavior: A Data Mining Approach Using Google Maps Popular Time and Web Scraping for Rest Area Visitation Patterns on Highways and Toll Roads. *Ingénierie Des Systèmes d'Information*, 29(5), 1711–1722. <https://doi.org/10.18280/isi.290505>

Prasetyaningrum, I., Fathoni, K., & Priyantoro, T. T. J. (2020). Application of recommendation system with AHP method and sentiment analysis. *TELKOMNIKA (Telecommunication Computing Electronics and Control)*, 18(3), 1343. <https://doi.org/10.12928/telkomnika.v18i3.14778>

PU, D. (1999). *Tata cara Penentuan Lokasi Tempat Istirahat Di Jalan Bebas Hambatan*. Departemen PU. <https://binamarga.pu.go.id/peraturan/dokumen>

Purnama, S. M., & Aditya, T. (2022). Analitik Visual Deteksi Dampak Pemanfaatan Lahan Terhadap Kemacetan Lalu Lintas Melalui Crowdsourced dan Citra Penginderaan Jauh Di Kawasan Peri-Urban Kota Yogyakarta. *Geoid*, 17(2), 152. <https://doi.org/10.12962/j24423998.v17i2.9080>

Putra, D. (2010). *Pengolahan Citra Digital* (Westriningsih, Ed.; Westriningsih). CV Andi Offset (ANDI). <https://books.google.co.id/books?id=NectMutqXJAC&printsec=frontcover#v=onepage&q&f=false>

Putranto, B. Y. B., Hapsari, W., & Wijana, K. (2011). Segmentasi Warna Citra Dengan Deteksi Warna HSV untuk Mendetek Objek. *Jurnal Informatika*, 6(2). <https://doi.org/10.21460/inf.2010.62.81>

- Quynh, M. P., Thu, T. L., Huong, Q. D., Van, A. P. T., Van, H. N., & Van, D. N. (2020). Distribution center location selection using a novel multi criteria decision-making approach under interval neutrosophic complex sets. *Decision Science Letters*, 9(3), 501–510. <https://doi.org/10.5267/j.dsl.2020.2.001>
- Ramya, S., & Devadas, V. (2019). Integration of GIS, AHP and TOPSIS in evaluating suitable locations for industrial development: A case of Tehri Garhwal district, Uttarakhand, India. *Journal of Cleaner Production*, 238, 117872. <https://doi.org/10.1016/j.jclepro.2019.117872>
- Ray, A., De, A., & Dan, P. Kr. (2015). Facility location selection using complete and partial ranking MCDM methods. *International Journal of Industrial and Systems Engineering*, 19(2), 262. <https://doi.org/10.1504/IJISE.2015.067251>
- Reif, J., & Schmücker, D. (2020). Exploring new ways of visitor tracking using big data sources: Opportunities and limits of passive mobile data for tourism. *Journal of Destination Marketing and Management*, 18. <https://doi.org/10.1016/j.jdmm.2020.100481>
- Rezaei, M., Alharbi, S. A., Razmjoo, A., & Mohamed, M. A. (2021). Accurate location planning for a wind-powered hydrogen refueling station: Fuzzy VIKOR method. *International Journal of Hydrogen Energy*, 46(67), 33360–33374. <https://doi.org/10.1016/j.ijhydene.2021.07.154>
- Rezaeisabzevar, Y., Bazargan, A., & Zohourian, B. (2020). Landfill site selection using multi criteria decision making: Influential factors for comparing locations. In *Journal of Environmental Sciences (China)* (Vol. 93, pp. 170–184). Chinese Academy of Sciences. <https://doi.org/10.1016/j.jes.2020.02.030>
- Rikalovic, A., Cosic, I., & Lazarevic, D. (2014). GIS based multi-criteria analysis for industrial site selection. *Procedia Engineering*, 69, 1054–1063. <https://doi.org/10.1016/j.proeng.2014.03.090>

- Roszkowska, E. (2013). Rank Ordering Criteria Weighting Methods – a Comparative Overview. *Optimum. Studia Ekonomiczne*, 5(65), 14–33. <https://doi.org/10.15290/ose.2013.05.65.02>
- Saha, A., & Roy, R. (2021). An integrated approach to identify suitable areas for built-up development using GIS-based multi-criteria analysis and AHP in Siliguri planning area, India. *SN Applied Sciences*, 3(4). <https://doi.org/10.1007/s42452-021-04354-5>
- Sánchez-Lozano, J. M., Teruel-Solano, J., Soto-Elvira, P. L., & Socorro García-Cascales, M. (2013). Geographical Information Systems (GIS) and Multi-Criteria Decision Making (MCDM) methods for the evaluation of solar farms locations: Case study in south-eastern Spain. In *Renewable and Sustainable Energy Reviews* (Vol. 24, pp. 544–556). Elsevier Ltd. <https://doi.org/10.1016/j.rser.2013.03.019>
- Schaefer, C., & Makatsaria, A. (2021). Framework of Data Analytics and Integrating Knowledge Management. *International Journal of Intelligent Networks*, 2, 156–165. <https://doi.org/10.1016/j.ijin.2021.09.004>
- Sennaroglu, B., & Celebi, G. V. (2018). A military airport location selection by AHP integrated PROMETHEE and VIKOR methods. *Transportation Research Part D: Transport and Environment*, 59, 160–173. <https://doi.org/10.1016/j.trd.2017.12.022>
- Shan, X. Z. (2020). Association between the time patterns of urban green space visitations and visitor characteristics in a high-density, subtropical city. *Cities*, 97. <https://doi.org/10.1016/j.cities.2019.102562>
- Sinclair, M., Mayer, M., Woltering, M., & Ghermandi, A. (2020). Using social media to estimate visitor provenance and patterns of recreation in Germany's national parks. *Journal of Environmental Management*, 263. <https://doi.org/10.1016/j.jenvman.2020.110418>

- Singh, G., & Singh, A. (2021). Extension of particle swarm optimization algorithm for solving transportation problem in fuzzy environment. *Applied Soft Computing*, *110*, 107619. <https://doi.org/10.1016/j.asoc.2021.107619>
- Solangi, Y. A., Shah, S. A. A., Zameer, H., Ikram, M., & Saracoglu, B. O. (2019). Assessing the solar PV power project site selection in Pakistan: based on AHP-fuzzy VIKOR approach. *Environmental Science and Pollution Research*, *26*(29), 30286–30302. <https://doi.org/10.1007/s11356-019-06172-0>
- Spyridonidou, S., & Vagiona, D. G. (2020). Spatial energy planning of offshore wind farms in Greece using GIS and a hybrid MCDM methodological approach. *Euro-Mediterranean Journal for Environmental Integration*, *5*(2). <https://doi.org/10.1007/s41207-020-00161-3>
- Srinivasan, R., Karthikeyan, N., Renganathan, K., & Vijayan, D. V. (2021). Method for solving fully fuzzy transportation problem to transform the materials. *Materials Today: Proceedings*, *37*, 431–433. <https://doi.org/10.1016/j.matpr.2020.05.423>
- Svennerberg, G. (2010). Beginning Google Maps API 3. In *The Expert's Voice in Web Development* (2nd ed.). Apress.
- Tadic, S., Krstic, M., Roso, V., & Brnjac, N. (2020). Dry port terminal location selection by applying the hybrid grey MCDM model. *Sustainability (Switzerland)*, *12*(17). <https://doi.org/10.3390/su12176983>
- Tadić, S., Zečević, S., & Krstić, M. (2014). A novel hybrid MCDM model based on fuzzy DEMATEL, fuzzy ANP and fuzzy VIKOR for city logistics concept selection. *Expert Systems with Applications*, *41*(18), 8112–8128. <https://doi.org/10.1016/j.eswa.2014.07.021>
- Taoufik, N., Boumya, W., Achak, M., Chennouk, H., Dewil, R., & Barka, N. (2022). The state of art on the prediction of efficiency and modeling of the processes of pollutants removal based on machine learning. *Science of The Total Environment*, *807*, 150554. <https://doi.org/10.1016/j.scitotenv.2021.150554>

Tavana, M., Santos Arteaga, F. J., Mohammadi, S., & Alimohammadi, M. (2017). A fuzzy multi-criteria spatial decision support system for solar farm location planning. *Energy Strategy Reviews*, 18, 93–105. <https://doi.org/10.1016/j.esr.2017.09.003>

Thórhallsdóttir, G., Ólafsson, R., & Jóhannesson, G. T. (2021). A methodology of estimating visitor numbers at an Icelandic destination using a vehicle counter and a radar. *Journal of Outdoor Recreation and Tourism*, 35. <https://doi.org/10.1016/j.jort.2021.100378>

Tian, C., Peng, J. J., Zhang, W. Y., Zhang, S., & Wang, J. Q. (2020). Tourism environmental impact assessment based on improved ahp and picture fuzzy promethee ii methods. *Technological and Economic Development of Economy*, 26(2), 355–378. <https://doi.org/10.3846/tede.2019.11413>

Toan, T. D., & Wong, Y. D. (2021). Fuzzy logic-based methodology for quantification of traffic congestion. *Physica A: Statistical Mechanics and Its Applications*, 570. <https://doi.org/10.1016/j.physa.2021.125784>

Torkayesh, A. E., Zolfani, S. H., Kahvand, M., & Khazaelpour, P. (2021). Landfill location selection for healthcare waste of urban areas using hybrid BWM-grey MARCOS model based on GIS. *Sustainable Cities and Society*, 67. <https://doi.org/10.1016/j.scs.2021.102712>

Toslak, M., Akturk, B., & Ulutas, A. (2022). MEREC ve WEDBA Yöntemleri ile Bir Lojistik Firmasının Yıllara Göre Performansının Değerlendirilmesi. *European Journal of Science and Technology*. <https://doi.org/10.31590/ejosat.1041106>

Trung, D. D., & Thinh, H. X. (2021). A multi-criteria decision-making in turning process using the MAIRCA, EAMR, MARCOS and TOPSIS methods: A comparative study. *Advances in Production Engineering And Management*, 16(4), 443–456. <https://doi.org/10.14743/APEM2021.4.412>

Türk, S., Koç, A., & Şahin, G. (2021). Multi-criteria of PV solar site selection problem using GIS-intuitionistic fuzzy based approach in Erzurum

- province/Turkey. *Scientific Reports*, 11(1). <https://doi.org/10.1038/s41598-021-84257-y>
- Tzeng, G.-H., & Huang, J.-J. (2011). *Multiple Attribute Decision Making* (1st ed.). Chapman and Hall/CRC. <https://doi.org/10.1201/b11032>
- Ulutaş, A., Stanujkić, D., Karabašević, D., Popović, G., & Novaković, S. (2022). Pallet truck selection with MEREC and WISP-S methods. *Strategic Management*, 00, 13–13. <https://doi.org/10.5937/straman2200013u>
- Vytautas, B., Marija, B., & Vytautas, P. (2015). Assessment of Neglected Areas in Vilnius City Using MCDM and COPRAS Methods. *Procedia Engineering*, 122, 29–38. <https://doi.org/10.1016/j.proeng.2015.10.004>
- Wagner, J. M. S., Eschbach, M., Vosseberg, K., & Gennat, M. (2020). Travel Time Estimation by means of Google API Data. *IFAC-PapersOnLine*, 53(2), 15434–15439. <https://doi.org/10.1016/j.ifacol.2020.12.2365>
- Wang, J., Xu, C., Zhang, J., & Zhong, R. (2021). Big data analytics for intelligent manufacturing systems: A review. *Journal of Manufacturing Systems*. [s](#)
- Wei, G., Lei, F., Lin, R., Wang, R., Wei, Y., Wu, J., & Wei, C. (2020). Algorithms for probabilistic uncertain linguistic multiple attribute group decision making based on the GRA and CRITIC method: application to location planning of electric vehicle charging stations. *Economic Research-Ekonomska Istraživanja*, 33(1), 828–846. <https://doi.org/10.1080/1331677X.2020.1734851>
- Widayati dan Ire Puspa Wardhani, S. (2020). Analisa Segmentasi Warna HSV pada Citra Video dengan Metode Threshold. *Seminar Nasional Teknologi Informasi Dan Komunikasi STI&K (SeNTIK)*, 4(1).
- Witten, I. H., Frank, E., & Hall, M. A. (2011). *Data Mining: Practical Machine Learning Tools and Techniques* (3rd ed.). Elsevier. <https://doi.org/10.1016/C2009-0-19715-5>

- Wolf, I. D., Hagenloh, G., & Croft, D. B. (2012). Visitor monitoring along roads and hiking trails: How to determine usage levels in tourist sites. *Tourism Management*, 33(1), 16–28. <https://doi.org/10.1016/j.tourman.2011.01.019>
- Wu, C., Guo, Y., Guo, H., Yuan, J., Ru, L., Chen, H., Du, B., & Zhang, L. (2021). An investigation of traffic density changes inside Wuhan during the COVID-19 epidemic with GF-2 time-series images. *International Journal of Applied Earth Observation and Geoinformation*, 103. <https://doi.org/10.1016/j.jag.2021.102503>
- Wu, M. (2021). Application of urban planning and design in Yan'an new area based on GIS technology. *Arabian Journal of Geosciences*, 14(593). <https://doi.org/10.1007/s12517-021-06911-z/Published>
- Xu, Y., Li, Y., Zheng, L., Cui, L., Li, S., Li, W., & Cai, Y. (2020). Site selection of wind farms using GIS and multi-criteria decision making method in Wafangdian, China. *Energy*, 207. <https://doi.org/10.1016/j.energy.2020.118222>
- Yang, S., Ma, W., Pi, X., & Qian, S. (2019). A deep learning approach to real-time parking occupancy prediction in transportation networks incorporating multiple spatio-temporal data sources. *Transportation Research Part C: Emerging Technologies*, 107, 248–265. <https://doi.org/10.1016/j.trc.2019.08.010>
- Yap, J. Y. L., Ho, C. C., & Ting, C.-Y. (2019). A systematic review of the applications of multi-criteria decision-making methods in site selection problems. *Built Environment Project and Asset Management*, 9(4), 548–563. <https://doi.org/10.1108/BEPAM-05-2018-0078>
- Yazdani, M., Chatterjee, P., Pamucar, D., & Chakraborty, S. (2020). Development of an integrated decision making model for location selection of logistics centers in the Spanish autonomous communities. *Expert Systems with Applications*, 148, 113208. <https://doi.org/10.1016/j.eswa.2020.113208>
- Yıldız, N., & Tüysüz, F. (2019). A hybrid multi-criteria decision making approach for strategic retail location investment: Application to Turkish food retailing.

Socio-Economic Planning Sciences, 68, 100619.

<https://doi.org/10.1016/j.seps.2018.02.006>

Youssef, M. A. E. A., Eid, R., & Agag, G. (2022). Cross-national differences in big data analytics adoption in the retail industry. *Journal of Retailing and Consumer Services*, 64. <https://doi.org/10.1016/j.jretconser.2021.102827>

Yu, X., Stuart, A. L., Liu, Y., Ivey, C. E., Russell, A. G., Kan, H., Henneman, L. R. F., Sarnat, S. E., Hasan, S., Sadmani, A., Yang, X., & Yu, H. (2019). On the accuracy and potential of Google Maps location history data to characterize individual mobility for air pollution health studies. *Environmental Pollution*, 252, 924–930. <https://doi.org/10.1016/j.envpol.2019.05.081>

Yukse, B. Z., & Dakeev, U. (2014). Management of Urban Parking Lot Energy Efficiency with the Application of Wind Turbine and LED lights. *Bulletin of Electrical Engineering and Informatics*, 3(1). <https://doi.org/10.12928/eei.v3i1.180>

Zafar, U., Bayram, I. S., & Bayhan, S. (2021). A GIS-based Optimal Facility Location Framework for Fast Electric Vehicle Charging Stations. *IEEE International Symposium on Industrial Electronics, 2021-June*. <https://doi.org/10.1109/ISIE45552.2021.9576448>

Żak, J., & Węgliński, S. (2014). The Selection of the Logistics Center Location Based on MCDM/A Methodology. *Transportation Research Procedia*, 3, 555–564. <https://doi.org/10.1016/j.trpro.2014.10.034>

Zandiatashbar, A., Hamidi, S., & Foster, N. (2019). High-tech business location, transportation accessibility, and implications for sustainability: Evaluating the differences between high-tech specializations using empirical evidence from U.S. booming regions. *Sustainable Cities and Society*, 50. <https://doi.org/10.1016/j.scs.2019.101648>

Zarin, R., Azmat, M., Naqvi, S. R., Saddique, Q., & Ullah, S. (2021). Landfill site selection by integrating fuzzy logic, AHP, and WLC method based on multi-criteria decision analysis.


Environmental Science and Pollution Research, 28(19726–19741).
<https://doi.org/10.1007/s11356-020-11975-7>/Published

Zavadskas, E. K., Turskis, Z., & Antucheviciene, J. (2012). Optimization of Weighted Aggregated Sum Product Assessment. *Electronics and Electrical Engineering*, 122(6).
<https://doi.org/10.5755/j01.eee.122.6.1810>

Zeng, Q., Zhong, M., Zhu, Y., & Li, J. (2020). Business Location Selection Based on Geo-Social Networks. In G. Goos & J. Hartmanis (Eds.), *Database Systems for Advanced Applications* (pp. 36–52). Springer. https://doi.org/10.1007/978-3-030-59419-0_3

Zeng, Q., Zhong, M., Zhu, Y., Qian, T., & Li, J. (2021). Business location planning based on a novel geo-social influence diffusion model. *Information Sciences*, 559, 61–74.
<https://doi.org/10.1016/j.ins.2021.01.047>

Zolfani, S. H., Mosharafiandehkordi, S., & Kutut, V. (2019). A Pre-Planning For Hotel Locating According To The Sustainability Perspective based On BWM-WASPAS Approach. *International Journal of Strategic Property Management*, 23(6), 405–419.
<https://doi.org/10.3846/ijspm.2019.10844>



SEKOLAH PASCASARJANA