# DAFTAR PUSTAKA

Ahamed, J. U., Saidur, R., & Masjuki, H. H. (2011). A review on exergy analysis of vapor compression refrigeration system. *Renewable and Sustainable Energy Reviews*, *15*(3), 1593–1600. https://doi.org/10.1016/j.rser.2010.11.039

Ashwni, & Sherwani, A. F. (2022). Analysis of solar energy driven organic Rankine cycle-vapor compression refrigeration system. *Thermal Science and Engineering Progress*, *35*(September), 101477. https://doi.org/10.1016/j.tsep.2022.101477

Aziz, A., & Herisiswanto. (2009). Pengembangan Energy Efficient Residential AirConditioning Systems Dengan Encapsulated IceThermal Energy Storage Berbasis Mesin RefrigerasiKompresi Uap Menggunakan RefrigeranHidrokarbon Substitusi R-22 Yang Ramah Lingkungan. *Laporan Penelitian*, *April*. https://doi.org/10.13140/RG.2.1.1443.6243

Bahrami, S., & Sheikhi, A. (2015). *An Optimal Feed-In-Tariff Policy for Renewable Energies Using A Markov Model*. *1*(1), 1–8.

Connelly, L., & Koshlandbs, P. (1997). *Two aspects of consumption : using an exergy-based measure of degradation to advance the theory and implementation of industrial ecology*. *19*, 199–217.

Cui, M., Wang, B., Wei, F., & Shi, W. (2022). A modified exergy analysis method for vapor compression systems: Splitting refrigerant exergy destruction. *Applied Thermal Engineering*, *201*(PA), 117728. https://doi.org/10.1016/j.applthermaleng.2021.117728

Dai, Y., Wang, J., & Gao, L. (2009). Parametric optimization and comparative study of organic Rankine cycle (ORC) for low grade waste heat recovery. *Energy Conversion and Management*, *50*(3), 576–582. https://doi.org/10.1016/j.enconman.2008.10.018

Dincer, I. (2018). Exergy. In *Comprehensive Energy Systems: Volumes 1-5* (Vol. 1). https://doi.org/10.1016/B978-0-12-809597-3.00106-1

Dincer, I., & Bicer, Y. (2020). Fundamentals of energy systems. In *Integrated Energy Systems for Multigeneration*. https://doi.org/10.1016/b978-0-12-809943-8.00002-9

Dincer, I., & Zamfirescu, C. (2018). Thermodynamic Aspects of Energy. In *Comprehensive Energy Systems: Volumes 1-5* (Vol. 1, Issue m). https://doi.org/10.1016/B978-0-12-809597-3.00105-X

Hansen, J., Sato, M., Kharecha, P., Beerling, D., Berner, R., Masson-Delmotte, V., Pagani, M., Raymo, M., Royer, D. L., & Zachos, J. C. (2008). Target

Science Journal, *2*(1), 217–231. https://doi.org/10.2174/1874282300802010217

Hoon Kim, K., & Han, C. H. (2016). Energy and Exergy Analysis of Condenser in Organic Rankine Cycle Depending on Condensation Temperatures. *International Journal of Mechanical And Production Engineering*, *4*, 2320–2092.

Kanoğlu, M., Çarpinlioğlu, M. Ö., & Yildirim, M. (2004). Energy and exergy analyses of an experimental open-cycle desiccant cooling system. In *Applied Thermal Engineering* (Vol. 24, Issues 5–6, pp. 919–932). https://doi.org/10.1016/j.applthermaleng.2003.10.003

Kharagpur, I. (2019). *Lesson 10-Vapour Compression Refrigeration Systems*. 1–18. https://nptel.ac.in/courses/112105129/pdf/RAC Lecture 10.pdf

Li, H., Bu, X., Wang, L., Long, Z., & Lian, Y. (2013a). Hydrocarbon working fluids for a Rankine cycle powered vapor compression refrigeration system using low-grade thermal energy. *Energy and Buildings*, *65*, 167–172. https://doi.org/10.1016/j.enbuild.2013.06.012

Li, H., Bu, X., Wang, L., Long, Z., & Lian, Y. (2013b). Hydrocarbon working fluids for a Rankine cycle powered vapor compression refrigeration system using low-grade thermal energy. *Energy & Buildings*, *65*, 167–172. https://doi.org/10.1016/j.enbuild.2013.06.012

Masson-Delmotte, V. (2023). *Climate change 2021 : the physical science basis : Working Group I contribution to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change*. 2023. https://doi.org/10.1017/9781009157889

Michael J. Moran,Howard N. Shapiro,Daisie D. Boettner, M. B. B. (1986). *FUNDAMENTALS OF ENGINEERING THERMODYNAMICS* (Eighth Edi). Don Fowley.

Moran, M. J., & Shapiro, H. N. (2021). FUNDAMENTALS OF ENGINEERING THERMODYNAMICS. In *Design and Performance Optimization of Renewable Energy Systems* (Fifth Edit). https://doi.org/10.1016/B978-0-12-821602-6.00004-3

Morosuk, T., & Tsatsaronis, G. (2009). Advanced exergetic evaluation of refrigeration machines using different working fluids. *Energy*, *34*(12), 2248–2258. https://doi.org/10.1016/j.energy.2009.01.006

Pektezel, O., & Acar, H. I. (2019). Energy and exergy analysis of combined organic rankine cycle-single and dual evaporator vapor compression refrigeration cycle. *Applied Sciences (Switzerland)*, *9*(23). https://doi.org/10.3390/app9235028

Press, A. (2016). *Morningglory Competition in Soybeans Author (s): H . P . Wilson and R . H . Cole Published by : Weed Science Society of America and Allen Press Stable URL : http://www.jstor.org/stable/4041122 Accessed : 22-06-2016 21 : 58 UTC Your use of the JSTOR arch. 14*(1), 49–51.

Saleh, B. (2016). Parametric and working fluid analysis of a combined organic Rankine-vapor compression refrigeration system activated by low-grade thermal energy. *Journal of Advanced Research*, *7*(5), 651–660. https://doi.org/10.1016/j.jare.2016.06.006

Saleh, B. (2018). Energy and exergy analysis of an integrated organic Rankine cycle-vapor compression refrigeration system. *Applied Thermal Engineering*, *141*(January), 697–710. https://doi.org/10.1016/j.applthermaleng.2018.06.018

Saleh, B., Aly, A. A., Alogla, A. F., Aljuaid, A. M., Alharthi, M. M., Ahmed, K. I. E., & Hamed, Y. S. (2019). Performance investigation of organic Rankine-vapor compression refrigeration integrated system activated by renewable energy. *Mechanics and Industry*, *20*(2). https://doi.org/10.1051/meca/2019023

Saleh, B., Koglbauer, G., Wendland, M., & Fischer, J. (2007). Working fluids for low-temperature organic Rankine cycles. *Energy*, *32*(7), 1210–1221. https://doi.org/10.1016/j.energy.2006.07.001

Sciacovelli, A., Verda, V., & Sciubba, E. (2015). Entropy generation analysis as a design tool - A review. *Renewable and Sustainable Energy Reviews*, *43*, 1167–1181. https://doi.org/10.1016/j.rser.2014.11.104

Sheikhi, A., Ranjbar, A. M., & Oraee, H. (2012). Financial analysis and optimal size and operation for a multicarrier energy system. *Energy and Buildings*, *48*, 71–78. https://doi.org/10.1016/j.enbuild.2012.01.011

Solanki, N., Arora, A., & Singh, R. K. (2023). Advance exergy and coefficient of structural bond analysis of dedicated mechanical subcooled vapor compression refrigeration system. *International Journal of Refrigeration*, *153*(May), 266–280. https://doi.org/10.1016/j.ijrefrig.2023.06.008

Stewart, K. (2023). (Invalid Date). In *Laws of Thermodiynamic*. Encyclopedia Britannica. https://www.britannica.com/science/laws-of-thermodynamics

Stoecker, W. . (1979). Refrigeration and Air Conditioning, Second Edition. *McGrow Hill, Singapore*, *90*(4), 667–670.

Sun, W., Yue, X., & Wang, Y. (2017). Exergy efficiency analysis of ORC (Organic Rankine Cycle) and ORC-based combined cycles driven by low-temperature waste heat. *Energy Conversion and Management*, *135*, 63–73. https://doi.org/10.1016/j.enconman.2016.12.042

Vankeirsbilck, I., Vanslambrouck, B., Gusev, S., & De Paepe, M. (2011). Energetical, Technical and Economical considerations by choosing between a Steam and an Organic Rankine Cycle for Small Scale Power Generation. *First International Seminar on ORC Power Systems ORC 2011*.

Wahile, G. S., Malwe, P. D., & Kolhe, A. V. (2020). Waste heat recovery from exhaust gas of an engine by using a phase change material. *Materials Today: Proceedings*, *28*, 2101–2107. https://doi.org/10.1016/j.matpr.2020.03.247

Yue, C., You, F., & Huang, Y. (2016). Thermal and economic analysis of an energy system of an ORC coupled with vehicle air conditioning. *International Journal of Refrigeration*, *64*, 152–167. https://doi.org/10.1016/j.ijrefrig.2016.01.005

Yunus A. Cengel, M. A. B. (2006). Thermodynamics an engineering approach. In *Laws of Thermodiynamic* (fifth edit, p. 988).

LAMPIRAN A. Program Simulasi Software *Engineering Equation Solver* (EES)

"Diketahui"

{Fluid$ = 'R1234ze(E)'}
{Fluid$ = 'R152a'}
{Fluid$ = 'RC318'}
{Fluid$ = 'R236fa'}
{Fluid$ = 'RE245cb2'}
{Fluid$ = 'R600a'}
{Fluid$ = 'R236ea'}
{Fluid$ = 'R245fa'}

To=25+273.15   "Dead State"
Po =101.325 "kPa"   "Dead state"
{eff_pompa= 0.8}   "efisiensi pompa"