

DAFTAR PUSTAKA

- Aad, R., Dragojlov, I., & Vesentini, S. (2024). Sericin Protein: Structure, Properties, and Applications. *Journal of Functional Biomaterials*, *15*(11), 322. <https://doi.org/10.3390/jfb15110322>
- Adam, M. U. (2020). Formulasi Dan Uji Evaluasi Fisik Krim Limbah Air Kokon Ulat Sutera (*Bombyx Mori*) Sebagai Pelembab Kulit. *Jurnal Farmasi UIN Alauddin*, *8*(1). <https://doi.org/10.24252/jfuinam.v8i1.9296>
- Adamovich, I., Agarwal, S., Ahedo, E., Alves, L. L., Baalrud, S., Babaeva, N., Bogaerts, A., Bourdon, A., Bruggeman, P. J., Canal, C., Choi, E. H., Coulombe, S., Donkó, Z., Graves, D. B., Hamaguchi, S., Hegemann, D., Hori, M., Kim, H.-H., Kroesen, G. M. W., ... von Woedtke, T. (2022). The 2022 Plasma Roadmap: low temperature plasma science and technology. *Journal of Physics D: Applied Physics*, *55*(37), 373001. <https://doi.org/10.1088/1361-6463/ac5e1c>
- Anggraeni, N. P., Wardaya, A. Y., & Muhlisin, Z. (2022). Karakteristik Pembangkitan Lucutan Korona Arus Dc Negatif Dengan Konfigurasi Elektroda Dua Pisau Yang Membentuk Sudut Terhadap Bidang Pada Minyak Silikon. *Berkala Fisika*, *25*(1).
- Bhatt, P., Kumar, V., Subramaniyan, V., Nagarajan, K., Sekar, M., Chinni, S. V., & Ramachawolran, G. (2023). Plasma Modification Techniques for Natural Polymer-Based Drug Delivery Systems. *Pharmaceutics*, *15*(8), 2066. <https://doi.org/10.3390/pharmaceutics15082066>
- Brash, D. E., & Goncalves, L. C. P. (2023). Chemiexcitation: Mammalian Photochemistry in the Dark †. *Photochemistry and Photobiology*, *99*(2), 251–276. <https://doi.org/10.1111/php.13781>
- Chand, S., Chand, S., & Raula, B. (2023). Usage of Silkworm Materials in Various Ground of Science and Research. *Journal of Natural Fibers*, *20*(1). <https://doi.org/10.1080/15440478.2022.2139328>
- Chatterjee, R. (2022). Fundamental Concepts and Discussion of Plasma Physics. *TECHNO REVIEW Journal of Technology and Management*, *2*(1), 01–14. <https://doi.org/10.31305/trjtm2022.v02.n01.001>
- Dorai, R., & Kushner, M. J. (2003). A model for plasma modification of polypropylene using atmospheric pressure discharges. *Journal of Physics D: Applied Physics*, *36*(6), 666–685. <https://doi.org/10.1088/0022-3727/36/6/309>
- Garg, R., & Maheshwari, S. (2023). Cold Plasma Technique Its Current Status, Application And Future Trends In Food Industry. *EPH - International Journal of Applied Science*, *9*(1), 11–17. <https://doi.org/10.53555/eijas.v9i1.152>
- Hafeez, A., Javed, F., Fazal, T., Shezad, N., ur Rehman, M. S., & Rehman, F. (2020). Intensification of ozone generation and degradation of azo dye in non-thermal hybrid corona-DBD plasma micro-reactor. *Chemical Engineering and Processing-Process Intensification*, *159*, 108205. <http://dx.doi.org/10.1016/j.cep.2020.108205>
- Haji, A., & Naebe, M. (2020). Cleaner dyeing of textiles using plasma treatment and natural dyes: A review. *Journal of Cleaner Production*, *265*, 121866. <https://doi.org/10.1016/j.jclepro.2020.121866>

- Hasan, S. N., Muhlisin, Z., Triadyaksa, P., & Arianto, F. (2019). Karakterisasi Reaktor Plasma Berarus Negatif Dengan Konfigurasi Elektroda Titik-Bidang Dan Penerapannya Pada Kain Polyester Rajut Grey. *Berkala Fisika*, 22(1).
- Heryani, H. (2019). Penentuan Kualitas Degummed Bleached Palm Oil (DBPO) Dan Refined Bleached Deodorized Palm Oil (RBDPO) Dengan Pemberian Bleachingearth Pada Skala Industri. *Jurnal Teknologi Industri Pertanian*, 29(1), 11–18. <https://doi.org/10.24961/j.tek.ind.pert.2019.29.1.11>
- Jahnke, T., Hergenbahn, U., Winter, B., Dörner, R., Frühling, U., Demekhin, P. V., Gokhberg, K., Cederbaum, L. S., Ehresmann, A., Knie, A., & Dreuw, A. (2020). Interatomic and Intermolecular Coulombic Decay. *Chemical Reviews*, 120(20), 11295–11369. <https://doi.org/10.1021/acs.chemrev.0c00106>
- Jannah, R., Iskandarhasaduddin, I., & MohdIqbal, M. (2020). Pengaruh Jenis Bahan Pakaian Terhadap Respon Psikologi Manusia Pada Saat Berolahraga di Lingkungan Panas. *Jurnal Unitek*, 12(1), 17–29. <https://doi.org/10.52072/unitek.v12i1.45>
- Koh, L.-D., Cheng, Y., Teng, C.-P., Khin, Y.-W., Loh, X.-J., Tee, S.-Y., Low, M., Ye, E., Yu, H.-D., Zhang, Y.-W., & Han, M.-Y. (2015). Structures, mechanical properties and applications of silk fibroin materials. *Progress in Polymer Science*, 46, 86–110. <https://doi.org/10.1016/j.progpolymsci.2015.02.001>
- Liang, Z., Zhou, Z., Li, J., Zhang, S., Dong, B., Zhao, L., Wu, C., Yang, H., Chen, F., & Wang, S. (2021). Multi-functional silk fibers/fabrics with a negligible impact on comfortable and wearability properties for fiber bulk. *Chemical Engineering Journal*, 415, 128980. <https://doi.org/10.1016/j.cej.2021.128980>
- Liu, J., Shi, L., Deng, Y., Zou, M., Cai, B., Song, Y., Wang, Z., & Wang, L. (2022). Silk sericin-based materials for biomedical applications. *Biomaterials*, 287, 121638. <https://doi.org/10.1016/j.biomaterials.2022.121638>
- Lu, X., Fang, Z., Dai, D., Shao, T., Liu, F., Zhang, C., Liu, D., Nie, L., & Jiang, C. (2023). On the chronological understanding of the homogeneous dielectric barrier discharge. *High Voltage*, 8(6), 1132–1150. <https://doi.org/10.1049/hve2.12382>
- Luu, P., Fraser, S. E., & Schneider, F. (2024). More than double the fun with two-photon excitation microscopy. *Communications Biology*, 7(1), 364. <https://doi.org/10.1038/s42003-024-06057-0>
- Muhlisin, Z., Prastiwi, D., Darliawati, H., Tayibnapis, A. S., Arianto, F., Wardaya, A. Y., ... & Nur, M. (2018). Pembangkitan lucutan pijar korona negatif pada kondisi atmosfer dan pengaruhnya terhadap resapan air pada kain katun dan poliester grey. *Arena Tekstil*, 32(2). <https://doi.org/10.31266/at.v32i2.3573>
- Munajib, C., Wardaya, A. Y., Muhlisin, Z., & Gunadi, I. (2022). Analisis Fenomena Elektrohodinamik Menggunakan Plasma Lucutan Korona DC Positif Dengan Konfigurasi Elektroda Mata Pahat Dan Titik Tengah-Bidang Pada Minyak Kelapa Sawit. *Berkala Fisika*, 25(4).
- Nadia, N., Khusuma, H. S., Haryashena, B. P., Asmayani, D., Arvel Zidane, Ayu Retnaningsih, Ridho Mualim, Nur Afna, Bagus Fatwa Fadhillah, Visal Naufal, Viktoria Matawolo, & Mahendra Putra1. (2023). Pembuatan Batik Tulis Ecoprint Dalam Pengembangan Budaya Nusantara Dusun Sandeyan, Srimulyo, Piyungan, Bantul. *Jurnal Pengabdian Kolaborasi Dan Inovasi*

- IPTEKS*, 1(6), 1025–1029. <https://doi.org/10.59407/jpki2.v1i6.248>
- Nova, Suryanto, E., & Momuat, L. I. (2020). Karakterisasi Fisikokimia Dan Aktivitas Antioksidan Serat Pangan Dari Ampas Empulur Sagu Baruk (Arenga Microcarpha B.). *Chemistry Progress*, 13(1). <https://doi.org/10.35799/cp.13.1.2020.28931>
- Nugraha, M. K., Muhlisin, Z., & Triadyaksa, P. (2019). Karakterisasi Plasma Lucutan Pijar Korona Positif Pada Kondisi Atmosfer Dengan Konfigurasi Elektroda Titik Bidang Dan Pengaruhnya Terhadap Kain Sutra Alam (Bombyx Mori). *Arena Tekstil*, 34(1). <https://doi.org/10.31266/at.v34i1.4980>
- Nur, M. (2011). *Plasma Physics and Applications*. Badan Penerbit Universitas Diponegoro.
- Prayudie, U., & Novarini, E. (2015). Modifikasi Permukaan Serat Poliester Menggunakan Sistem Plasma Non Termal Tekanan Atmosfer Dengan Metode Lucutan Korona Oleh Ionisasi Udara. *Arena Tekstil*, 30(1). <https://doi.org/10.31266/at.v30i1.1948>
- Priyanti, I., Wongsawaeng, D., Ngaosuwana, K., Kiatkittipong, W., Hosemann, P., & Assabumrungrat, S. (2024). Corona discharge plasma for green de-inking of inkjet printer ink. *Scientific Reports*, 14(1), 13035. <https://doi.org/10.1038/s41598-024-63683-8>
- Putra, V. G. V., & Susanto, T. (2021). Tinjauan Mengenai Penerapan Fisika Plasma Pada Bidang Tekstil. *Jurnal Riset Industri*, 32(1). <https://doi.org/10.28959/jdpi.v32i1.6683>
- Putri, A. C., Anwar, M., Iftadi, I., Ramelan, A., Adrianto, F., & Saraswati, T. E. (2022). Plasma Characteristics of Under-water Arc Discharge in Nanoparticle Fabrication. *Journal of Electrical, Electronic, Information, and Communication Technology*, 4(1), 11. <https://doi.org/10.20961/jeeict.4.1.61081>
- Rahman, M., Bhowmik, A., Das, S., Chowhan, K., & Biswas, T. (2020). Green Degumming of Silk by Enzyme Extracted from Natural Sources. *Journal of Materials Science and Chemical Engineering*, 08(08), 30–40. <https://doi.org/10.4236/msce.2020.88003>
- Setiadi, J. A. N. (2024). Artikel Review: Potensial Teknologi Plasma Dingin Dalam Industri Makanan. *Jurnal Teknologi Pangan*, 7(2). <https://doi.org/https://doi.org/10.14710/jtp.2023.36254>
- Setiana, M., & Ferawati, B. I. (2023). Variasi bentuk elektroda terhadap distribusi plasma yang dihasilkan. *Jurnal Teras Fisika*, 6(1), 28. <https://doi.org/10.20884/1.jtf.2023.6.1.8400>
- Shishoo, R. (2007). Introduction – The potential of plasma technology in the textile industry. In *Plasma Technologies for Textiles* (pp. xv–xxx). Elsevier. <https://doi.org/10.1016/B978-1-84569-073-1.50016-0>
- Siva, R., Sundar Reddy Nemali, S., Kishore kunchapu, S., Gokul, K., & Arun kumar, T. (2021). Comparison of Mechanical Properties and Water Absorption Test on Injection Molding and Extrusion - Injection Molding Thermoplastic Hemp Fiber Composite. *Materials Today: Proceedings*, 47, 4382–4386. <https://doi.org/10.1016/j.matpr.2021.05.189>
- Suliyanthini, D. (2017). Ilmu Tekstil. *Rajawali Pers*. PT. RajaGrafindo Persada.

- Susan A.I., Widodo, M., & Nur, M. (2017). Corona Glow Discharge Plasma Treatment for Hydrophobicity Improvement of Polyester and Cotton Fabrics, IOP Conference Series : *Material Science and Engineering* **214**, IOP Publishing 012031 <https://doi.org/10.1088/1757-899X/214/1/012031>
- Triadyaksa, P., Setiawan, A. E., SL, A. S., Hanafi, U., & Nur, M. (2005). Pembangkitan Plasma Lucutan Pijar Korona menggunakan Sumber Tegangan Tinggi DC. *Seminar Nasional Teknik Ketenagalistrikan*.
- Wulandari, D., Roza, D., Rangkuti, M. A., Tanjung, Y. I., Ramadhani, I., Raihan, M. F., Abrori, S. A., & Irmaniar. (2022). *Fisika Dasar Berbasis Stem Untuk Mahasiswa Kimia*. CV. Media Sains Indonesia.
- Yin, J., Li, J., Reddy, V. S., Ji, D., Ramakrishna, S., & Xu, L. (2023). Flexible Textile-Based Sweat Sensors for Wearable Applications. *Biosensors*, *13*(1), 127. <https://doi.org/10.3390/bios13010127>
- Yuan, Y., Nasri, M., Manayi, A., Zhang, J., Wu, C., Jeon, T.-J., & Kang, L. (2024). Sericin coats of silk fibres, a degumming waste or future material? *Materials Today Bio*, *29*, 101306. <https://doi.org/10.1016/j.mtbio.2024.101306>
- Zhan, J., Zhang, A., Heroux, P., Guo, Y., Sun, Z., Li, Z., ... & Liu, Y. (2019). Remediation of perfluorooctanoic acid (PFOA) polluted soil using pulsed corona discharge plasma. *Journal of hazardous materials*, *387*, 121688. <http://dx.doi.org/10.1016/j.jhazmat.2019.121688>
- Zhu, L., Lin, J., Pei, L., Luo, Y., Li, D., & Huang, Z. (2022). Recent Advances in Environmentally Friendly and Green Degumming Processes of Silk for Textile and Non-Textile Applications. *Polymers*, *14*(4), 659. <https://doi.org/10.3390/polym14040659>