

DAFTAR PUSTAKA

- Abdulrahman, A.F. *et al.* (2021) 'Effect of Growth Temperature on Morphological, Structural, and Optical Properties of ZnO Nanorods Using Modified Chemical Bath Deposition Method', *Journal of Electronic Materials*, 50(3). Available at: <https://doi.org/10.1007/s11664-020-08705-7>.
- Bahadur, H. *et al.* (2007) 'Morphologies of sol-gel derived thin films of zno using different precursor materials and their nanostructures', *Nanoscale Research Letters*, 2(10). Available at: <https://doi.org/10.1007/s11671-007-9089-x>.
- Barthlott, W. and Neinhuis, C. (1997) 'Purity of the sacred lotus, or escape from contamination in biological surfaces', *Planta*, 202(1). Available at: <https://doi.org/10.1007/s004250050096>.
- Bhushan, B. and Jung, Y.C. (2011) 'Natural and biomimetic artificial surfaces for superhydrophobicity, self-cleaning, low adhesion, and drag reduction', *Progress in Materials Science*. Available at: <https://doi.org/10.1016/j.pmatsci.2010.04.003>.
- Bokov, D. *et al.* (2021) 'Nanomaterial by Sol-Gel Method: Synthesis and Application', *Advances in Materials Science and Engineering*. Available at: <https://doi.org/10.1155/2021/5102014>.
- Brinker, C.J. (1988) 'Hydrolysis and condensation of silicates: Effects on structure', *Journal of Non-Crystalline Solids*, 100(1–3). Available at: [https://doi.org/10.1016/0022-3093\(88\)90005-1](https://doi.org/10.1016/0022-3093(88)90005-1).
- Cheng, Q. *et al.* (2011) 'Janus interface materials: Superhydrophobic air/solid interface and superoleophobic water/solid interface inspired by a lotus leaf', *Soft Matter*, 7(13). Available at: <https://doi.org/10.1039/c1sm05452j>.
- Chu, H. *et al.* (2024) 'Recent advances in the preparation of superhydrophobic coatings based on low-surface-energy modifiers: Diversified properties and potential applications', *Applied Thermal Engineering*. Elsevier Ltd. Available at: <https://doi.org/10.1016/j.applthermaleng.2024.123591>.
- Das, I. *et al.* (2014) 'Durable superhydrophobic ZnO-SiO₂ films: A new approach to enhance the abrasion resistant property of trimethylsilyl functionalized SiO₂ nanoparticles on glass', *RSC Advances*, 4(98). Available at: <https://doi.org/10.1039/c4ra10171e>.
- Dou, S. and Hao, L. (2020) 'Investigation of wetting states and wetting transition of droplets on the microstructured surface using the lattice Boltzmann model', *Numerical Heat Transfer; Part A: Applications* [Preprint]. Available at: <https://doi.org/10.1080/10407782.2020.1792209>.

- Fourmentin, A. *et al.* (2018) 'Bioinspired silica-containing polyurethane-acrylate films: Towards superhydrophobicity with tunable water adhesion', *Polymer*, 155. Available at: <https://doi.org/10.1016/j.polymer.2018.09.016>.
- Geyer, F. *et al.* (2020) 'When and how self-cleaning of superhydrophobic surfaces works', *Science Advances*, 6(3). Available at: <https://doi.org/10.1126/sciadv.aaw9727>.
- Grigorie, A.C. *et al.* (2017) 'ZnO-SiO₂ based nanocomposites prepared by a modified sol-gel method', *Materials Chemistry and Physics*, 186. Available at: <https://doi.org/10.1016/j.matchemphys.2016.11.011>.
- Gupta, R. *et al.* (2023) 'A critical review on recent progress, open challenges, and applications of corrosion-resistant superhydrophobic coating', *Materials Today Communications*. Available at: <https://doi.org/10.1016/j.mtcomm.2022.105201>.
- Gurav, A.B. *et al.* (2015) 'Superhydrophobic coatings prepared from methyl-modified silica particles using simple dip-coating method', *Ceramics International*, 41(2). Available at: <https://doi.org/10.1016/j.ceramint.2014.10.137>.
- Huang, Z.S. *et al.* (2019) 'Multifunctional superhydrophobic composite materials with remarkable mechanochemical robustness, stain repellency, oil-water separation and sound-absorption properties', *Chemical Engineering Journal*, 358. Available at: <https://doi.org/10.1016/j.cej.2018.10.123>.
- Koch, K., Bhushan, B. and Barthlott, W. (2008) 'Diversity of structure, morphology and wetting of plant surfaces', *Soft Matter*, 4(10). Available at: <https://doi.org/10.1039/b804854a>.
- Kolodziejczak-Radzimska, A. and Jesionowski, T. (2014) 'Zinc oxide-from synthesis to application: A review', *Materials*. Available at: <https://doi.org/10.3390/ma7042833>.
- Lai, D., Kong, G. and Che, C. (2017) 'Synthesis and corrosion behavior of ZnO/SiO₂ nanorod-sub microtube superhydrophobic coating on zinc substrate', *Surface and Coatings Technology*, 315. Available at: <https://doi.org/10.1016/j.surfcoat.2017.02.063>.
- Lee, M., Kwak, G. and Yong, K. (2011) 'Wettability control of ZnO nanoparticles for universal applications', *ACS Applied Materials and Interfaces*, 3(9). Available at: <https://doi.org/10.1021/am2004762>.
- Li, H. and Yu, S. (2017) 'A robust superhydrophobic surface and origins of its self-cleaning properties', *Applied Surface Science*, 420. Available at: <https://doi.org/10.1016/j.apsusc.2017.05.131>.

- Li, X. *et al.* (2014) 'A study on superhydrophobic coating in anti-icing of glass/porcelain insulator', *Journal of Sol-Gel Science and Technology*, 69(2). Available at: <https://doi.org/10.1007/s10971-013-3243-y>.
- Li, X.B. and Liu, Y. (2011) 'Contact angle model and wettability of regular microspheres', in *Advanced Materials Research*. Available at: <https://doi.org/10.4028/www.scientific.net/AMR.199-200.678>.
- Liu, Y. *et al.* (2023) 'A fluorine-free and nanoparticle-free superhydrophobic coating: A mechanism and self-cleaning application investigation', *Applied Surface Science*, 608. Available at: <https://doi.org/10.1016/j.apsusc.2022.155103>.
- Ionbani, S.N., Montazeri, A. and Malakdar, S. (2023) 'Fabrication and Properties of Hydrophobically Modified ZnO–SiO₂ Nanocomposite with Polysiloxane', *Journal of Inorganic and Organometallic Polymers and Materials*, 33(5), pp. 1191–1200. Available at: <https://doi.org/10.1007/s10904-023-02571-6>.
- Lv, C. *et al.* (2018) 'A sturdy self-cleaning and anti-corrosion superhydrophobic coating assembled by amino silicon oil modifying potassium titanate whisker-silica particles', *Applied Surface Science*, 435. Available at: <https://doi.org/10.1016/j.apsusc.2017.11.205>.
- Lv, J. *et al.* (2011) 'Tunable surface wettability of ZnO nanorods prepared by two-step method', *Applied Surface Science*, 257(17). Available at: <https://doi.org/10.1016/j.apsusc.2011.03.113>.
- Mishra, V.K., Saini, R. and Kumar, N. (2021) 'A review on superhydrophobic materials and coating techniques', *IOP Conference Series: Materials Science and Engineering*, 1168(1). Available at: <https://doi.org/10.1088/1757-899x/1168/1/012026>.
- Moustafa, H., Darwish, N.A. and Youssef, A.M. (2022) 'Rational formulations of sustainable polyurethane/chitin/rosin composites reinforced with ZnO-doped-SiO₂ nanoparticles for green packaging applications', *Food Chemistry*, 371. Available at: <https://doi.org/10.1016/j.foodchem.2021.131193>.
- Niu, H. *et al.* (2023) 'A review of transparent superhydrophobic materials and their research in the field of photovoltaic dust removal', *Materials Science in Semiconductor Processing*. Available at: <https://doi.org/10.1016/j.mssp.2023.107741>.
- Omeje, I.S. and Itina, T.E. (2022) 'Numerical study of the wetting dynamics of droplet on laser textured surfaces: Beyond classical Wenzel and Cassie-

- Baxter model', *Applied Surface Science Advances*, 9. Available at: <https://doi.org/10.1016/j.apsadv.2022.100250>.
- Piedrahita, C.R. *et al.* (2024) 'Superhydrophobicity of direct plasma synthesized and deposited thin films: Effect of chemical-induced and substrate roughness', *Applied Surface Science*, 659. Available at: <https://doi.org/10.1016/j.apsusc.2024.159700>.
- Qi, G., Zhang, H. and Yuan, Z. (2011) 'Superhydrophobic brocades modified with aligned ZnO nanorods', *Applied Surface Science*, 258(2). Available at: <https://doi.org/10.1016/j.apsusc.2011.06.167>.
- Qu, J. *et al.* (2014) 'Hedgehog-like hierarchical ZnO needle-clusters with superior electron transfer kinetics for dye-sensitized solar cells', *RSC Advances*, 4(22). Available at: <https://doi.org/10.1039/c3ra45929b>.
- Samal, S., Mohanty, S. and Nayak, S.K. (2019) *Superhydrophobic Polymer Coatings: Fundamentals, Design, Fabrication, and Applications*, *Superhydrophobic Polymer Coatings: Fundamentals, Design, Fabrication, and Applications*. Available at: <https://doi.org/10.1016/B978-0-12-816671-0.09993-8>.
- Satapathy, M. *et al.* (2018) 'Fabrication of durable porous and non-porous superhydrophobic LLDPE/SiO₂ nanoparticles coatings with excellent self-cleaning property', *Surface and Coatings Technology*, 341. Available at: <https://doi.org/10.1016/j.surfcoat.2017.07.025>.
- Shah, S.K., Chatterjee, S.K. and Bhattarai, A. (2016) 'Micellization of cationic surfactants in alcohol — water mixed solvent media', *Journal of Molecular Liquids*, 222. Available at: <https://doi.org/10.1016/j.molliq.2016.07.098>.
- Sotoudeh, F. *et al.* (2023) 'Natural and synthetic superhydrophobic surfaces: A review of the fundamentals, structures, and applications', *Alexandria Engineering Journal*. Available at: <https://doi.org/10.1016/j.aej.2023.01.058>.
- Su, D. *et al.* (2011) 'Preparation of superhydrophobic surface with a novel sol-gel system', *Applied Surface Science*, 258(2). Available at: <https://doi.org/10.1016/j.apsusc.2011.09.030>.
- Sun, K. *et al.* (2019) 'Innovative design of superhydrophobic thermal energy-storage materials by microencapsulation of n-docosane with nanostructured ZnO/SiO₂ shell', *Applied Energy*, 237. Available at: <https://doi.org/10.1016/j.apenergy.2019.01.043>.
- Sutanto, H. *et al.* (2012) *Teknologi Lapisan Tipis & Aplikasinya*. Semarang: UPT UNDIP Press Semarang.

- Tang, X. and Yan, X. (2017) 'Dip-coating for fibrous materials: mechanism, methods and applications', *Journal of Sol-Gel Science and Technology*. Available at: <https://doi.org/10.1007/s10971-016-4197-7>.
- Velayi, E. and Norouzbeigi, R. (2018a) 'Synthesis of hierarchical superhydrophobic zinc oxide nano-structures for oil/water separation', *Ceramics International*, 44(12). Available at: <https://doi.org/10.1016/j.ceramint.2018.05.023>.
- Velayi, E. and Norouzbeigi, R. (2018b) 'Synthesis of hierarchical superhydrophobic zinc oxide nano-structures for oil/water separation', *Ceramics International*, 44(12). Available at: <https://doi.org/10.1016/j.ceramint.2018.05.023>.
- Velayi, E. and Norouzbeigi, R. (2023) 'Fabrication of epoxy/SiO₂/ZnO superhydrophobic nanocomposite mesh membranes for oil-water separation: Correlating oil flux to fabrication parameters via Box-Behnken design', *Applied Surface Science*, 611. Available at: <https://doi.org/10.1016/j.apsusc.2022.155594>.
- Wang, H. *et al.* (2017) 'Durable, self-healing, superhydrophobic fabrics from fluorine-free, waterborne, polydopamine/alkyl silane coatings', *RSC Advances*, 7(54). Available at: <https://doi.org/10.1039/c7ra04863g>.
- Wang, S. *et al.* (2011) 'Fabrication of superhydrophobic wood surface by a sol-gel process', *Applied Surface Science*, 258(2). Available at: <https://doi.org/10.1016/j.apsusc.2011.08.100>.
- Wang, S. *et al.* (2021) 'High photocatalytic activity over starfish-like La-doped ZnO/SiO₂ photocatalyst for malachite green degradation under visible light', *Journal of Rare Earths*, 39(7). Available at: <https://doi.org/10.1016/j.jre.2020.04.009>.
- Wang, Z. *et al.* (2023) 'Advances in the research of carbon-, silicon-, and polymer-based superhydrophobic nanomaterials: Synthesis and potential application', *Advances in Colloid and Interface Science*. Available at: <https://doi.org/10.1016/j.cis.2023.102932>.
- Weng, W. *et al.* (2010) 'Room temperature synthesis of ZnO nanoflowers on Si substrate via seed-layer assisted solution route', *Journal of Alloys and Compounds*, 503(2). Available at: <https://doi.org/10.1016/j.jallcom.2010.05.043>.
- Wu, Y. *et al.* (2016) 'A versatile and efficient method to fabricate durable superhydrophobic surfaces on wood, lignocellulosic fiber, glass, and metal substrates', *Journal of Materials Chemistry A*, 4(37). Available at: <https://doi.org/10.1039/c6ta05259b>.

- Xu, B. and Cai, Z. (2008) 'Fabrication of a superhydrophobic ZnO nanorod array film on cotton fabrics via a wet chemical route and hydrophobic modification', *Applied Surface Science*, 254(18). Available at: <https://doi.org/10.1016/j.apsusc.2008.03.160>.
- Xu, Q. *et al.* (2020) 'Fabrication of fluorine-free superhydrophobic cotton fabric using fumed silica and diblock copolymer via mist modification', *Progress in Organic Coatings*, 148. Available at: <https://doi.org/10.1016/j.porgcoat.2020.105884>.
- Xue, C.H. *et al.* (2013) 'UV-durable superhydrophobic textiles with UV-shielding properties by introduction of ZnO/SiO₂ core/shell nanorods on PET fibers and hydrophobization', *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 427. Available at: <https://doi.org/10.1016/j.colsurfa.2013.03.021>.
- Ye, Z. *et al.* (2021) 'Textile coatings configured by double-nanoparticles to optimally couple superhydrophobic and antibacterial properties', *Chemical Engineering Journal*, 420. Available at: <https://doi.org/10.1016/j.cej.2020.127680>.
- Yu, F. *et al.* (2020) 'Effect of oxygen vacancy defect regeneration on photocatalytic properties of ZnO nanorods', *Applied Physics A: Materials Science and Processing*, 126(12). Available at: <https://doi.org/10.1007/s00339-020-04117-w>.
- Zhang, M. *et al.* (2012) 'A facile method to fabricate superhydrophobic cotton fabrics', *Applied Surface Science*, 261. Available at: <https://doi.org/10.1016/j.apsusc.2012.08.055>.
- Zhang, S. *et al.* (2020) 'Fabrication of super-hydrophobic micro-needle ZnO surface as corrosion barrier against corrosion in simulated condensation environment', *Colloids and Surfaces A*, 585(124087), pp. 1–8.
- Zhao, F., Zhan, F. and Wang, L. (2023) 'Hybrid Topography of Lotus Leaf under Hydrostatic/Hydrodynamic Pressure', *Advanced Materials Interfaces*, 10(4). Available at: <https://doi.org/10.1002/admi.202202044>.
- Zou, X. *et al.* (2018) 'Rational design and fabrication of highly transparent, flexible, and thermally stable superhydrophobic coatings from raspberry-like hollow silica nanoparticles', *Applied Surface Science*, 440. Available at: <https://doi.org/10.1016/j.apsusc.2018.01.159>.