

DAFTAR PUSTAKA

- Ali Abd, A., Roslee Othman, M., & Kim, J. (2021). A review on application of activated carbons for carbon dioxide capture: present performance, preparation, and surface modification for further improvement. *Environmental Science and Pollution Research*, 1–36. <https://doi.org/10.1007/s11356-021-15121-9/Published>
- Ambarwati, E. T., & Kimia, J. T. (2015). *Sintesa Komposit Silika Karbon dengan Metode Sol-Gel*.
- Amiruddin, H., Zakir, M., & Paulina, T. (2016). Modifikasi Permukaan karbon Aktif Tongkol Jagung (*Zea mays*) dengan HNO₃, H₂SO₄, dan H₂O₂ Sebagai Bahan Elektroda Superkapasitor. *Hasanuddin University Repository*, 1–6.
- Asade, F., & Isranuri, I. (2013). Perancangan Tabung Impedansi dan Kajian Eksperimental Koefisien Serap Bunyi Paduan Alumunium-Magenesium. *Jurnal e-Dinamis*, 6(2), 6–9.
- Cao, L., Fu, Q., Si, Y., Ding, B., & Yu, J. (2018). Porous materials for sound absorption. *Composites Communications*, 10, 25–35. <https://doi.org/10.1016/j.coco.2018.05.001>
- Caturla, F., Molina-Sabio, M., & Rodríguez-Reinoso, F. (1991). Preparation of activated carbon by chemical activation with ZnCl₂. *Carbon*, 29(7), 999–1007. [https://doi.org/10.1016/0008-6223\(91\)90179-M](https://doi.org/10.1016/0008-6223(91)90179-M)
- Chen, Z., & Liu, T. (2022). Development and application status of glass wool, rock wool, and ceramic wool. Dalam *Thermal Insulation and Radiation Control Technologies for Buildings* (hlm. 129–161). Springer.
- Darianto, D., Siregar, A., Umroh, B., & Kurniadi, D. (2019). Simulasi Kekuatan Mekanis Material Komposit Tempurung Kelapa Menggunakan Metode Elemen Hingga. *Journal of Mechanical Engineering, Manufactures, Materials and Energy*, 3(1), 39. <https://doi.org/10.31289/jmemme.v3i1.2443>
- Dirican, M., Yanilmaz, M., Fu, K., Yildiz, O., Kizil, H., Hu, Y., & Zhang, X. (2014). Carbon-Confined PVA-Derived Silicon/Silica/Carbon Nanofiber Composites as Anode for Lithium-Ion Batteries. *Journal of The Electrochemical Society*, 161(14), A2197–A2203. <https://doi.org/10.1149/2.0811414jes>
- Endro Suseno, J., & Sofjan Firdausi, K. (2008). Rancang Bangun Spektroskopi FTIR (Fourier Transform Infrared) untuk Penentuan Kualitas Susu Sapi. *Berkala Fisika*, 11(1), 23–28.

- Fairus, S., Haryono, H., Sugita, M. H., & Sudrajat, A. (2018). Proses pembuatan waterglass dari pasir silika dengan pelebur natrium hidroksida. *Jurnal Teknik Kimia Indonesia*, 8(2), 56. <https://doi.org/10.5614/jtki.2009.8.2.4>
- Fatimah, S., & Astuti, Y. (2023). Pembuatan Karbon Aktif Berbahan Dasar Sabut Kelapa dengan Aktivator H₂SO₄ dan NaOH sebagai Adsorben Kation Fe dan Cu dalam Limbah Cair Batik Kebumen. Dalam *Greensphere: J. Environ. Chem* (Vol. 3, Nomor 1).
- Fidiyanti, Y. N., Rohmawati, L., Putri, N. P., & Setyarsih, W. (2016). Analisis Nilai Kapasitansi Spesifik Pada Elektroda Karbon Aktif/PVDF. *Jurnal Sains dan Matematika*, 4(2).
- Haryono, Noviyanti, A. R., & Ernawati, E. E. (2023). Sintesis, Karakterisasi, dan Uji Adsorpsi Komposit Silika/Karbon dari Limbah Sekam Padi sebagai Adsorben Tembaga (II). *Jurnal Teknologi Lingkungan*, 24(1), 058–066. <https://doi.org/10.55981/jtl.2023.241>
- Hassan, H. H., Ateia, E., Darwish, N. A., Halim, S. F., & Abd El-Aziz, A. K. (2012). Effect of filler concentration on the physico-mechanical properties of super abrasion furnace black and silica loaded styrene butadiene rubber. *Materials and Design*, 34, 533–540. <https://doi.org/10.1016/j.matdes.2011.05.005>
- Hu, Z., & Srinivasan, M. P. (2001). Mesoporous High-Surface-Area Activated Carbon. *Microporous and Mesoporous Materials*, 267–275. www.elsevier.nl/locate/micromeso
- Huq, M. M., Chen, P.-Q., Hsieh, C.-T., Yang, H.-C., & Tasi, T.-P. (2016). Sound Transmission Loss from Polyvinyl Acetate Polymer Mixed with Different Porous Carbons. *Microporous and Mesoporous Materials*, 232, 184–188. <https://doi.org/10.1016/j.micromeso.2016.06.023>
- Iriani, E. S., Wahyuningsih, K., Sunarti, T. C., & Permana, A. W. (2015). Sintesis Nanoselulosa dari Serat Nanas dan Aplikasinya Sebagai nanofiller Pada Film Berbasis Polivinil Alkohol. *Jurnal Penelitian Pascapanen Pertanian*, 12(1), 11. <https://doi.org/10.21082/jpasca.v12n1.2015.11-19>
- Islam, M. S., Ang, B. C., Gharekhani, S., & Afifi, A. B. M. (2016). Adsorption capability of activated carbon synthesized from coconut shell. *Carbon letters*, 20, 1–9. <https://doi.org/10.5714/CL.2016.20.001>
- Joni, R., Syukri, S., & Aziz, H. (2020). Study of activated carbon characteristic from ketaping fruit shell (*Terminalia Catappa*) as supercapacitors electrode. *Journal of Aceh Physics Society*, 10(1), 1–6. <https://doi.org/10.24815/jacps.v10i1.17755>
- KARAER YAĞMUR, H. (2020). Preparation, Characterization of Polyvinyl Alcohol/Activated Carbon (PVA/AC) Composite and the Removal of 4-

- Nitrophenol (4-NP). *Adiyaman University Journal of Science*.
<https://doi.org/10.37094/adyujsci.628399>
- Kebir, M., Trari, M., Maachi, R., Nasrallah, N., & Amrane, A. (2015). Valorization of *Inula viscosa* waste extraction, modeling of isotherm, and kinetic for the tartrazine dye adsorption. *Desalination and Water Treatment*, 54(10), 2806–2816. <https://doi.org/10.1080/19443994.2014.905976>
- Kielbasa, K., Bayar, Ş., Varol, E. A., Sreńscek-Nazzal, J., Bosacka, M., Miądlicki, P., Serafin, J., Wróbel, R. J., & Michalkiewicz, B. (2022). Carbon Dioxide Adsorption over Activated Carbons Produced from Molasses Using H₂SO₄, H₃PO₄, HCl, NaOH, and KOH as Activating Agents. *Molecules*, 27(21). <https://doi.org/10.3390/molecules27217467>
- Masita, S., Zakir, M., & Raya, I. (t.t.). Sintesis dan Karakterisasi Karbon Mesopori Dari Amillum Gadung (*Dioscorea hispida*) dan Potensinya Sebagai Elektroda Pada Superkapasitor. *Hasanuddin University Repository*, 1–8.
- Mathur, N., Bairwa, K., & Kumar, R. (2021). A literature review on Composite material and scope of Sugar cane Bagasse. *International Journal of Industrial Engineering Reseach and Development*, 5, 125–133.
- Miarti, A., & Anike, R. S. (2022). Efektivitas Karbon Aktif Tongkol Jagung Terhadap Kadar pH, TSS DAN TDS pada Limbah Cair PT Perta Samtan Gas. *Jurnal Teknik Patra Akademika*, 13(01), 7.
- Naderi, M. (2015). Surface Area. Dalam *Progress in Filtration and Separation* (hlm. 585–608). Elsevier. <https://doi.org/10.1016/B978-0-12-384746-1.00014-8>
- Nandiyanto, A. B. D., Oktiani, R., & Ragadhita, R. (2019). How to read and interpret ftir spectroscopy of organic material. *Indonesian Journal of Science and Technology*, 4(1), 97–118. <https://doi.org/10.17509/ijost.v4i1.15806>
- Qiu, X. (2016). Acoustic testing and evaluation of textiles for buildings and office environments. Dalam *Performance Testing of Textiles* (hlm. 103–128). Elsevier. <https://doi.org/10.1016/B978-0-08-100570-5.00006-2>
- Rifaida Eriningsih, Mukti Widodo, & Rina Marlina. (2014). *Pembuatan dan Karakterisasi Peredam Suara dari Bahan Baku Serat Alam*. 29(1). <http://ejournal.kemenperin.go.id/jiat>
- Saban, A., Jasruddin, J., & Husain, H. (2023). Pengaruh Konsentrasi Aktivator (NaOH DAN HCl) Terhadap Karakteristik Karbon Aktif dari Tongkol Jagung. *Jurnal Sains dan Pendidikan Fisika*, 19(2), 219. <https://doi.org/10.35580/jspf.v19i2.45044>

- Said, H., Kano Mangalla, L., & Sudia, B. (2019). *Enthalpy-Jurnal Ilmiah Mahasiswa Teknik Mesin Analisa Mampu Redam Suara Komposit Serat Sabut Kelapa Dengan Matriks Polyvinyl Acetate (Lem Fox)*. 4(1).
- Santoso, E., & Julian, J. (2016). Pengaruh Komposisi PVA/Kitosan terhadap Perilaku Membran Komposit PVA/Kitosan/Grafin Oksida yang Terikat Silang Asam Sulfat. *Jurnal Sains dan Seni ITS*, 5(1). <https://doi.org/10.12962/j23373520.v5i1.15932>
- Scholz, M. (2023). How Activated Carbon Can Help You—Processes, Properties and Technological Applications. *Technologies*, 11(6). <https://doi.org/10.3390/technologies11060153>
- Seddeq, H. S. (2009). Factors Influencing Acoustic Performance of Sound Absorptive Materials. *Australian Journal of Basic and Applied Sciences*, 3(4), 4610–4617.
- Singh, R., Gautam, S., Sharma, B., Jain, P., & Chauhan, K. D. (2021). Biopolymers and their classifications. Dalam *Biopolymers and their Industrial Applications* (hlm. 21–44). Elsevier. <https://doi.org/10.1016/B978-0-12-819240-5.00002-X>
- Subadra, I., Setiaji, B., & Tahir, I. (2003). *Activated Carbon Production from Cocconut Shell with (NH₄)HCO₃ Activator as an Adsorbent in Virgin Coconut Oil Purification*.
- Sujiono, E. H., Zabrian, D., Zurnansyah, Mulyati, Zharvan, V., Samnur, & Humairah, N. A. (2022). Fabrication and characterization of coconut shell activated carbon using variation chemical activation for wastewater treatment application. *Results in Chemistry*, 4, 100291. <https://doi.org/10.1016/j.rechem.2022.100291>
- Sukirno, E., & Shofiyani, A. (2017). *Pembuatan Membran Komposit Si/PVA/PEG Berbahan Dasar Silika Batu Padas Singkup Untuk Menurunkan Konsentrasi Ion Fosfat dalam Larutan* (Vol. 6, Nomor 4).
- Sulianto, A. A., Aji, A. D. S., & Alkahi, M. F. (2020). Rancang Bangun Unit Filtrasi Air Tanah untuk Menurunkan Kekeruhan dan Kadar Mangan dengan Aliran Upflow. *Jurnal Sumberdaya Alam dan Lingkungan*, 7(2), 72–80. <https://doi.org/10.21776/ub.jsal.2020.007.02.4>
- Ubaid, A., & Munasir, D. (2016). Pengaruh variasi Aging Terhadap Porositas Nanosilika Sebagai Adsorben. *Jurnal Inovasi Fisika Indonesia (IFI)*, 1–6.
- Wang, Y., & Chung, D. D. L. (1998). Effects of sand and silica fume on the vibration damping behavior of cement. *Cement and Concrete Research*, 28(10), 1353–1356. [https://doi.org/10.1016/S0008-8846\(98\)00104-5](https://doi.org/10.1016/S0008-8846(98)00104-5)
- Wantoro, A. (2017). *Prosiding Seminar Nasional Metode Kuantitatif*.

- Wibawa, P. J., Grafiana, N. F., & Gunawan. (2023). Fabrication, characterization, and application of the water hyacinth biochar-polyvinyl alcohol composite as an advantageous sound absorber material. *Discover Materials*, 3(1). <https://doi.org/10.1007/s43939-023-00057-3>
- Wibawa, P. J., Nur, M., Asy'ari, M., & Nur, H. (2020). SEM, XRD and FTIR analyses of both ultrasonic and heat generated activated carbon black microstructures. *Heliyon*, 6(3), e03546. <https://doi.org/10.1016/j.heliyon.2020.e03546>
- Yani, M., Suroso, B., & Rajali, R. (2019). Mechanical Properties Komposit Limbah Plastik. *Jurnal Rekayasa Material, Manufaktur dan Energi*, 2(1), 74–83. <https://doi.org/10.30596/rmme.v2i1.3071>
- Yuliantika, S., & -, E. (2015). Penentuan Koefisien Absorpsi dan Impedansi Material Akustik Resonator Panel Kayu Lapis (Plywood) Berlubang dengan Menggunakan Metode Tabung. *Jurnal Ilmu Fisika | Universitas Andalas*, 7(2), 56–62. <https://doi.org/10.25077/jif.7.2.56-62.2015>
- Zhou, W., Apkarian, R., Wang, Z. L., & Joy, D. (2006). Fundamentals of Scanning Electron Microscopy (SEM). Dalam *Scanning Microscopy for Nanotechnology* (hlm. 1–40). Springer New York. https://doi.org/10.1007/978-0-387-39620-0_1