

## DAFTAR PUSTAKA

- Alasalvar, C., Karamać, M., Amarowicz, R., & Shahidi, F. (2006). Antioxidant and antiradical activities in extracts of hazelnut kernel (*Corylus avellana* L.) and hazelnut green leafy cover. *Journal of Agricultural and Food Chemistry*, *54*(13), 4826–4832.
- Amarowicz, R., Estrella, I., Hernández, T., Robredo, S., Troszyńska, A., Kosińska, A., & Pegg, R. B. (2010). Free radical-scavenging capacity, antioxidant activity, and phenolic composition of green lentil (*Lens culinaris*). *Food Chemistry*, *121*(3), 705–711.
- Amarowicz, R., Troszynska, A., Baryłko-Pikielna, N., & Shahidi, F. (2004). Polyphenolics extracts from legume seeds: correlations between total antioxidant activity, total phenolics content, tannins content and astringency. *Journal of Food Lipids*, *11*(4), 278–286.
- Amiri, M., Arab, M., Sadrabad, E. K., Mollakhalili-Meybodi, N., & Fallahzadeh, H. (2023). Effect of gamma irradiation-treatment on the antioxidant activity, phenolic compounds and flavonoid content of common buckwheat. *Radiation Physics and Chemistry*, *212*, 111127.
- Apak, R., Güçlü, K., Demirata, B., Özyürek, M., Çelik, S. E., Bektaşoğlu, B., Berker, K. I., & Özyurt, D. (2007). Comparative evaluation of various total antioxidant capacity assays applied to phenolic compounds with the CUPRAC assay. *Molecules*, *12*(7), 1496–1547.
- Aryal, S., Baniya, M. K., Danekhu, K., Kunwar, P., Gurung, R., & Koirala, N. (2019). Total phenolic content, flavonoid content and antioxidant potential of wild vegetables from Western Nepal. *Plants*, *8*(4), 96.
- Bancuta, O. R., Chilian, A., Bancuta, I., Ion, R. M., Setnescu, R., Setnescu, T., & Gheboianu, A. (2016). Improvement of spectrophotometric method for determination of phenolic compounds by statistical investigations. *Rom. Journ. Phys.*, *61*(7–8), 1255–1264.
- Belokurov, S. S., Narkevich, I. A., Flisyuk, E. V, Kaukhova, I. E., & Aroyan, M. V. (2019). Modern extraction methods for medicinal plant raw material. *Pharmaceutical Chemistry Journal*, *53*(6), 559–563.
- Biswas, A., Dey, S., Xiao, A., Deng, Y., Birhanie, Z. M., Roy, R., Akhter, D., Liu, L., & Li, D. (2023). Ultrasound-assisted extraction (UAE) of antioxidant phenolics from *Corchorus olitorius* leaves: a response surface optimization. *Chemical and Biological Technologies in Agriculture*, *10*(1), 64.

- Bland, J. M., & Altman, D. (1986). Statistical methods for assessing agreement between two methods of clinical measurement. *The Lancet*, 327(8476), 307–310.
- Bliumaitė, J., Maruška, A.-S., Armonavičius, D., Stankevičius, M., Kanopka, A., & Ragažinskienė, O. (2024). Evaluation of total phenolic content, total flavonoid content and radical scavenging activity in fractions of *Epilobium angustifolium* L. extracts and their in vitro anticancer activity. *18 Th International Scientific Conference "The Vital Nature Sign", May 16 Th-17 Th, 2024 Kaunas, Lithuania: Abstract Book/Editors A. Maruška, N. Tiso, V. Kaškonienė, M. Stankevičius*, 18, 57.
- Brand-Williams, W., Cuvelier, M.-E., & Berset, C. (1995). Use of a free radical method to evaluate antioxidant activity. *LWT-Food Science and Technology*, 28(1), 25–30.
- Castro, A. C. R. de, Barbosa, E. R., Cruz, A. C. A. da, Segundo, V. C. V., Pereira, M. A., Lima, A. C., Torres, C. R. B., & Aragão, F. A. S. de. (2023). Characterization of Cashew Nut (*Anacardium occidentale* L.) Germplasm for Kernel Quality Attributes. *International Journal of Plant Biology*, 14(4), 1092–1099.
- Dias, M. C., Pinto, D. C. G. A., & Silva, A. M. S. (2021). Plant flavonoids: Chemical characteristics and biological activity. *Molecules*, 26(17), 5377.
- Do, Q. D., Angkawijaya, A. E., Tran-Nguyen, P. L., Huynh, L. H., Soetaredjo, F. E., Ismadji, S., & Ju, Y.-H. (2014). Effect of extraction solvent on total phenol content, total flavonoid content, and antioxidant activity of *Limnophila aromatica*. *Journal of Food and Drug Analysis*, 22(3), 296–302.
- El Mannoubi, I. (2023). Impact of different solvents on extraction yield, phenolic composition, in vitro antioxidant and antibacterial activities of deseeded *Opuntia stricta* fruit. *Journal of Umm Al-Qura University for Applied Sciences*, 9(2), 176–184.
- Fadeyi, O. E., Olatunji, G. A., & Ogundele, V. A. (2015). Isolation and characterization of the chemical constituents of *Anacardium occidentale* cracked bark. *Nat. Prod. Chem. Res*, 3(5), 1–8.
- Farahani, Z. K. (2021). *The effect of extraction method (ultrasonic, maceration and soxhlet) and solvent type on the extraction rate of phenolic compounds and extraction efficiency of *Arctium lappa* L. roots and *Polygonum aviculare* L. grass.*
- Fusco, R., Siracusa, R., Peritore, A. F., Gugliandolo, E., Genovese, T., D'Amico, R., Cordaro, M., Crupi, R., Mandalari, G., & Impellizzeri, D. (2020). The

- role of cashew (*Anacardium occidentale* L.) nuts on an experimental model of painful degenerative joint disease. *Antioxidants*, 9(6), 511.
- Halliwell, B., & Gutteridge, J. M. C. (2015). *Free radicals in biology and medicine*. Oxford university press, USA.
- Harborne, J. B. (1996). Metode Fitokimia, penuntun dan cara modern menganalisis Tumbuhan. *Penerjemah: Padmawinata K Dan Soediro I. Penerbit ITB Bandung*.
- Hendra, R., Gurning, S. N., Panjaitan, U. P. A., & Teruna, H. Y. (2020). Antioxidant activity of an epiphyte fern in palm oil tree. *Journal of Physics: Conference Series*, 1655(1), 012031.
- Hidayat, E. B. (1995). *Anatomi tumbuhan berbiji*.
- Huang, D., Ou, B., & Prior, R. L. (2005). The chemistry behind antioxidant capacity assays. *Journal of Agricultural and Food Chemistry*, 53(6), 1841–1856.
- Jara-Palacios, M. J., Gonçalves, S., Heredia, F. J., Hernanz, D., & Romano, A. (2020). Extraction of antioxidants from winemaking byproducts: Effect of the solvent on phenolic composition, antioxidant and anti-cholinesterase activities, and electrochemical behaviour. *Antioxidants*, 9(8), 675.
- Kementerian Kesehatan RI. (2017). *Farmakope Herbal Indonesia (Edisi II). Direktorat Jenderal Kementerian Kesehatan RI*.
- Lim, J., Kim, K., Kwon, D. Y., Kim, J. K., Sathasivam, R., & Park, S. U. (2024). Effects of Different Solvents on the Extraction of Phenolic and Flavonoid Compounds, and Antioxidant Activities, in *Scutellaria baicalensis* Hairy Roots. *Horticulturae*, 10(2), 160.
- Lohvina, H., Sándor, M., & Wink, M. (2021). Effect of Ethanol Solvents on Total Phenolic Content and Antioxidant Properties of Seed Extracts of Fenugreek (*Trigonella foenum-graecum* L.) varieties and determination of phenolic Composition by HPLC-ESI-MS. *Diversity*, 14(1), 7.
- Mabry, T., Markham, K. R., & Thomas, M. B. (2012). *The systematic identification of flavonoids*. Springer Science & Business Media.
- Madhuranga, H. D. T., & Samarakoon, D. N. A. W. (2023). Advancing In vitro Antioxidant Activity Assessment: A Comprehensive Methodological Review and Improved Approaches for DPPH, FRAP and H<sub>2</sub>O<sub>2</sub> Assays. *Journal of Natural & Ayurvedic Medicine*, 7(4), 1–7. <https://doi.org/10.23880/jonam-16000431>

- Miller, J., & Miller, J. C. (2018). *Statistics and chemometrics for analytical chemistry*. Pearson education.
- Molyneux, P. (2004). The use of the stable free radical diphenylpicrylhydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarinn J. Sci. Technol*, 26(2), 211–219.
- Montes, I., Lai, C., & Sanabria, D. (2003). Like Dissolves Like: A Guided Inquiry Experiment for Organic Chemistry. *Journal of Chemical Education*, 80(4), 447. <https://doi.org/10.1021/ed080p447>
- Moon, J.-K., & Shibamoto, T. (2009). Antioxidant assays for plant and food components. *Journal of Agricultural and Food Chemistry*, 57(5), 1655–1666.
- Moore, D. S., & McCabe, G. P. (1989). *Introduction to the practice of statistics*. WH Freeman/Times Books/Henry Holt & Co.
- Mulja, H. M. (2019). *Analisis Instrumental*, 6-11, 26-40. Airlangga University Press, Surabaya.
- Murray, R. K., Granner, D. K., Mayes, P. A., & Rodwell, V. W. (2003). *Biokimia harper edisi 25*. Jakarta: EGC, 883.
- Nguru, M. O., Gyang, S. S., Joseph, C. J., Iorjiim, W. M., Omale, S., & David, B. G. (2021). Estimation of Total Phenolic and Total Flavonoid Contents, In-Vitro Antioxidant Activity and Median Inhibitory Concentration of Methanol Root Extract of *Ximenia americana*, L. Olacaceae. *Journal of Advances in Biology & Biotechnology*, 24(12), 52–59.
- Nguyen, L. T. T., Nguyen, T. T., Nguyen, H. N., & Bui, Q. T. P. (2020). Simultaneous determination of active compounds in Piper betle Linn. leaf extract and effect of extracting solvents on bioactivity. *Engineering Reports*, 2(10), e12246.
- Nofita, D., & Nurlan, D. S. (2020). Perbandingan kadar fenolik total ekstrak etanol 70% dengan ekstrak air daun Surian (*Toona sureni* Merr.). *Sainstek: Jurnal Sains Dan Teknologi*, 12(2), 79–84.
- Parmar, K., & Mashru, R. (2022). New smartphone based colorimetric method development and validation of sodium dodecyl sulphate in bulk and dosage form. *SJIF Impact Factor*, 8, 799–812.
- Pérez, M., Dominguez-López, I., & Lamuela-Raventós, R. M. (2023). The chemistry behind the folin–ciocalteu method for the estimation of (poly) phenol content in food: Total phenolic intake in a mediterranean dietary pattern. *Journal of Agricultural and Food Chemistry*, 71(46), 17543–17553.

- Permatasari, D. A. (2020). *Aktivitas Antibakteri Ekstrak dan Fraksi Daun Jambu Mete (Anacardium occidentale Linn) terhadap Propionibacterium acnes Menggunakan Metode Difusi Sumuran*. Universitas Islam Negeri Maulana Malik Ibrahim.
- Phuyal, N., Jha, P. K., Raturi, P. P., & Rajbhandary, S. (2020). Total phenolic, flavonoid contents, and antioxidant activities of fruit, seed, and bark extracts of *Zanthoxylum armatum* DC. *The Scientific World Journal*, 2020(1), 8780704.
- Prior, R. L., Wu, X., & Schaich, K. (2005). Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *Journal of Agricultural and Food Chemistry*, 53(10), 4290–4302.
- Sai-Ut, S., Kingwascharapong, P., Mazumder, M. A. R., & Rawdkuen, S. (2023). Optimization of ethanolic extraction of phenolic antioxidants from lychee and longan seeds using response surface methodology. *Foods*, 12(15), 2827.
- Sezer Okur, P., & Okur, I. (2024). Recent Advances in the Extraction of Phenolic Compounds from Food Wastes by Emerging Technologies. *Food and Bioprocess Technology*, 1–22.
- Shraim, A. M., Ahmed, T. A., Rahman, M. M., & Hijji, Y. M. (2021). Determination of total flavonoid content by aluminum chloride assay: A critical evaluation. *Lwt*, 150, 111932.
- Susiloningrum, D., & Sari, D. E. M. (2021). *Uji Aktivitas Antioksidan dan Penetapan Kadar Flavonoid Total Ekstrak Temu Mangga (Curcuma mangga Valetton & Zijp) dengan Variasi Konsentrasi Pelarut*.
- Tripathi, A., Chauhan, N., & Mukhopadhyay, P. (2024). Recent advances in understanding the regulation of plant secondary metabolite biosynthesis by ethylene-mediated pathways. *Physiology and Molecular Biology of Plants*, 30(4), 543–557.
- Tshiana, C., Tshilanda, D., Tshibangu, D., Ngombe, N., Mbemba, T., & Mpiana, P. (2018). antidiabetic, antisickling and antibacterial activities of *Anacardium occidentale* L.(Anacardiaceae) and *Zanthoxylum rubescens* Planch. Ex Hook (Rutaceae) from DRC. *Int J Diabet Endocrinol*, 3, 7–14.
- Wairata, J., Fadlan, A., Purnomo, A. S., Taher, M., & Ersam, T. (2022). Total phenolic and flavonoid contents, antioxidant, antidiabetic and antiplasmodial activities of *Garcinia forbesii* King: A correlation study. *Arabian Journal of Chemistry*, 15(2), 103541.

- Wang, H., Chen, Y., Wang, L., Liu, Q., Yang, S., & Wang, C. (2023). Advancing herbal medicine: enhancing product quality and safety through robust quality control practices. *Frontiers in Pharmacology*, *14*, 1265178.
- Wenzel, T. J. (2014). *Active learning materials for molecular and atomic spectroscopy*. Springer.
- Xu, X., Liu, A., Hu, S., Ares, I., Martínez-Larrañaga, M.-R., Wang, X., Martínez, M., Anadón, A., & Martínez, M.-A. (2021). Synthetic phenolic antioxidants: Metabolism, hazards and mechanism of action. *Food Chemistry*, *353*, 129488.
- Yang, X.-Z., Wei, X.-R., Sun, R., Xu, Y.-J., & Ge, J.-F. (2020). Benzoxazine-based fluorescent probes with different auxochrome groups for cysteine detection. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, *226*, 117582.
- Zhang, R., Song, B., & Yuan, J. (2018). Bioanalytical methods for hypochlorous acid detection: Recent advances and challenges. *TrAC Trends in Analytical Chemistry*, *99*, 1–33.
- Zugazua-Ganado, M., Bordagaray, A., Ezenarro, J., Garcia-Arrona, R., Ostra, M., & Vidal, M. (2024). Adaptation of the Folin-Ciocalteu and Fast Blue BB spectrophotometric methods to digital image analysis for the determination of total phenolic content: Reduction of reaction time, interferences and sample analysis. *LWT*, *193*, 115756.