

DAFTAR PUSTAKA

- Afiyata, F. (2018). Ekstraksi Eugenol Daun Cengkeh (*Syzygium Aromaticum*) Dengan Microwave Assisted Extraction (Kajian Jenis Pelarut Dan Waktu Ekstraksi).
- Andalusi, R. (2008). Penentuan Kondisi Optimum Reaksi Sulfonasi HIPS dengan Variasi Temperatur dan Waktu Reaksi.
- Ariadi Lusiana, R., Pangestica Saputry, A., & Basid Adiwibawa Prasetya, N. (2019). Pengaruh Sulfonasi terhadap Karakteristik Fisiko-Kimia Membran Polisulfon. Dalam *Jurnal MIPA* (Vol. 42, Nomor 1). <http://journal.unnes.ac.id/nju/index.php/JM>
- Azzahra, F. (2018). Pengaruh Jenis Elektroda dan Waktu Penyimpanan Greywater Terhadap Produksi Biolistrik Berbasis Microbial Fuel Cell Double Chamber Dengan Substrat Greywater.
- Balema, V. P., Hlova, I. Z., Carnahan, S. L., Seyedi, M., Dolotko, O., Rossini, A. J., & Luzinov, I. (2021). Depolymerization of polystyrene under ambient conditions. *New Journal of Chemistry*, 45(6), 2935–2938. <https://doi.org/10.1039/d0nj05984f>
- Carretta, N., Tricoli, V., & Picchioni, F. (2000). Ionomeric membranes based on partially sulfonated poly(styrene): synthesis, proton conduction and methanol permeation. *Journal of Membrane Science*, 166(2), 189–197. [https://doi.org/10.1016/S0376-7388\(99\)00258-6](https://doi.org/10.1016/S0376-7388(99)00258-6)
- Christwardana, M., Joelianingsih, J., & Yoshi, L. A. (2022). The Influence of Various Substrates on Power Generation in The Operation of Yeast Microbial Fuel Cells. *Reaktor*, 22(2), 36–41. <https://doi.org/10.14710/reaktor.22.2.36-41>
- Coats, A. W., & Redfern, J. P. (1963). Thermogravimetric analysis. A review. *The Analyst*, 88(1053), 906–924. <https://doi.org/10.1039/AN9638800906>
- Colpan, C. O., Nalbant, Y., & Ercelik, M. (2018). 4.28 Fundamentals of Fuel Cell Technologies. *Comprehensive Energy Systems*, 4–5, 1107–1130. <https://doi.org/10.1016/B978-0-12-809597-3.00446-6>
- Cowd, M. (1991). Kimia polimer. http://otomasi.unnes.ac.id/index.php?p=show_detail&id=3492&keywords=
- Dharmalingam, S., Kugarajah, V., & Sugumar, M. (2018). Membranes for microbial fuel cells. Dalam *Biomass, Biofuels, Biochemicals: Microbial*

Electrochemical Technology: Sustainable Platform for Fuels, Chemicals and Remediation (hlm. 143–194). Elsevier. <https://doi.org/10.1016/B978-0-444-64052-9.00007-8>

Djunaidi, M. C., Jumina, Siswanta, D., & Ulbricht, M. (2015). Selective transport of Fe(III) using polyeugenol as functional polymer with ionic imprinted polymer membrane method. *Asian Journal of Chemistry*, 27(12), 4553–4562. <https://doi.org/10.14233/ajchem.2015.19228>

Dutta, K., Das, S., Kumar, P., & Kundu, P. P. (2014). Polymer electrolyte membrane with high selectivity ratio for direct methanol fuel cells: A preliminary study based on blends of partially sulfonated polymers polyaniline and PVdF-co-HFP. *Applied Energy*, 118, 183–191. <https://doi.org/10.1016/j.apenergy.2013.12.029>

Farrelly, T. A., & Shaw, I. C. (2017). Polystyrene as Hazardous Household Waste. Dalam *Household Hazardous Waste Management*. InTech. <https://doi.org/10.5772/65865>

Harianingsih, & Setiawan, H. (2016). Optimasi proses pembuatan membran selulosa dengan bahan pembawa (carrier).

Huhtamäki, T., Tian, X., Korhonen, J. T., & Ras, R. H. A. (2018). Surface-wetting characterization using contact-angle measurements. *Nature Protocols*, 13(7), 1521–1538. <https://doi.org/10.1038/s41596-018-0003-z>

Intan Novalia, W. (2018). Optimasi kinerja elektroda dalam microbial fuel cell pada substrat tanah dan sampah.

Junoh, H., Jaafar, J., Nordin, N. A. H. M., Ismail, A. F., Othman, M. H. D., Rahman, M. A., Yusof, N., & Aziz, F. (2020). Inclusion of zeolitic imidazolate framework-8 (ZIF-8) crystals within porous polyether sulfone (PES) via filtration methods as potential electrolytes for DMFC applications. *Materials Today: Proceedings*, 46, 1843–1847. <https://doi.org/10.1016/j.matpr.2020.12.1185>

Kiswandono, A. A., Siswanta, D., Santosa, S. J., Hidayat Aprilita, N., Santosa, J., & Hadi, S. (2019). Synthesis and characterization of co-edaf and its application test as a carrier membrane for phenol transport using polymer inclusion membrane (PIM). Dalam *Article in Research Journal of Chemistry and Environment*. <https://www.researchgate.net/publication/335951217>

Koroglu, E. O., Yoruklu, H. C., Demir, A., & Ozkaya, B. (2018). Scale-up and commercialization issues of the MFCs: Challenges and implications. Dalam *Biomass, Biofuels, Biochemicals: Microbial Electrochemical Technology: Sustainable Platform for Fuels, Chemicals and Remediation* (hlm. 565–583). Elsevier. <https://doi.org/10.1016/B978-0-444-64052-9.00023-6>

- Kumar, P., Bharti, R. P., Kumar, V., & Kundu, P. P. (2018). Polymer electrolyte membranes for microbial fuel cells: Part a. nafion-based membranes. Dalam *Progress and Recent Trends in Microbial Fuel Cells* (hlm. 47–72). Elsevier. <https://doi.org/10.1016/B978-0-444-64017-8.00004-X>
- Li, H. Q., Liu, X. J., Xu, J., Xu, D., Ni, H., Wang, S., & Wang, Z. (2016). Enhanced proton conductivity of sulfonated poly(arylene ether ketone sulfone) for fuel cells by grafting triazole groups onto polymer chains. *Journal of Membrane Science*, 509, 173–181. <https://doi.org/10.1016/j.memsci.2016.02.039>
- Lindner, O., & Rodefeld, L. (2000). Benzenesulfonic Acids and Their Derivatives. Dalam *Ullmann's Encyclopedia of Industrial Chemistry*. Wiley. https://doi.org/10.1002/14356007.a03_507
- Luo, Y. L., Nan, Y. F., Xu, F., Chen, Y. S., & Di, H. W. (2011). Synthesis and characterization of novel h-HTBN/PEG PU copolymers for tissue engineering: Degradation, phase behavior, and mechanical properties. *Polymers for Advanced Technologies*, 22(11), 1478–1486. <https://doi.org/10.1002/pat.1631>
- Masta, N. (2020). *Buku Materi Pembelajaran Scanning Electron Microscopy*.
- Mohrig, R. J., Hammond, N. C., & Schatz, F. P. (2016). *Techniques in Organic Chemistry*.
- Muliawati, E. C., Budianto, A., & Hamid, A. (2021). Promising Potential of Eugenol (Clove) Based Organic Membrane for Polymer Electrolyte Membrane Fuel Cell. *Journal of Physics: Conference Series*, 2117(1). <https://doi.org/10.1088/1742-6596/2117/1/012037>
- Mutiara Hikmah, A., & Wafiroh, S. (2023). Uji ketahanan air (swelling) pada cangkang kapsul alginat-kitosan menggunakan polyethylene glycol (PEG). 6, 2023. <https://doi.org/10.31602/dl.v6i3.12366>
- Ngadiwiyana. (2005). Polimerisasi eugenol dengan katalis asam sulfat pekat. *Jurnal Kimia Sains & Aplikasi*, VIII, 43–47.
- Ngadiwiyana, Gunawan, Prasetya, N. B. A., Kusworo, T. D., & Susanto, H. (2022). Synthesis and characterization of sulfonated poly(eugenol-co-allyleugenol) membranes for proton exchange membrane fuel cells. *Heliyon*, 8(12). <https://doi.org/10.1016/j.heliyon.2022.e12401>
- Ngadiwiyana, Prasetya, N. B. A., Gunawan, Kusworo, T. D., & Susanto, H. (2021). Synthesis, characterization, and study of proton exchange polymer membrane properties of sulfonated copolymer eugenol-diallyl phthalate. *Indonesian Journal of Chemistry*, 21(1), 168–178. <https://doi.org/10.22146/ijc.55353>
- Nurcahyani. (2015). Efek minyak atsiri daun cengkeh (*Syzygium aromaticum* L.).

- Nurdiana, Y. D. (2020). Fenomena fouling pada proses desalinasi dengan membran hybrid zeolit alam-polivinil alkohol (PVA).
- Okidimis, E. (2012). Sintesis Komposit Polipropilena/Serat Alam/Grup Kaolin yang Memiliki Kemampuan Hambat Bakar Serta Sifat Mekanik yang Baik. <https://digilib.uns.ac.id/dokumen/25532/Sintesis-Komposit-PolipropilenaSerat-AlamGrup-Kaolin-yang-Memiliki-Kemampuan-Hambat-Bakar-Serta-Sifat-Mekanik-yang-Baik>
- Parreño, R. P. (2023). The correlation of sulfonation reaction kinetics with the degree of sulfonation (DS) and its effects on microstructure and morphology of electrospun fibers for the membrane of fuel cells. *RSC Advances*, 13(4), 2523–2529. <https://doi.org/10.1039/d2ra05587b>
- Pirali-Hamedani, M., & Mehdipour-Ataei, S. (2017). Effect of sulfonation degree on molecular weight, thermal stability, and proton conductivity of poly(arylene ether sulfone)s membrane. *Designed Monomers and Polymers*, 20(1), 54–65. <https://doi.org/10.1080/15685551.2016.1231035>
- Prasetya, N. B. A., Asiyah, A., Sarjono, P. R., Ngadiwiyana, N., & Ismiyanto, I. (2021). Synthesis of sulfonated poly-(eugenol divinylbenzene) nanosilver composite and its application as antibacterial compound of cotton fabric. *Journal of Physics: Conference Series*, 1943(1). <https://doi.org/10.1088/1742-6596/1943/1/012183>
- Prasetya, N. B. A., Ngadiwiyana, Ismiyanto, & Sarjono, P. R. (2019). Synthesis of copolymer eugenol crosslinked with divinyl benzene and preliminary study on its antibacterial activity. *IOP Conference Series: Materials Science and Engineering*, 509(1). <https://doi.org/10.1088/1757-899X/509/1/012102>
- Prasetya, N. B. A., Ngadiwiyana, N., Ismiyanto, I., & Sarjono, P. R. (2020). Effects of percent weight of divinylbenzene as crosslinking agent on the properties of eugenol-divinylbenzene copolymers. *Journal of Physics: Conference Series*, 1524(1). <https://doi.org/10.1088/1742-6596/1524/1/012089>
- Putra, A., Amran, A., & Iswendy, I. (2015). Pengembangan dan Karakterisasi Biomaterial Berbasis Mikrobial Selulosa Sebagai Material Pengganti Alternatif.
- Raj, V. (2020). Direct methanol fuel cells in portable applications: materials, designs, operating parameters, and practical steps toward commercialization. Dalam *Direct Methanol Fuel Cell Technology* (hlm. 495–525). Elsevier. <https://doi.org/10.1016/B978-0-12-819158-3.00016-1>
- Sato, K., Kajita, T., & Noro, A. (2023). Synthesis of a Cross-Linked Polymer Electrolyte Membrane with an Ultra-High Density of Sulfonic Acid Groups.

ACS Applied Polymer Materials, 5(5), 3480–3488.
<https://doi.org/10.1021/acsapm.3c00150>

Wang, Q., Lu, Y., & Li, N. (2016). Preparation, characterization and performance of sulfonated poly(styrene-ethylene/butylene-styrene) block copolymer membranes for water desalination by pervaporation. *Desalination*, 390, 33–46.
<https://doi.org/10.1016/j.desal.2016.04.005>

Wulan Sari, N., & Fajri, M. (2018). Analisis fitokimia dan gugus fungsi dari ekstrak etanol pisang goroho merah (*Musa Acuminata* (L)) (Vol. 2, Nomor 1).

Yuk, J., Lee, S., Nugraha, A. F., Lee, H., Park, S. H., Yim, S. D., & Bae, B. (2016). Synthesis and characterization of multi-block poly(arylene ether sulfone) membranes with highly sulfonated blocks for use in polymer electrolyte membrane fuel cells. *Journal of Membrane Science*, 518, 50–59.
<https://doi.org/10.1016/j.memsci.2016.06.037>