

## DAFTAR PUSTAKA

- Ajisaka. (2012). *Teh Khasiatnya Dahsyat*. Surabaya: Penerbit Stomata.
- Akbar, A., Heryani, H., & Hustiany, R. (2015). Verifikasi Penerimaan Konsumen terhadap Minuman Fungsional Formulasi Daun Beluntas dan Daun Jeruk Purut. *Prosiding Seminar Nasional FKPTPI 2015*.
- Ansar, A., Sirajuddin, S., & Patang, P. (2020). Pengaruh Lama Pengeringan Terhadap Mutu Teh Herbal Daun Pandan. *Jurnal Pendidikan Teknologi Pertanian*, 6(2), 167-176.
- Arslan, D., Özcan, M. M., & Menges, H. O. (2016). Evaluation of drying methods with respect to drying kinetics, mineral content, and color characteristics of rosemary and peppermint. *Energy Conversion and Management*, 84, 1225–1232.
- Badan Standardisasi Nasional (BSN). (2006). SNI 01-2346-2006: Petunjuk Pengujian Organoleptik dan atau Sensori. Jakarta: *Badan Standardisasi Nasional*.
- Beigi, M. (2016). Sorption isotherms and thermodynamic properties of dried peppermint leaves. *Agronomy Research*, 14(4), 1219–1229.
- Berk, Z. (2018). Food Process Engineering and Technology (3rd Edition). *Academic Press*.
- BSN-SNI. No.01. 3836. 2013. Syarat Mutu Teh Kering dalam Kemasan. *Badan Standardisasi Nasional*, Jakarta.

Damodaran, S., & Parkin, K. L. (2017). *Fennema's Food Chemistry (5th Edition)*. Boca Raton: CRC Press.

Dhurhania, C. E., & Novianto, A. Uji Kandungan Fenolik Total dan Pengaruhnya terhadap Aktivitas Antioksidan dari Berbagai Bentuk Sediaan Sarang Semut (*Myrmecodia pendens*). *Jurnal Farmasi dan Ilmu kefarmasian Indonesia*, 5(2): 62-68.

Effendi, M. S. 2024. Analisa Kadar Fenolik Ekstrak Etanol Daun Nangka (*Artocarpus heterophyllus*) dengan Menggunakan Instrumentasi Spektroskopi UV-Vis. *Herbal Medicine Journal*, 7(1). e-ISSN 2621-2625.

Fellows, P. J. (2017). *Food Processing Technology: Principles and Practice (4th Edition)*. Woodhead Publishing.

Fitriana, W. D., et al. (2016). Antioxidant Activity of Moringa oleifera Extracts. *Indonesian Journal of Pharmaceutics*.

Gupta, S., Gowri, B. S., Lakshmi, A. J., & Prakash, J. (2018). Retention of Nutrients and Antioxidant Activity in Dehydrated Green Leafy Vegetables. *Journal of Food Science and Technology*, 50(5), 905–913.

Haeria, Hermawati, & A.T.U.D.P. (2016). Penentuan Kadar Flavonoid Total dan Aktivitas Antioksidan Ekstrak Etanol Daun Bidara (*Ziziphus spina-christi L.*). *Journal of Pharmaceutical and Medicinal Sciences*, 2, hlm. 58.

Integrated Taxonomic Information System. (2017). *Taxonomic Hierarchy: Moringa oleifera*.

- Irmanti. (2022). Kajian Karakteristik Organoleptik dan Aktivitas Antioksidan Teh Daun Kelor dan Daun Katuk (*Tesis/Skripsi*).
- Karam, M. C., et al. (2016). Effects of drying and grinding in production of fruit and vegetable powders: A review. *Journal of Food Engineering*.
- Kemp, S. E., Hollowood, T., & Hort, J. (2018). *Sensory Evaluation: A Practical Handbook*. New Jersey: John Wiley & Sons.
- Kusmardika, D. A. (2020). Potensi aktivitas antioksidan daun kelor (*Moringa oleifera*) dalam mencegah kanker. *Journal of Health Science and Physiotherapy*, 2(1), 46-50.
- Lin, D., et al. (2016). *An Overview of Plant Phenolics: Biological Properties and Flavonoids*. *Molecules*, 21(10).
- Marjani, D., Arnida, A., & Sutomo, S. (2019). Uji Aktivitas Antioksidan Ekstrak Etanol Daun Kelakai (*Stenochlaena palustris* (Burm.f.) Bedd.) dengan Metode DPPH. *Jurnal Sains dan Kesehatan*, 2(2), 115-121.
- Meilgaard, M. C., Civille, G. V., & Carr, B. T. (2016). *Sensory Evaluation Techniques* (5th ed.). Boca Raton: CRC Press.
- Munte, L. P., Citraningtyas, G., & Yamlean, P. V. Y. (2022). Pengaruh Suhu Pengeringan Terhadap Aktivitas Antioksidan Ekstrak Daun Alpukat (*Persea americana* Mill.). *PHARMACON: Jurnal Ilmiah Farmasi*, 11(3), 1560-1566.
- Nabavi, S. M., et al. (2020). *Plant Phenolics and Neurodegeneration*. CRC Press.

- Nayak, B., et al. (2015). Effect of Processing on Phenolic Antioxidants of Fruits, Vegetables, and Grains—A Review. *Critical Reviews in Food Science and Nutrition*.
- Nguyen, V. T., Q. C. Nguyen, M. H. Nguyen, T. T. P. Vu, L. T. T. Ngoc, & D. V. Minh. (2019). Effects of different drying methods on extractable phenolic compounds and antioxidant properties from lemon myrtle dried leaves. *Heliyon*, 5 (12), e03044. <https://doi.org/10.1016/j.heliyon.2019.e03044>
- Nobossé, P., Fombang, E. N., & Mbofung, C. M. F. (2018). The effect of steam blanching and drying method on nutrients, phytochemicals and antioxidant activity of *Moringa oleifera* L. leaves. *Industrial Crops and Products*, 111, 29–35.
- Parwata, I. M. O. A. (2016). *Bahan Ajar: Antioksidan*. Jimbaran: Program Studi Kimia Fakultas MIPA Universitas Udayana.
- Plantamor. 2016. Klasifikasi tanaman mint (*Mentha piperita* L.). E-book. 88-97
- Purwanto. (2017). Antioksidan Ekstrak Etanol Daun Mareme (*Glochidion arborescens* (Müll. Arg.) Boerl.) dengan Metode DPPH, FRAP, dan ABTS. *Prosiding University Research Colloquium*.
- Puspitasari, L., Mareta, S., & Thalib, A. (2021). Karakterisasi Senyawa Kimia Daun Mint (*Mentha* sp.) dengan Metode FTIR dan Kemometrik. *Sainstech Farma: Jurnal Ilmu Kefarmasian*, 14(1), 5-11.
- Rani, K. C., Jayani, N. I. E., Darmasetiawan, N. K., & Dewi, A. D. R. (2019). Modul Pelatihan Kandungan Nutrisi Tanaman Kelor.

- Ratsewo, J., Meeso, N., & Siriamornpun, S. (2020). Changes in amino acids, fatty acids, and antioxidant properties of *Moringa oleifera* leaves during air drying. *Journal of Food Processing and Preservation*, 44(1), e14305.
- Rofi'ah. (2018). Formulasi dan Aktivitas Antioksidan Teh Campuran Daun Tin dan Daun Mint pada Berbagai Lama Pengeringan.
- Saleh, C., & Pratiwi, D. R. (2019). Uji fitokimia dan uji aktivitas antioksidan (metode DPPH) dari daun biriba (*Rollinia mucosa (Jacq.) Baill.*). *Jurnal Atomik*, 4(1), 9–13.
- Sayuti, K., & Yenrina, R. (2015). Antioksidan Alami dan Sintetik. *Padang: Andalas University Press*.
- Scuderi, D., Giuffrida, D., Perna, S., & Zappia, G. (2013). Micromorphological characterization of the leaf of *Mentha piperita* L. (Lamiaceae). *E3S Web of Conferences*, 1, 29003.
- Setiawan, A., dkk. (2020). Analisis Kadar Polifenol Total dan Aktivitas Antioksidan pada Berbagai Jenis Daun Herbal Kering. *Jurnal Pangan dan Agroindustri*.
- Setyaningsih, D., Apriyantono, A., & Sari, M. P. (2010). Analisis Sensori untuk Industri Pangan dan Agro. *Bogor: IPB Press*.
- Setyaningsih, D., Apriyantono, A., & Sari, M. P. (2014). Analisis Sensori untuk Industri Pangan dan Agro. *Bogor: IPB Press*.
- Sobowale, S. S., Kewuyemi, Y. O., & Olayanju, O. A. (2017). Thermodynamic properties of water sorption of *Moringa oleifera* leaves and seeds. *International Food Research Journal*, 24(3), 1269–1277.

- Stohs, S. J., & Hartman, M. J. (2015). Review of the Safety and Efficacy of *Moringa oleifera*. *Phytotherapy Research*, 29(6), hlm. 796-804.
- Suhaila, H., et al. (2020).** Effect of drying methods on antioxidant activity and phenolic compounds of mint (*Mentha piperita* L.). *Journal of Medicinal Plants Research*, 14(3), 67-73.
- Suharto, S., Romadhon., & Rejeki, S. 2016. Analisis Susut Bobot Pengukusan Dan Rendemen Pengupasan Rajungan Berukura Berbeda Dan Rajungan Bertelur. *Jurnal Saintek Perikanan*, 12(1): 47-51.
- Susiloningrum, D., & Erliani, E. (2021). Uji Aktivitas Antioksidan Ekstrak Etanol Daun Kelor (*Moringa oleifera* Lam) dengan metode DPPH. *Jurnal Farmasi Higea*, 13(1), 56-63.
- Syafrida.M., dkk. 2018. Pengaruh Suhu Pengeringan Terhadap Kadar Air, Kadar Flavonoid dan Aktivitas Antioksidan Daun dan Umbi Rumput Teki (*Cyperus rotundus* L.). *Jurnal Bioma*, 20(1), 44-50.
- Syam, A. K., Ningsih, S., & Salim, M. (2021). Pengaruh Waktu Pengeringan Terhadap Kadar Flavonoid Total dan Aktivitas Antioksidan Ekstrak Daun Miana. *Jurnal Farmasi & Sains Indonesia*, 4(1), 20-27.
- Tanu, W. E. (2022). Uji Toksisitas Ekstrak Daun Mint (*Metha arvensis*) Terhadap Gambaran Histopatologi Lambung Tikus. *Skripsi*. Surabaya; Universitas Wijaya Kusuma Surabaya.

- Uribe, E., Marín, D., Vega-Gálvez, A., Quispe-Fuentes, I., & Rodríguez, A. (2016). Assessment of vacuum-dried peppermint (*Mentha piperita* L.) as a source of natural antioxidants. *Food Chemistry*, 190, 559–565.
- Vasco, C., Ruales, J., & Kamal-Eldin, A. (2008). Total phenolic compounds and antioxidant capacities of major fruits from Ecuador. *Food Chemistry*.
- Vongsak, B., Sithisarn, P., Mangmool, S., Thongpraditchote, S., Wongkrajang, Y., & Gritsanapan, W. (2013). Maximizing total phenolics, total flavonoids contents and antioxidant activity of *Moringa oleifera* leaf extract by the appropriate extraction method. *Industrial Crops and Products*, 44, 566–571.
- Wu, Y., Levon, K., & Zheng, Q. (2021). The effect of blending on the phenolic content and antioxidant capacity of tea. *Food Chemistry*, 347, 128964.
- Xu, D. P., Li, Y., Meng, X., Zhou, T., Zhou, Y., Zheng, J., ... & Li, H. B. (2017). Natural Antioxidants in Foods and Medicinal Plants: Extraction, Assessment and Resources. *International Journal of Molecular Sciences*, 18(1), 96.
- Yoshua, I. K.P. 2022. Pengaruh Variasi Pengeringan Tanaman Herbal Menggunakan Drying Cabinet Terhadap Kandungan Bahan Aktif *Moringa Oleifera*. *Skripsi*, Salatiga: Universitas Kristen Stya Wacana salatiga.
- Yuslianti, E. R. (2018). Pengantar Radikal Bebas dan Antioksidan. *Deepublish*.

Zhang, L., et al. (2022). Effects of Drying Methods on the Phenolic Components and Antioxidant Activity of *Moringa oleifera* Leaves. *Foods*, 11(22), 3705.  
<https://doi.org/10.3390/foods11223705>.