

## REFERENSI

- Abdillah, M.A. (2020). Keanekaragaman dan Kelimpahan Diatom Epilitik di Aliran Mata Air Umbul Gemulo Kecamatan Bumiaji Kota Baru. Universitas Islam Negeri Maulana Malik Ibrahim Malang.
- Abrantes, F., & Isabelle, M.G. (2023). Marine diatoms. *Earth Systems and Environmental Sciences*.
- Abdelwahab, H.E.M. & Amin, A.S. (2017). Diatoms diversity of thermal springs in the southwest region, Saudi Arabia. *Egypt. Acad. J. Biolog. Sci.*, 8, 59–74.
- Afrizal, M.A. (2016). Metode Penelitian Kualitatif Sebuah Upaya Mendukung Penggunaan Penelitian Kualitatif dalam Berbagai Disiplin Ilmu. Jakarta: Rajagrafindo Persada
- Akaçin, İ., Ersoy, Ş., Doluca, O., & Güngörmüşler, M. (2022). Comparing the significance of the utilization of next generation and third generation sequencing technologies in microbial metagenomics. *Microbiological Research*, 264, 127154.
- Al Falah, M.H., Soeprbowati, T.R., Hadiyanto, H., Rahim, A., Noor, B.M., Permatasari, N. (2023). Diatom Stratigraphy as a Flood Record in the Lower Tuntang River, Demak, Central Java. *EVERGREEN*, 10 (1), 272-282.
- Al Falah, M.H., Soeprbowati, T.R., Hadiyanto, H., Wojewódka-Przybył, M., Kruszewski, Ł., Rydelek, P. (2025a). Trophic Status Changes in the Lower Tuntang River, Demak, Based on Diatom Stratigraphic Evidence. In: Casila, J.C., Khajuria, A., Memon, S. (eds) Proceedings of The 3rd International Conference on Climate Change and Ocean Renewable Energy. CCORE 2024. Springer Proceedings in Earth and Environmental Sciences. Springer, Cham.
- Al Falah, M.H., Soeprbowati, T.R., Hadiyanto, H., Rahim, A., Jumari, J., Khotimperwati, L., Cahyani, N.K.D., Wojewódka-Przybył, M., Kruszewski, Ł., & Rydelek, P. (2025b). Environmental DNA reveals protist biodiversity in mangrove sediments of Java and Madura, Indonesia. *Biodiversitas* 26: 5211-5225.
- Ali, O., Ramsuhag, A., Farrell, A.D., Jayaraman, J. (2022). Foliar application of seaweed extracts influences. *Journal of Applied Phycology*, 34: 3219-3235.

- Alongi, D.M. (2009) *The Energetic of Mangrove Forest*. Springer, New York, 1-125.
- Alongi, D.M. (2015). The Impact of Climate Change on Mangrove Forests. *Curr Clim Change Rep*, 1, 30–39.
- Anderson, N. J. (1995). Using the past to predict the future: lake sediments and the modelling of limnological disturbance. *Ecological Modelling*, 78 (1–2),149–172.
- Andrea, B.C., Michael, K., Sára, B., Ute, P., *et al.* (2022). A digital light microscopic method for diatom surveys. *Limnology and Oceanography: Methods*.
- Appleby, P.G. (2008). Three decades of dating recent sediments by fallout radionuclides: A review. *The Holocene*.
- Arifanti, V.B., Sidik, F., Mulyanto, B., Susilowati, A., *et al.* (2022). Challenges and strategies for sustainable mangrove management in Indonesia: a review. *Forests*, 13 (5), 695.
- B-Béres, V., Stenger-Kovács, C., Buczkó, K., Padisák, J., Selmeczy, G.B., Lengyel, E., & Tapolczai, K. (2023). Ecosystem services provided by freshwater and marine diatoms. *Hydrobiologia*, 850, 2707-2733
- Bahls, L. (2017). Diatoms from Western North America 1. Some New and Notable Biraphid Species. Montana, USA.
- Bahls, L., Boynton, B., & Johnston, B. (2018). Atlas of diatoms (Bacillariophyta) from diverse habitats in remote regions of western Canada. *PhytoKeys*, 105: 1–186.
- Bailet, B., Apothéloz-Perret-Gentil, L., Baričević, A., Chonova, T., *et al.* (2020). Diatom DNA metabarcoding for ecological assessment: Comparison among bioinformatics pipelines used in six European countries reveals the need for standardization. *Science of the Total Environment*, 745.
- Bappenas. (2019). Laporan Implementasi Perencanaan Pembangunan Rendah Karbon. Bappenas, Jakarta.78 Hlm.
- Baskaran, M. (2016). Radon: A Tracer for Geological, Geophysical and Geochemical Studies. *Springer*.

- Basset, A., Elliott, M., West, R.J., Wilson, J.G. (2013). Estuarine and lagoon biodiversity and their natural goods and services. *Estuar. Coast. Shelf Sci.* 132.
- Battarbee, R.W., Patrick, S.T., Wathne, B., Psenner, R., & Mosello, R. (2001). Measuring and modelling the dynamic response of remote mountain lake ecosystems to environmental change (the MOLAR project). *Verh. Internat. Verein. Limnol.*, 27, 3774-3779.
- Beng, K.C., & Corlett, R.T. (2020). Applications of environmental DNA (eDNA) in ecology and conservation: Opportunities, challenges and prospects. *Biodivers Conserv*, 29, 2089-2121.
- Bere, T. (2014). Ecological preferences of benthic diatoms in a tropical river system in São Carlos-SP, Brazil. *Tropical Ecology*, 55 (1), 47-61.
- Bere, T. (2016). Challenges of diatom-based biological monitoring and assessment of streams in developing countries. *Environ. Sci. Pollut. Res.* 23 (6), 5477–5486.
- Bhatnagar, D.G., & Kumar, S. (2025). Ecological conservation and sustainable management of marine environments. Nature-Based Solutions in Achieving Sustainable Development Goals. *Springer Nature Switzerland*, pp. 233–261.
- Blanco, S. (2024). What do diatom indices indicate? Modeling the specific pollution sensitivity index. *Environ Sci Pollut Res* 31, 29449–29459.
- Boggs, S. (1995). Principles of Sedimentology and Stratigraphy Ed (2). Universitas Michigan: Prentice Hall.
- Brower, J.E., & Zar, J.H. (1998). Field and Laboratory Methods for General. Brown Co Publisher. Iowa: USA.
- Bunting, P., Rosenqvist, A., Hilarides, L., Lucas, R.M., Thomas, N., *et al.* (2022). Global mangrove extent change 1996–2020: global mangrove watch version 3.0. *Remote Sens.* 14, 3657.
- CEN. (2014a). CEN Water quality—guidance for the identification and enumeration of benthic diatom samples from rivers and lakes. EN 14407:2014. Comité European de Normalisation, Geneva Technical report.

- CEN. (2014b). CEN Water quality—Guidance for the routine sampling and preparation of benthic diatoms from rivers and lakes. EN 13946:2014. Comité European de Normalisation, Geneva Technical report. 2014b
- Cahyani, N.K.D., Jumari, J., Hariyati, R., Rahadian, R., *et al.* (2024a). Utilizing environmental DNA to identify eukaryotic diversity in mangrove sediments at Demak, Central Java, Indonesia. *Ilmu Kelautan: Indones J Mar Sci*, 2 (4), 543-556.
- Cahyani, N.K.D., Malik, M.D.A., Soeprobowati, T.R., Anggoro, A.W., Syakal, E.R. (2024b). Metode Pengambilan Sampel eDNA dan Analisisnya. Undip Press, Semarang.
- Cahyani, N.K.D., Kurniasih, E.M., Malik, M.D.A., Al Falah, M.H., *et al.* (2025). The Biodiversity Assessment of Sediment Community in Balekambang Lake, Dieng Plateau, Indonesia, Using Environmental DNA (eDNA) Metabarcoding Approach. *J. tropical biodiversity biotechnology*, 10, jtbb13857.
- Campbell, M.A., Ward, I., Blyth, A., & Allentoft, M.E. (2025). Using sedimentary ancient DNA in coastal and marine contexts to explore past human–environmental interactions in Australia. *Philos Trans R Soc Lond B Biol Sci*, 380.
- Carayon, D., Tison-Rosebery, J., & Delmas, F. (2019). Defining a new autoecological trait matrix for French stream benthic diatoms. *Ecol. Indic.* 103, 650.
- Chamley, H. (1989). Clay Sedimentology. Springer.
- Chasapis, C.T. (2019). Preliminary results from structural systems biology approach in *Tetrahymena thermophila* reveal novel perspectives for this toxicological model. *Arch Microbiol*, 201 (1), 51-59.
- Chaudhary, A., & Mooers, A.O. (2018). Terrestrial vertebrate biodiversity loss under future global land use change scenarios. *Sustainability*, 102764.
- Chen, M., Liu, X., Tao, S. *et al.* (2024). The response of surface sedimental diatoms to the environment and its potential significance in the Taiwan Strait, western Pacific. *Acta Oceanol. Sin.* 43, 99–117.

- Choirul, M. *et al.* (2025). Diatoms as Bioindicators of Ecological Stability in the Mangrove Ecosystem of Benoa Bay, Bali. *BIO Web of Conferences* 196, 02005.
- Cibic, T., Baldassarre, L., Cerino, F., Comici, C., Fornasaro, D., Kralj, M., & Giani, M. (2022). Benthic and pelagic contributions to primary production: Experimental insights from the gulf of trieste (Northern adriatic sea). *Front Mar Sci*, 9, 877935.
- Cinco-Castro, S., Herrera-Silveira, J., & Comín, F. (2022). Sedimentation as a Support Ecosystem Service in Different Ecological Types of Mangroves. *Front. For. Glob. Change* 5:733820.
- Coca, O., Ramírez-Herrera, M.T., & Forman, S.L. (2025). Diatom-based palaeoenvironmental reconstruction of a coastal tropical estuary at the Rio Grande River mouth, Oaxaca, Mexico. *Journal of South American Earth Sciences*, 164, 105654.
- Coelho, A.A. (2018). TOPAS and TOPAS-Academic: An optimization program integrating computer algebra and crystallographic objects written in C++. *Journal of Applied Crystallography*, 51 (1), 210-218.
- Costa, A.P.T., & Schneck, F. (2022). Diatoms as indicators in running waters: trends of studies on biological assessment and monitoring. *Environmental monitoring and assessment*, 194 (10), 695.
- Coste, M. (1982). Etude des methods biologiques quantatatives d appreciation de la qualite des eaux. Rapport Division Qualite des Eaux Lyon. Agence Financiere de Bassin Rhone. Mediterranee-Corse: Lyon French, pp. 1–218.
- Coste, M., & Ayphassorho, H. (1991). Etude de la qualité des eaux du Bassin Artois-Piccardie a l aide des communautes des diatomees benthiques (application des indices diatomiques). In: Rapport CEMAGREF, Bordeaux; Agence de l'Eau Artois-Picardie: Douai France, pp. 1–227.
- Cullity, B. D., & Stock, S. R. (2001). Elements of X-Ray Diffraction (3rd ed.). Prentice Hall.

- Dalu, T., Bere, T., & Froneman, P.W. (2016). Assessment of water quality based on diatom indices in a small temperate river system, Kowie River, South Africa. *Water SA* 42 (2), 183–193.
- Danurrachman, Y., Maryono, M., Muhamad, F., Soeprobowati, T. R., & van der Maas, P. (2023). Physico-Chemical and Biological Water Quality Of Tuntang Estuary, Demak, Central Java, as A Base For Sustainable River Management. *Jurnal Pendidikan IPA Indonesia*, 12 (4), 611-624.
- Degen, T., Sadki, M., König E.U., & Nénert, G. (2014). The High Score suite. *J. Pow. Diff.* 29 (sup. S2): S13- S18.
- Dell'Uomo, A. (1996). Assesment of water quality of an Apennine river as a pilot study for diatom-based monitoring of Italian watercourses. In Whitton BA & Rott E eds. *Use of Algae for Monitoring Rivers II*. Institut für Botanik. Univ Innsbruck : 65-72
- Denys, L., & de Wolf, H. (1999). Diatoms as indicators of coastal paleoenvironments and relative sea-level changes. In: Stoermer E.F. and Smol J.P. (eds), *The Diatoms: Applications for the Environmental and Earth Sciences*, Cambridge University Press, UK, pp. 277–297.
- Descy, J.-P., & Coste, M. (2017). A test of methods for assessing water quality based on diatoms. *SIL Proceedings*, 1922-2010, 24 (4), 2112–2116.
- Descy, J. (1979). A new approach to water quality estimation using diatoms.
- Desmira, D., Aribowo, D., & Pratama, R. (2018). Penerapan Sensor ph pada Area Elektrolizer di PT. Sulfindo Adiusaha. *Prosisko: Jurnal Pengembangan Riset Dan Observasi Sistem Komputer*, 5(1).
- Dianti, D., Soeprobowati, T.R., & Kurniasih, A. (2024). Analysis of Sedimentation and Salinity Changes in the Coastal Mangrove Forest of Pasarbangi, Rembang using Sediment Core and Diatom. *Proceedings of the 2nd International Conference on Nature-Based Solution in Climate Change*.
- Duleba, M., Földi, A., Micsinai, A., Várбірó, G., *et al.* (2021). Applicability of diatom metabarcoding in the ecological status assessment of Hungarian lotic and soda pan habitats. *Ecological Indicators*, 130, 108105.

- da Silva, V.C., & Fernandes, N. (2023). Protist taxonomic and functional diversity in aquatic ecosystems of the Brazilian Atlantic Forest. *PeerJ*, 11, e15762.
- Ector, L., Charles, D., Denys, L., Manoylov, K., *et al.* (2004). Workshop report. Freshwater diatoms and their role as ecological indicators. pp. 469–480. n book: Proceedings 17th International Diatom Symposium.
- El-Tohamy, W.S., Taher, M.E., Ghoneim, A.M., & Hopcroft, R.R. (2024). Protozoan communities serve as a strong indicator of water quality in the Nile River. *Sci Rep*, 14 (1), 16382.
- Falensia, T.S., Hartoko, A., & Widyorini, N. (2023). Analisis Status Pencemaran (Klorin, Fosfat, dan COD) di Sungai Banjir Kanal Barat Kota Semarang. *Jurnal Pasir Laut*, 7 (1), 23-31.
- Ferreira, A.C., Borges, R., & de Lacerda, L.D. (2022). Can sustainable development save mangroves? *Sustainability*, 14 (3), 1263.
- Food and Agriculture Organization of the United Nations. (2023). The World's Mangroves 2000-2020. ISBN: 978-92-5-138004-8.
- Friess, D.A., Rogers, K., Lovelock, C.E., Krauss, K.W., *et al.* (2019). The State of the World's Mangrove Forests: Past, Present, and Future. *Annual Review Environment and Resources*, 44, 89-115.
- Friess, D.A., Chen, L., Cormier, N., Krauss, K.W., *et al.* (2023). Mangrove forests and climate change. *Climate Change and Estuaries*. CRC Press, pp. 381–40
- Gaiser, E., & Rühland, K. (2010). Diatoms as indicators of environmental change in wetlands and peatlands. In J. P. Smol & E. F. Stoermer (Eds.), *The Diatoms: Applications for the Environmental and Earth Sciences* (pp. 473–496). chapter, Cambridge: Cambridge University Press.
- García-Florentino, C., Maguregui, M., Morillas, H., Marcaida, I., Salcedo, I., & Madariaga, J.M. (2018). *Trentepohlia* algae biofilms as bioindicator of atmospheric metal pollution. *Sci Total Environ*, 626, 441-450.
- Gell, P.A., Sonneman, J.A., Illman, M.A., & Sincock, J.A. (1999). An Illustrated Key to Common Diatom Genera from Southern Australis. Cooperative Research Centre for Freshwaater Ecology Identification Guide No. 26, Albury.

- Glaser, M., (2003). Interrelations between mangrove ecosystem, local economy and social sustainability in Caeté Estuary, North Brazil. *Wetl. Ecol. Manag.* 11, 265–272.
- Goldstein, J.I., Newbury, D.E., Michael, J.R., Ritchie, N.W.M., Scott, J.H.J., & Joy, D.C. (2018). *Scanning Electron Microscopy and X-Ray Microanalysis* (4th ed.). Springer.
- Gómez, N., & Licursi, M. (2001). The Pampean Diatom Index (IDP) for assessment of rivers and streams in Argentina. *Aquatic Ecology*, 35 (2), 173–181.
- Gong, D., Guo, Z., Wei, W., Bi, J., Wang, Z., Ji, X., Gong, D., Guo, Z., Wei, W., Bi, J., Wang, Z., & Ji, X. (2022). Phytoplankton Community Structure and Its Relationship with Environmental Factors in Nanhai Lake. *Diversity*, 14 (11).
- Guiry, M.D., & Guiry, G.M. (2023). *AlgaeBase*. World-wide electronic publication, National University of Ireland, Galway. <https://www.algaebase.org>.
- Guo, L., Sui, Z., Zhang, S., Ren, Y., & Liu, Y. (2015). Comparison of potential diatom ‘barcode’ genes (The 18S rRNA gene and ITS, COI, rbcL) and their effectiveness in discriminating and determining species taxonomy in the Bacillariophyta. *International Journal of Systematic and Evolutionary Microbiology*, 65 (Pt\_4), 1369–1380.
- Gupta, G.S., Kansara, K., Shah, H., Rathod, R., *et al.* (2019). Impact of humic acid on the fate and toxicity of titanium dioxide nanoparticles in *Tetrahymena pyriformis* and zebrafish embryos. *Nanoscale Adv*, 1 (3), 219-227.
- Hamdino, M., Saady, A.A., El-Shahed, L.H., & Taha, M. (2022). Identification of *Malassezia* species isolated from some *Malassezia* associated skin diseases. *J Mycol Med*, 32 (4), 101301.
- Hamilton, S.E., & Friess, D.A. (2018). Global carbon stocks and potential emissions due to mangrove deforestation from 2000 to 2012. *Nat. Clim. Change*, 8 (3), 240–244.
- Hammer, Ø., Harper, D.A.T., & Ryan, P.D. (2006). *Paleontological Data Analysis*. Blackwell.

- Hamuna, B., Tanjung, R.H.R., Maury, H.K., *et al.* (2018). Kajian Kualitas Air Laut dan Indeks Pencemaran Berdasarkan Parameter Fisika-Kimia di Perairan Distrik Depapre, Jayapura. *Jurnal Ilmu Lingkungan*, 16, 35–43.
- Handayani, W., Chigbu, U.E., Rudiarto, I., & Putri, I.H.S. (2020). Urbanization and Increasing Flood Risk in the Northern Coast of Central Java—Indonesia: An Assessment towards Better Land Use Policy and Flood Management. *Land*, 9 (10), 343.
- Hapsari, K.A., Jennerjahn, T.C., Lukas, M.C., Karius, V., & Behling, H. (2020). Intertwined effects of climate and land use change on environmental dynamics and carbon accumulation in a mangrove-fringed coastal lagoon in Java, Indonesia. *Global change biology*, 26 (3), 1414–1431.
- Harrison, J.B., Sunday, J.M., & Rogers, S.M. (2019). Predicting the fate of eDNA in the environment and implications for studying biodiversity. *Proc Biol Sci*, 286 (1915): 20191409.
- Harland, W.B., Armstrong, R.A., Cox, A.V., Craig, L.E., Smith, A.G., & Smith, D.G. (1990). A Geological Time Scale 1989. Cambridge University Press, Cambridge, UK.
- Hasrini, D.A., Soeprbowati, T.R., Jumari, J. (2023). Epipellic Diatoms to Determine Ecological Status Based on Diatom Index in Mangrove Ecosystem of Morosari Village, Indonesia. *Journal of Ecological Engineering*, 24 (11), 30-43.
- He, M., Zhou, X., Lv, T., Wang, Y., Liu, D., & Wang, Y. (2023). The optimal realized niches of the diatom *Paralia sulcata* in the Yellow Sea and its environmental implication. *Ecological Indicators*, 158, 111362.
- Helleren, S. (2016). The diatom *Chaetoceros* spp. as a Potential Contributing Factor to Fish Mortality Events in Cockburn Sound, November 2015. Dalcon Environmental Report, Western Australia.
- Hernández-Ruiz, M., Barber-Lluch, E., Prieto, A., Álvarez-Salgado, X.A., Logares, R., & Teira, E. (2018). Seasonal succession of small planktonic eukaryotes inhabiting surface waters of a coastal upwelling system. *Environ Microbiol*, 20 (8), 2955-2973.

- Holmes, M., Campbell, E., de Wit, M., & Taylor, J. (2022). The impact of drought in the Karoo - revisiting diatoms as water quality indicators in the upper reaches of the Great Fish River, Eastern Cape, South Africa. *South African Journal of Botany*, 149, 502-510.
- Holmes, R., Salzman, U., Djameluddin, R., Hocking, E. P., Williams, M., Berrio, J. C., Siregar, I., Tjoa, B., Fusi, M., & Diele, K. (2025). Mangrove dynamics and resilience in North Sulawesi, Indonesia, across the Holocene. *Ecological Indicators*, 171, 113231.
- Horne, D.J., Cabral, M.C., Fatela, F., & Radl, M. (2022). Salt marsh ostracods on European Atlantic and North Sea coasts: Aspects of macroecology, palaeoecology, biogeography, macroevolution and conservation. *Marine Micropaleontology*, 174, 101975.
- Horton, B.P., Zong, Y., Hillier, C., & Engelhart, S. (2007). Diatoms from Indonesian mangroves and their suitability as sea-level indicators for tropical environments. *Marine Micropaleontology*, 63 (3-4), 155-168.
- Horton, B.P., Shennan, I., Bradley, S.L., Cahill, N., Kirwan, M., Kopp, R.E., & Shaw, T.A. (2018). Predicting marsh vulnerability to sea-level rise using Holocene relative sea-level data. *Nature Communications*, 9 (1), 2687.
- Hürlimann, J., & Niederhauser, P. (2002). Méthode d'analyse et d'appréciation des cours d'eau en Suisse, Diatomées, niveau R région. Office Fédéral de l'Environnement, des Forêts et du Paysage OFEFP: Berne, Switzerland, pp. 1-111.
- Hussain, S.M., Nazeer, M.N., Radhakrishnan, K., Rajkumar, A., & Sivapriya, V. (2021). Mangrove Ostracoda species fluctuations, habitual adaptation, and its environmental implications—A review. In: Kumaran N, Damodara P (eds). *Holocene Climate Change and Environment*. Elsevier, New York.
- Intergovernmental Panel on Climate Change. (2022). <https://www.ipcc.ch/report/ar6/wg2/>, diakses 10 Oktober 2023.
- Irwan, F., & Afdal, A. (2016). Analisis Hubungan Konduktivitas Listrik dengan Total Dissolved Solid (TDS) dan Temperatur pada Beberapa Jenis Air. *Jurnal Fisika Unand*, 5 (1), 85-93.

- Juggins, S. (2016). The European Diatom Database User Guide Version 1.7.7. University of New Castle, New Castle, UK.
- Juhel, J-B., Marques, V., Utama, R.S., Vimono, I.B., *et al.* (2022). Estimating the extended and hidden species diversity from environmental DNA in hyper-diverse regions. *Ecography*, 10, e06299.
- Kahlert, M. (2012). Utveckling av en miljögiftsindikator – kiselalger i rinnande vatten. Rapport Länsstyrelsen Blekinge 12 (40pp.).
- Kale, A. & Karthick, B. (2015). The Diatoms: Big Significance of Tiny Glass House. *Resonance*, 20 (10), 919-930.
- Kelly, M.G., & Whitton, B.A. (1995). The Trophic Diatom Index: a new index for monitoring eutrophication in rivers. *Journal of Applied Phycology*, 7 (4), 433–444.
- Keputusan Gubernur Jawa Tengah Nomor 522.52/32 Tahun 2019 tentang Pembentukan Forum Kolaborasi Pengelolaan Kawasan Ekosistem Esensial Mangrove di Provinsi Jawa Tengah.
- Keputusan Gubernur Jawa Tengah Nomor 552.52/31 Tahun 2020 tentang Penetapan Kawasan Ekosistem Esensial dan Pengelolaan Kawasan Ekosistem Esensial Lahan Basah Mangrove di Jawa Tengah.
- Kermarrec, L., Franc, A., Rimet, F., Chaumeil, P., Humbert, J. F., & Bouchez, A. (2013). Next-generation sequencing to inventory taxonomic diversity in eukaryotic communities: A test for freshwater diatoms. *Molecular Ecology Resources*, 13 (4), 607–619.
- Kermarrec, L., Franc, A., Rimet, F., Chaumeil, P., Frigerio, J. M., Humbert, J. F., & Bouchez, A. (2014). A next-generation sequencing approach to river biomonitoring using benthic diatoms. *Freshwater Science*, 33 (1), 349–363.
- Khairani, W., & Yulistiyono, H. (2023). Peran BUMDes Terhadap Pengelolaan Wisata Mangrove Kedadim Kabupaten Sumenep Dalam Upaya Meningkatkan Perekonomian Lokal. *Buletin Ekonomika Pembangunan*, 4 (1), 8-19.

- Kock, A., Taylor, J., & Malherbe, W. (2019). Diatom community structure and relationship with water quality in Lake Sibaya, KwaZulu-Natal, South Africa. *South African Journal of Botany*, 123, 161-169.
- Kooistra, W.H.C.F., Kusber, W-H., Hernández-Becerril, D.U., Montresor, M., Sarno, D. (2022). The type species of the diatom genus *Chaetoceros*. *Diatom Res*, 37 (2), 81-88.
- Kountur, R. (2007). Metode Penelitian Edisi Revisi Untuk Penulisan Skripsi dan Tesis, Penerbit PPM. Jakarta.
- Krammer, K. (2000). The genus *Pinnularia* The Diatoms of Europe. Diatoms of Inland Waters and Comparable Habitats 1: 1-703
- Krammer, K., & Lange-Bertalot, H. (1986). Bacillariophyceae. 1. Teil: Naviculaceae. in Ettl, H., Gerloff, J., Heynig, H. and Mollenhauer, D. (eds) Süßwasser flora von Mitteleuropa, Band 2/1. Gustav Fischer Verlag: Stuttgart, New York. 876 pp.
- Krammer, K., & Lange-Bertalot, H. (1988). Bacillariophyceae. 2. Teil: Bacillariaceae, Epithemiaceae, Surirellaceae. in Ettl, H., Gerloff, J., Heynig, H. and Mollenhauer, D. (eds) Süßwasserflora von Mitteleuropa, Band 2/2. VEB Gustav Fischer Verlag: Jena. 596 pp.
- Krammer, K., & Lange-Bertalot, H. (1991). Bacillariophyceae. 3. Teil: Centrales, Fragilariaceae, Eunotiaceae In Ettl, H., Gerloff, J., Heynig, H. & Mollenhauer, D. (Eds.). Süßwasserflora von Mitteleuropa. 2(3): 1-576.
- Krammer, K., & Lange-Bertalot, H. (2000). Bacillariophyceae 5. English and French translation of the keys. In: Büdel, B., Gärtner, G., Krienitz, L. & Lokhorst, G. M. (eds.). Süßwasserflora von Mitteleuropa. 2(5), 311 pp.
- Krammer, K., & Lange-Bertalot, H. (2004a). Süßwasserflora Von Mitteleuropa, Bd. 02/1: Bacillariophyceae: Teil 1: Naviculae. Spectrum, Berlin.
- Krammer, K., & Lange-Bertalot, H. (2004b). Süßwasserflora Von Mitteleuropa, Bd. 02/2: Bacillariophyceae: Teil 2: Bacillariophyceae, Epithemiaceae, Surirellaceae. Spectrum, Berlin.

- Krammer, K., & Lange-Bertalot, H. (2004c). *Susswasserflora Von Mitteleuropa*, Bd. 02/3: Bacillariophyceae: Teil 3: Centrales, Fragillariaceae, Eunotiaceae. Spectrum, Berlin.
- Krebs, C.J. (2009). *Ecology: The Experimental Analysis of Distribution and Abundance*. Harper and Row Publisher Inc. New York.
- Kuffner, I.B., & Paul, V.J. (2001). Effects of nitrate, phosphate and iron on the growth of macroalgae and benthic cyanobacteria from Cocos Lagoon, Guam. *Marine Ecology Progress Series*, 222, 63-72.
- Kurniasih, A. *et al.* (2024). Diatoms as a bio-indicator for the coastal environment changes in Pasarbangi mangrove conservation area, Rembang, Central Java. *IOP Conf. Ser.: Earth Environ. Sci.* 1414 012009.
- Kutty, S.N., Loh, R.K., Bannister, W., & Taylor, D. (2022). Evaluation of a diatom eDNA-based technique for assessing water quality variations in tropical lakes and reservoirs. *Ecological Indicators*, 141, 109108.
- Lange-Bertalot, H., Hofmann, G., Werum, M., & Cantonati, M. (2017) *Freshwater Benthic Diatoms of Central Europe: Over 800 Common Species Used in Ecological Assessment*. English edition with updated taxonomy and added species. Koeltz Botanical Books, Schmitten-Oberreifenberg, 942 pp.
- Lassus, P., Nicolas, C., Philipp, H., & Elisabeth, N. (2016). *Toxic and Harmful Microalgae of the World Ocean*. In: Intergovernmental Oceanographic Commission of UNESCO. IOC Manuals and Guides, Denmark.
- Leclercq, L., & Maquet, B. (1987). Deux nouveaux indices chimique et diatomique de qualité d'eau courante: Comparaison avec dierents indices existants. *Cah. Biol. Mar.* 28:303–310.
- Lecointe, C., Coste, M., & Prygiel, J. (1993). “Omnidia”: software for taxonomy, calculation of diatom indices and inventories management. *Hydrobiologia*, 269–270 (1), 509–513.
- Lejzerowicz, F., Gooday, A.J., Angeles, I.B., Cordier, T., *et al.* (2021). Eukaryotic biodiversity and spatial patterns in the clarion-clipperton zone and other abyssal regions: Insights from sediment DNA and RNA metabarcoding. *Front Mar Sci*, 8, 671033.

- Lenoir, A., & Coste, M. (1996). Development of a practical diatom index of overall water quality applicable to the French National Water Board network. In the Use of Algae for Monitoring Rivers II. Whitton BA, Rott E, (Eds) Institut für Botanik Universität Innsbruck, Schmitten, Austria, pp. 29–45.
- Lestari, P., & Trihadiningrum, Y. (2019). The impact of improper solid waste management to plastic pollution in Indonesian coast and marine environment. *Marine Pollution Bulletin*, 149.
- Li, K., Huang, H., Dong, D., Zhang, S., Yan, R., Li, K., Huang, H., Dong, D., Zhang, S., & Yan, R. (2024). The Role of Iron Minerals in the Preservation of Organic Carbon in Mangrove Sediments. *Water*, 16 (7).
- Li, Y., Long, C., Dai, Z., & Zhou, X. (2024). Pattern of total organic carbon in sediments within the mangrove ecosystem. *Frontiers in Marine Science*, 11, 1428229.
- Li, Z., Sheng, Y., Shi, W., Sun, Q., & Mortimer, R.J.G. (2016). Influence of salinity on COD measurements in coastal water management. *Desalination and Water Treatment*, 57, 18338-18345.
- Li, Z., Liu, X., Yu, Y., Huang, H., *et al.* (2019). Barcoding for diatoms in the Yangtze River from the morphological observation and 18S rDNA polymorphic analysis. *Forensic Science International*, 297, 81–89.
- Liu, M., Clarke, L.J., Baker, S.C., Jordan, G.J., & BurrIDGE, C.P. (2020). A practical guide to DNA metabarcoding for entomological ecologists. *Ecological Entomology*, 45 (3), 373–385.
- Liu, F., Ding, J., Zeng, J., Wang, C., Wu, B., Yan, Q., He, Z., Shu, L. (2024a). Mangrove sediments are environmental hotspots for pathogenic protists. *J Hazard Mater*, 467, 133643.
- Liu, Y., Chen, S., Liang, J., Song, J., *et al.* 2024b. Bacterial community structure and environmental driving factors in the surface sediments of six mangrove sites from Guangxi, China. *Microorganisms*, 12 (12), 2607.
- Liu, K., Liu, S., Cui, Z., Zhao, Y., & Chen, N. (2024c). Rich diversity and active spatial–temporal dynamics of *Thalassiosira* species revealed by time-series metabarcoding analysis. *ISME Communications*, 4 (1).

- Lobo, E.A., Callegaro, V.L.M., Hermany, G., Bes, D., Wetzel, C.A., Oliveira, M.A. (2004). Use of epilithic diatoms as bioindicator from lotic systems in southern Brazil, with special emphasis on eutrophication. *Acta Limnol Bras.*, 16 (1):25–40.
- Lobo, E.A., Heinrich, C.G., Schuch, M., Wetzel, C.E., & Ector, L. (2016). Diatoms as bioindicators in rivers. In *River Algae* (pp. 245–271).
- Lohmann, K., & Klein, C. (2014). Next generation sequencing and the future of genetic diagnosis. *Neurotherapeutics : The Journal of the American Society for Experimental NeuroTherapeutics*, 11 (4), 699–707.
- Lu, X., Zhai, M., Lundholm, N., & Li, Y. (2024). Taxonomy and phylogeny of the section *Chaetoceros* (Chaetocerotaceae, Bacillariophyta), with description of two new species. *J Ocean Limnol*, 42, 1286-1311.
- Lucas, S.G. (2021). *Encyclopedia of Geology*, Second Edition. Elsevier. ISBN: 978-0-08-102909-1.
- Lumaela, A.K., Otok, B.W., & Sutikno, S. (2013). Pemodelan Chemical Oxygen Demand (Cod) Sungai di Surabaya Dengan Metode Mixed Geographically Weighted Regression. *Jurnal Sains Dan Seni ITS*, 2 (1), D100–D105.
- Lyle, M., Pockalny, R., Polissar, P., Lynch-Stieglitz, J., *et al.* (2016). Dynamic carbonate sedimentation on the Northern Line Islands Ridge, Palmyra Basin. *Marine Geology*, 379, 194-207.
- Maguire, K.C., Nieto-Lugilde, D., Fitzpatrick, M.C., Williams, J.W., & Blois, J.L. (2015). Modeling species and community responses to past, present, and future episodes of climatic and ecological change. *Annu.Rev.Ecol.Evol.Syst.*, 46:343–68.
- Mann, D. G., & Vanormelingen, P. (2013). An inordinate fondness? the number, distributions, and origins of diatom species. *Journal of Eukaryotic Microbiology*, 60 (4), 414–420.
- Marlina, E. (2020). Pengembangan Model Pembelajaran Blended Learning Berbantuan Aplikasi Sevima Edlink. *Jurnal Padagogik*, 3 (2), 104–110.
- Maurya, R., & Pandey, A.K. (2020). Importance of protozoa Tetrahymena in toxicological studies: A review. *Sci Total Environ*, 741, 140058.

- McMurdie, P.J., & Holmes, S. (2013). phyloseq: An R Package For Reproducible Interactive Analysis and Graphcs of Microbiome Census Data." *PLoS ONE*, 8 (4), e61217.
- Meijer, P. (2021). (Paleo)oceanography of semi-enclosed seas with a focus on the Mediterranean region; Insights from basic theory. *Earth-Science Reviews*, 221, 103810.
- Mery, M., Samiaji, J., & Siregar, S.H. (2018). Jenis Dan Kelimpahan Diatom Planktonik di Perairan Rangsang Barat Kabupaten Kepulauan Meranti Provinsi Riau. *Jurnal Fakultas Perikanan dan Kelautan*. Universitas Riau.
- Metzker, M.L. (2009). Sequencing technologies — the next generation. *Nature Reviews Genetics*, 11(1), 31–46.
- Minnis, A.M., Kennedy, A.H., Grenier, D.B., Palm, M.E., & Rossman, A.Y. (2012). Phylogeny and taxonomic revision of the Planistromellaceae including its coelomycetous anamorphs: Contributions towards a monograph of the genus *Kellermania*. *Persoonia*, 29, 11-28.
- Moechtar, H., Lumbanbatu, M.U., Subiyanto, Poedjoprajitno, S., & Cita, A. (2013). Quartenary geodynamic on the north coast of Java between Semarang and Cirebon. Centre for geological survey, The Geological Agency, Mininsty of Energy and Mineral Resources.
- Mohanty, T.R., Tiwari, N.K., Kumari, S., *et al.*(2022). Variation of Aulacoseira Granulata as an Eco-Pollution Indicator in Subtropical Large River Ganga in India: A Multivariate Analytical Approach. *Environ. Sci. Pollut. Res.*, 29, 37498–37512.
- Mongabay. 2019. <https://www.mongabay.co.id/2019/12/19/mangrove-madura-kritis-makin-terkikis/>, diakses 17 Maret 2024.
- Moore, D.M., & Reynolds, R.C. (1997). X-Ray Diffraction and the Identification and Analysis of Clay Minerals. Oxford University Press.
- Mukhopadhyay, A., Payo, A., Chanda, A., Ghosh, T., Chowdhury, S.M., Hazra, S., (2018). Dynamics of the sundarbans mangroves in Bangladesh under climate change. In: *Ecosystem Services for Well-Being in Deltas: Integrated Assessment for Policy Analysis*. pp. 489–503.

- Murdiyarso, D., Purbopuspito, J., Kauffman, J.B., Warren, M.W., *et al.* (2015). The potential of Indonesian mangrove forests for global climate change mitigation. *Nat. Clim. Change*, 5 (12), 1089–1092.
- Murniasih, S., Hendarto, E., & Hilmi, E. (2022). The Mangrove Density, Diversity, and Environmental Factors as Important Variables to Support the Conservation Program of Essential Ecosystem Area in Muara Kali Ijo, Pantai Ayah, Kebumen. *Jurnal Sylva Lestari*, 10 (3), 400–416.
- Nahlunnisa, H., Zuhud, E.A.M., Santosa, Y., *et al.* (2016). Keanekaragaman Spesies Tumbuhan di Areal Nilai Konservasi Tinggi (Nkt) Perkebunan Kelapa Sawit Provinsi Riau. *Media Konservasi*, 21 (1), 91–98.
- Nehar, B., Blanco Lanza, S., & Hadjadj-Aoul, S. (2015). Diversity and ecology of diatoms in northwest of Algeria: case of El-Hammam stream and estuary of Cheliff river. *Appl. Ecol. Environ. Res.* 13 (1), 37–52.
- Nguyen, N-L., Devendra, D., Szymańska, N., Greco, M., *et al.* (2023). Sedimentary ancient DNA: A new paleogenomic tool for reconstructing the history of marine ecosystems. *Front Mar Sci*, 10, 1185435.
- Nhung, D.T., Ngoc, B.V. (2020). Bioinformatic Approaches For Analysis Of Cora-Associated Bacteria Using R Programming Language. *Journal of Biotechnology*, 18 (4), 733-743.
- Nicholls, R.J., Wong, P.P., Burkett, V., Jorge, O.C., *et al.* (2007). Coastal systems and low-lying areas. Cambridge University Press.
- Nicolosi Gelis, M., Sathicq, M., Jupke, J., & Cochero, J. (2022). DiaThor: R package for computing diatom metrics and biotic indices. *Ecological Modelling*, 465, 109859.
- Nieto-Lugilde, D., Blois, J.L., Fransisco, J.B., Thomas, G., Graciela, G., Alistair, S. (2021). Time to better integrate paleoecological research infrastructures with neoecology to improve understanding of biodiversity long-term dynamics and to inform future conservation. *Environ. Res. Lett*, 16, 095005.
- North American Commission on Stratigraphic Nomenclature. (2005). North American Stratigraphic Code. *AAPG Bulletin*, 89 (11), 1547-1591.

- Nunes, M., Lemley, D.A., Machite, A., & Adams, J. B. (2024). Benthic diatom diversity in microtidal mangrove estuaries. *Marine Pollution Bulletin*, 206, 116706.
- Odic, R., Bensoussan, N., Pinazo, C., Taupier-Letage, I., & Rossi, V. (2022). Sporadic wind-driven upwelling/downwelling and associated cooling/warming along Northwestern Mediterranean coastlines. *Continental Shelf Res*, 250, 104843.
- Odle, E., Riewluang, S., Ageishi, K., Kajihara, H., & Wakeman, K.C. (2024). Pacific marine gregarines (Apicomplexa) shed light on biogeographic speciation patterns and novel diversity among early apicomplexans. *Eur J Protistol*, 94, 126080.
- Odum, E.P. (1993). *Fundamental of Ecology*. Philadelphia London Toronto. W.B. Saunders Company.
- Pambudi, A.C., Bachtiar, E., & Prasetya, F.S. (2021). Identifikasi Komunitas Diatom yang Berasosiasi pada Makroalga *Padina* Sp. di Perairan Pulau Pramuka dan Semak Daun Melalui Pendekatan Metagenomik. *JFMR (Journal of Fisheries and Marine Research)*, 5(1), 70–77.
- Pangesti, F.S.R. (2020). Perancangan Sistem Pengolahan Air Limbah Domestik di Penauan Kelurahan Kubangsari Cilegon. *Jurnal Lingkungan dan Sumberdaya Alam*, 3 (2).
- Parsons, M.L., Dortch, Q., Turner, R.E. *et al.* (1999). Salinity history of coastal marshes reconstructed from diatom remains. *Estuaries*, 22, 1078–1089.
- Parsons, M.L., Dortch, Q., Turner, R.E., & Rabalais, N.R. (2005). Reconstructing the development of eutrophication in Louisiana salt marshes. *Limnology and Oceanography*, 51 (1part2), 534-544.
- Pastorino, P., Broccoli, A., Anselmi, S., Bagolin, E., Prearo, M., Barcelo, D., Renzi, M. (2022). The microalgae *Chaetoceros tenuissimus* exposed to contaminants of emerging concern: A potential alternative to standardized species for marine quality assessment. *Ecol Indic*, 141 (1), 109075.

- Pawlowski, J., Bruce, K., Panksep, K. *et al.* (2022). Environmental DNA metabarcoding for benthic monitoring: A review of sediment sampling and DNA extraction methods. *Sci Total Environ*, 818, 151783.
- Peñuela, A., Hurtado, S., García-Gamero, V. *et al.* (2023). A comparison of  $^{210}\text{Pb}_{\text{xs}}$ ,  $^{137}\text{Cs}$ , and Pu isotopes as proxies of soil redistribution in South Spain under severe erosion conditions. *J Soils Sediments*, 23, 3326–3344.
- Peraturan Pemerintah Republik Indonesia Nomor 22 Tahun 2021. Tentang: Penyelenggaraan Perlindungan dan Pengelolaan Lingkungan Hidup. Jakarta: Peraturan Pemerintah
- Pfister, P., Hofmann, G., & Ehrensperger, G. (2016): Überarbeitung des Trophie- und Saprobie-Bewertungssystems nach Rott et al. 1997 bzw. 1999 (Fließgewässer-Phytobenthos). Bundesministerium für Land- und Forstwirtschaft, Umwelt und Wasserwirtschaft, Abt. IV/3, Innsbruck.
- Pramanik, A., & Bhattacharyya, M. (2023). Microbial community structure of the Sundarbans mangrove ecosystem. In: Das S, Dash HR (eds). *Microbial Diversity in the Genomic Era (Second Edition)*. Academic Press, New York.
- Prasetyo, S.Y.J., Hartomo, K.D., & Putri, I.H.S. (2021). A Preliminary Study of Land Use Change and Hydro-meteorological Disaster in The North Coast of Central Java. *IOP Conference Series: Earth and Environmental Science*, 750 (1), 12035.
- Prasiska, Y., Thamrin, T., & Siregar, S. H. (2020). The Diversity and Abundance of Planktonic Diatoms Vertically in Nareh Coastal Waters Manggung Village North Pariaman Sub-District Pariaman City West Sumatera Province. *Journal of Coastal and Ocean Sciences*, 1 (1), 60–67.
- Pratama, M.B. (2019). Tidal Flood in Pekalongan: Utilizing and Operating Open Resources for Modelling. *IOP Conference Series: Materials Science and Engineering*, 676 (1), 12029.
- Putri, H.A., Soeprbowati, T.R., Hariyati, R., Purnaweni, H., Jumari, J. & Heijnis, H. (2023). An Interpretation of Diatom Community for Environmental Record in 5-65 cm of Cebong Lake Sediment. *Polish Journal of Environmental Studies*, 32(5), 4781–4788.

- Prygiel, J., & Coste, M. (1996). Recent trends in monitoring French rivers using algae, especially diatoms. In: Whitton BA, Rott E (eds) Use of Algae for Monitoring Rivers II. Institut für Botanik Universität Innsbruck, Schmittgen, Austria, pp 1–87.
- Rabbani, B., Nakaoka, H., Akhondzadeh, S., Tekin, M., & Mahdih, N. (2016). Next generation sequencing: implications in personalized medicine and pharmacogenomics. *Molecular BioSystems*, 12 (6), 1818–1830.
- Rahadian, A., Prasetyo, L.B., Setiawan, Y., & Wikantika, K. (2019). A historical review of data and information of Indonesian mangroves area. *Media Konserv.* 24 (2), 163–178.
- Rahim, A., Soeprbowati, T.R., & Putranto, T.T. (2023). Mangrove species structure at the Tuntang Estuary, Demak, Central Java. *IOP Conf. Series: Earth and Environmental Science*, 1137, 012053.
- Reitalu, T., Kuneš, P., & Giesecke, T. (2014). Closing the gap between plant ecology and quaternary palaeoecology. *J.Veget.Sci.*, 251188–94.
- Retnaningdyah, C., Ridlo, I.A., Febriansyah, S.C., Nusantara, O.B. (2021). Water quality evaluation of some mangrove ecosystems with variations of time restoration in South Malang, East Java, Indonesia. *IOP Conf. Series: Earth and Environmental Science*, 743, 012011.
- Retnaningdyah, C., Febriansyah, S.C., & Hakim, L. (2022). Evaluation of the quality of mangrove ecosystems using macrozoobenthos as bioindicators in the Southern Coast of East Java, Indonesia. *Biodiversitas*, 23, 6480-6491.
- Rimet, F. (2012). Life-forms, cell-sizes and ecological guilds of diatoms in European rivers. *Knowledge and Management of Aquatic Ecosystems*, 406.
- Rindi, F., Sikes, J., & Shapiro, L. (2018). The identity of *Trentepohlia* algae (Chlorophyta: Trentepohliales) from Point Lobos State Reserve and the San Francisco Region, California. *Madroño*, 65 (2), 89-95.
- Ríos-Castro, R., Romero, A., Aranguren, R., Pallavicini, A., Banchi, E., Novoa, B., & Figueras, A. (2021). High-throughput sequencing of environmental DNA as a tool for monitoring eukaryotic communities and potential pathogens in a coastal upwelling ecosystem. *Front Vet Sci*, 8, 765606.

- Rohmawati, Q., Nanik, E.W., Ahmad, S., Rezki, W., Musyafiatun, M., Grisselda, V.P., & Fauzan, F. (2022). Program Konservasi Mangrove di Pantai Glagah Wangi Demak Ditinjau dari Upaya Mencapai Sustainable Development Goals (SDGs). *Jurnal Kualita Pendidikan*, 3 (3), 168-175.
- Romanowski, G., Lorenz, M.G., & Wackernagel, W. (1991). Adsorption of plasmid DNA to mineral surfaces and protection against DNase I. *Appl Environ Microbiol*, 57, 1057-1061.
- Roslim, D. I., Herman, H., Elvyra, R., Sofiyanti, N., & Chahyadi, E. (2018). Pelatihan Prosedur Laboratorium Analisis Dna. *Jurnal Pengabdian UntukMu NegeRI*, 2 (2), 44–48.
- Rott, E., Hofmann, G., Pall, K., Pfister, P., & Pipp, E. (1997). Lists of indications for algae in Austrian rivers, Part 1: Saprobial indication waer management cadastre, Federal Ministry of Agriculture and Forestry. Vienna, Astralia, 73.
- Rott, E., Pfister, P., Van Dam, H., Pipp, E., Pall, K., Binder, N., & Ortler, K. (1999). Lists of indications for growth algae, Federal Ministry of Agriculture and Forestry. Vienna, Astralia, 248.
- Round, F.E., Crawford, R.M., & Mann, D.G. (1990). *Diatoms: Biology and Morphology of the Genera*, 1st ed. Cambridge University Press, Cambridge, UK.
- Ruhland, K., Karst, T., Paterson, A., Eaves, G.R., Smol, J.P., & Cumming, B.F. (1999). Standart Sediment Sanple Preparation Method for Siliceous Microfossils (Diatoms and Chrysophyte Scales and Cysts). *Paleoecological Environmental Assasment and Research Laboratory (PEARL)* (Department of Biology Queen's University).
- Ruiz, F., Abad, M., Bodergat, A., Carbonel, P., Rodríguez-Lázaro, J., & Yasuhara, M. (2005). Marine and brackish-water ostracods as sentinels of anthropogenic impacts. *Earth-Sci Rev*, 72 (1-2), 89-111.
- Ruiz, F., Abad, M., Bodergat, A.M., Carbonel, P., *et al.* (2013). Freshwater ostracods as environmental tracers. *Intl J Environ Sci Technol*, 10, 1115-1128.

- Ruthena, Y. (2021). Strategi Pengelolaan Lingkungan Danau Lutan Di Kota Palangka Raya Berbasis Pendekatan Hidrobioekologi. Disertasi. Universitas Diponegoro.
- Sahoo, B., Samal, S., Murmu, B., Das, M., Das, S. K., Datta, S., Rath, S., Mahanta, N., & Singh, R. K. (2025). Japan sea surface paleoceanography and productivity variations through the Middle Pleistocene Transition. *Quaternary International*, 750, 110032.
- Saif, R., Aniq, E., Tania, M., Fatima, A., Suliman, M.A., & Talha, S.A. (2020). Introduction to Galaxy Platform for NGS Variant Calling Pipeline. *Adv. Life Sci.* 7(3), 129-134.
- Salim D., Yuliyanto, Y., & Baharuddin, B. (2017). Karakteristik Parameter Oseanografi Fisika Kimia Perairan Pulau Kerumputan Kabupaten Kotabaru Kalimantan Selatan. *Jurnal Enggano*, 2 (2).
- Sanchez-Cabeza, J., & Ruiz-Fernández, A. (2012). 210Pb sediment radiochronology: An integrated formulation and classification of dating models. *Geochimica et Cosmochimica Acta*, 82, 183-200.
- Sanchez-Vidal, A., Canals, M., Calafat, A., Lastras, G., *et al.* (2012). Impacts on the deep-sea ecosystem by a severe coastal storm. *PLoS One*, 7 (1), e30395.
- Santoso, A.D. (2018). Keragaan Nilai DO, BOD dan COD di Danau Bekas Tambang Batubara Studi Kasus pada Danau Sangatta North PT. KPC di Kalimantan Timur. *Jurnal Teknologi Lingkungan*, 19 (1), 89–96.
- Saraphol, S., Vajrodaya, S., Wongkantrakorn, N., & Sanevas, N. (2021). Factors in culture media affecting the growth, and pigment contents of alga *Trentepohlia monilia*. *Appl Ecol Environ Res*, 19 (3), 2443-2458.
- Sari, K., Soeprbowati, T. R., Jumari, J., Hariyati, R., & Miller, J. R. (2021). Trace Metals and Diatom Stratigraphy along the Sill between Lakes Telaga Warna and Telaga Pengilon, Dieng, Central Java, Indonesia. *Sustainability*, 13(7), 3821.
- Sari, S. (2022). Implementasi kebijakan kawasan ekosistem esensial lahan basah mangrove : studi kasus di Desa Ayah Kabupaten Kebumen. Undergraduate (S1) thesis, Universitas Islam Negeri Walisongo Semarang.

- Scherer, R.P. (1994). A new method for the determination of absolute abundance of diatoms and other silt-sized sedimentary particles. *Journal of Paleolimnology*, 12(2), 171–179.
- Schiefele, S., & Schreiner, C. (1999). Use of diatoms for monitoring nutrient enrichment acidification and impact salts in Germany and Austria. In: Whitton BA, Rott E, Friedrich G (eds) Use of Algae for Monitoring Rivers. Institut für Botanik Universität Innsbruck, Schmitten, Austria, pp 1–193.
- Schmitz, O., Alivernini, M., Yasuhara, M., & Frenzel, P. (2025). Ostracoda (Crustacea) as indicators of anthropogenic impacts - A review. *Earth-Sci Rev*, 263, 105049.
- Sekaran, U. (2006). Metodologi Penelitian untuk Bisnis. Edisi 4. Buku 1. Jakarta: Salemba Empat.
- Shevenell, A., Peggy, D., Katrin, M., Laurie, M., & Alan, C.M. (2020). Paleoceanography: Lessons for a Changing World. Marine Science Faculty Publications. University of South Florida.
- Sidik, F., Lawrence, A., Wagey, T., Zamzani, F., & Lovelock, C. E. (2022). Blue carbon: A new paradigm of mangrove conservation and management in Indonesia. *Marine Policy*, 147, 105388.
- Siregar, S. H., Mulyadi, A., & Hasibuan, O. J. (2008). Struktur Komunitas Diatom Epilitik (Bacillariophyceae) pada lambung kapal di Perairan Dumai Provinsi Riau. *Jurnal Ilmu Lingkungan*, 2 (2), 33–47.
- Sládeček, V. (1986). Diatoms as Indicators of Organic Pollution. *Acta Hydrochimica et Hydrobiologica*, 14 (5), 555–566.
- Smol, J.P., & Stoermer, E.F. (2010). The Diatoms: Applications for the Environmental and Earth Sciences. Second edition. Cambridge University Press.
- Soeprbowati, T.R., & Suedy S.W.A. (2010). Komunitas Diatom Pada Ekosistem Pantai Utara Jawa Tengah. *Jurnal Sains & Matematika*, 18 (3), 94-102.
- Soeprbowati, T.R., & Suedy S.W.A. (2015). Pengelolaan Kualitas Perairan Berdasarkan Analisis Paleolimnologi Menggunakan Diatom. Prosiding Pertemuan Ilmiah Masyarakat Limnologi Indonesia.

- Soeprbowati, T.R., Tandjung, S.D., Hadisusanto, S., & Gell, P. (2016). The minimum number of valves for diatom identification in RawaPening Lake, Central Java. *BIOTROPIA - The Southeast Asian Journal of Tropical Biology*, 23 (2), 97–100.
- Soeprbowati, T.R., Suedy, S.W.A., Hadiyanto, H., Lubis, A.A., & Gell, P. (2018). Diatom assemblage in the 24 cm upper sediment associated with human activities in Lake Warna Dieng Plateau Indonesia. *Environmental Technology & Innovation*, 10, 314–323.
- Soeprbowati, T.R., Suedy, S.W.A., Lubis, A.A., & Miller, J. (2020). Pollen and diatom evidence of sea water intrusion, east flood canal (Banjir Kanal Timur), Semarang, Indonesia. *Environmental Earth Sciences*, 79:462.
- Soeprbowati, T.R., Purnaweni, H., Jumari, J., & Sari, K. (2021). The Relationship of Water Quality to Epipelagic Diatom Assemblages in Cebong Lake, Dieng Indonesia. *Polish Journal of Environmental Studies*, 31 (1), 281–295.
- Soeprbowati, T.R., Khotimperwati, L., Jumari, J., & Helmy, M. (2025). Integrating nature-based solutions in estuary management: A climate mitigation perspective from Demak, Central Java. *Estuarine Management and Technologies*, 2, 119-140.
- Sohaimi, E.S., Md Amin, R., Sahibu, A., & Mohd Akhir, M.F. (2021). Data on phytoplankton abundance in Malacca Straits, west coast of Peninsular Malaysia in August 2019. *Data in Brief*, 35, 106893.
- Solihuddin, T., Husrin, S., Salim, H.L., Kepel, T.L., *et al.* (2021). Coastal erosion on the north coast of Java: adaptation strategies and coastal management. *IOP Conference Series: Earth and Environmental Science*, 777 (1), 12035.
- Sonneman, J.A., Sincock, A., Fluin, J., Reid, M., Newall, P., Tibby, J., & Gell, P. (2000). *An Illustrated Guide to Common Stream Diatom Species from Temperate Australia*. Cooperative Research Centre for freshwater Ecology, Albury.
- Spedicato, A., Zeppilli, D., Thouzeau, G., Cuny, P., *et al.* (2024). Deciphering environmental forcings in the distribution of meiofauna and nematodes in


- mangroves of the Atlantic-Caribbean-East Pacific and Indo-West Pacific regions. *Sci Total Environ*, 930, 172612.
- Starratt, S.W. (2007). Diatoms in estuaries and tidal marshes. *The Paleontological Society Papers*, 13: 85-109.
- Stenger-Kovács, C., Béres, V.B., Buczkó, K. *et al.* (2023). Diatom community response to inland water salinization: a review. *Hydrobiologia*, 850, 4627–4663.
- Steffen, W, *et al.* (2005). *Global Change and the Earth System: A Planet under Pressure*. Berlin: Springer.
- Steinberg, C., & Schiefele, S. (1988). Biological indication of trophy and pollution of running waters. *Zeitschrift Für Wasser Und Abwasser Forschung*, 21 (6), 277.
- Stock, W., Pinseel, E., De Decker, S. *et al.* (2018). Expanding the toolbox for cryopreservation of marine and freshwater diatoms. *Sci Rep*, 8, 4279.
- Stock, W., Vanellander, B., Rüdiger, F., Sabbe, K., Vyverman, W., & Karsten, U. (2019). Thermal Niche Differentiation in the Benthic Diatom *Cylindrotheca closterium* (Bacillariophyceae) Complex. *Frontiers in Microbiology*, 10, 430039.
- Stoeck, T., Bass, D., Nebel, M., Christen, R., Jones, M. D. M., Breiner, H. W., & Richards, T. A. (2010). Multiple marker parallel tag environmental DNA sequencing reveals a highly complex eukaryotic community in marine anoxic water. *Molecular Ecology*, 19 Suppl 1(SUPPL. 1), 21–31.
- Sudigyo, D., Rahmawati, G., Setiasari, D.W., Poluan, R.H., *et al.* (2020). Transcriptome Profile of Next Generation Sequence Data Related to Inflammation on Nasopharyngeal Carcinoma Cases in Indonesia. *Asian Pacific Journal of Cancer Prevention : APJCP*, 21 (9), 2763–2769.
- Sugiyono. (2010). *Metode Penelitian Pendidikan Pendekatan Kuantitatif, kualitatif, dan R&D*. Bandung: Alfabeta.
- Suhardi, R.M., Rahardi, W., Shih, H., Mantiquilla, J.A., Wu, Y., Shiao, M., & Chiang, Y. (2024). A review of the mangrove ecosystem in Indonesia:

- Biodiversity, conservation, and challenges in sustainable management. *Ecological Genetics and Genomics*, 32, 100282.
- Suwartimah, K., Widianingsih, W., Hartati, R., & Wulandari, S.Y. (2011). Komposisi Jenis dan Kelimpahan Diatom Bentik di Muara Sungai Comal Baru Pematang. *Ilmu Kelautan*, 16 (1), 16-23.
- Szczepocka, E., Nowicka-Krawczyk, P., & Kruk, A. (2018). Deceptive ecological status of urban streams and rivers—evidence from diatom indices. *Ecosphere*, 9 (7), e02310.
- Szlauer-Łukaszewska, A., & Pešić, V. (2020). Habitat factors differentiating the occurrence of Ostracoda (Crustacea) in the floodplain of a small lowland River Krapiel (N-W Poland). *Knowl Manag Aquat Ecosyst*, 421, 23.
- Tanjung, R.H.R., Hamuna, B. & Alianto, A. (2019). Assessment of Water Quality and Pollution Index in Coastal Waters of Mimika, Indonesia. *Journal of Ecological Engineering*, 20 (2), 87–94.
- Taylor, J.C., Prygiel, J., Vosloo, A., De La Rey, P.A., & Van Rensburg, L. (2007). Can diatom-based pollution indices be used for biomonitoring in South Africa? A case study of the Crocodile West and Marico water management area. *Hydrobiologia*, 592 (1), 455–464.
- Taylor, J.C., Cocquyt, C., & Mayama, S. (2016). *Navicula nielsfogedii* J.C. Taylor & Cocquyt sp. nov., a new diatom (Bacillariophyta) from tropical and sub-tropical Africa. *Fottea*, 16 (2), 201–208.
- Thomas, E. (2009). Paleooceanography. *Encyclopedia of Ocean Sciences* (Second Edition), 295-302.
- Tinh, P.H., MacKenzie, R.A., Hung, T.D., *et al.* (2022). Mangrove restoration in Vietnamese Mekong Delta during 2015-2020: Achievements and challenges. *Frontiers in Marine Science*, 9, 1043943.
- Tomas, C. R. (2010). Marine Phytoplankton: Selected Microphytoplankton Species From The North Sea Around Helgoland And Sylt. *Journal of Phycology*, 46 (3), 622-625.

- Torres, M., Diaz-Ortiz, J., Davis, M.G., Schwartz, J.R., & Ramírez, A.M.C. (2024). *Galleria mellonella* as a superficial model for *Malassezia globosa* and its treatment. *Access Microbiol*, 6, 000745.v3.
- Trobajo, R., Mann, D. G., Clavero, E., Evans, K. M., Vanormelingen, P., & McGregor, R. C. (2010). The use of partial cox 1, rbc L and LSU rDNA sequences for phylogenetics and species identification within the *Nitzschia palea* species complex (Bacillariophyceae). *European Journal of Phycology*, 45 (4), 413–425.
- Tucker, M.E. (2013). *Sedimentary Petrology: An Introduction to the Origin of Sedimentary Rocks*, 3rd Edition. Wiley-Blackwell.
- Van Dam, H., Mertens, A. & Sinkeldam, J. (1994). A coded checklist and ecological indicator values of freshwater diatoms from The Netherlands. *Netherlands Journal of Aquatic Ecology*, 28, 117–133.
- Vázquez-García, B., Ceolin, D., Fauth, G., Borghi, L., Valle, B., & De Moraes Rios Netto, A. (2021). Ostracods from the late Albian-early Cenomanian of the Sergipe-Alagoas Basin, Brazil: New taxonomic and biostratigraphic inferences. *J S Am Earth Sci*, 108, 103169.
- Vos, P.C., & de Wolf, H. (1993). Diatoms as a tool for reconstructing sedimentary environments in coastal wetlands; methodological aspects. *Hydrobiologia*, 269, 285–296.
- Wahyudi, A.J., Prayitno, H.B., Puspitasari, R., Maslukah, L., Iskandar, M.R., Taufiqurrahman, E., Lastrini, S., & Rositasari, R. (2025). Records of biogeochemical variables for Semarang Bay, Indonesia, facing potential coastal deoxygenation. *Marine Environmental Research*, 209, 107183.
- Wang, Q-M., Begerow, D., Groenewald, M., Liu, X-Z., Theelen, B., Bai, F-Y., Boekhout, T. (2015). Multigene phylogeny and taxonomic revision of yeasts and related fungi in the Ustilaginomycotina. *Stud Mycol*, 81, 55-83.
- Wang, H.-T., Smallwood, J., Mourao-Miranda, J., Xia, C. H., Satterthwaite, T. D., Bassett, D. S., & Bzdok, D. (2020). Finding the needle in a high-dimensional haystack: Canonical correlation analysis for neuroscientists. *NeuroImage*, 216, 116745.

- Watanabe, T., Asai, K., & Houki, A. (1986). Numerical estimation to organic pollution of flowing water by using the epilithic diatom assemblage ---- diatom assemblage index ( DAI<sub>po</sub> ) ----. *Science of the Total Environment*, 55, 209–218.
- Weiss, M.M., der Zwaag, B. Van, Jongbloed, J.D.H., Vogel, M.J., *et al.* (2013). Best practice guidelines for the use of next-generation sequencing applications in genome diagnostics: a national collaborative study of Dutch genome diagnostic laboratories. *Human Mutation*, 34 (10), 1313–1321.
- Williams, R.B. (1964). Division Rates of Salt Marsh Diatoms in Relation to Salinity and Cell Size. *Ecology*, 45(4), 877-880.
- Winterwerp, J. C., Albers, T., Anthony, E. J., *et al.* (2020). Managing erosion of mangrove-mud coasts with permeable dams – lessons learned. *Ecological Engineering*, 158, 106078.
- Witkowski, A., Lange-Bertalot, H. and Metzeltin, D. (2000) Diatom Flora of Marine Coasts I *Iconographia Diatomologica* 7: 1-925.
- Woodroffe, C.D. (2007). Critical Thresholds and the Vulnerability of Australian Tropical Coastal Ecosystems to the Impacts of Climate Change. *Journal of Coastal Research*, 50: 464-468.
- Woodroffe, C.D., Rogers, K., McKee, K.L., Lovelock, C.E., Mendelsohn, I.A., & Saintilan, N. (2016). Mangrove Sedimentation and Response to Relative Sea-Level Rise. *Ann Rev Mar Sci.*, 8, 243-66.
- Wulandari, A. (2018). Analisis Beban Pencemaran Dan Kapasitas Asimilasi Perairan Pulau Pasaran Di Provinsi Lampung. Universitas Lampung, Bandar Lampung.
- Yan, X., Deng, Y., Ke, X. *et al.* (2025). Sedimentary Evolution and Mangrove Dynamics in Dongzhai Harbor, Hainan Island since the Late Pleistocene. *J. Earth Sci.* 36, 2251–2265.
- Yogeshwaran, M., Thacker, M., Wadmare, N., Vigneshwaran, A., Radhakrishnan, C., Pardhi, S., & Karthick, B. (2025). Soil diatoms and their applications as an indicator of environmental changes. *Applied Soil Ecology*, 213, 106277.
- Young, R.A. (1993). *The Rietveld Method*. Oxford University Press.

- Yu, H. K., Khan, N. S., Desianti, N., Garrett, E., Planavsky, N. J., & Ahmed, A. (2025). The utility of mangrove foraminifera, diatoms, and stable carbon isotope and C/N geochemistry in relative sea-level reconstruction in the Pearl River Delta, China. *Marine Geology*, 488, 107610.
- Zhang, Y., Yin, Z., Du, Y., Wei, X., Lan, Y., Yu, Q., Wang, Y., Tian, T., Chen, L., & Yang, J. (2025). Phytoplankton Structure and Ecological Niche Differentiation of Dominant Species in Tahe Bay, China. *Biology*, 14(5).
- Zhao, L., Chen, D., Tan, H., Wang, Y., Qiao, Y., & Xing, Y. (2025). The response of mangrove degradation to mineral composition. *Frontiers in Marine Science*, 12, 1626088.
- Zong, Y., & Horton, B.P. (1999). Diatom-based tidal-level transfer functions as an aid in reconstructing Quaternary history of sea-level movements in the UK. *Journal of Quaternary Science*, 14 (2), 153-167.



SEKOLAH PASCASARJANA