

DAFTAR PUSTAKA

- Abbas, A., Tabish, T. A., Bull, S. J., Lim, T. M., & Phan, A. N. (2020). High yield synthesis of graphene quantum dots from biomass waste as a highly selective probe for Fe(3+) sensing. *Sci Rep*, 10(1), 21262. <https://doi.org/10.1038/s41598-020-78070-2>
- Baig, N., Kammakakam, I., & Falath, W. (2021). Nanomaterials: a review of synthesis methods, properties, recent progress, and challenges. *Materials Advances*, 2(6), 1821–1871. <https://doi.org/10.1039/d0ma00807a>
- Baker, S. N., & Baker, G. A. (2010). Luminescent carbon nanodots: emergent nanolights. *Angew Chem Int Ed Engl*, 49(38), 6726–6744. <https://doi.org/10.1002/anie.200906623>
- Bao, H., Liu, Y., Li, H., Qi, W., & Sun, K. (2023). Luminescence of carbon quantum dots and their application in biochemistry. *Heliyon*, 9(10), e20317. <https://doi.org/10.1016/j.heliyon.2023.e20317>
- Byrappa, K., & Adschiri, T. (2007). Hydrothermal technology for nanotechnology. *Progress in Crystal Growth and Characterization of Materials*, 53(2), 117–166. <https://doi.org/10.1016/j.pcrysgrow.2007.04.001>
- Chang, Q., Li, K. K., Hu, S. L., Dong, Y. G., & Yang, J. L. (2016). Hydroxyapatite supported N-doped carbon quantum dots for visible-light photocatalysis. *Materials Letters*, 175, 44–47. <https://doi.org/10.1016/j.matlet.2016.03.140>
- Dong, Y., Pang, H., Yang, H. B., Guo, C., Shao, J., Chi, Y., Li, C. M., & Yu, T. (2013). Carbon-based dots co-doped with nitrogen and sulfur for high quantum yield and excitation-independent emission. *Angew Chem Int Ed Engl*, 52(30), 7800–7804. <https://doi.org/10.1002/anie.201301114>
- Dorozhkin, V. S. (2012). Nanodimensional and Nanocrystalline Calcium Orthophosphates. *American Journal of Biomedical Engineering*, 2(3), 48–97. <https://doi.org/10.5923/j.ajbe.20120203.01>
- Du, Y., & Guo, S. (2016). Chemically doped fluorescent carbon and graphene quantum dots for bioimaging, sensor, catalytic and photoelectronic applications. *Nanoscale*, 8(5), 2532–2543. <https://doi.org/10.1039/c5nr07579c>
- Elkun, S., Ghali, M., Sharshar, T., & Mosaad, M. M. (2024). Green synthesis of fluorescent N-doped carbon quantum dots from castor seeds and their applications in cell imaging and pH sensing. *Sci Rep*, 14(1), 27927. <https://doi.org/10.1038/s41598-024-78745-0>
- Gao, C., Zhao, K., Lin, L., Wang, J., Liu, Y., & Zhu, P. (2019). Preparation and Characterization of Biomimetic Hydroxyapatite Nanocrystals by Using Partially Hydrolyzed Keratin as Template Agent. *Nanomaterials (Basel)*, 9(2). <https://doi.org/10.3390/nano9020241>
- Griffiths, P. R., & Haseth, J. A. d. (2007). *Fourier Transform Infrared Spectrometry* (2 ed.). A JOHN WILEY & SONS, INC., PUBLICATION.

- Hao, Y.-N., Guo, H.-L., Tian, L., & Kang, X. (2015). Enhanced photoluminescence of pyrrolic-nitrogen enriched graphene quantum dots. *RSC Advances*, 5(54), 43750–43755. <https://doi.org/10.1039/c5ra07745a>
- Huang, Q., Wang, C., & Shan, Q. (2022). Quantitative Deviation of Nanocrystals Using the RIR Method in X-ray Diffraction (XRD). *Nanomaterials (Basel)*, 12(14). <https://doi.org/10.3390/nano12142320>
- Hui, K. C., Dhanapalan, N., Khayrani, A. C., Imanto, T., & Sambudi, N. S. (2022). The synthesis of amino-functionalized carbon quantum dots-decorated hydroxyapatite as drug delivery agent. *Comptes Rendus. Chimie*, 25(G1), 295–306. <https://doi.org/10.5802/crchim.206>
- Irfan, M., Jeshurun, A., Baraneedharan, P., & Reddy, B. M. (2021). A photoluminescence study of nitrogen-doped carbon quantum dots/hydroxyapatite (NCQDs/HAp) nanocomposites. *Materials Technology*, 37(8), 768–779. <https://doi.org/10.1080/10667857.2021.1879529>
- Issa, M. A., Abidin, Z. Z., Sobri, S., Rashid, S. A., Mahdi, M. A., & Ibrahim, N. A. (2020). Fluorescent recognition of Fe(3+) in acidic environment by enhanced-quantum yield N-doped carbon dots: optimization of variables using central composite design. *Sci Rep*, 10(1), 11710. <https://doi.org/10.1038/s41598-020-68390-8>
- Jaafar, A., Hecker, C., Arki, P., & Joseph, Y. (2020). Sol-Gel Derived Hydroxyapatite Coatings for Titanium Implants: A Review. *Bioengineering (Basel)*, 7(4). <https://doi.org/10.3390/bioengineering7040127>
- Jaishankar, M., Tseten, T., Anbalagan, N., Mathew, B. B., & Beeregowda, K. N. (2014). Toxicity, mechanism and health effects of some heavy metals. *Interdiscip Toxicol*, 7(2), 60–72. <https://doi.org/10.2478/intox-2014-0009>
- Jessy Mercy, D., Kiran, V., Thirumalai, A., Harini, K., Girigoswami, K., & Girigoswami, A. (2023). Rice husk assisted carbon quantum dots synthesis for amoxicillin sensing. *Results in Chemistry*, 6. <https://doi.org/10.1016/j.rechem.2023.101219>
- Jin, L., Wang, Y., Yan, F., Zhang, J., & Zhong, F. (2019). The Synthesis and Application of Nitrogen-Doped Graphene Quantum Dots on Brilliant Blue Detection. *Journal of Nanomaterials*, 2019, 1–9. <https://doi.org/10.1155/2019/1471728>
- Jing, R.-Z., Yin, J.-M., Zeng, X.-R., Zhao, S.-R., Xue, Y.-N., Liu, J.-K., Zhang, X.-M., & Yang, X.-H. (2019). Assembly and copper ions detection of highly sensible and stable carbon dots/hydroxyapatite fluorescence probe. *Materials Technology*, 34(11), 674–682. <https://doi.org/10.1080/10667857.2019.1613293>
- Kareem, Z., & Eyiler, E. (2024). Synthesis of hydroxyapatite from eggshells via wet chemical precipitation: a review. *RSC Adv*, 14(30), 21439–21452. <https://doi.org/10.1039/d4ra02198c>
- Kusumawardani, R., Noviyanti, A. R., Nurhadi, M., & Umar, A. A. (2023). Effect of Preparation Acetone on Fish Bones Synthesized through Sintering Method to Improve Hydroxyapatite Characteristics. *al-Kimiya*, 10(2), 87–97. <https://doi.org/10.15575/ak.v10i2.29422>

- Li, G., Zhang, H., & Han, Y. (2023). Applications of Transmission Electron Microscopy in Phase Engineering of Nanomaterials [Chemical reviews]. *17*, 10728–10749. <https://doi.org/10.1021/acs.chemrev.3c00364>
- Li, L., Wu, G., Yang, G., Peng, J., Zhao, J., & Zhu, J. J. (2013). Focusing on luminescent graphene quantum dots: current status and future perspectives. *Nanoscale*, *5*(10), 4015–4039. <https://doi.org/10.1039/c3nr33849e>
- Liu, L., Ga, L., & Ai, J. (2024). Selective detection of Fe³⁺ by Ag₂S QDs and construction of the IMPLICATION gate. *Sensing and Bio-Sensing Research*, *43*. <https://doi.org/10.1016/j.sbsr.2024.100624>
- Ma, B., Zhang, S., Liu, R., Qiu, J., Zhao, L., Wang, S., Li, J., Sang, Y., Jiang, H., & Liu, H. (2017). Prolonged fluorescence lifetime of carbon quantum dots by combining with hydroxyapatite nanorods for bio-applications. *Nanoscale*, *9*(6), 2162–2171. <https://doi.org/10.1039/c6nr05983j>
- Mansuriya, B. D., & Altintas, Z. (2019). Graphene Quantum Dot-Based Electrochemical Immunosensors for Biomedical Applications. *Materials (Basel)*, *13*(1). <https://doi.org/10.3390/ma13010096>
- Nammahachak, N., Aup-Ngoen, K. K., Asanithi, P., Horpratum, M., Chuangchote, S., Ratanaphan, S., & Surareungchai, W. (2022). Hydrothermal synthesis of carbon quantum dots with size tunability via heterogeneous nucleation. *RSC Adv*, *12*(49), 31729–31733. <https://doi.org/10.1039/d2ra05989d>
- Niu, X., Li, Y., Shu, H., & Wang, J. (2016). Revealing the underlying absorption and emission mechanism of nitrogen doped graphene quantum dots. *Nanoscale*, *8*(46), 19376–19382. <https://doi.org/10.1039/c6nr06447g>
- Othman, F. E. C., Nordin, N. A. H. M., Ismail, N., Zakria, H. S., Junoh, H., & Aziz, M. H. A. (2024). A review on sustainable graphene production from rice husks: Strategies and key considerations. *Chemical Engineering Journal*, *497*. <https://doi.org/10.1016/j.cej.2024.154408>
- Permatasari, F. A., Aimon, A. H., Iskandar, F., Ogi, T., & Okuyama, K. (2016). Role of C-N Configurations in the Photoluminescence of Graphene Quantum Dots Synthesized by a Hydrothermal Route. *Sci Rep*, *6*, 21042. <https://doi.org/10.1038/srep21042>
- Rocha, A. P. d. M., Alayo, M. I., & da Silva, D. M. (2022). Synthesis of Nitrogen-Doped Graphene Quantum Dots from Sucrose Carbonization. *Applied Sciences*, *12*(17). <https://doi.org/10.3390/app12178686>
- Sadat-Shojai, M., Khorasani, M. T., Dinpanah-Khoshdargi, E., & Jamshidi, A. (2013). Synthesis methods for nanosized hydroxyapatite with diverse structures. *Acta Biomater*, *9*(8), 7591–7621. <https://doi.org/10.1016/j.actbio.2013.04.012>
- Said, H. A., Noukrati, H., Ben Youcef, H., Bayoussef, A., Oudadesse, H., & Barroug, A. (2021). Mechanical Behavior of Hydroxyapatite-Chitosan Composite: Effect of Processing Parameters. *Minerals*, *11*(2). <https://doi.org/10.3390/min11020213>
- Septiari, N. K. T. P., Simpen, I. N., & Suastuti, N. G. A. M. D. A. (2017). HIDROKSIAPATIT TERMODIFIKASI Fe DAN APLIKASINYA UNTUK ADSORPSI ZAT WARNA CONGO RED. *Jurnal Kimia*, *11*, 137–144.

- Skoog, D. A., Holler, F. J., & Crouch, S. R. (2016). *Principles of Instrumental Analysis*. Cengage Learning.
- Slavik, J. (1996). *Fluorescence Microscopy and Fluorescent Probes*. Springer Science+Business Media
- Stuart, B. H. (2004). *INFRARED SPECTROSCOPY: FUNDAMENTALS AND APPLICATIONS*. John Wiley & Sons Ltd.
- Takano, M., & Hoshino, K. (2018). Bioethanol production from rice straw by simultaneous saccharification and fermentation with statistical optimized cellulase cocktail and fermenting fungus. *Bioresources and Bioprocessing*, 5(1). <https://doi.org/10.1186/s40643-018-0203-y>
- Tian, P., Tang, L., Teng, K. S., & Lau, S. P. (2018). Graphene quantum dots from chemistry to applications. *Materials Today Chemistry*, 10, 221–258. <https://doi.org/10.1016/j.mtchem.2018.09.007>
- Turner, A. P. (2013). Biosensors: sense and sensibility. *Chem Soc Rev*, 42(8), 3184–3196. <https://doi.org/10.1039/c3cs35528d>
- Valeur, B. (2001). *Molecular Fluorescence: Principles and Applications*. Wiley-VCH Verlag GmbH.
- Valeur, B., & Berberan-Santos, M. N. (2013). *Molecular Fluorescence* (2 ed.). Wiley-VCH
- Wang, S. C., Ivan S.; Zhaod,Dongyuan; and Liab, Qin. (2015). The duo roles of functional groups in the photoluminescence of graphene quantum dots. *Nanoscale*. <https://doi.org/10.1039/x0xx00000x>
- Windarti, T., Setiadi, A. S., Fibriani, F., Azis, I. M. A., Arofah, S. Z., & Putri, S. A. (2023). Sintesis dan Karakterisasi Hidroksiapatit dengan Metode Sol-Gel Sebagai Bahan Dasar Adsorben. *Greensphere: Journal of Environmental Chemistry*, 3(2).
- Wu, R., Cao, Y., Chen, Z., & Zhu, J.-J. (2025). Fluorescent graphene quantum dots: Properties regulation, sensing applications, and future prospects. *Advanced Sensor and Energy Materials*, 4(3). <https://doi.org/10.1016/j.asems.2025.100140>
- Xiang, Z., Jiang, Y., Cui, C., Luo, Y., & Peng, Z. (2022). Sensitive, Selective and Reliable Detection of Fe(3+) in Lake Water via Carbon Dots-Based Fluorescence Assay. *Molecules*, 27(19). <https://doi.org/10.3390/molecules27196749>
- Xu, J., Yang, J., Wang, Z., Li, P., Lan, J., Yu, R., Li, J., Li, L., Liu, W., Chen, J., Feng, S., & Chen, L. (2023). Quantitative mixed-valence state identification of metal ions based on fluorescence response of graphene quantum dots. *Materials & Design*, 236. <https://doi.org/10.1016/j.matdes.2023.112465>
- Yang, Z. C., Wang, M., Yong, A. M., Wong, S. Y., Zhang, X. H., Tan, H., Chang, A. Y., Li, X., & Wang, J. (2011). Intrinsically fluorescent carbon dots with tunable emission derived from hydrothermal treatment of glucose in the presence of monopotassium phosphate. *Chem Commun (Camb)*, 47(42), 11615–11617. <https://doi.org/10.1039/c1cc14860e>
- Zhu, S., Meng, Q., Wang, L., Zhang, J., Song, Y., Jin, H., Zhang, K., Sun, H., Wang, H., & Yang, B. (2013). Highly photoluminescent carbon dots for multicolor

- patterning, sensors, and bioimaging. *Angew Chem Int Ed Engl*, 52(14), 3953–3957. <https://doi.org/10.1002/anie.201300519>
- Zulfajri, M., Gedda, G., Chang, C. J., Chang, Y. P., & Huang, G. G. (2019). Cranberry Beans Derived Carbon Dots as a Potential Fluorescence Sensor for Selective Detection of Fe(3+) Ions in Aqueous Solution. *ACS Omega*, 4(13), 15382–15392. <https://doi.org/10.1021/acsomega.9b01333>