

DAFTAR PUSTAKA

- Adhar, S., Barus, T. A., Nababan, E. S. N., & Wahyuningsih, H. (2023). Trophic state index and spatio-temporal analysis of trophic parameters of Laut Tawar Lake, Aceh, Indonesia. *AACL Bioflux*, *16*(1), 342–355.
- Akinnawo, S. O. (2023). Eutrophication: Causes, consequences, physical, chemical and biological techniques for mitigation strategies. *Environmental Challenges*, *12*.
- Al Falah, M. H., Soeprobawati, T. R., & Hadiyanto. (2023). Epipellic diatom assemblages to determine water quality in the Tuntang River downstream, Demak, Central Java. *IOP Conference Series: Earth and Environmental Science*, *1137*(1). <https://doi.org/10.1088/1755-1315/1137/1/012003>
- Armbrust, E. V. (2009). The life of diatoms in the world's oceans. *Nature*, *459*(7244), 185–192. <https://doi.org/10.1038/nature08057>
- Arumugham, S., Joseph, S. J. P., P M, G., Nooruddin, T., & Subramani, N. (2023). Diversity and ecology of freshwater diatoms as pollution indicators from the freshwater Ponds of Kanyakumari district, Tamilnadu. *Energy Nexus*, *9*(March 2022), 100164. <https://doi.org/10.1016/j.nexus.2022.100164>
- Astudillo-García, C., Hermans, S. M., Stevenson, B., Buckley, H. L., & Lear, G. (2019). Microbial assemblages and bioindicators as proxies for ecosystem health status: potential and limitations. *Applied Microbiology and Biotechnology*, *103*(16), 6407–6421. <https://doi.org/10.1007/s00253-019-09963-0>
- Bargu, S., Smith, E., & Ozhan, K. (2011). The Diatom World. In *The Diatom World* (Vol. 19, Issue 1998). <https://doi.org/10.1007/978-94-007-1327-7>
- Barinova, S., Gabyshev, V., Genkal, S., & Gabysheva, O. (2023). Diatoms of Small Water Bodies as Bioindicators in the Assessment of Climatic and Anthropogenic Impacts on the Coast of Tiksi Bay, Russian Arctic. *Water (Switzerland)*, *15*(8). <https://doi.org/10.3390/w15081533>
- Battarbee, R. W. (1986). Dasar-Dasar Ekologi Edisi Ketiga. In *Geologiska Föreningen i Stockholm Förhandlingar* (Vol. 108, Issue 3). <https://doi.org/10.1080/11035898609454693>
- Bellinger, B. J., Cocquyt, C., & O'Reilly, C. M. (2006). Benthic diatoms as indicators of eutrophication in tropical streams. *Hydrobiologia*, *573*(1), 75–87. <https://doi.org/10.1007/s10750-006-0262-5>
- Bennion, H., Sayer, C. D., Tibby, J., & Carrick, H. J. (2010). Diatoms as indicators of environmental change in shallow lakes. *The Diatoms: Applications for the Environmental and Earth Sciences, Second Edition, September*, 152–173. <https://doi.org/10.1017/CBO9780511763175.009>

- Benoiston, A. S., Ibarbalz, F. M., Bittner, L., Guidi, L., Jahn, O., Dutkiewicz, S., & Bowler, C. (2017). The evolution of diatoms and their biogeochemical functions. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 372(1728). <https://doi.org/10.1098/rstb.2016.0397>
- Bi, R., Cao, Z., Ismar-Rebitz, S. M. H., Sommer, U., Zhang, H., Ding, Y., & Zhao, M. (2021). Responses of Marine Diatom-Dinoflagellate Competition to Multiple Environmental Drivers: Abundance, Elemental, and Biochemical Aspects. *Frontiers in Microbiology*, 12(August), 1–15. <https://doi.org/10.3389/fmicb.2021.731786>
- Blanco, S. (2024). What do diatom indices indicate? Modeling the specific pollution sensitivity index. *Environmental Science and Pollution Research*, 31(20), 29449–29459. <https://doi.org/10.1007/s11356-024-33115-1>
- Cantonati, M., Zorza, R., Bertoli, M., Pastorino, P., Salvi, G., Platania, G., Prearo, M., & Pizzul, E. (2021). Recent and subfossil diatom assemblages as indicators of environmental change (including fish introduction) in a high-mountain lake. *Ecological Indicators*, 125, 107603. <https://doi.org/10.1016/j.ecolind.2021.107603>
- Cardinale, B. J., Gross, K., Fritschie, K., Flombaum, P., Fox, J. W., Rixen, C., Van Ruijven, J., Reich, P. B., Scherer-Lorenzen, M., & Wilsey, B. J. (2013). Biodiversity simultaneously enhances the production and stability of community biomass, but the effects are independent. *Ecology*, 94(8), 1697–1707. <https://doi.org/10.1890/12-1334.1>
- Cavalcante, K. P., Tremarin, P. I., & Ludwig, T. A. V. (2013). Taxonomic studies of centric diatoms (diatomeae): Unusual nanoplanktonic forms and new records for Brazil. *Acta Botanica Brasilica*, 27(2), 237–251. <https://doi.org/10.1590/S0102-33062013000200001>
- Çelekli, A., Toudjani, A. A., Lekesiz, H. Ö., & Çetin, T. (2018). Ecological quality assessment of running waters in the North Aegean catchment with diatom metrics and multivariate approach. *Limnologica*, 73, 20–27. <https://doi.org/10.1016/j.limno.2018.09.001>
- Chang, Y., Feng, Z., Liu, J., Sun, J., Sun, L., Tang, Q., & Yao, D. (2022). Trends and Causes of Raw Water Quality Indicators in the Five Most Famous Lakes of Jiangsu Province, China. *International Journal of Environmental Research and Public Health*, 19(3). <https://doi.org/10.3390/ijerph19031580>
- Chen, X., Li, C., McGowan, S., & Yang, X. (2014). Diatom response to heavy metal pollution and nutrient enrichment in an urban lake: Evidence from paleolimnology. *Annales de Limnologie*, 50(2), 121–130. <https://doi.org/10.1051/limn/2014004>
- Cho, K. (1996). *Fine Morphology of Some Cyclotella Species from the Freshwater Zone of the Nakdong River*. 11(1), 9–21.

- Costa-Böddeker, S., Bennion, H., de Jesus, T. A., Albuquerque, A. L. S., Figueira, R. C. L., & de C. Bicudo, D. (2012). Paleolimnologically inferred eutrophication of a shallow, tropical, urban reservoir in southeast Brazil. *Journal of Paleolimnology*, 48(4), 751–766. <https://doi.org/10.1007/s10933-012-9642-1>
- Cui, Z., Gao, W., Li, Y., Wang, W., Wang, H., Liu, H., Fan, P., Fohrer, N., & Wu, N. (2023). Dissolved Oxygen and Water Temperature Drive Vertical Spatiotemporal Variation of Phytoplankton Community: Evidence from the Largest Diversion Water Source Area. *International Journal of Environmental Research and Public Health*, 20(5). <https://doi.org/10.3390/ijerph20054307>
- Denommee, K. C., Bentley, S. J., & Droxler, A. W. (2014). Climatic controls on hurricane patterns: A 1200-y near-annual record from Lighthouse Reef, Belize. *Scientific Reports*, 4(February 2015). <https://doi.org/10.1038/srep03876>
- Dixit, S. S., Smol, J. P., Kingston, J. C., University, Q., Kingston, O., Canada, K. 3N6, their en;ironmen< continually, biological samples can be taken less, Samples, frequently than chemical, Research to assess changes in ecological condition. In addition, biota respond to, Charles, the interaction and cumulative efDonald F., University, I., Laboratory, & 97333, corval'is' O. (1992). Diatom Powerfull Indikator of Environmental Change Envimn. Si. Technol., Vol. 26, No. 1, 1992 25. *Enviromtmental Science and Technology*, 26(1), 23–33.
- Edmonds, M., Grattan, J., & Michnowicz, S. (2018). Volcanic Gases: Silent Killers. *Advances in Volcanology*, July, 65–83. https://doi.org/10.1007/11157_2015_14
- Ehrlén, J., & Morris, W. F. (2015). Predicting changes in the distribution and abundance of species under environmental change. *Ecology Letters*, 18(3), 303–314. <https://doi.org/10.1111/ele.12410>
- El Amin, M. H., & Prihantini, N. B. (2023). Characteristics of Diatom in Different Preservation Methods: A Comparison Study. *Jurnal Penelitian Pendidikan IPA*, 9(3), 1327–1331. <https://doi.org/10.29303/jppipa.v9i3.2775>
- Evans, K. M., Wortley, A. H., & Mann, D. G. (2007). An Assessment of Potential Diatom “Barcode” Genes (cox1, rbcL, 18S and ITS rDNA) and their Effectiveness in Determining Relationships in Sellaphora (Bacillariophyta). *Protist*, 158(3), 349–364. <https://doi.org/10.1016/j.protis.2007.04.001>
- Everest, A., & Aslan, D. C. (2016). Seasonal diatom density investigation of the Mersin rivers. *World Journal of Research and Review (WJRR)*, 2(5), 21–30.
- Fidlerová, D., & Hlúbiková, D. (2016). Relationships between benthic diatom assemblages' structure and selected environmental parameters in Slovak water reservoirs (Slovakia, Europe). *Knowledge and Management of Aquatic Ecosystems*, 2016-Janua(417). <https://doi.org/10.1051/kmae/2016014>

- Finkel, Z. V., & Kotrc, B. (2010). Silica use through time: Macroevolutionary change in the morphology of the diatom fustule. *Geomicrobiology Journal*, 27(6–7), 596–608. <https://doi.org/10.1080/01490451003702941>
- Fluin, J., Tibby, J., & Gell, P. (2010). The palaeolimnological record from lake cullulleraine, lower Murray river (South-East Australia): Implications for understanding riverine histories. *Journal of Paleolimnology*, 43(2), 309–322. <https://doi.org/10.1007/s10933-009-9333-8>
- Gabrielsen, H., Procter, J., Rainforth, H., Black, T., Harmsworth, G., & Pardo, N. (2018). Observing the Volcano World. In *Advances in Volcanology*. http://link.springer.com/10.1007/11157_2016_44<http://link.springer.com/10.1007/978-3-319-44097-2>
- Hammer, Ø., David A.T., H., & Ryan, P. D. (2013). National knowledge resource consortium -a national gateway of S&T on-line resources for CSIR and DST laboratories. *Current Science*, 105(10), 1352–1357.
- Han, L., Xu, B., Qi, F., & Chen, Z. (2016). Effect of nitrogen/phosphorus concentration on algal organic matter generation of the diatom *Nitzschia palea*: Total indicators and spectroscopic characterization. *Journal of Environmental Sciences (China)*, 47, 130–142. <https://doi.org/10.1016/j.jes.2016.02.002>
- Harijoko, A., Uruma, R., Wibowo, H. E., Setijadji, L. D., Imai, A., Yonezu, K., & Watanabe, K. (2016). Geochronology and magmatic evolution of the Dieng Volcanic Complex, Central Java, Indonesia and their relationships to geothermal resources. *Journal of Volcanology and Geothermal Research*, 310, 209–224. <https://doi.org/10.1016/j.jvolgeores.2015.12.010>
- Harriyadi, H. (2020). Pertimbangan Pemilihan Lokasi Kompleks Candi Dieng. *Amerta*, 37(2), 123–138. <https://doi.org/10.24832/amt.v37i2.123-138>
- Hasrini, D. A., Soeprbowati, T. R., & Jumari, J. (2023). Epipellic Diatoms to Determine Ecological Status Based on Diatom Index in Mangrove Ecosystem of Morosari Village, Indonesia. *Journal of Ecological Engineering*, 24(11), 30–43. <https://doi.org/10.12911/22998993/170247>
- Hattikudur, R. S., Alakananda, B., & Ramachandra, T. V. (2014). Diatoms as bioindicators. *LAKE 2014: Conference on Conservation and Sustainable Management of Wetland Ecosystems in Western Ghats, 13 -15 November, 2014, May 2021*, 2012–2015. <http://ces.iisc.ernet.in/energy>
- Heramza, K., Barour, C., Djabourabi, A., Khati, W., & Bouallag, C. (2021). Environmental parameters and diversity of diatoms in the Aïn Dalia dam, Northeast of Algeria. *Biodiversitas*, 22(9), 3633–3644. <https://doi.org/10.13057/biodiv/d220901>
- Hering, D., Borja, A., Jones, J. I., Pont, D., Boets, P., Bouchez, A., Bruce, K., Drakare, S., Hänfling, B., Kahlert, M., Leese, F., Meissner, K., Mergen, P., Reyjol, Y., Segurado, P., Vogler, A., & Kelly, M. (2018). Implementation

options for DNA-based identification into ecological status assessment under the European Water Framework Directive. *Water Research*, 138, 192–205. <https://doi.org/10.1016/j.watres.2018.03.003>

Hernández-Becerril, D. U., Moreno-Gutiérrez, S. P., & Barón-Campis, S. A. (2009). Morphological variability of the planktonic diatom *Thalassiosira delicatula* Ostenfeld emend. Hasle from the Mexican Pacific, in Culture conditions. *Acta Botanica Croatica*, 68(2), 313–323.

Inácio, M., Das, M., Barceló, D., & Pereira, P. (2023). Frameworks for mapping lake ecosystem services. An example from Lithuania. *MethodsX*, 10(January). <https://doi.org/10.1016/j.mex.2023.102015>

Juggins, S. (2007). C2 Software for ecological and palaeoecological, data analysis and visualisation. In *Newcastle University* (Issue December, pp. 1–73). ResearchGate.

Kaczmarzka, I., Ehrman, J. M., Davidovich, N. A., Davidovich, O. I., & Podunay, Y. A. (2020). Valve Morphogenesis in Selected Centric Diatoms. *Botany*, 12, 1–28.

Kahlert, M., Maaria Karjalainen, S., Keck, F., Kelly, M., Ramon, M., Rimet, F., Schneider, S., Tapolczai, K., & Zimmermann, J. (2022). Co-occurrence, ecological profiles and geographical distribution based on unique molecular identifiers of the common freshwater diatoms *Fragilaria* and *Ulnaria*. *Ecological Indicators*, 141. <https://doi.org/10.1016/j.ecolind.2022.109114>

Kelly, M. G., & Whitton, B. A. (1995). The Trophic Diatom Index: a new index for monitoring eutrophication in rivers. *Journal of Applied Phycology*, 7(4), 433–444. <https://doi.org/10.1007/BF00003802>

Khalil, S., Mahnashi, M. H., Hussain, M., Zafar, N., Waqar-Un-Nisa, Khan, F. S., Afzal, U., Shah, G. M., Niazi, U. M., Awais, M., & Irfan, M. (2021). Exploration and determination of algal role as Bioindicator to evaluate water quality – Probing fresh water algae. *Saudi Journal of Biological Sciences*, 28(10), 5728–5737. <https://doi.org/10.1016/j.sjbs.2021.06.004>

Kim, H. K., Cho, I. H., Hwang, E. A., Kim, Y. J., & Kim, B. H. (2019). Benthic diatom communities in Korean estuaries: Species appearances in relation to environmental variables. *International Journal of Environmental Research and Public Health*, 16(15). <https://doi.org/10.3390/ijerph16152681>

Kiran, M. T., Bhaskar, M. V., & Tiwari, A. (2016). Phycoremediation of Eutrophic Lakes Using Diatom Algae. *Lake Sciences and Climate Change*. <https://doi.org/10.5772/64111>

Kiran Marella, T., Saxena, A., & Tiwari, A. (2020). Diatom mediated heavy metal remediation: A review. *Bioresource Technology*, 305(February), 123068. <https://doi.org/10.1016/j.biortech.2020.123068>

Kireta, A. R., Reavie, E. D., Sgro, G. V., Angradi, T. R., Bolgrien, D. W., Hill, B.

- H., & Jicha, T. M. (2012). Planktonic and periphytic diatoms as indicators of stress on great rivers of the United States: Testing water quality and disturbance models. *Ecological Indicators*, *13*(1), 222–231. <https://doi.org/10.1016/j.ecolind.2011.06.006>
- Kociolek, J. P., & Spaulding, S. A. (2003). 15 .centric Diatoms. In *Freshwater Algae of North America: Ecology and Classification*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-741550-5.50016-7>
- Kock, A., Pfeiffer, W., Wepener, V., Smit, N. J., & Taylor, J. C. (2023). Using Confocal Microscopy and Pigment Analyses to Detect Adverse Insecticide Effects in non-target Freshwater Diatom species - a proof-of-concept Using *Nitzschia palea*. *Bulletin of Environmental Contamination and Toxicology*, *110*(6), 1–6. <https://doi.org/10.1007/s00128-023-03741-5>
- Kulikovskiy, M. S., Chudaev, D. A., Glushchenko, A. M., Kuznetsova, I. V., & Kociolek, J. P. (2022). Two new species of *Navicula* (Bacillariophyta) from Southeast Asia. *PhytoKeys*, *190*(February), 69–85. <https://doi.org/10.3897/PHYTOKEYS.190.78164>
- Ladapo, H. ., & Aminu, F. . (2017). *Agriculture and Eutrophication of Freshwaters : A Review of Control Measures*. *9*(2), 67–74.
- Li, Y. L., Gong, Z. J., & Shen, J. (2012). Effects of eutrophication and temperature on *Cyclotella rhomboideo-elliptica* Skuja, endemic diatom to China. *Phycological Research*, *60*(4), 288–296. <https://doi.org/10.1111/j.1440-1835.2012.00659.x>
- Liu, K., Liu, S., Cui, Z., Zhao, Y., & Chen, N. (2024). Rich diversity and active spatial–temporal dynamics of *Thalassiosira* species revealed by time-series metabarcoding analysis . *ISME Communications*, *4*(1), 1–14. <https://doi.org/10.1093/ismeco/ycad009>
- Ma, C., Cui, R., Duan, Y., Zhang, N., Liu, Y., Sui, F., Fan, Y., & Lu, X. (2023). Differences in biodiversity and assembly mechanisms between planktonic and benthic diatom communities in riverine ecosystems: A case study in the Ashi river. *Ecological Indicators*, *157*(November), 111258. <https://doi.org/10.1016/j.ecolind.2023.111258>
- Ma, F., Wang, C., Zhang, Y., Chen, J., Xie, R., & Sun, Z. (2022). Development of Microbial Indicators in Ecological Systems. *International Journal of Environmental Research and Public Health*, *19*(21). <https://doi.org/10.3390/ijerph192113888>
- Mann, D. G., & Vanormelingen, P. (2013). An inordinate fondness? the number, distributions, and origins of diatom species. *Journal of Eukaryotic Microbiology*, *60*(4), 414–420. <https://doi.org/10.1111/jeu.12047>
- Maraslioglu, F., Soyulu, E. N., Avsar, U., & Hubert-Ferrari, A. (2020). Evaluation of ecological changes in lake hazar (Elazig, Turkey) using diatom-based

- paleolimnological techniques. *Fresenius Environmental Bulletin*, 29(12), 11129–11135.
- Masithah, E. D., & Islamy, R. A. (2023). Checklist of freshwater periphytic diatoms in the midstream of Brantas River, East Java, Indonesia. *Biodiversitas*, 24(6), 3269–3281. <https://doi.org/10.13057/biodiv/d240621>
- Medlin, L. K., & Kaczmarska, I. (2004). Evolution of the diatoms: V. Morphological and cytological support for the major clades and a taxonomic revision. *Phycologia*, 43(3), 245–270. <https://doi.org/10.2216/i0031-8884-43-3-245.1>
- Mercurio, A. L., Querijero, B. L., & Ching, J. A. (2016). Phytoplankton community in aquaculture and non-aquaculture sites of Taal Lake, Batangas, Philippines. *Journal of Experimental Biology and Agricultural Sciences*, 4(1), 66–73. [https://doi.org/10.18006/2016.4\(1\).66.73](https://doi.org/10.18006/2016.4(1).66.73)
- Mesquita, M. C. B., Prestes, A. C. C., Gomes, A. M. A., & Marinho, M. M. (2020). Direct Effects of Temperature on Growth of Different Tropical Phytoplankton Species. *Microbial Ecology*, 79(1), 1–11. <https://doi.org/10.1007/s00248-019-01384-w>
- Morales, E. A. (2001). Morphological Studies in Selected Fragilarioid Diatoms (Bacillariophyceae) from Connecticut Waters (U . S . A .). *Proceeding of The Academy of Natural Sciences*, 151, 105–120.
- Morales, E. A. (2005). Observations of the morphology of some known and new fragilarioid diatoms (Bacillariophyceae) from rivers in the USA. *Phycological Research*, 53(2), 113–133. <https://doi.org/10.1111/j.1440-1835.2005.tb00363.x>
- Morales, E. A., & Manoylov, K. M. (2006). Morphological studies on selected taxa in the genus staurosirella williams et round (bacillariophyceae) from rivers in North America. *Diatom Research*, 21(2), 343–364. <https://doi.org/10.1080/0269249X.2006.9705674>
- Moravcová, A., Rauch, O., Lukavský, J., & Nedbalová, L. (2013). The response of epilithic diatom assemblages to sewage pollution in mountain streams of the Czech Republic. *Plant Ecology and Evolution*, 146(2), 153–166. <https://doi.org/10.5091/plecevo.2013.814>
- Nakov, T., Ashworth, M., & Theriot, E. C. (2015). Comparative analysis of the interaction between habitat and growth form in diatoms. *ISME Journal*, 9(1), 246–255. <https://doi.org/10.1038/ismej.2014.108>
- Nardelli, M. S., Bicudo, D. C., Sampaio, S. C., & Cordovil, C. M. D. S. (2021). Structure and species composition of diatom community during the wet season in three floodplain lakes of Brazilian Pantanal. *PLoS ONE*, 16(5 May), 1–22. <https://doi.org/10.1371/journal.pone.0251063>
- Nawrot, R., Scarponi, D., Azzarone, M., Dexter, T. A., Kusnerik, K. M., Wittmer,

- J. M., Amorosi, A., & Kowalewski, M. (2018). Stratigraphic signatures of mass extinctions: Ecological and sedimentary determinants. *Proceedings of the Royal Society B: Biological Sciences*, 285(1886). <https://doi.org/10.1098/rspb.2018.1191>
- Noga, T., Stanek-Tarkowska, J., Kloc, U., Kochman-Kędziora, N., Rybak, M., Peszek, Ł., & Pajaczek, A. (2016). Diatom diversity and water quality of a suburban stream: a case study of the Rzeszów city in SE Poland. *Biodiversity Research and Conservation*, 41(1), 19–34. <https://doi.org/10.1515/biorc-2016-0004>
- Nugraha, G. S., Sunardi, E., Haryanto, I., Adhiperdana, B. G., Fakhruddin, R., Fitriany, R., & Gunarsih, D. (2023). Facies analysis, biostratigraphy, and provenance of the late Neogene Seulimeum Formation, Northwest Aceh basin, Sumatra (Indonesia). *Heliyon*, 9(9), e20032. <https://doi.org/10.1016/j.heliyon.2023.e20032>
- O’Hare, M. T., Baattrup-Pedersen, A., Baumgarte, I., Freeman, A., Gunn, I. D. M., Lázár, A. N., Sinclair, R., Wade, A. J., & Bowes, M. J. (2018). Responses of aquatic plants to eutrophication in rivers: A revised conceptual model. *Frontiers in Plant Science*, 9, 1–13. <https://doi.org/10.3389/fpls.2018.00451>
- Odum, & P, E. (1994). *Dasar-Dasar Ekologi Edisi Ketiga* (ed. 3). Gadjah Mada University Press.
- Pandey, L. K., Lavoie, I., Morin, S., Depuydt, S., Lyu, J., Lee, H., Jung, J., Yeom, D. H., Han, T., & Park, J. (2019). Towards a multi-bioassay-based index for toxicity assessment of fluvial waters. *Environmental Monitoring and Assessment*, 191(2). <https://doi.org/10.1007/s10661-019-7234-5>
- Parmar, T. K., Rawtani, D., & Agrawal, Y. K. (2016). Bioindicators: the natural indicator of environmental pollution. *Frontiers in Life Science*, 9(2), 110–118. <https://doi.org/10.1080/21553769.2016.1162753>
- Passy, S. I. (2007). Diatom ecological guilds display distinct and predictable behavior along nutrient and disturbance gradients in running waters. *Aquatic Botany*, 86(2), 171–178. <https://doi.org/10.1016/j.aquabot.2006.09.018>
- Photos-Jones, E., & Hall, A. J. (2011). Archaeological recording and chemical stratigraphy applied to contaminated land studies. *Science of the Total Environment*, 409(24), 5432–5443. <https://doi.org/10.1016/j.scitotenv.2011.08.035>
- Pisera, A., Siver, P. A., & Mandic, O. (2020). Miocene siliceous microfossils from the open cast coal mine Gračanica (Bugojno paleolake, Bosnia and Herzegovina) and their significance: a preliminary report. *Palaeobiodiversity and Palaeoenvironments*, 100(2), 507–517. <https://doi.org/10.1007/s12549-019-00378-3>
- Pitchaikani, J. S., & Lipton, A. P. (2016). Nutrients and phytoplankton dynamics in

- the fishing grounds off Tiruchendur coastal waters, Gulf of Mannar, India. *SpringerPlus*, 5(1). <https://doi.org/10.1186/s40064-016-3058-8>
- Pla-Rabés, S., Hamilton, P. B., Ballesteros, E., Gavriolo, M., Friedlander, A. M., & Sala, E. (2016). The structure and diversity of freshwater diatom assemblages from Franz Josef Land Archipelago: A northern outpost for freshwater diatoms. *PeerJ*, 2016(2), 1–22. <https://doi.org/10.7717/peerj.1705>
- Pouličková, A., Veselá, J., Neustupa, J., & Škaloud, P. (2010). Pseudocryptic Diversity versus cosmopolitanism in diatoms: A case study on *Navicula cryptocephala* Kütz. (Bacillariophyceae) and morphologically similar taxa. *Protist*, 161(3), 353–369. <https://doi.org/10.1016/j.protis.2009.12.003>
- Prayoga, G., Soeprbowati, T. R., & Putro, S. (2017). Diatom Epipelik di Telaga Balekambang, Dieng, Jawa Tengah. *Prosiding Seminar Nasional, November*.
- Prilly Ismi Arum, S., & Harisuseno, D. (2019). Domestic Wastewater Contribution to Water Quality of Brantas River at Dinoyo Urban Village, Malang City. *J-Pal*, 10(2), 2087–3522. <https://doi.org/10.21776/ub.jpall.2019.010.02.02>
- Pudjoarinto, A., & Cushing, E. J. (2001). Pollen-stratigraphic evidence of human activity at Dieng, Central Java. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 171(3–4), 329–340. [https://doi.org/10.1016/S0031-0182\(01\)00252-8](https://doi.org/10.1016/S0031-0182(01)00252-8)
- Putri, H. A., Soeprbowati, T. R., Hariyati, R., Purnaweni, H., Jumari, J., & Heijnis, H. (2023). An Interpretation of Diatom Community for Environmental Record in 5-65 cm of Cebong Lake Sediment. *Polish Journal of Environmental Studies*, 32(5), 4781–4788.
- Qin, B. Q., Gao, G., Zhu, G. W., Zhang, Y. L., Song, Y. Z., Tang, X. M., Xu, H., & Deng, J. M. (2013). Lake eutrophication and its ecosystem response. *Chinese Science Bulletin*, 58(9), 961–970. <https://doi.org/10.1007/s11434-012-5560-x>
- Rashit, E., & Bazin, M. (1987). Environmental fluctuations, productivity, and species diversity: An experimental study. *Microbial Ecology*, 14(2), 101–112. <https://doi.org/10.1007/BF02013016>
- Rodríguez-Miret, X., del Carmen Trapote, M., Sigró, J., & Vegas-Vilarrúbia, T. (2023). Diatom responses to warming, heavy rains and human impact in a Mediterranean lake since the preindustrial period. *Science of the Total Environment*, 884(April). <https://doi.org/10.1016/j.scitotenv.2023.163685>
- Rusiah, Satya, M. N., & Wahyudin, A. (2005). Wisata Dataran Tinggi Dieng. *Pelita-Jurnal Penelitian Mahasiswa UNY*, 1(1), 5–11.
- Ruwer, D. T., Blanco, S., & Rodrigues, L. (2020). Eunotia Ehrenberg (Eunotiaceae, Bacillariophyta) in a subtropical floodplain: A new species and taxonomic contributions. *Phytotaxa*, 505(2), 157–175. <https://doi.org/10.11646/phytotaxa.505.2.3>

- Rzdokiewicz, M., & Zawiska, I. (2016). Diatoms as paleoecological indicators of environmental change in the Lake Czechowskie catchments ecosystem (Northern Tuchola Pinewoods, Poland). *Institute of Geological Sciences*, 18(1), 321–340.
- Sánchez, C., Cristóbal, G., & Bueno, G. (2019). Diatom identification including life cycle stages through morphological and texture descriptors. *PeerJ*, 2019(4), 1–24. <https://doi.org/10.7717/peerj.6770>
- Santana, L. M., & Ferragut, C. (2016). Mudanças estruturais do fitoplâncton e do epifítton em um reservatório urbano hipereutrófico. *Acta Limnologica Brasiliensia*, 28. <https://doi.org/10.1590/S2179-975X5716>
- Santos, J., Almeida, S. F. P., & Figueira, E. (2013). Cadmium chelation by frustulins: A novel metal tolerance mechanism in *Nitzschia palea* (Kützing) W. Smith. *Ecotoxicology*, 22(1), 166–173. <https://doi.org/10.1007/s10646-012-1013-1>
- Saros, J. E., Strock, K. E., McCue, J., Hogan, E., & Anderson, N. J. (2014). Response of *Cyclotella* species to nutrients and incubation depth in Arctic lakes. *Journal of Plankton Research*, 36(2), 450–460. <https://doi.org/10.1093/plankt/fbt126>
- Savic, R., Stajic, M., Blagojević, B., Bezdán, A., Vranesevic, M., Jokanović, V. N., Baumgartel, A., Kovačić, M. B., Horvatinec, J., & Ondrasek, G. (2022). Nitrogen and Phosphorus Concentrations and Their Ratios as Indicators of Water Quality and Eutrophication of the Hydro-System Danube–Tisza–Danube. *Agriculture (Switzerland)*, 12(7). <https://doi.org/10.3390/agriculture12070935>
- Saxena, A., Tiwari, A., Kaushik, R., & Iqbal, H. M. N. (2020). Diatoms recovery from wastewater: Overview from an ecological and economic perspective. *Journal of Water Process Engineering*, 39.
- Sethi, D., Butler, T. O., Shuhaili, F., & Vaidyanathan, S. (2020). Diatoms for carbon sequestration and bio-based manufacturing. *Biology*, 9(8), 1–29. <https://doi.org/10.3390/biology9080217>
- Setyowati, D. L., & Hardati, P. (2009). *Fenomena Dataran Dieng*. 1–140.
- Sevindik, T. O., Hamilton, P. B., Solak, C. N., Yilmaz, E., & Güzel, U. (2023). Three New *Nitzschia* (Bacillariophyceae) Species from Highly Acidic Artificial Lakes in Çanakkale, Türkiye. *Water (Switzerland)*, 15(21). <https://doi.org/10.3390/w15213784>
- Shen, R., Ren, H., Yu, P., You, Q., Pang, W., & Wang, Q. (2018). Benthic diatoms of the Ying River (Huaihe river basin, China) and their application in water trophic status assessment. *Water (Switzerland)*, 10(8). <https://doi.org/10.3390/w10081013>
- Shevchenko, O. G., Shulgina, M. A., & Turanov, S. V. (2022). Morphological

- variability and genetic analysis of *Thalassiosira tenera* (Bacillariophyta), a dominant phytoplankton species from the northwestern Sea of Japan. *Phycologia*, *61*(2), 132–145. <https://doi.org/10.1080/00318884.2021.2012071>
- Simiyu, B. M., & Kurmayer, R. (2022). Response of planktonic diatoms to eutrophication in Nyanza Gulf of Lake Victoria, Kenya. *Limnologia*, *93*, 125958. <https://doi.org/10.1016/j.limno.2022.125958>
- Sochuliaková, L., Sienkiewicz, E., Hamerlík, L., Svitok, M., Fidlerová, D., & Bitušík, P. (2018). Reconstructing the Trophic History of an Alpine Lake (High Tatra Mts.) Using Subfossil Diatoms: Disentangling the Effects of Climate and Human Influence. *Water, Air, and Soil Pollution*, *229*(9). <https://doi.org/10.1007/s11270-018-3940-9>
- Soeprbowati, T. R., Hidayat, J. Y., & Baskoro, K. (2011). Epipellic Diatoms as a Bioindicator of Lake Rawa Pening Water Quality. *Jurnal Sains Dan Matematika.*, *19*(4), 107–118.
- Soeprbowati, T. R., Purnaweni, H., Jumari, J., & Sari, K. (2022). The relationship of water quality to epipellic diatom assemblages in Cebong lake, Dieng Indonesia. *Polish Journal of Environmental Studies*, *31*(1), 281–295. <https://doi.org/10.15244/pjoes/137084>
- Soeprbowati, T. R., Suedy, S. W. A., & Gell, P. (2012). Diatom stratigraphy of mangrove ecosystems on the northern coast of central Java. *Journal of Coastal ...*, *15*(2), 197–208. <http://ejournal.undip.ac.id/index.php/coastdev/article/view/3541%5Cnpapers2://publication/uuid/218C076A-A091-4E27-BFA9-AECCEBB5F285>
- Soeprbowati, T. R., Suedy, S. W. A., & Hadiyanto. (2018). Find the future from the past: Paleolimnology in Indonesia. *E3S Web of Conferences*, *31*, 1–8. <https://doi.org/10.1051/e3sconf/20183108002>
- Soeprbowati, T. R., Tandjung, D., Sutikno, S., Suwarno, H., & Gell, P. (2016). The Minimum Number of Valves for Diatom Identification in Rawapening Lake, Central Java. *Biotropia*, *32*(2), 96–104. <https://doi.org/10.11598/btb2016.23.2.486>
- Soeprbowati, T. R., Tandjung, S. D., Sutikno, Hadisusanto, S., Gell, P., Hadiyanto, & Suedy, S. W. A. (2016). The water quality parameters controlling diatoms assemblage in Rawapening lake, Indonesia. *Biodiversitas*, *17*(2), 657–664. <https://doi.org/10.13057/biodiv/d170239>
- Stenger-Kovács, C., Béres, V. B., Buczkó, K., Tapolczai, K., Padisák, J., Selmeczy, G. B., & Lengyel, E. (2023). Diatom community response to inland water salinization: a review. In *Hydrobiologia* (Vol. 850, Issue 20). Springer International Publishing. <https://doi.org/10.1007/s10750-023-05167-w>
- Stevenson, J. (2014). Ecological assessments with algae: a review and synthesis. *Journal of Phycology*, *50*(3), 437–461. <https://doi.org/10.1111/jpy.12189>

- Sudarmadji, & Pudjiastuti, H. (2018). Impacts of Agricultural Practices and Tourism Activities on the Sustainability of Telaga Warna and Telaga Pengilon Lakes, Dieng Plateau, Central Java. *E3S Web of Conferences*, 31, 4–10. <https://doi.org/10.1051/e3sconf/20183108030>
- Sudarmadji, S., Suprayogi, S., Lestari, S., & Malawani, M. N. (2019). Water quality and sustainability of Merdada Lake, Dieng, Indonesia. *E3S Web of Conferences*, 76. <https://doi.org/10.1051/e3sconf/20197602003>
- Sun, J. Z., Wang, T., Huang, R., Yi, X., Zhang, D., Beardall, J., Hutchins, D. A., Liu, X., Wang, X., Deng, Z., Li, G., Gao, G., & Gao, K. (2022). Enhancement of diatom growth and phytoplankton productivity with reduced O₂ availability is moderated by rising CO₂. *Communications Biology*, 5(1). <https://doi.org/10.1038/s42003-022-03006-7>
- Suprihati, Banjarnahor, D., & Yuliawati. (2016). Siwa Nandisawahanamurti, Kearifan Lokal Petani Dieng. *Prosiding Konser Karya Ilmiah Nasional 2016*, 2(52), 163–174.
- Svanbäck, A., McCrackin, M. L., Swaney, D. P., Linefur, H., Gustafsson, B. G., Howarth, R. W., & Humborg, C. (2019). Reducing agricultural nutrient surpluses in a large catchment – Links to livestock density. *Science of the Total Environment*, 648, 1549–1559. <https://doi.org/10.1016/j.scitotenv.2018.08.194>
- Svensson, F., Norberg, J., & Snoeijs, P. (2014). Diatom cell size, Coloniality and motility: Trade-Offs between temperature, Salinity and nutrient supply with climate change. *PLoS ONE*, 9(10). <https://doi.org/10.1371/journal.pone.0109993>
- Titova, L., Hassan, A., Mikhailov, I., Rodionova, E., Rasskazov, S., & Usoltseva, M. (2021). Diversity and ecology of diatoms in pliocene deposits of the tunka valley (Baikal rift zone). *Diversity*, 13(10), 1–26. <https://doi.org/10.3390/d13100479>
- Tolotti, R., Consani, S., Carbone, C., Vagge, G., Capello, M., & Cutroneo, L. (2019). Benthic diatom community response to metal contamination from an abandoned Cu mine: Case study of the Gromolo Torrent (Italy). *Journal of Environmental Sciences (China)*, 75, 233–246. <https://doi.org/10.1016/j.jes.2018.03.034>
- Trobajo, R., Clavero, E., & Chepurnov, V. (2009). Morphological, genetic and mating diversity within the widespread bioindicator *Nitzschia palea* (Bacillariophyceae). *Phycologia*, 48(October), 443–459. <https://doi.org/10.2216/08-69.1.Nitzschia>
- Tuji, A. (2007). Type Examination of *Fragiaria gracilis* Østrup (Bacillariophyceae). *Bull. Natl. Mus. Nat. Sci.*, 33(1), 9–12.
- Van de Vijver, B., Williams, D. M., Kusber, W. H., Cantonati, M., Hamilton, P. B.,

- Wetzel, C. E., & Ector, L. (2022). *Fragilaria radians* (Kützinger) D.M. Williams et Round, the correct name for *F. gracilis* (Fragilariaceae, Bacillariophyta): a critical analysis of this species complex in Europe. *Fottea*, 22(2), 256–291. <https://doi.org/10.5507/fot.2022.006>
- Van de Vijver, B., Williams, D. M., Schuster, T. M., Kusber, W., Cantonati, M., Wetzel, C. E., & Ector, L. (2022). Analysis of the *Fragilaria rumpens* complex (Fragilariaceae, Bacillariophyta) with the description of two new species. *Fottea*, 22(1), 93–121. <https://doi.org/10.5507/fot.2021.018>
- Vardi, A., Thamatrakoln, K., Bidle, K. D., & Falkowski, P. G. (2009). Diatom genomes come of age. *Genome Biology*, 9(12). <https://doi.org/10.1186/gb-2008-9-12-245>
- Vári, Á., Podschun, S. A., Erős, T., Hein, T., Pataki, B., Iojă, I. C., Adamescu, C. M., Gerhardt, A., Gruber, T., Dedić, A., Ćirić, M., Gavrilović, B., & Báldi, A. (2022). Freshwater systems and ecosystem services: Challenges and chances for cross-fertilization of disciplines. *Ambio*, 51(1), 135–151. <https://doi.org/10.1007/s13280-021-01556-4>
- Venkatachalapathy, R., & Karthikeyan, P. (2013). *Synedra* species morphological observation at Bhavani region in Cauvery river, Tamil Nadu, India. *International Research Journal of Earth Sciences*, 1(6), 1–5.
- Viet, N. D., Anh, N. B., & Huong, H. T. (2016). Dissolved Oxygen as an Indicator for Eutrophication in Freshwater Lakes. *Proceedings of International Conference on Environmental Engineering and Management for Sustainable Development, October*.
- Wang, X., Zheng, B., Liu, L., & Li, L. (2014). Use of Diatoms in River Health Assessment. *Annual Research & Review in Biology*, 4(24), 4054–4074. <https://doi.org/10.9734/arrb/2014/11963>
- Wang, Y., Liu, S., Wang, J., Yao, Y., Chen, Y., Xu, Q., Zhao, Z., & Chen, N. (2022). Diatom Biodiversity and Speciation Revealed by Comparative Analysis of Mitochondrial Genomes. *Frontiers in Plant Science*, 13(March), 1–20. <https://doi.org/10.3389/fpls.2022.749982>
- Withers, P. J. A., Neal, C., Jarvie, H. P., & Doody, D. G. (2014). Agriculture and eutrophication: Where do we go from here? *Sustainability (Switzerland)*, 6(9), 5853–5875. <https://doi.org/10.3390/su6095853>
- Wu, F., Fang, Y., Feng, M., Xie, Z., Zhu, L., & Feng, J. (2022). Developing Ecological Thresholds for Nitrogen and Phosphorus in the Haihe River Basin in China. *International Journal of Environmental Research and Public Health*, 19(24). <https://doi.org/10.3390/ijerph192416951>
- Xie, H., & Ringler, C. (2017). Agricultural nutrient loadings to the freshwater environment: The role of climate change and socioeconomic change. *Environmental Research Letters*, 12(10).

9326/aa8148

- Yang, X. E., Wu, X., Hao, H. L., & He, Z. L. (2008). Mechanisms and assessment of water eutrophication. *Journal of Zhejiang University: Science B*, 9(3), 197–209. <https://doi.org/10.1631/jzus.B0710626>
- Yang, Y., Cao, J. X., Pei, G. F., & Liu, G. X. (2015). Using benthic diatom assemblages to assess human impacts on streams across a rural to urban gradient. *Environmental Science and Pollution Research*, 22(22), 18093–18106. <https://doi.org/10.1007/s11356-015-5026-1>
- Youn, S. J., Yu, S. J., & Byeon, M. S. (2020). Occurrence characteristics of stephanodiscus and synedra in relation to water temperature and concentrations of nutrients during spring diatom bloom in lake Paldang, Korea. *Applied Ecology and Environmental Research*, 18(4), 5135–5147. https://doi.org/10.15666/aeer/1804_51355147
- Yu, P., You, Q., Pang, W., & Wang, Q. (2022). Two new freshwater species of the genus *Achnantheidium* (Bacillariophyta, Achnanthidiaceae) from Qingxi River, China. *PhytoKeys*, 192, 11–28. <https://doi.org/10.3897/phytokeys.191.78489>
- Yun, S. M., Lee, T., Jung, S. W., Park, J. S., & Lee, J. H. (2017). Fossil diatom assemblages as paleoecological indicators of paleo-water environmental change in the Ulleung Basin, East Sea, Republic of Korea. *Ocean Science Journal*, 52(3), 345–357. <https://doi.org/10.1007/s12601-017-0021-8>
- Zaghloul, A., Saber, M., Gadow, S., & Awad, F. (2020). Biological indicators for pollution detection in terrestrial and aquatic ecosystems. *Bulletin of the National Research Centre*, 44(1). <https://doi.org/10.1186/s42269-020-00385-x>
- Zepernick, B. N., Gann, E. R., Martin, R. M., Pound, H. L., Krausfeldt, L. E., Chaffin, J. D., & Wilhelm, S. W. (2021). Elevated pH Conditions Associated With *Microcystis* spp. Blooms Decrease Viability of the Cultured Diatom *Fragilaria crotonensis* and Natural Diatoms in Lake Erie. *Frontiers in Microbiology*, 12(February), 1–12. <https://doi.org/10.3389/fmicb.2021.598736>
- Zhang, D. Y., Wang, Y., Cai, J., Pan, J. F., Jiang, X. G., & Jiang, Y. G. (2012). Bio-manufacturing technology based on diatom micro- and nanostructure. *Chinese Science Bulletin*, 57(30), 3836–3849. <https://doi.org/10.1007/s11434-012-5410-x>