

DAFTAR PUSTAKA

- Aftab, M., Butt, M. Z., Ali, D., Bashir, F., & Khan, T. M. (2021). Optical and electrical properties of NiO and Cu-doped NiO thin films synthesized by spray pyrolysis. *Optical Materials*, *119*, 111369. <https://doi.org/10.1016/j.optmat.2021.111369>
- Ahsan, H., Shahid, M., Imran, M., Mahmood, F., Siddique, M. H., Ali, H. M., Niazi, M. B. K., Hussain, S., Shahbaz, M., Ayyub, M., & Shahzad, T. (2022). Photocatalysis and adsorption kinetics of azo dyes by nanoparticles of nickel oxide and copper oxide and their nanocomposite in an aqueous medium. *PeerJ*, *10*. <https://doi.org/10.7717/peerj.14358>
- Amjad, M., Bibi, I., Majid, F., Jilani, K., Sultan, M., Raza, Q., Ghafoor, A., Alwadai, N., Nazir, A., & Iqbal, M. (2024). NiO/MnFe₂O₄ Nanocomposite Photoluminescence, Structural, Morphological, Magnetic, and Optical Properties: Photocatalytic Removal of Cresol Red under Visible Light Irradiation. *ACS Omega*, *9*(19), 20876–20890. <https://doi.org/10.1021/acsomega.3c09637>
- Andrade, T. M., Danczuk, M., & Anaissi, F. J. (2018). Effect of Precipitating Agents on the Structural, Morphological, and Colorimetric Characteristics of Nickel Hydroxide Particles. *Colloid and Interface Science Communications*, *23*, 6–13. <https://doi.org/10.1016/j.colcom.2018.01.003>
- Atkins, P. W. ., & De Paula, Julio. (2010). *Physical Chemistry* (9th ed.). W. H. Freeman and Company.
- Azhar-ul-Haq, M., Javed, T., Abid, M. A., Masood, H. T., & Muslim, N. (2024). Adsorptive removal of hazardous crystal violet dye onto banana peel powder: equilibrium, kinetic and thermodynamic studies. *Journal of Dispersion Science and Technology*, *45*(3), 475–490. <https://doi.org/10.1080/01932691.2022.2158851>
- Blitz, J. P. (1998). Diffuse Reflectance Spectroscopy. Dalam V. I. Vershinin & F. M. Mirabella (Ed.), *Modern Techniques in Applied Molecular Spectroscopy* (hlm. 185–219). John Wiley & Sons.
- BR, S., & XR, J. (2016). Effect of Calcination Time on Structural, Optical and Antimicrobial Properties of Nickel Oxide Nanoparticles. *Journal of Theoretical and Computational Science*, *03*(02). <https://doi.org/10.4172/2376-130x.1000149>

- Brady, J. E. ., Jespersen, N. D., & Hyslop, Alison. (2012). *Chemistry : The Molecular Nature of Matter*. John Wiley & Sons.
- Brioual, B., El-Habib, A., Rossi, Z., Aouni, A., Diani, M., Addou, M., & Jbilou, M. (2024). Influence of the concentration of KOH-based aqueous electrolyte on the electrochemical behavior of NiO thin film. *Journal of the Indian Chemical Society*, *101*(7), 101–170. <https://doi.org/10.1016/j.jics.2024.101170>
- Cao, P., & Chen, C. (2023). *Advanced Ceramics for Energy Storage, Thermoelectrics and Photonics* (P. Cao & C. Chen, Ed.; 1st ed.). Elsevier.
- Cappuccino, J. G., & Welsh, C. T. (2018). *Microbiology: A Laboratory Manual* (11th ed.). Pearson Education.
- Chong, M. N., Jin, B., Chow, C. W. K., & Saint, C. (2010). Recent developments in photocatalytic water treatment technology: A review. *Water Research*, *44*(10), 2997–3027. <https://doi.org/10.1016/j.watres.2010.02.039>
- Cleary Wanta, K., Hapsari Tanujaya, F., Dwi Putra, F., Frida Susanti, R., Panji Gemilar, G., Astuti, W., Tri Bayu Murti Petrus, H., Petrokimia Gresik Jalan Jenderal Ahmad Yani, P., Ir Sutami Km, J., Bintang, T., & Selatan, L. (2020). *SYNTHESIS AND CHARACTERIZATION OF NICKEL HYDROXIDE FROM EXTRACTION SOLUTION OF SPENT CATALYST* (Vol. 3). www.ejurnalmaterialmetalurgi.com
- Collins, K. D. (2004). Ions from the Hofmeister series and osmolytes: effects on proteins in solution and in the crystallization process. *Methods*, *34*(3), 300–311. <https://doi.org/10.1016/j.ymeth.2004.03.021>
- Cullity, B. D. ., & Stock, S. R. . (2001). *Elements of X-ray Diffraction* (3rd ed.). Prentice Hall.
- de Almeida, J. C., Rodrigues, T. A., da Silva, G. T. S. T., Ribeiro, C., & de Mendonça, V. R. (2024). Unveiling the influence of alkaline modifiers in CuO synthesis on its photocatalytic activity for CO₂ reduction. *Materials Advances*, *5*(16), 6479–6488. <https://doi.org/10.1039/d4ma00337c>
- Dhanabal, R., & Priya, P. G. (2025). Optimization and photocatalytic degradation of crystal violet dye using Sr-ZnO/activated carbon nanoneedles. *Materials Science in Semiconductor Processing*, *192*, 109481. <https://doi.org/10.1016/j.mssp.2025.109481>

- Ding, C., Lin, H., Sato, K., & Hashida, T. (2011). Co-Precipitation Synthesis and Characterization of NiO-Ce_{0.8}Sm_{0.2}O_{1.9} Nanocomposite Powders: Effect of Precipitation Agents. *Journal of Nanoscience and Nanotechnology*, 11(3), 2336–2343. <https://doi.org/10.1166/jnn.2011.3122>
- Dong, H., & Koenig, G. M. (2020). A review on synthesis and engineering of crystal precursors produced *via* coprecipitation for multicomponent lithium-ion battery cathode materials. *CrystEngComm*, 22(9), 1514–1530. <https://doi.org/10.1039/C9CE00679F>
- Elgarahy, A. M., Elwakeel, K. Z., Mohammad, S. H., & Elshoubaky, G. A. (2021). A critical review of biosorption of dyes, heavy metals and metalloids from wastewater as an efficient and green process. Dalam *Cleaner Engineering and Technology* (Vol. 4). Elsevier Ltd. <https://doi.org/10.1016/j.clet.2021.100209>
- Far, H., Hamici, M., Brihi, N., Haddadi, K., Boudissa, M., Chihi, T., & Fatmi, M. (2022). High-performance photocatalytic degradation of NiO nanoparticles embedded on α -Fe₂O₃ nanoporous layers under visible light irradiation. *Journal of Materials Research and Technology*, 19, 1944–1960. <https://doi.org/10.1016/j.jmrt.2022.05.159>
- Fite, M. C., Karse, S. D., & Gode, L. M. (2025). Optical and photocatalytic properties of nickel oxide nanoparticles. *Journal of Crystal Growth*, 660(6), 128–163. <https://doi.org/10.1016/j.jcrysgro.2025.128163>
- Gangola, S., Sharma, A., Pant, G., & Singh, A. (2023). *Advanced Microbial Technology for Sustainable Agriculture and Environment* (1st ed.). Academic Press.
- Geetha, T., Smitha, J. K., Sebastian, M., Litty, M. I., Joseph, B., Joseph, J., & Nisha, T. S. (2024). Synthesis and characterization of nano iron oxide biochar composite for efficient removal of crystal violet from water. *Heliyon*, 10(21). <https://doi.org/10.1016/j.heliyon.2024.e39450>
- Gobinath, E., Dhatchinamoorthy, M., Saran, P., Vishnu, D., Indumathy, R., & Kalaiarasi, G. (2023). Synthesis and characterization of NiO nanoparticles using *Sesbania grandiflora* flower to evaluate cytotoxicity. *Results in Chemistry*, 6. <https://doi.org/10.1016/j.rechem.2023.101043>

- Gond, R. K., & Gupta, M. K. (2022). Extraction and properties of cellulose for polymer composites. Dalam S. M. Rangappa, J. Parameswaranpillai, S. Siengchin, & M. Ramesh (Ed.), *Biodegradable Polymers, Blends and Composites* (hlm. 59–86). Woodhead Publishing.
- Green, F. J. . (1991). *The Sigma-Aldrich Handbook of Stains, Dyes and Indicators* (1st ed.). Aldrich Chemical Company.
- Greenwood, N. N., & Earnshaw, A. (2012). *Chemistry of the Elements* (2nd ed.). Elsevier.
- Guo, Y., Qi, P., & Liu, Y. Z. (2017). A review on advanced treatment of pharmaceutical wastewater. *IOP Conference Series: Earth and Environmental Science*, 1–6.
- Hall, D. S., Lockwood, D. J., Bock, C., & MacDougall, B. R. (2015). Nickel hydroxides and related materials: a review of their structures, synthesis and properties. *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 471(2174), 20140792. <https://doi.org/10.1098/rspa.2014.0792>
- Hastuti, E. (t.t.). *ANALISA DIFRAKSI SINAR X TiO 2 DALAM PENYIAPAN BAHAN SEL SURYA TERSENSITISASI PEWARNA Oleh.*
- Haynes, W. M. . (2010). *CRC handbook of chemistry and physics, 2010-2011 : a ready-reference book of chemical and physical data*. CRC Press.
- Hegazey, R. M., Abdelrahman, E. A., Kotp, Y. H., Hameed, A. M., & Subaihi, A. (2020). Facile fabrication of hematite nanoparticles from Egyptian insecticide cans for efficient photocatalytic degradation of rhodamine B dye. *Journal of Materials Research and Technology*, 9(2), 1652–1661. <https://doi.org/10.1016/j.jmrt.2019.11.090>
- Hemgun, Y., & Toboonsung, B. (2015). *Energy band gab and optical property of Fe-doped NiO nanostructures prepared by co-precipitation method*. <https://doi.org/10.14456/snrujst.2016.21>
- Hunger, Klaus. (2007). *Industrial dyes : chemistry, properties, applications* (1st ed.). Wiley-VCH.
- Illahi, C., Hutabarat, W. E. F., Nurdini, N., Failamani, F., & Kadja, G. T. M. (2024). Photocatalytic degradation of azo dyes over MXene-based catalyst: Recent developments and future prospects. Dalam *Next Nanotechnology* (Vol. 6). Elsevier B.V. <https://doi.org/10.1016/j.nxnano.2024.100055>

- Irwin, M. D., Buchholz, D. B., Hains, A. W., Chang, R. P. H., & Marks, T. J. (2008). p-Type semiconducting nickel oxide as an efficiency-enhancing anode interfacial layer in polymer bulk-heterojunction solar cells. *Proceedings of the National Academy of Sciences*, 105(8), 2783–2787. <https://doi.org/10.1073/pnas.0711990105>
- Jafari, S. Mahdi. (2017). *Nanoencapsulation of Food Bioactive Ingredients : Principles and Applications*. Elsevier Science.
- Jothi M, & Sowmiya K. (2020). Exploring the characteristics of the nickel oxide nanoparticles via Sol - gel method. *Nanoscale Reports*, 3(3), 37–42. <https://doi.org/10.26524/nr.3.24>
- Jubu, P. R., Obaseki, O. S., Nathan-Abutu, A., Yam, F. K., Yusof, Y., & Ochang, M. B. (2022). Dispensability of the conventional Tauc's plot for accurate bandgap determination from UV–vis optical diffuse reflectance data. *Results in Optics*, 9. <https://doi.org/10.1016/j.rio.2022.100273>
- Kalam, A., Al-Shihri, A. S., Al-Sehemi, A. G., Awwad, N. S., Du, G., & Ahmad, T. (2013). Effect of pH on solvothermal synthesis of β -Ni(OH)₂ and NiO nanoarchitectures: Surface area studies, optical properties and adsorption studies. *Superlattices and Microstructures*, 55(3), 83–97. <https://doi.org/10.1016/j.spmi.2012.11.024>
- Kalia, S. (2023). *Magnetic Nanoferrites and Their Composites: Environmental and Biomedical Applications*. Woodhead Publishing.
- Khairnar, S. D., & Shrivastava, V. S. (2019). Facile synthesis of nickel oxide nanoparticles for the degradation of Methylene blue and Rhodamine B dye: a comparative study. *Journal of Taibah University for Science*, 13(1), 1108–1118. <https://doi.org/10.1080/16583655.2019.1686248>
- Khairy, M., & El-Safty, S. A. (2013). Mesoporous NiO nanoarchitectures for electrochemical energy storage: influence of size, porosity, and morphology. *RSC Advances*, 3(45), 23801. <https://doi.org/10.1039/c3ra44465a>
- Khan, A. S., Mehmood, A., Sharif, A., & Rehman, I. U. (2019). *Handbook of Ionic Substituted Hydroxyapatites*. Woodhead Publishing.

- Khanchandani, S., Kundu, S., Patra, A. , & Ganguli, A. K. (2016). Comparative Study of TiO₂/CuS Core/Shell and Composite Nanostructures for Efficient Visible Light Photocatalysis. *ACS Sustainable Chemistry & Engineering*, 4(3), 1487–1499.
- Khattab, T. A., Abdelrahman, M. S., & Rehan, M. (2020). Textile dyeing industry: environmental impacts and remediation. *Environmental Science and Pollution Research*, 27(4), 3803–3818. <https://doi.org/10.1007/s11356-019-07137-z>
- Kiran, A., Hussain, S., Ahmad, I., Imran, M., Saqib, M., Parveen, B., Munawar, K. S., Mnif, W., Al Huwayz, M., Alwadai, N., & Iqbal, M. (2024). Green synthesis of NiO and NiO@graphene oxide nanomaterials using Elettaria cardamomum leaves: Structural and electrochemical studies. *Heliyon*, 10(20). <https://doi.org/10.1016/j.heliyon.2024.e38613>
- Lany, S., & Zunger, A. (2007). Dopability, Intrinsic Conductivity, and Nonstoichiometry of Transparent Conducting Oxides. *Physical Review Letters*, 98(4), 045501. <https://doi.org/10.1103/PhysRevLett.98.045501>
- Lewis, R. J. ., & Sax, N. Irving. (2005). *Sax's dangerous properties of industrial materials* (G. F. Bennet, Ed.; 11th ed.). John Wiley & Sons.
- Mabowa, M. H., Mkhohlakali, A., Chimuka, L., & Tshilongo, J. (2024). Separation and Characterization of Nickel Hydroxide from Waste Solution Using Ca(OH)₂ Precipitation in Chloride Media. *Separations*, 11(4). <https://doi.org/10.3390/separations11040096>
- Mittal, A., Mittal, J., Malviya, A., Kaur, D., & Gupta, V. K. (2010). Adsorption of hazardous dye crystal violet from wastewater by waste materials. *Journal of Colloid and Interface Science*, 343(2), 463–473. <https://doi.org/10.1016/j.jcis.2009.11.060>
- Mohammadijoo, M., Naderi Khorshidi, Z., Sadrnezhaad, S. K., & Mazinani, V. (2014). Synthesis and characterization of nickel oxide nanoparticle with wide band gap energy prepared via thermochemical processing. *An International Journal*, 4(1), 6–9. <http://www.urpjournals.com>
- Mona, S., Kaushik, A., & Kaushik, C. P. (2011). Waste biomass of Nostoc linckia as adsorbent of crystal violet dye: Optimization based on statistical model. *International Biodeterioration & Biodegradation*, 65(3), 513–521. <https://doi.org/10.1016/j.ibiod.2011.02.002>

- Munien, C., Kweiyor Tetteh, E., Govender, T., Jairajh, S., Mguni, L. L., & Rathilal, S. (2023). Turbidity and COD Removal from Municipal Wastewater Using a TiO₂ Photocatalyst—A Comparative Study of UV and Visible Light. *Applied Sciences (Switzerland)*, 13(8). <https://doi.org/10.3390/app13084766>
- Nosaka, Y., & Nosaka, A. Y. (2016). *Introduction to Photocatalysis: From Basic Science to Applications* (H.-J. Schneider, Ed.). The Royal Society of Chemistry. <https://doi.org/10.1039/9781782623625>
- Noviyanto, A., Amalia, R., Maulida, P. Y. D., Dioktyanto, M., Arrosyid, B. H., Aryanto, D., Zhang, L., Wee, A. T. S., & Arramel, N. (2023). Anomalous Temperature-Induced Particle Size Reduction in Manganese Oxide Nanoparticles. *ACS Omega*, 8(47), 45152–45162. <https://doi.org/10.1021/acsomega.3c08012>
- Omidi, M., Fatehinya, A., Farahani, M., Akbari, Z., Shahmoradi, S., Yazdian, F., Tahriri, M., Moharamzadeh, K., Tayebi, L., & Vashaei, D. (2017). Characterization of biomaterials. Dalam *Biomaterials for Oral and Dental Tissue Engineering* (hlm. 97–115). Elsevier. <https://doi.org/10.1016/B978-0-08-100961-1.00007-4>
- Ong, W.-J., Tan, L.-L., Ng, Y. H., Yong, S.-T., & Chai, S.-P. (2016). Graphitic Carbon Nitride (g-C₃N₄)-Based Photocatalysts for Artificial Photosynthesis and Environmental Remediation: Are We a Step Closer To Achieving Sustainability? *Chemical Reviews*, 116(12), 7159–7329. <https://doi.org/10.1021/acs.chemrev.6b00075>
- Panic, V. V., & Velickovic, S. J. (2014). Removal of model cationic dye by adsorption onto poly(methacrylic acid)/zeolite hydrogel composites: Kinetics, equilibrium study and image analysis. *Separation and Purification Technology*, 122, 384–394. <https://doi.org/10.1016/j.seppur.2013.11.025>
- Pasieczna-Patkowska, S., Cichy, M., & Flieger, J. (2025). Application of Fourier Transform Infrared (FTIR) Spectroscopy in Characterization of Green Synthesized Nanoparticles. Dalam *Molecules* (Vol. 30, Nomor 3). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/molecules30030684>
- Rahdar, A., Aliahmad, M., & Azizi, Y. (2015). NiO Nanoparticles: Synthesis and Characterization. Dalam *JNS* (Vol. 5). www.SID.ir

- Rajalakshmi, D., Gunasekaran, S., Paneerselvam, P. J., & Kostova, I. (2024). Synthesis, characterization, and biomedical potential of nickel oxide and Silver-doped nickel oxide nanoparticles via green synthesis method. *Physica B: Condensed Matter*, 693, 416237. <https://doi.org/10.1016/j.physb.2024.416237>
- Ramesh, T. N., & Kamath, P. V. (2006). Synthesis of nickel hydroxide: Effect of precipitation conditions on phase selectivity and structural disorder. *Journal of Power Sources*, 156(2), 655–661. <https://doi.org/10.1016/j.jpowsour.2005.05.050>
- Ravishankar, T. N., Ananda, A., Shilpa, B. M., & Adarsh, J. R. (2025). Eco-friendly synthesis of NiO and Ag/NiO nanoparticles: Applications in photocatalytic and antibacterial activities. *Royal Society Open Science*, 12(2). <https://doi.org/10.1098/rsos.241733>
- Saeed, M., Albalawi, K., Khan, I., Akram, N., Abd El-Rahim, I. H. A., Alhag, S. K., Ezzat Ahmed, A., & Faiza. (2023). Synthesis of p-n NiO-ZnO heterojunction for photodegradation of crystal violet dye. *Alexandria Engineering Journal*, 65, 561–574. <https://doi.org/10.1016/j.aej.2022.09.048>
- Samrot, A. V., Ali, H. H., Selvarani A, J., Faradjeva, E., P, R., Prakash, P., & Kumar S, S. (2021). Adsorption efficiency of chemically synthesized Superparamagnetic Iron Oxide Nanoparticles (SPIONs) on crystal violet dye. *Current Research in Green and Sustainable Chemistry*, 4. <https://doi.org/10.1016/j.crgsc.2021.100066>
- Sangiorgi, N., Aversa, L., Tatti, R., Verucchi, R., & Sanson, A. (2017). Spectrophotometric method for optical band gap and electronic transitions determination of semiconductor materials. *Optical Materials*, 64, 18–25. <https://doi.org/10.1016/j.optmat.2016.11.014>
- Sankari, G., Krishnamoorthy, E., Jayakumaran, S., Gunasekaran, S., Vishnu Priya, V., Subramaniam, S., Subramaniam, S., & Krishna Mohan, S. (2010). Analysis of serum immunoglobulins using Fourier transform infrared spectral measurements. *Dalam Research Article Biology and Medicine* (Vol. 2, Nomor 3). www.biolmedonline.com
- SENTHILKUMAAR, S., KALAAMANI, P., & SUBBURAAM, C. (2006). Liquid phase adsorption of Crystal violet onto activated carbons derived from male flowers of coconut tree. *Journal of Hazardous Materials*, 136(3), 800–808. <https://doi.org/10.1016/j.jhazmat.2006.01.045>

- Shah, M. P., Patel, K. A., & Nair, S. S. (2013). *Microbiological removal of crystal violet dye by Bacillus subtilis ETL-2211*.
- Shakerimoghaddam, A., Majeed, H. J., Hashim, A. J., Abed, M. J., Jasim, L. S., & Salavati-Niasari, M. (2025). Green synthesis and characterization of NiO/Hydroxyapatite nanocomposites in the presence of peppermint extract and investigation of their antibacterial activities against *Pseudomonas aeruginosa* and *Staphylococcus aureus*. *Results in Chemistry*, 13. <https://doi.org/10.1016/j.rechem.2024.101947>
- Shanmugapriya, B., Sivasankari, G., Kannagi, K., Sankari, P., Kiruthika, R. A., Pavithra, N., Al-Zaharani, A. A., & Sarif, M. (2023). Nickel oxide nanoparticles: Synthesis and characterization for optical studies. *Modern Physics Letters B*, 37(15). <https://doi.org/10.1142/S021798492350046X>
- Shoukat, S., Bhatti, H. N., Iqbal, M., & Noreen, S. (2017). Mango stone biocomposite preparation and application for crystal violet adsorption: A mechanistic study. *Microporous and Mesoporous Materials*, 239, 180–189. <https://doi.org/10.1016/j.micromeso.2016.10.004>
- Shubha, J. P., Savitha, H. S., Patil, R. C., Assal, M. E., Shaik, M. R., Kuniyil, M., Alduhaish, O., Dubasi, N., & Farooq Adil, S. (2023a). A green approach for the degradation of toxic textile dyes by nickel oxide (NiO-SD) NPs: Photocatalytic and kinetic approach. *Journal of King Saud University - Science*, 35(7), 102784. <https://doi.org/10.1016/j.jksus.2023.102784>
- Shubha, J. P., Savitha, H. S., Patil, R. C., Assal, M. E., Shaik, M. R., Kuniyil, M., Alduhaish, O., Dubasi, N., & Farooq Adil, S. (2023b). A green approach for the degradation of toxic textile dyes by nickel oxide (NiO-SD) NPs: Photocatalytic and kinetic approach. *Journal of King Saud University - Science*, 35(7), 102784. <https://doi.org/10.1016/j.jksus.2023.102784>
- Siddique, A. B., Shaheen, M. A., Shafeeq, S., Abbas, A., Zaman, Y., Ishaque, M. Z., & Aslam, M. (2024). Optimization of photodegradation of crystal violet dye and biomedical applications of greenly synthesized NiO nanoparticles. *Materials Advances*, 6(4), 1330–1344. <https://doi.org/10.1039/d4ma01078g>
- Smith, B. C. . (2011). *Fundamentals of Fourier transform infrared spectroscopy* (2nd ed.). CRC Press.

- Soni, A., Harish, Akash, Kumar, V., Mishra, R. K., Gwag, J. S., Poddar, N. K., Singhal, R., Mukhopadhyay, A. K., & Kumar, P. (2023). Optical band gap enhancements of chemically synthesized α -Ni(OH)₂ nanoparticles by a novel technique: Precipitator molarity variation. *Luminescence*, 38(7), 1287–1296. <https://doi.org/10.1002/bio.4398>
- Sun, Z., Wu, B., Ren, Y., Wang, Z., Zhao, C., Hai, M., Weitz, D. A., & Chen, D. (2021). Diverse Particle Carriers Prepared by Co-Precipitation and Phase Separation: Formation and Applications. *ChemPlusChem*, 86(1), 49–58. <https://doi.org/10.1002/cplu.202000497>
- Tansel, B. (2012). Significance of thermodynamic and physical characteristics on permeation of ions during membrane separation: Hydrated radius, hydration free energy and viscous effects. *Separation and Purification Technology*, 86, 119–126. <https://doi.org/10.1016/j.seppur.2011.10.033>
- Thomassen, L. (1940). An X-Ray Investigation of the System Cr₂O₃-NiO¹. *Journal of the American Chemical Society*, 62(5), 1134–1136. <https://doi.org/10.1021/ja01862a037>
- Tissue, B. M. (2012). Ultraviolet and Visible Absorption Spectroscopy. Dalam E. N. Kaufmann (Ed.), *Characterization of Materials* (Vol. 2, hlm. 1–13). John Wiley & Sons.
- Torrent, J., & Barrón, V. (2008). Diffuse Reflectance Spectroscopy. Dalam A. L. Ulery & L. R. Drees (Ed.), *Methods of Soil Analysis: Part 5 Mineralogical Methods* (Vol. 5, hlm. 367–385). Soil Science Society of America. <https://doi.org/10.2136/sssabookser5.5.c13>
- Venkatachalapathy, M., Sambathkumar, K., & Kamal, N. R. (2024). Synthesis and characterization of structural and magnetic properties of Fe doped NiO nanoparticles. *Digest Journal of Nanomaterials and Biostructures*, 19(1), 451–458. <https://doi.org/10.15251/DJNB.2024.191.451>
- Verma, G., & Mishra, M. (2018). DEVELOPMENT AND OPTIMIZATION OF UV-VIS SPECTROSCOPY-A REVIEW. *Govinda et al. World Journal of Pharmaceutical Research*, 7. <https://doi.org/10.20959/wjpr201811-12333>
- Widiastuti, N., Amri, M. F., & Fansuri, H. (2021). Preparasi dan Karakterisasi Membran Gabungan PSf/PEG dengan Variasi Pengisi KTZ dan KTZ Teroksidasi untuk Aplikasi pada Larutan Kristal Violet. *Akta Kimindo*, 6(2), 136–152.

- Wu, X., Pandey, R., Zhang, J., Polo-Garzon, F., Robles Hernandez, F. C., Krishnamoorti, R., & Bollini, P. (2025). Surface Hydration of Porous Nickel Hydroxides Facilitates the Reversible Adsorption of CO₂ from Ambient Air. *JACS Au*, 5(4), 1649–1662. <https://doi.org/10.1021/jacsau.4c01083>
- Zaouche, C. (2023). “Electrical and Magnetic Properties of Nanostructured NiO Thin Films Prepared by Spray Pyrolysis Method.” *Biomedical Journal of Scientific & Technical Research*, 52(3). <https://doi.org/10.26717/bjstr.2023.52.008258>
- Zhang, Z., Ma, Y., Bu, X., Wu, Q., Hang, Z., Dong, Z., & Wu, X. (2018). Facile one-step synthesis of TiO₂/Ag/SnO₂ ternary heterostructures with enhanced visible light photocatalytic activity. *Scientific Reports*, 8(1). <https://doi.org/10.1038/s41598-018-28832-w>