

DAFTAR PUSTAKA

- Akiyama, H., Kosuge, K., & Yamaguchi, T. (2003). Biosystematic studies of the *Dumortiera hirsuta* complex (Hepaticae), 1. Genetic and morphological diversity found in Taiwanese populations. *Bryological Research*, 8(7), 203–213. https://doi.org/10.24474/bryologicalresearch.8.7_203
- Arróniz-Crespo, M., Núñez-Olivera, E., & Martínez-Abaigar, J. (2008). Hydroxycinnamic acid derivatives in an aquatic liverwort as possible bioindicators of enhanced UV radiation. *Environmental Pollution*, 151(1), 8–16. <https://doi.org/10.1016/j.envpol.2007.03.009>
- Asakawa, Y., Ludwiczuk, A., & Nagashima, F. (2012). Chemosystematics of Marchantiophyta. *Progress in the Chemistry of Organic Natural Products*, 639–704. <https://doi.org/10.1007/978-3-7091-1084-3>
- Asakawa, Yoshinori. (2007). Biologically active compounds from bryophytes. *Pure and Applied Chemistry*, 79(4), 557–580. <https://doi.org/10.1351/pac200779040557>
- Bączkiewicz, A., Gonera, P., & Buczkowska, K. (2016). Geographic distribution and new localities for cryptic species of the *Aneura pinguis* complex and *Aneura maxima* in Poland. *Biodiversity Research and Conservation*, 41(1), 1–10. <https://doi.org/10.1515/biorc-2016-0001>
- Barnes, C. R., & Land, W. J. . (1908). *Bryological Papers. II. The Origin of the Cupule of Marchantia*. University of Chicago Press. <https://www.abebooks.com/Bryological-Papers-Origin-Cupule-Marchantia-Barnes/30671329596/bd>
- Bawaihaty, N., Istomo, I., & Hilwan, I. (2014). Keanekaragaman dan Peran Ekologi Bryophyta di Hutan Sesaot Lombok, Nusa Tenggara Barat. *Jurnal Silvikultur Tropika*, 05(1), 13–17. <https://doi.org/10.29244/j-siltrop.5.1.%25p>
- Beattie, A. J., Hay, M., Magnusson, B., de Nys, R., Smeathers, J., & Vincent, J. F. V. (2011). Ecology and bioprospecting. *Austral Ecology*, 36(3), 341–356. <https://doi.org/10.1111/j.1442-9993.2010.02170.x>
- Bechteler, J., Schafer-Verwimp, A., Glenny, D., Cargill, D. C., Maul, K., Schütz, N., Konrat, M. Von, Quandt, D., & Nebel, M. (2021). Molecular Phylogenetics and Evolution The evolution and biogeographic history of epiphytic thalloid liverworts. *Molecular Phylogenetics and Evolution*, 165(107298), 1–16. <https://doi.org/10.1016/j.ympev.2021.107298>
- Bekiari, M. (2023). Suing States: The Role of Courts in Promoting States' Responsibility for Climate Change. In *Sustainable Development Goals Series: Vol. Part F2766*. Springer. https://doi.org/10.1007/978-3-031-24888-7_8
- Besse, P. (1965). Molecular Plant Taxonomy. In *The American Biology Teacher* (Vol. 27, Issue 2). Humana Press. <https://doi.org/10.2307/4440844>

- BMKG. (2023). *Produk-Produk Informasi Iklim*. BMKG Provinsi Jawa Tengah. <https://iklimjateng.info/2023/10/14/produk-produk-informasi-iklim/>
- Bowman, J. L. (2016). Title: A brief history of *Marchantia* from Greece to genomics Downloaded from. *Plant and Cell Physiology*, 2(57), 210–229. <https://doi.org/10.1093/pcp/pcv044>
- Bowman, J. L., Kohchi, T., Yamato, K. T., Jenkins, J., Shu, S., Ishizaki, K., Yamaoka, S., Nishihama, R., Nakamura, Y., Berger, F., Adam, C., Aki, S. S., Althoff, F., Araki, T., Arteaga-Vazquez, M. A., Balasubramanian, S., Barry, K., Bauer, D., Boehm, C. R., ... Schmutz, J. (2017). Insights into Land Plant Evolution Garnered from the *Marchantia polymorpha* Genome. *Cell*, 171(2), 287–304.e15. <https://doi.org/10.1016/j.cell.2017.09.030>
- Brodie, B. Y. H. J. (1951). The splash-cup dispersal mechanism in plants?. *Canadian Journal of Botany*, 29(3), 224–234. <https://doi.org/10.1139/b51-022>
- Bukvicki, D. R., Tyagi, A. K., Gottardi, D. G., Veljic, M. M., Jankovic, S. M., Guerzoni, M. E., & Marin, P. D. (2013). Assessment of the chemical composition and in vitro antimicrobial potential of extracts of the liverwort *Scapania aspera*. *Natural Product Communications*, 8(9), 1313–1316. <https://doi.org/10.1177/1934578x1300800932>
- Cao, J. G., Wang, Q. X., Zou, H. M., Dai, X. L., & Cao, T. (2013). New observations on the morphology and structure of *Marchantia polymorpha* gametophores in sexual reproduction adaptation. *Plant Science Journal*, 31(6), 555–561. <https://doi.org/10.3724/SP.J.1142.2013.60555>
- Casciaro, B., Mangiardi, L., Cappiello, F., Romeo, I., Loffredo, M. R., Iazzetti, A., Calcaterra, A., Goggiamani, A., Ghirga, F., Mangoni, M. L., Botta, B., & Quaglio, D. (2020). Naturally-occurring alkaloids of plant origin as potential antimicrobials against antibiotic-resistant infections. *Molecules*, 25(16), 1–34. <https://doi.org/10.3390/molecules25163619>
- Chaerunnisa, D. (2015). *Bioprospeksi Ekstrak Lumut Hati (Marchantia paleacea) sebagai Antibakteri Proteolitik dari Ikan Tongkol (Euthynnus spp) secara In Vitro* [Universitas Negeri Yogyakarta]. <http://eprints.uny.ac.id/id/eprint/32236>
- Chaovanalikit, A., & Wrolstad, R. E. (2004). Total Anthocyanins and Total Phenolics of Fresh and Processed Cherries and Their Antioxidant Properties. *Journal of Food Science*, 69(1), 0–5. <https://doi.org/10.1111/j.1365-2621.2004.tb17858.x>
- Chen, Q., Wang, X., Yuan, X., Shi, J., Zhang, C., Yan, N., & Jing, C. (2021). Comparison of Phenolic and Flavonoid Compound Profiles and Antioxidant and α -Glucosidase Inhibition Properties of Cultivated Soybean (*Glycine max*) and Wild Soybean (*Glycine soja*). *Plants*, 10(810), 1–14. <https://doi.org/10.3390/plants10040813>
- Claveri, B., Guérol, F., & Pihan, J. C. (1995). Use of transplanted mosses and

- autochthonous liverworts to monitor trace metals in acidic and non-acidic headwater streams (Vosges mountains, France). *Science of the Total Environment*, 175(3), 235–244. [https://doi.org/10.1016/0048-9697\(95\)04849-9](https://doi.org/10.1016/0048-9697(95)04849-9)
- Costa, D. P., Amado-Filho, G. M., Pereira, R. C., Paradas, W. C., Miyataka, H., Okamoto, Y., & Asakawa, Y. (2018). Diversity of Secondary Metabolites in the Liverwort *Syzygiella rubricaulis* (Nees) Stephani (Jamesoniellaceae, Marchantiophyta) from Neotropical High Mountains. *Chemistry and Biodiversity*, 15(9), 1–15. <https://doi.org/10.1002/cbdv.201800239>
- Crandall-Stotler, B. J., Forrest, L. L., & Stotler, R. E. (2005). Evolutionary trends in the simple thalloid liverworts (Marchantiophyta, Jungermanniopsida subclass Metzgeriidae). *Taxon*, 54(2), 299–316. <https://doi.org/10.2307/25065359>
- Crandall-Stotler, B., Stotler, R. E., & Long, D. G. (2008). Morphology and classification of the Marchantiophyta (Bryophyte Biology). In *Cambridge University Press* (Second). Cambridge University Press. <https://doi.org/10.1017/CBO9780511754807.002>
- Crandall-Stotler, B., Stotler, R. E., & Long, D. G. (2009). Phylogeny and classification of the marchantiophyta. *Edinburgh Journal of Botany*, 66(1), 155–198. <https://doi.org/10.1017/S0960428609005393>
- Damayanti, I., Nurbambang, A., & Soeprbowati, T. R. (2021). Plant diversity of petungkriyono forest of dieng plateau, central java, indonesia. *Biodiversitas*, 22(8), 3497–3507. <https://doi.org/10.13057/biodiv/d220849>
- Devi, S. F. (2021). *Analisis Variasi Morfologi Cicak Jari Lengkung (Genus Cyrtodactylus) di Jawa Timur*. Universitas Islam Negeri Maulana Malik Ibrahim.
- Devos, N., Renner, M. A. M., Robbert Gradstein, S., Shaw, J., & Vanderpoorten, A. (2011). Molecular data challenge traditional subgeneric divisions in the leafy liverwort *Radula*. *Taxon*, 60(6), 1623–1632. <https://doi.org/10.1002/tax.606007>
- Dewi, E. R. S., Nurgroho, A. S., & Ulfah, M. (2020). Types of Epiphytic Orchids and Host Plants on Ungaran Mountain Limbangan Kendal Central Java and Its Potential As Orchid Conservation Area. *International Journal of Conservation Science*, 11(1), 117–124. www.ijcs.uaic.ro
- Dewi, N. P. (2020). Uji Kualitatif dan Kuantitatif Metabolit Sekunder Ekstrak Etanol Daun Awar-Awar (*Ficus septica* Burm. f) dengan Metode Spektrofotometer UV-VIS. *Acta Holis Pharm*, 2(1), 16–24. <https://ojs.farmasimahaganesha.ac.id/index.php/AHP/article/download/20/20>
- Dhianawaty, D., Atik, N., Dwiwina, R. G., & Muda, I. (2022). Preliminary Identification and Quantification of Four Secondary Metabolites, Total Tannin and Total Flavonoid Contents in Guava Fruit Ethanol Extract. *Pharmacognosy Journal*, 14(2), 350–357.

<https://doi.org/10.5530/pj.2022.14.45>

- Duckett, J. G., Ligrone, R., Renzaglia, K. S., & Pressel, S. (2014). Pegged and smooth rhizoids in complex thalloid liverworts (Marchantiopsida): Structure, function and evolution. *Botanical Journal of the Linnean Society*, 174(1), 68–92. <https://doi.org/10.1111/boj.12121>
- Dwiartama, A., Purnamahati, R. R., & Pramudya, A. D. (2020). *Policy Brief: Direction of bioprospecting development in Indonesia*. KEHATI dan SITH ITB.
- Ekalu, A., & Habila, J. D. (2020). Flavonoids: isolation, characterization, and health benefits. *Journal of Basic and Applied Sciences*, 9(45), 1–14.
- Eman, M., Sari, A. P., & Ariandi. (2022). Studi Keanekaragaman Lumut (Bryophyta) Di Kawasan Hutan Desa Taupe, Kecamatan Mamasa, Kabupaten Mamasa, Sulawesi Barat. *Jurnal Pendidikan Biologi ...*, 9(1), 85–94.
<https://ejournal.undiksha.ac.id/index.php/JJPB/article/view/41028%0Ahttps://ejournal.undiksha.ac.id/index.php/JJPB/article/viewFile/41028/21499>
- Ergiana, H., Wiryani, E., & Jumari. (2013). Bryoflora Terrestrial Di Zona Tropik Gunung Ungaran, Jawa Tengah. *Jurnal Biologi*, 2(1), 65–71.
- Ergina, Nuryanti, S., & Pursitasari, I. D. (2014). Uji Kualitatif Senyawa Metabolit Sekunder Pada Daun Palado (*Agave angustifolia*) Yang Diekstraksi Dengan Pelarut Air Dan Etanol Qualitative Test of Secondary Metabolites Compounds in Palado Leaves (*Agave Angustifolia*) Extracted With Water and Ethanol. *Jurnal Akademika Kimia*, 3(3), 165–172.
- Fachry, A. R., Sastrawan, R. A., & Svingkoe, G. (2012). Kondisi Optimal Proses Ekstraksi Tanin dari Daun Jambu Biji Menggunakan Pelarut Etanol. *Prosiding Seminar Nasional Teknologi Oleo Dan Petrokimia Indonesia (TOPI)*, 69–73. <https://repository.unsri.ac.id/16581/>
- Fadhilla, R., Iskandar, E. A. P., & Kusumaningrum, D. H. (2012). Aktivitas Antibakteri Ekstrak Tumbuhan Lumut Hati (*Marchantia paleacea*) Terhadap Bakteri Patogen Dan Perusak Pangan. *Jurnal Teknologi Dan Industri Pangan*, 23(2), 126–131. <https://doi.org/10.6066/jtip.2012.23.2.126>
- Febriansah, R., Setyowati, E., & Fauziah, A. (2019). Identifikasi Keanekaragaman Marchantiophyta Di Kawasan Air Terjun Parangkikis Pagerwojo Tulungagung. *Jurnal Biologi Dan Pembelajarannya*, 6(2), 17–21. <https://doi.org/10.29407/jbp.v6i2.14795>
- Fernandes, R. S., Silva, J. A. dos S., Ottoni, F. P., & Costa, D. P. d. (2021). Diversity of Thalloid Liverworts in Brazilian Savanna of Parque Nacional Da Chapada Das Mesas, Maranhão, Brazil. *Check List*, 17(1), 45–58. <https://doi.org/10.15560/17.1.45>
- Fischer, E. (2014). *Liverworts and Hornworts of Rwanda* (14th ed.). Abc Taxa. <http://www.abctaxa.be/volumes/volume-14-liverworts-and-hornworts->

rwanda

- Forrest, L. L., Allen, N. S., Gudiño, J. A., Korpelainen, H., & Long, D. G. (2011). Molecular and morphological evidence for distinct species in *Dumortiera* (Dumortieraceae). *Bryologist*, *114*(1), 102–115. <https://doi.org/10.1639/0007-2745-114.1.102>
- Forrest, L. L., & Crandall-Stotler, B. J. (2005). Progress towards a robust phylogeny for the liverworts, with particular focus on the simple thalloids. *Journal of the Hattori Botanical Laboratory*, *159*(97), 127–159.
- Forrest, L. L., Davis, E. C., Long, D. G., Crandall-Stotler, B. J., Clark, A., & Hollingsworth, M. L. (2006). Unraveling the evolutionary history of the liverworts (Marchantiophyta): Multiple taxa, genomes and analyses. *Bryologist*, *109*(3), 303–334. [https://doi.org/10.1639/0007-2745\(2006\)109\[303:UTEHOT\]2.0.CO;2](https://doi.org/10.1639/0007-2745(2006)109[303:UTEHOT]2.0.CO;2)
- Forrest, L. L., Schuette, S. W., Crandall-Stotler, B. J., & Stotler, R. E. (2005). A molecular study of the simple thalloid liverwort *Jensenia* (Marchantiophyta, Pallaviciniaceae). *Bryologist*, *108*(2), 204–211. [https://doi.org/10.1639/0007-2745\(2005\)108\[0204:AMSOTS\]2.0.CO;2](https://doi.org/10.1639/0007-2745(2005)108[0204:AMSOTS]2.0.CO;2)
- Fraga-Corral, M., Otero, P., Echave, J., Garcia-Oliveira, P., Carpena, M., Jarboui, A., Nuñez-Estevez, B., Simal-Gandara, J., & Prieto, M. A. (2021). By-products of agri-food industry as tannin-rich sources: A review of tannins' biological activities and their potential for valorization. *Foods*, *10*(1), 1–22. <https://doi.org/10.3390/foods10010137>
- Friadi, R., & Junadhi, J. (2019). Sistem Kontrol Intensitas Cahaya, Suhu dan Kelembaban Udara Pada Greenhouse Berbasis Raspberry PI. *Journal of Technopreneurship and Information System (JTIS)*, *2*(1), 30–37. <https://doi.org/10.36085/jtis.v2i1.217>
- Fuselier, L., Davison, P. G., Clements, M., Shaw, B., Devos, N., Heinrichs, J., Hentschel, J., Sabovljevic, M., Szövényi, P., Schuette, S., Hofbauer, W., & Shaw, A. J. (2009). Phylogeographic analyses reveal distinct lineages of the liverworts *Metzgeria furcata* (L.) Dumort. and *Metzgeria conjugata* Lindb. (Metzgeriaceae) in Europe and North America. *Biological Journal of the Linnean Society*, *98*(4), 745–756. <https://doi.org/10.1111/j.1095-8312.2009.01319.x>
- Gebrekidan, M., Redi-Abshiro, M., Chandravanshi, B., Ele, E., Mohammed, A., & Mamo, M. (2019). Influence of Altitudes of Coffee Plants on the Alkaloids Contents of Green Coffee Beans. *Chemistry Internasional*, *5*(4), 247–257. <https://doi.org/10.2139/ssrn.3407495>
- Glime, J. M. (2017). *Meet the Bryophytes* (Vol. 1, Issue June). Michigan Technological University and the International Association of Bryologists. <http://digitalcommons.mtu.edu/bryophyte-ecology>
- Glime, J. M. (2021). *Aquatic and Wet Marchantiophyta*. Michigan Technological University. <https://digitalcommons.mtu.edu/bryo-ecol-subchapters/236/>

- Goffinet, B. (2019). *Bryophyte Phylogeny Poster*. Bryology.Uconn.Edu. <http://bryology.uconn.edu/2019/03/07/new-bryophyte-phylogeny-poster/#>
- Goffinet, B. and A. J. S. (2009). *Bryophyte Biologi* (2nd ed.). Cambridge University Press.
- Goffinet, B., & Shaw, A. J. (2009). *Bryophyte Biology* (Second). Cambridge University Press.
- Goh, H. H., Khairudin, K., Sukiran, N. A., Normah, M. N., & Baharum, S. N. (2016). Metabolite profiling reveals temperature effects on the VOCs and flavonoids of different plant populations. *Plant Biology*, 18, 130–139. <https://doi.org/10.1111/plb.12403>
- González-Madariaga, Y., Mena-Linares, Y., Martín-Monteagudo, D., Valido-Díaz, A., Guerra-de-León, J. O., & Nieto-Reyes, L. (2020). In vivo anti-inflammatory effect of saponin-enriched fraction from *Agave brittoniana* Trel subspecies *brachypus*. *Ars Pharmaceutica*, 61(4), 231–237. <https://doi.org/10.30827/ars.v61i4.15352>
- Gradstein, S. R. (2011). *Guide to the Liverworts and Hornworts of Java*. Southeast Asian Regional Centre for Tropical Biology.
- Green, T. G. A., & Snelgar, W. P. (1982). A comparison of photosynthesis in two thalloid liverworts. *Oecologia*, 54, 275–280. <https://doi.org/10.1007/BF00377190>
- Gunathilaka, M. D. K. L. (2019). A Review of Bryophytes; Evolution, Value and Threats. *International Journal of Scientific and Research Publications (IJSRP)*, 9(5), p8946. <https://doi.org/10.29322/ijsrp.9.05.2019.p8946>
- Haekal, M., Hamidy, A., Yudha, D. S., & Eprilurahman, R. (2020). Sistematika Kongkang Jeram *Huia masonii* (Boulenger, 1884) Berdasarkan Karakter Morfologi. , 22(2), 161-169. *Bioma: Berkala Ilmiah Biologi*, 22(2), 161–169.
- Haerida, I. (2017). Liverworts of Bali, Indonesia, with new records to the island. *Gardens' Bulletin Singapore*, 69(1), 81–87. [https://doi.org/10.26492/gbs69\(1\).2017-05](https://doi.org/10.26492/gbs69(1).2017-05)
- Haerida, Ida, & Gradstein, S. R. (2012). Liverworts (Marchantiophyta) of Mt. Halimun Salak National Park, West Java (Indonesia) and the rediscovery of *Treubia* in Java. *Hikobia*, 16(2), 203–209. <http://ci.nii.ac.jp/naid/40019546921/en/>
- Halimu, R. B., Sulistijowati, R. S., & Mile, L. (2017). Identifikasi kandungan tanin pada *Sonneratia alba*. *Nike: Jurnal Ilmiah Perikanan Dan Kelautan*, 5(4), 93–97.
- Hallingback, T., & Hodgetts, N. (2000). *Status Survey and Conservation Action Plan for Bryophytes Mosses, Liverworts, and Hornworts*. Oxford University Press.
- Hana M, C., Sunyoto, & Rohmat, N. (2018). Penetapan Kadar Tanin Dari Kulit

- Buah Pisang Raja Masak (*Musa paradisiaca* L.) Secara Spektrofotometri UV-Vis. *MOTORIK Jurnal Ilmu Kesehatan*, 13(1), 28–39. <https://doi.org/10.61902/motorik.v13i1.6>
- Haq, I. U., Imran, M., Nadeem, M., Tufail, T., Gondal, T. A., & Mubarak, M. S. (2020). Piperine: A review of its biological effects. *Phytotherapy Research*, 35(2), 1–21. <https://doi.org/10.1002/ptr.6855>
- Harkusha, E. (2024). *Cuaca Gunung Ungara Semarang*. https://weawow.com/id/c9621450#google_vignette
- Hassan, F. U., Arshad, M. A., Li, M., Rehman, M. S. U., Loor, J. J., & Huang, J. (2020). Potential of mulberry leaf biomass and its flavonoids to improve production and health in ruminants: Mechanistic insights and prospects. *Animals*, 10(11), 1–24. <https://doi.org/10.3390/ani10112076>
- Hassanpour, S., Maheri-Sis, N., Eshratkhah, B., & Mehmandar, F. B. (2011). Plants and secondary metabolites (Tannins): A Review. *International Journal of Forest, Soil and Erosion*, 1(1), 47–53.
- He-Nygre, X., Juslen, A., Ahonen, I., Glenney, D., & Piippo, S. (2006). Illuminating the evolutionary history of liverworts (Marchantiophyta)—towards a natural classification. *Cladistics*, 22, 1–31.
- He, X., Sun, Y., & Zhu, R. L. (2013). The Oil Bodies of Liverworts: Unique and Important Organelles in Land Plants. *Critical Reviews in Plant Sciences*, 32(5), 293–302. <https://doi.org/10.1080/07352689.2013.765765>
- Heinrichs, J., Gradstein, S. R., Wilson, R., & Schneider, H. (2005). Towards a Natural Classification of Liverworts (Marchantiophyta) based on the Chloroplast Gene *rbcl*. *Cryptogamie Bryologie*, 26(2), 131–150. <https://publications.goettingen-research-online.de/handle/2/53204>
- Herman, W. (2020). *Analisis keragaman morfologi kapulauan (Nephelium ramboutan-ake (Labill.) Leenh) di Pelawan* [Universitas Islam Riau]. <https://repository.uir.ac.id/12906/1/144110161.pdf>
- Huang, S. F., Chang, C. H., Liu, C. C., & Chiu, Y. P. (2012). Notes on the *Wiesnerella denudata* (Mitt.) Steph. (Wiesnerellaceae, Hepaticae) in Taiwan. *Taiwania*, 57(3), 318–321. <https://taiwania.ntu.edu.tw/pdf/tai.2012.57.318.pdf>
- Huang, W., Wang, Y., Tian, W., Cui, X., Tu, P., Li, J., Shi, S., & Liu, X. (2022). Biosynthesis Investigations of Terpenoid, Alkaloid, and Flavonoid Antimicrobial Agents Derived from Medicinal Plants. *Antibiotics*, 11(1380), 1–32. <https://doi.org/10.3390/antibiotics11101380>
- Hutasuhut, D. A., Aspriyanto, D., Arya, I. W., & Firdaus, K. (2022). Uji Fitokimia Kualitatif Dan Kuantitatif Ekstrak Kulit Buah Rambai (*Baccaurea Motleyana*) Konsentrasi 100 %. *Jurnal Kedokteran Gigi*, 6(2), 97–102. <https://ppjp.ulm.ac.id/journal/index.php/dnt/article/view/6394>
- J.G., D., & Pressel, S. (2006). reproductive biology of *Marchantia* at Thursley

- Common. *FieldBryology*, 8(97), 1–10.
- Jantwal, A., Rana, M., Joshi Rana, A., Upadhyay, J., Durgapal, S., & Arvind Jantwal, C. (2019). Pharmacological potential of genus *Marchantia*: A Review. *Journal of Pharmacognosy and Phytochemistry*, 8(2), 641–645.
- Jian-bo, X., Fenglian, R., & Xu, M. (2005). Anti-Hepatitis B Virus Activity of Flavonoids from *Marchantia Convoluta*. *Iranian Journal Of Pharmacology & Therapeutics*, 4(2), 128–131. <https://doi.org/1735-2657/05/42-128-131>
- Jolliffe, I. T. (2002). *Principal Component Analysis 2nd Ed.* Springer.
- Jones, V. A. S., & Dolan, L. (2012). The evolution of root hairs and rhizoids. *Annals of Botany*, 110(2), 205–212. <https://doi.org/10.1093/aob/mcs136>
- Julianti, R. F., Nurchayati, Y., & Setiari, N. (2021). Produksi Flavonoid Pada Kalus Tomat (*Lycopersicon esculentum* Mill.). *Metamorfosa: Journal of Biological Sciences*, 8(1), 141–149. <https://doi.org/10.24843/metamorfosa.2021.v08.i01.p15>
- Karim, A., Adnan, J., & Irmawati. (2022). Determination of total alkaloid content of purple leaf ethanol extract (*Graptophyllum pictum* L.) by UV-Vis spectrophotometry method. *Journal Pharmacy Of Pelamonia*, 2(2), 42–47.
- Katagiri, T., & Shinden, H. (2020). Discovery of a simple thalloid liverwort *Metzgeriites kujiensis* (Metzgeriaceae), a new species from Late Cretaceous Japanese amber. *Hattoria*, 11, 13–21.
- Khairunnisa. (2021). Penetapan Kadar Fenolik Dan Tanin Total Dan Analisis Aktivitas Antioksidan Pada Jamur Merang (*Volvariella volvacea* Bull.) Dengan Metode DPPH. In *Fakultas Kedokteran dan Ilmu Kesehatan*. UIN Alauddin Makassar.
- Kim, D. O., Chun, O. K., Kim, Y. J., Moon, H. Y., & Lee, C. Y. (2003). Quantification of Polyphenolics and Their Antioxidant Capacity in Fresh Plums. *Journal of Agricultural and Food Chemistry*, 51(22), 6509–6515. <https://doi.org/10.1021/jf0343074>
- Kopp, T., Abdel-tawab, M., & Mizaikoff, B. (2020). Extracting and Analyzing Pyrrolizidine Alkaloids in Medicinal Plants : A Review. *Toxins*, 12, 1–35. <https://doi.org/10.3390/toxins12050320>
- Kovach, W. L. (2007). *MVSP - A MultiVariate Statistical Package for Windows, ver. 3.1.* Kovach Computing Services.
- Ku, Y. S., Ng, M. S., Cheng, S. S., Lo, A. W. Y., Xiao, Z., Shin, T. S., Chung, G., & Lam, H. M. (2020). Understanding the composition, biosynthesis, accumulation and transport of flavonoids in crops for the promotion of crops as healthy sources of flavonoids for human consumption. *Nutrients*, 12(6), 1–23. <https://doi.org/10.3390/nu12061717>
- Kulshrestha, S., Jibrán, R., Klink, J. W. van, Zhou, Y., Brummell, D. A., Albert, N. W., Schwinn, K. E., Chagné, D., Landi, M., Bowman, J. L., & Davies, K.

- M. (2022). Stress, Senescence, and Specialized Metabolites in Bryophytes. *Journal of Experimental Botany*, 73(13), 4396–4411. <https://doi.org/10.1093/jxb/erac085>
- Laddha, A. P., & Kulkarni, Y. A. (2019). Tannins and vascular complications of Diabetes: An update. *Phytomedicine*, 56, 229–245. <https://doi.org/10.1016/j.phymed.2018.10.026>
- Lang, P., & Murphy, K. J. (2012). Environmental drivers, life strategies and bioindicator capacity of bryophyte communities in high-latitude headwater streams. *Hydrobiologia*, 679(1), 1–17. <https://doi.org/10.1007/s10750-011-0838-6>
- Lee, G. E., & Gradstein, S. R. (2021). *Guide to the genera of liverworts and hornworts of Malaysia*. Hattori Botanical Laboratory.
- Lei, F., Liu, X., Huang, H., Fu, S., Zou, K., Zhang, S., Zhou, L., Zeng, J., Liu, H., Jiang, L., Miao, B., & Liang, Y. (2021). The *Macleaya cordata* Symbiont: Revealing the Effects of Plant Niches and Alkaloids on the Bacterial Community. *Frontiers in Microbiology*, 12, 1–13. <https://doi.org/10.3389/fmicb.2021.681210>
- Lianah, L., Kusumarini, N., Rochmah, F., Orsida, F., Mukhlisi, M., Ahmad, M. U., & Nadhifah, A. (2021). Bryophyte Diversity in Mount Prau, Blumah Village, Central Java. *Jurnal Biodjati*, 6(1), 23–35. <https://doi.org/10.15575/biodjati.v6i1.11693>
- Long, D. G. (2006). New Higher Taxa Of Complex Thalloid Liverworts (Marchantiophyta – Marchantiopsida). *Edinburgh Journal Of Botany*, 63(2 & 3), 257–262. <https://doi.org/10.1017/S0960428606000606>
- Ludwiczuk, A., & Asakawa, Y. (2015). Chemotaxonomic value of essential oil components in liverwort species. A review. *Flavour and Fragrance Journal*, 30(3), 189–196. <https://doi.org/10.1002/ffj.3236>
- Ludwiczuk, A., & Asakawa, Y. (2021). Chemical Diversity of Liverworts From *Frullania* Genus. *Natural Product Communications*, 16(2), 1–14. <https://doi.org/10.1177/1934578X21995381>
- Lukitasari, M. (2019). *Mengenal Tumbuhan Lumut (Bryophyta) Deskripsi, Klasifikasi, Potensi dan Cara Mempelajarinya (Pertama)*. CV AE MEDIA GRAFIKA.
- Luo, Z., Xu, W., Zhang, Y., Di, L., & Shan, J. (2020). A review of saponin intervention in metabolic syndrome suggests further study on intestinal microbiota. *Pharmacological Research*, 160, 1–12. <https://doi.org/10.1016/j.phrs.2020.105088>
- Marimuthu, S., Antonisamy, A. J., Malayandi, S., Rajendran, K., Tsai, P. C., Pugazhendhi, A., & Ponnusamy, V. K. (2020). Silver nanoparticles in dye effluent treatment: A review on synthesis, treatment methods, mechanisms, photocatalytic degradation, toxic effects and mitigation of toxicity. *Journal*

- of Photochemistry and Photobiology B: Biology*, 205(August 2019), 111823. <https://doi.org/10.1016/j.jphotobiol.2020.111823>
- Melo, L. F. M. de, Aquino-Martins, V. G. de Q., Silva, A. P. da, Rocha, H. A. O., & Scortecchi, K. C. (2023). Biological and pharmacological aspects of tannins and potential biotechnological applications. *Food Chemistry*, 414, 1–5. <https://doi.org/10.1016/j.foodchem.2023.135645>
- Meyer, M., Seibt, U., & Griffiths, H. (2008). To concentrate or ventilate? Carbon acquisition, isotope discrimination and physiological ecology of early land plant life forms. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 363(1504), 2767–2778. <https://doi.org/10.1098/rstb.2008.0039>
- Mežaka, A., Irbe, I., & Stepanova, D. (2023). Assessment of Rare Epiphytic Liverwort Transplantation Method in Populus Tremula Forest. *Proceedings of the 14th International Scientific and Practical Conference*, 1, 136–139.
- Mishra, S., Sarkar, U., Taraphder, S., Datta, S., Swain, D., Saikhom, R., Panda, S., & Laishram, M. (2017). Multivariate Statistical Data Analysis- Principal Component Analysis (PCA). *International Journal of Livestock Research*, 7(5), 60–78. <https://doi.org/10.5455/ijlr.20170415115235>
- Munawaroh, Z. (2017). Uji Aktivitas Antibakteri Ekstrak Kapang Endofit dari Lumut Hati Marchantia emarginata Reinw., Blume & Nees. In *UIN Syarif Hidayatullah Jakarta*. UIN SYARIF HIDAYATULLAH JAKARTA.
- Muruganathan, N., Dhanapal, A. R., Baskar, V., Muthuramalingam, P., Selvaraj, D., Aara, H., Abdullah, M. Z. S., & Sivanesan, I. (2022). Recent Updates on Source , Biosynthesis , and Therapeutic Potential of Natural Flavonoid Luteolin : A Review. *Metabolites*, 12(1145), 1–18. <https://doi.org/10.3390/metabo12111145>
- Mustafa, A. M., Abouelenein, D., Acquaticci, L., Alessandrini, L., Angeloni, S., Borsetta, G., Caprioli, G., Nzekoue, F. K., Sagratini, G., & Vittori, S. (2022). Polyphenols, Saponins and Phytosterols in Lentils and Their Health Benefits: An Overview. *Pharmaceuticals*, 15(10), 1–23. <https://doi.org/10.3390/ph15101225>
- Nguyen, L. T., Fărcaș, A. C., Socaci, S. A., Tofană, M., Diaconeasa, Z. M., Pop, O. L., & Salanță, L. C. (2020). An Overview of Saponins – A Bioactive Group. *Bulletin of University of Agricultural Sciences and Veterinary Medicine Cluj-Napoca. Food Science and Technology*, 77(1), 25–36. <https://doi.org/10.15835/buasvmcn-fst:2019.0036>
- Ningtyas, R. D. (2020). Pengembangan Sensor Berbasis kertas (Paper Microzone Plates) Untuk Penentuan Tanin Pada Ekstrak Tanaman Obat. In *Digital Repository Universitas Jember*. Universitas Jember.
- Nofita, D., & Dewangga, R. (2022). Optimasi Perbandingan Pelarut Etanol Air Terhadap Kadar Tanin pada Daun Matoa (Pometia pinnata J.R & G. Forst) Secara Spektrofotometri. *Chimica et Natura Acta*, 9(3), 102–106.

<https://doi.org/10.24198/cna.v9.n3.36768>

- Norden, B., Gardeinnet, A., Priou, J.-P., & Döbbeler, P. (2015). Bryocentria hypothallina (Hypocreales) – a new species on Metzgeria furcata Björn. *Ascomycete.Org*, 7(4), 121–124.
- Nugroho, A. S., Dewi, E. R. S., & Ulfah, M. (2020). Aklimatisasi beberapa jenis anggrek gunung ungaran pada konservasi secara eksitu di Desa Ngesrep Balong Kecamatan Limbangan Kabupaten Kendal. *Seminar Nasional Hasil Penelitian (SNHP) Lembaga Penelitian Dan Pengabdian Kepada Masyarakat*, 3(2), 236–245. <http://www.tjyybjb.ac.cn/CN/article/downloadArticleFile.do?attachType=PDF&id=9987>
- Nurzaman, M., Setiawati, T., Hasan, R., Qotrunnada, N. K., Kusmoro, J., Permadi, N., & Julaha, E. (2024). The phenetic relationship of citrus plants based on the morphological and anatomical characteristics. *Biodiversitas*, 25(3), 1201–1213. <https://doi.org/10.13057/biodiv/d250336>
- Ozenoglu, H., & Kirmaci, M. (2018). Morphological, Anatomical and Reproductive Differences between Riccia cavernosa Hoffm. and Riccia crystallina L. in the Liverwort Flora of Turkey. *Anatolian Bryology*, 4(2), 79–83. <https://doi.org/10.26672/anatolianbryology.465122>
- Pane, E. R. (2013). Uji Aktivitas Senyawa Antioksidan dari Ekstrak Metanol Kulit Pisang Raja (*Musa paradisiaca* Sapientum). *Jurnal Kimia VALENSI*, 3(2), 76–81. <https://doi.org/10.15408/jkv.v3i2.502>
- Parmar, T. K., Rawtani, D., & Agrawal, Y. K. (2016). Bioindicators: the natural indicator of environmental pollution. *Frontiers in Life Science*, 9(2), 110–118. <https://doi.org/10.1080/21553769.2016.1162753>
- Paryono, A., Rusmiyanto, E. P., & Mukarlina. (2017). Inventarisasi Lumut Hati Bertalus Kompleks (Kelas Marchantiopsida) di Taman Kota Pontianak. *Jurnal Protobiont*, 6(2), 16–21.
- Pasaribu, P. O., Hafidhuddin, I., Darmawan, A. M., Arnelya, A., Putri, M., Asharo, R. K., Priambodo, R., & Rizkawati, V. (2022). Identifikasi Lumut di Kawasan Taman Nasional Situ Gunung Sukabumi. *Jurnal Pendidikan Mipa*, 12(2), 165–169. <https://doi.org/10.37630/jpm.v12i2.567>
- Pasaribu, T., Astuti, D. A., Wina, E., Sumiati, & Setiyono, A. (2014). Saponin Content of Sapindus rarak Pericarp Affected by Particle Size and Type of Solvent, its Biological Activity on Eimeria tenella Oocysts. *International Journal of Poultry Science*, 13(6), 347–352. <https://doi.org/10.3923/ijps.2014.347.352>
- Patel, R. K., Patel, J. B., & Trivedi, P. D. (2015). Spectrophotometric method for the estimation of total alkaloids in the *Tinospora cordifolia* M. and its herbal formulations. *International Journal of Pharmacy and Pharmaceutical Sciences*, 7(10), 249–251.

- Piippo, S., & Koponen, T. (2013). Bryophyte flora of Hunan Province, China. 16. Complex thalloids (Marchantiopsida, Hepaticae). *Polish Botanical Journal*, 58(1), 179–192. <https://doi.org/10.2478/pbj-2013-0017>
- Polski, M. (2005). The Institutional Economics of Biodiversity, Biological Materials, and Bioprospecting. *Ecological Economics*, 53(4), 543–557. <https://doi.org/10.1016/j.ecolecon.2004.09.024>
- Prasgi, H. C., Pratama, D. S. B., Kapitarauw, A. G. P. C., & Kasmiyati, S. (2021). Analisis Hubungan Kekerbatan Fenetik serta Potensi Kegunaan Varietas *Portulaca oleracea* dan *Portulaca grandiflora* di Desa Grogol, Kelurahan Dukuh, Kota Salatiga. *Jurnal MIPA*, 11(1), 6. <https://doi.org/10.35799/jm.v11i1.35054>
- Pressel, S., Bidartondo, M. I., Field, K. J., & Duckett, J. G. (2021). Advances in Understanding of Mycorrhizal-Like Associations in Bryophytes. *Bryophyte Diversity and Evolution*, 43(1). <https://doi.org/10.11646/bde.43.1.20>
- Prijono, S. N. (2010). *Indonesia Negara Mega Biodiversity di Dunia*. LIPI. <http://lipi.go.id/berita/indonesia-negara-mega-biodiversity-di-dunia-/5181>
- Printarakul, N., & Meeinkuirt, W. (2022). The Bryophyte Community as Bioindicator of Heavy Metals in a Waterfall Outflow. *Scientific Reports*, 12. <https://doi.org/10.1038/s41598-022-10980-9>
- Pushpangadan, P., George, V., Parambil Ijnu, T., & Ambika Chithra, M. (2018). Biodiversity, Bioprospecting, Traditional Knowledge, Sustainable Development and Value Added Products: A Review. *Journal of Traditional Medicine & Clinical Naturopathy*, 07(01), 1–7. <https://doi.org/10.4172/2573-4555.1000256>
- Putra, R. D. P. (2017). Ekstraksi Kandungan Tanin Pada Daun jambu Biji (*psidii folium*) Dengan Metode Microwave Assisted Extraction (MAE) [Universitas Brawijaya]. In *Repository Universitas Brawijaya*. <http://repository.ub.ac.id/10890/>
- Putri, I. K., Haerida, I., Setyati, D., Nadhifah, A., & Ulum, F. B. (2024). Liverworts (Marchantiophyta) of Ireng-ireng forest Bromo Tengger Semeru National Park, east Java Indonesia. *BIO Web of Conferences*, 101. <https://doi.org/10.1051/bioconf/202410103001>
- Putri, S. A., Mawarni, S., & Supriatna, A. (2023). Identifikasi Bryophyta di Kawasan Taman Hutan Raya Ir. H. Djuanda. *Jurnal Riset Rumpun Ilmu Tanaman*, 2(1), 131–142. <https://doi.org/10.55606/jurrit.v2i1.1461>
- Quadroni, S., De Santis, V., Carosi, A., Vanetti, I., Zaccara, S., & Lorenzoni, M. (2023). Past and Present Environmental Factors Differentially Influence Genetic and Morphological Traits of Italian Barbels (Pisces: Cyprinidae). *Water (Switzerland)*, 15(2), 1–19. <https://doi.org/10.3390/w15020325>
- Rabeau, L., Gradstein, S. R., Dubuisson, J. Y., Nebel, M., Quandt, D., & Reeb, C. (2017). New insights into the phylogeny and relationships within the

- worldwide genus *Riccardia* (Aneuraceae, Marchantiophytina). *European Journal of Taxonomy*, 273, 1–26. <https://doi.org/10.5852/ejt.2017.273>
- Radford, A. E. (1986). *Fundamentals of plant systematics*. Harper & Row.
- Rahayu, D. A., & Jannah, M. (2019). *Dna Barcode Hewan Dan Tumbuhan Indonesia*. Yayasan Inspirasi Ide Berdaya.
- Rahayuningsih, M., Martuti, N. K. T., Kartikasari, D., & Nazar, L. (2022). Potential High Conservation Value of Mount Ungaran as a Step-stone for Essential Ecosystem Area Plan. *Proceedings of the 7th International Conference on Biological Science*, 22, 513–518. <https://doi.org/10.2991/absr.k.220406.072>
- Rahmadani, G. S., Triastinurmiatiningsih, & Nadhifah, A. (2023). Eksplorasi Lumut Hati (Marchantiophyta) Pada Genus *Cyathodium* di Kebun Raya Cibodas. *Ekologia Jurnal Ilmiah Ilmu Dasar Dan Lingkungan Hidup*, 23(1), 11–20. <https://doi.org/10.33751/ekologia.v23i1.6139>
- Raihan, C., Nurasih, & Zahara, N. (2018). Keanekaragaman Tumbuhan Lumut (Bryophyta) di Air Terjun Peucari Jantho Kabupaten Aceh Besar. *Prosiding Seminar Nasional Biotik*, 5(2), 439–451. <https://doi.org/10.22373/pbio.v6i1.4282>
- Rajput, A., Sharma, R., & Bharti, R. (2021). Pharmacological activities and toxicities of alkaloids on human health. *Materials Today: Proceedings*, 48, 1407–1415. <https://doi.org/10.1016/j.matpr.2021.09.189>
- Ramdani, D., Yuniarti, E., Jayanegara, A., & Chaudhry, A. S. (2023). Roles of Essential Oils, Polyphenols, and Saponins of Medicinal Plants as Natural Additives and Anthelmintics in Ruminant Diets: A Systematic Review. *Animals*, 13(4), 1–35. <https://doi.org/10.3390/ani13040767>
- Retnowati, A., Rugayah, Rahajoe, J. S., & Arifiani, D. (2019). *Status Keanekaragaman Hayati Indonesia Kekayaan Jenis Tumbuhan dan Jamur Indonesia (Pertama)*. LIPI Press.
- Rianti, A., Ulfah, A. H., Nursamsyah, C., Yusuf, I. R., & Kurniati, T. (2019). Keanekaragaman Lumut (Byophyta) di UIN Sunan Gunung Djati Bandung Kampus 2. *Prospek Agroteknologi*, 8(2), 81–89. <https://jurnal.unpal.ac.id/index.php/agroteknologi/article/view/541/474>
- Roy, A., Khan, A., Ahmad, I., Alghamdi, S., Rajab, B. S., Babalghith, A. O., Alshahrani, M. Y., Islam, S., & Islam, M. R. (2022). Flavonoids a Bioactive Compound from Medicinal Plants and Its Therapeutic Applications. *Hindawi BioMed Research International*, 2022, 1–9. <https://doi.org/10.1155/2022/5445291>
- Rubani, A. (2022). *Altitude Influence of Growth Location on Total Flavonoid Content and Antioxidant Power of Kirinyuh Leaves (Chromolaena odorata (L.) R.M.King & H.Rob) Akhmad*. UIN Maulana Malik Ibrahim.
- Ruklani, N. C. S., Rubasinghe, S. C. K., & Long, D. G. (2015). Morphological

- Diversity of Complex Thalloid Liverwort Genera of Sri Lanka. *Ceylon Journal of Science (Biological Sciences)*, 44(2), 27–44. <https://doi.org/10.4038/cjsbs.v44i2.7348>
- Sa'diyah, N., Widiastuti, M., & Ardian. (2013). Keragaan , Keragaman , Dan Heritabilitas Karakter Agronomi Kacang Panjang (*Vigna Unguiculata*) Generasi F 1. *Jurnal Agrotek Tropika*, 1(1), 32–37. <https://media.neliti.com/media/publications/233169-keragaan-keragaman-dan-heritabilitas-kar-b349f3af.pdf>
- Samti, A., Susilo, H., & Saptasari, M. (2016). Potensi Hapticopsida di Taman Hutan Raya R Soerjo sebagai Bahan Ajar Mahasiswa Calon Guru Biologi. *Seminar Nasional Pendidikan Dan Sainstek*, 660–665. <https://proceedings.ums.ac.id/index.php/snpbs/article/view/566>
- Saputra, M. F. (2018). Penentuan Kadar Saponin Total Pada Ekstrak Daun Tanaman Menggunakan Metode Spektroskopi Near Infrared Dan Kemometri. In *Repository Universitas Jember*. Universitas Jember.
- Saslis-Lagoudakis, C. H., Savolainen, V., Williamson, E. M., Forest, F., Wagstaff, S. J., Baral, S. R., Watson, M. F., Pendry, C. A., & Hawkins, J. A. (2012). Phylogenies reveal predictive power of traditional medicine in bioprospecting. *Proceedings of the National Academy of Sciences of the United States of America*, 109(39), 15835–15840. <https://doi.org/10.1073/pnas.1202242109>
- Satiyem. (2012). Keanekaragaman Tumbuhan Lumut (Bryophyta) Pada Berbagai Ketinggian Hubungannya dengan Kondisi Lingkungan di Wilayah Lereng Selatan Merapi Pasca Erupsi [Universitas Negeri Yogyakarta]. In *Eprints UNY* (Vol. 66). <https://eprints.uny.ac.id/8179/>
- Schiffner, V. F. (2009). *Type of Riccia treubiana Steph. [family RICCIACEAE]*. JSTOR Global Plants. <https://plants.jstor.org/stable/10.5555/al.ap.specimen.ny01086054>
- Schönherr, J., & Ziegler, H. (1975). Hydrophobic cuticular ledges prevent water entering the air pores of liverwort thalli. *Planta*, 124(1), 51–60. <https://doi.org/10.1007/BF00390067>
- Setiawati, T., Supriatun, T., & Karuniawan, A. (2013). Analisis Keragaman Genetik Kerabat Liar Ubi Jalar Asal Citatah Sebagai Sumber Gen Untuk Merakit Ubi Jalar Unggul Berdasarkan Karakter Morfologi. *Jurnal Biodjati*, 3(1), 14–20.
- Setyati, D., Luthfiah, & Arimurti, S. (2021). Antibacterial Activity of Liverworts of *Dumortiera hirsute* (Sw.) Nees Ethyl Acetate Extract Against Pathogenic Bacteria. *Berkala Sainstek*, 9(2), 75–80. <https://doi.org/10.19184/bst.v9i2.22645>
- Setyawan, A. D. (2012). Konflik kepentingan berkaitan permasalahan ekologi , ekonomi dan sosio-budaya di Tanah Tinggi Dieng , Indonesia. *Geografia - Malaysian Journal of Society and Space*, 8(4), 88–104.

<http://journalarticle.ukm.my/5506/>

- Shamloo, M., Babawale, E. A., Furtado, A., Henry, R. J., Eck, P. K., & Jones, P. J. H. (2017). Effects of genotype and temperature on accumulation of plant secondary metabolites in Canadian and Australian wheat grown under controlled environments. *Scientific Reports*, 7(1), 1–13. <https://doi.org/10.1038/s41598-017-09681-5>
- Sharma, A., & Bhagat, M. (2017). Studies on the reproductive biology of *Wiesnerella denudata* (Mitt.) Steph. - a rare hepatic. *Tropical Plant Research*, 4(3), 396–400. <https://doi.org/10.22271/tpr.2017.v4.i3.052>
- Sheidai, M., Koobaz, P., Termeh, F., & Zehzad, B. (2002). Phenetic Studies In *Avena* Species And Populations Of Iran. *Journal of Sciences, Islamic Republic of Iran*, 13(1), 19–28.
- Shimamura, M. (2016). *Marchantia polymorpha*: Taxonomy, phylogeny and morphology of a model system. *Plant and Cell Physiology*, 57(2), 230–256. <https://doi.org/10.1093/pcp/pcv192>
- Shoker, R. M. H. (2020). A Review Article: The Importance of the Major groups of Plants Secondary Metabolism Phenols, Alkaloids, and Terpenes. *International Journal For Research in Applied Sciences and Biotechnology*, 7(5), 354–358. <https://doi.org/10.31033/ijrasb.7.5.47>
- Silva, L., Giordano, R., Rossi, N., Mendes, J., Flávia, R., Bouso, J. C., Hallak, J. E. C., & Santos, R. G. (2021). Effects of ayahuasca and its alkaloids on substance use disorders : an updated (2016 – 2020) systematic review of preclinical and human studies. *European Archives of Psychiatry and Clinical Neuroscience*, 1–16. <https://doi.org/10.1007/s00406-021-01267-7>
- Simpson, M. G. (2006). *Plants Systematics*. In *Elsevier Academic Press* (Vol. 53, Issue 9). Elsevier Academic Press.
- Singh, G. (2010). *Plant Systematic: An integrated approach* (Third, Vol. 3). Science Publishers.
- Siregar, E. S., Pasaribu, N., & Sofyan, M. Z. (2021). Antioxidant activity of liverworts *Marchantia paleacea* Bertol . from North Sumatra Indonesia. *Earth and Environmental Science* 713, 713, 1–6. <https://doi.org/10.1088/1755-1315/713/1/012061>
- Sneath, P. H. A., & Sokal, R. R. (1973). *Numerical Taxonomy*. W. H. Freeman and Co.
- Söderström, L., Gradstein, S. R., & Hagborg, A. (2010). Checklist of the hornworts and liverworts of Java. *Phytotaxa*, 9, 53–149. <https://doi.org/10.11646/phytotaxa.9.1.7>
- Söderström, L., Hagborg, A., Konrat, M. V, Bartholomew-Began, S. E., Bell, D., Briscoe, L., Brown, E., Cargill, D. C., Costa, D. P. d., Crandall-Stotler, B., Cooper, E. D., Dauphin, G., Engel, J. J., Feldberg, K., Glenny, D., Gradstein, S. R., He, X., Heinrichs, J., Hentschel, J., ... Zhu, R. (2016). World Checklist

- of Hornworts and Liverworts. *Phytokeys*, 59, 1–828. <https://doi.org/10.3897/phytokeys.59.6261>
- Söderström, L., Hagborg, A., Von Konrat, M., Bartholomew-Began, S., Bell, D., Briscoe, L., Brown, E., Cargill, D. C., Costa, D. P., Crandall-Stotler, B. J., Cooper, E. D., Dauphin, G., Engel, J. J., Feldberg, K., Glenny, D., Robbert Gradstein, S., He, X., Heinrichs, J., Hentschel, J., ... Zhu, R. L. (2016). World checklist of hornworts and liverworts. *PhytoKeys*, 59(1), 1–828. <https://doi.org/10.3897/phytokeys.59.6261>
- Solé, M. M., Pons, L., Conde, M., Gaidau, C., & Bacardit, A. (2021). Characterization of wet olive pomace waste as bio based resource for leather tanning. *Materials*, 14(19), 1–26. <https://doi.org/10.3390/ma14195790>
- Srivastava, S. C., & Dixit, R. (1996). The genus *Cyathodium* Kunze. *Journal of the Hattori Botanical Laboratory*, 80(80), 149–215. https://doi.org/10.18968/jhbl.80.0_149
- Stace, C. A. (1989). *Plant Taxonomy & biosystematics* (Second). Routledge, Chapman and Hall Inc.
- Stenis, C. G. G. J. van. (2007). *The mountain flora of Java* (Second). Brill. <https://www.worldcat.org/title/mountain-flora-of-java/oclc/237124180>
- Stuessy, T. F. (1992). Plant Taxonomy The Systematic Evaluation of Comparative Data . In *The American Biology Teacher* (Second, Vol. 54, Issue 5). Columbia University Press. <https://doi.org/10.2307/4449492>
- Suharto, M. A. P., Edy, H. J., & Dumanauw, J. M. (2012). Isolasi dan Identifikasi Senyawa Saponin dari Ekstrak Metanol Batang Pisang Ambon (*Musa paradisiaca* var. *sapientum* L.). *Journal Pharmacon*, 1(2), 156–157. <https://doi.org/https://doi.org/10.35799/pha.1.2012.914>
- Suire, C., Bouvier, F., Backhaus, R. A., Begu, D., Bonneu, M., & Camara, B. (2000). Cellular localization of isoprenoid biosynthetic enzymes in *Marchantia polymorpha*. Uncovering a new role of oil bodies. *Plant Physiology*, 124(3), 971–978. <https://doi.org/10.1104/pp.124.3.971>
- Sujadmiko, H., & Amalia, N. N. (2022). Diversity of Bryophytes in Plaosan Temple, Central Java. *Berkala Ilmiah Biologi*, 13(3), 25–35. <https://doi.org/10.22146/bib.v13i3.4944>
- Suleman, I. F., Sulistijowati, R., Manteu, S. H., & Nento, W. R. (2022). Identifikasi Senyawa Saponin Dan Antioksidan Ekstrak Daun Lamun (*Thalassia hemprichii*). *Jambura Fish Processing Journal*, 4(2), 94–102. <https://doi.org/10.37905/jfpj.v4i2.15213>
- Sulistyowati, D. A., Perwati, L. K., & Wiryani, E. (2014). Keanekaragaman Marchantiophyta Epifit Zona Montana di Kawasan Gunung Ungaran, Jawa Tengah. *Bioma : Berkala Ilmiah Biologi*, 16(1), 26. <https://doi.org/10.14710/bioma.16.1.26-32>
- Supriyanto, R. (2011). Studi Analisis Spesiasi Ion Logam Cr (III) dan Cr (VI)

- Dengan Asam Tanat dari Ekstrak Gambir Menggunakan Spektrofotometri UV-VIS. *Jurnal Sains MIPA*, 17(1), 35–42. <https://jurnal.fmipa.unila.ac.id/sains/article/view/267/pdf>
- Susilo, F., Pasaribu, N., Syamsuardi, & Siregar, E. S. (2022). Diversity and distribution of liverworts in Mount Sibuatan, North Sumatra, Indonesia. *Biodiversitas*, 23(9), 4539–4548. <https://doi.org/10.13057/biodiv/d230921>
- Tao, H., Li, L., He, Y., Zhang, X., Zhao, Y., Wang, Q., & Hong, G. (2022). Flavonoids in vegetables: improvement of dietary flavonoids by metabolic engineering to promote health. *Critical Reviews in Food Science and Nutrition*, 64(11), 1–15. <https://doi.org/10.1080/10408398.2022.2131726>
- Thapa, C. B., Paudel, M. R., Bhattarai, H. D., Pant, K. K., Devkota, H. P., Adhikari, Y. P., & Pant, B. (2022). Bioactive secondary metabolites in Paris polyphylla Sm. and their biological activities: A review. *Heliyon*, 8(2), 1–10. <https://doi.org/10.1016/j.heliyon.2022.e08982>
- Timilsena, Y. P., Phosanam, A., & Stockmann, R. (2023). Perspectives on Saponins: Food Functionality and Applications. *International Journal of Molecular Sciences*, 24(13538), 1–22. <https://doi.org/10.3390/ijms241713538> Academic
- Tivy, J. (1993). *Biogeography: A Study of Plants in the Ecosphere* (Third). John Wiley & Sons Inc.
- Tjitrosoepomo, G. (2016). *Morfologi Tumbuhan* (20th ed). Gadjah Mada University Press.
- Tosun, A., Nagashima, F., & Asakawa, Y. (2015). Terpenoid and Steroid Components of Selected Liverworts. *Chemistry of Natural Compounds*, 51(2), 387–391. <https://doi.org/10.1007/s10600-015-1294-8>
- Usmanti, E., Kurniawan, F. Y., Meidianing, M. I., Basri, A. R., & Semiarti, E. (2022). Biodiversitas dan Kekerabatan Fenetik Spesies Anggrek Alam di Kawasan Ekowisata Ayunan Langit, Kulonprogo. *AL-KAUNIYAH: Jurnal Biologi*, 15(2), 277–289.
- Utami, Y. P., Arruansaratu, E., & Jumaetri, F. (2022). Analisis Kadar Total Alkaloid Dari Beberapa Ekstrak Daun Patikala (*Etlintera Elatior* (Jack) R.M. Smith). *Prosiding Seminar Nasional Kefarmasian*, 1(1), 1–6. <https://ejournal.unsrat.ac.id/v3/index.php/semnasfarmasi22/article/view/44421>
- Utomo, A. A. (2022). *Keanekaragaman Spesies Lumut Hati (Marchantiophyta) di Kawasan Curug Semirang Jawa Tengah* [Universitas Diponegoro]. http://digilib.fsm.undip.ac.id/index.php?p=show_detail&id=13138
- Utomo, D. S., Betty, E., & Kristiani, E. (2020). Pengaruh Lokasi Tumbuh Terhadap Kadar Flavonoid, Fenolik, Klorofil, Karotenoid Dan Aktivitas Antioksidan Pada Tumbuhan Pecut Kuda (*Stachytarpheta Jamaicensis*) The Effect of Growth Location on Flavonoid, Phenolic, Chlorophyll,

- Carotenoid and Antiox. *Bioma : Berkala Ilmiah Biologi*, 22(2), 143–149.
- Vanderpoorten, A., & Goffinet, B. (2009). *Introduction To Bryophytes*. Cambridge University Press.
- Villarreal A., J. C., Crandall-Stotler, B. J., Hart, M. L., Long, D. G., & Forrest, L. L. (2016). Divergence times and the evolution of morphological complexity in an early land plant lineage (Marchantiopsida) with a slow molecular rate. *New Phytologist*, 209(4), 1734–1746. <https://doi.org/10.1111/nph.13716>
- Wang, F. X., Zhu, N., Zhou, F., & Lin, D. X. (2021). Natural aporphine alkaloids with potential to impact metabolic syndrome. *Molecules*, 26(20), 1–22. <https://doi.org/10.3390/molecules26206117>
- Wang, L., Huang, G., Hou, R., Qi, D., Wu, Q., Nie, Y., Zuo, Z., Ma, R., Zhou, W., Ma, Y., Hu, Y., Yang, Z., Yan, L., & Wei, F. (2021). Multi-omics reveals the positive leverage of plant secondary metabolites on the gut microbiota in a non-model mammal. *Microbiome*, 9(1), 1–15. <https://doi.org/10.1186/s40168-021-01142-6>
- WatreLOT, A. A., & Norton, E. L. (2020). Chemistry and Reactivity of Tannins in *Vitis* spp.: A Review. *Molecules*, 25(9). <https://doi.org/10.3390/molecules25092110>
- Wheeler, J. A. (2000). Molecular Phylogenetic Reconstructions of the Marchantioid Liverwort Radiation. *American Bryological and Lichenological Society*, 103(2), 314–333. [https://doi.org/10.1639/0007-2745\(2000\)103](https://doi.org/10.1639/0007-2745(2000)103)
- Widjaja, E. A., Rahayuningsih, Y., Rahajoe, J. S., Ubaidillah, R., Maryanto, I., Walujo, E. B., & Semiadi, G. (2014). Kekinian Keragaman Hayati Indonesia. In *Jakarta-LIPI Press*. LIPI Press.
- Widyana, W., Khotimah, S., & Lovadi, I. (2014). Aktivitas Antibakteri Ekstrak Lumut *Octoblepharum albidium* Hedw terhadap Pertumbuhan *Staphylococcus epidermidis* dan *Pseudomonas aeruginosa*. *Jl. Prof. Dr. H. Hadari Nawawi*, 3(2), 166–170.
- Wikströma, N., He-Nygrénb, X., & Shaw, A. J. (2009). Liverworts (Marchantiophyta). *The Timetree Of Life*, 146–152.
- Wink, M. (2003). Evolution of secondary metabolites from an ecological and molecular phylogenetic perspective. *Phytochemistry*, 64, 3–19. [https://doi.org/10.1016/S0031-9422\(03\)00300-5](https://doi.org/10.1016/S0031-9422(03)00300-5)
- Wink, M. (2010). Plant Secondary Metabolism: Diversity, Function and its Evolution. *Natural Product Communication*, 3(8), 1205–1216. <https://doi.org/10.1177/1934578X0800300801>
- Wink, M. (2020). Potential of DNA Intercalating Alkaloids and Other Plant Secondary Metabolites against SARS-CoV-2 Causing COVID-19. *Diversity*, 12(175), 1–10. <https://doi.org/10.3390/d12050175>

- Wulansari, E. D., Lestari, D., & Khoirunissa, M. A. (2020). Kandungan Terpenoid Dalam Daun Ara (*Ficus carica* L.) Sebagai Agen Antibakteri Terhadap Bakteri Methicillin-Resistant *Staphylococcus aureus*. *Pharmakon*, 9(2), 219. <https://doi.org/10.35799/pha.9.2020.29274>
- Xiang, Y. L., Jin, X. J., Shen, C., Cheng, X. F., Shu, L., & Zhu, R. L. (2022). New insights into the phylogeny of the complex thalloid liverworts (Marchantiopsida) based on chloroplast genomes. *Cladistics*, 38(6), 649–662. <https://doi.org/10.1111/cla.12513>
- Xiao, J., Jiang, X., & Chen, X. (2005). Antibacterial, anti-inflammatory and diuretic effect of flavonoids from *Marchantia convoluta*. *African Journal of Traditional, Complementary and Alternative Medicines*, 2(3), 244–252. <https://doi.org/10.4314/ajtcam.v2i3.31122>
- Yan, Y., Li, X., Zhang, C., Lv, L., Gao, B., & Li, M. (2021). Research Progress on Antibacterial Activities and Mechanisms of Natural Alkaloids: A Review. *Antibiotics*, 10(318), 1–30. https://doi.org/10.3390/antibiotics_10030318 Academic
- Yu, Y., Liu, H. M., Yang, J. B., Ma, W. Z., Pressel, S., Wu, Y. H., & Schneider, H. (2019). Exploring the plastid genome disparity of liverworts. *Journal of Systematics and Evolution*, 57(4), 382–394. <https://doi.org/10.1111/jse.12515>
- Yu, Y., Yang, J. B., Ma, W. Z., Pressel, S., Liu, H. M., Wu, Y. H., & Schneider, H. (2020). Chloroplast phylogenomics of liverworts: a reappraisal of the backbone phylogeny of liverworts with emphasis on Ptilidiales. *Cladistics*, 36(2), 184–193. <https://doi.org/10.1111/cla.12396>
- Zahro, H. Z., Herdiyeni, Y., & Hermadi, I. (2016). Pengembangan Sistem Ontologi untuk Morfologi Tumbuhan Obat. *Jurnal Ilmu Komputer Dan Agri-Informatika*, 3(2), 84. <https://doi.org/10.29244/jika.3.2.84-92>
- Zhang, S., Kong, J., Chen, L., Guo, K., & Zhou, X. (2022). Increased Tea Saponin Content Influences the Diversity and Function of Plantation Soil Microbiomes. *Microbiology Spectrum*, 10(1), 1–15. <https://doi.org/10.1128/spectrum.02324-21>
- Zhang, T., Han, M., Yang, L., Han, Z., Cheng, L., Sun, Z., & Yang, L. (2019). The effects of environmental factors on ginsenoside biosynthetic enzyme gene expression and saponin abundance. *Molecules*, 24(14), 1–19. <https://doi.org/10.3390/molecules24010014>
- Zheng, T.-X., & Shimamura, M. (2019). The gemma of *Marchantia pinnata* (Marchantiaceae, Marchantiophyta). *Bryol. Res.*, 12(1), 1–5.
- Zhu, R. L., & So, M. (1996). *Mosses and liverworts of Hong Kong* (2nd ed.). Hong Kong Baptist University.
- Zou, Y., Lu, Y., & Wei, D. (2004). Antioxidant activity of a flavonoid-rich extract of *Hypericum perforatum* L. in vitro. *Journal of Agricultural and Food Chemistry*, 52(16), 5032–5039. <https://doi.org/10.1021/jf049571r>