

DAFTAR PUSTAKA

- Al-rudainy, A. S. A., Mohammed, A., & Mahjoob, R. (2024). *Using building information modelling to optimise design quality of natural lighting in Iraqi school buildings*. 52–62. <https://doi.org/10.2478/otmcj-2024-0004>
- Al, I., Abd, A., Fattah, E., Mohammed, M., Asif, M., & Almahdy, O. (2025). *Evaluating the performance of outdoor shading devices on human thermal comfort in hot humid climates : A case study of Dhahran*. 271(January).
- Ali, E., & Saeed, M. (2024). *Assessment and Improvement of Daylighting Quality in Classrooms with Double-Side Windows*.
- Andor Mulana Sijabat, L., & Mostavan, A. (2021). Solar power plant in Indonesia: economic, policy, and technological challenges to its development and deployment. *IOP Conference Series: Earth and Environmental Science*, 753(1), 012003. <https://doi.org/10.1088/1755-1315/753/1/012003>
- Asfour, O. S. (2020). A comparison between the daylighting and energy performance of courtyard and atrium buildings considering the hot climate of Saudi Arabia. *JOBE*, 30(February), 101299. <https://doi.org/10.1016/j.job.2020.101299>
- Ashrafiyan, T., & Moazzen, N. (2019). The impact of glazing ratio and window configuration on occupants ' comfort and energy demand : The case study of a school building in Eskisehir , Turkey. *Sustainable Cities and Society*, 47(January), 101483. <https://doi.org/10.1016/j.scs.2019.101483>
- Aziz, W., Setiawan, A. A., & Sihana. (2024). *Real-time clock based solar tracker*. 080011. <https://doi.org/10.1063/5.0231730>
- Bacha, C. Ben, & Bourbia, F. (2025). *Orginal Article Simulation-based performance evaluation of kinetic Mashrabiya for thermal comfort and energy efficiency in arid climates : A case study in Biskra , Algeria*. 24(3), 171–193. <https://doi.org/10.35784/bud-arch.7102>
- Bian, Y., Dai, Q., Ma, Y., & Liu, L. (2020). Variable set points of glare control

strategy for side-lit spaces : Daylight glare tolerance by time of day. *Solar Energy*, 201(December 2019), 268–278.

<https://doi.org/10.1016/j.solener.2020.03.016>

Budiyanto, M. A., & Lubis, M. H. (2020). Comparison Result of Hourly Solar Radiation Under The Clear Sky Condition Based on of Solar Radiation Model and Measured Data Experiment. *2020 1st International Conference on Information Technology, Advanced Mechanical and Electrical Engineering (ICITAMEE)*, 298–302.

<https://doi.org/10.1109/ICITAMEE50454.2020.9398403>

Choi, S.-J., Lee, D.-S., & Jo, J.-H. (2017). Lighting and cooling energy assessment of multi-purpose control strategies for external movable shading devices by using shaded fraction. *Energy and Buildings*, 150, 328–338.

<https://doi.org/10.1016/j.enbuild.2017.06.030>

Darmawan, I., Kholistianingsih, Azaria, B. A., & Yulianto, P. (2022). Analysis of The Influence of Sun Intensity on Power on Coastal and High Lands Using Solar Tracker Based on Arduino Microcontroller. *2022 International Conference on Informatics Electrical and Electronics (ICIEE)*, 1–8.

<https://doi.org/10.1109/ICIEE55596.2022.10010309>

De Luca, F., Sepúlveda, A., & Varjas, T. (2022). Multi-performance optimization of static shading devices for glare, daylight, view and energy consideration. *Building and Environment*, 217, 109110.

<https://doi.org/10.1016/j.buildenv.2022.109110>

Dewi, Y. Y. and O. C. (2022). *The Investigation of Natural Light Level and Distribution Based on Opening Orientation (Case Studies : Laboratory in Educational Building) The Investigation of Natural Light Level and Distribution Based on Opening Orientation (Case Studies : Laboratory*.

<https://doi.org/10.1088/1755-1315/1058/1/012016>

Dolníková, E., Lopusniak, M., Husáriková, D., & Živický, R. (2025). *Analysis of the Effectiveness of Shading Systems in Ensuring Quality Daylighting in*

Gallery Spaces – Case Study. 01009.

Escudie, A., Therreau, C., Timmermans, T., Tandy, D., Dellieu, L., & Besse, G. (2021). *Daylighting simulation using spectral ray tracing Eclat Digital*, Nantes, France Key Innovations. 3379–3385.

Faraji, A., Rezaei, F., Rahnamayiezekavat, P., & Rashidi, M. (2023). *Subjective and Simulation-Based Analysis of Discomfort Glare Metrics in Office Buildings with Light Shelf Systems*.

Fischl, G., & Johansson, P. (2025). *Digital occupancy assessment for lighting evaluation : a pilot study to prepare for real-time research results real-time research results*. 8628. <https://doi.org/10.1080/00038628.2024.2377329>

Hlaing, T. S., & Kojima, S. (2022). Comparative Study on Performance of Wind-Catcher Shading Device and Other Types of Shading Device on Residential Houses in Tropics. *International Journal of Sustainable Development and Planning*, 17(6), 1705–1712. <https://doi.org/10.18280/ijstdp.170603>

Jamala, N., Hamzah, B., & Mulyadi, R. (2023). *The Architectural Design of Building Façade Models Related to Optimizing Daylight Distribution*. 10, 60–71. <https://doi.org/10.15627/jd.2023.5>

Jebin, M. (2025). *Impact of external and fixed horizontal shading device parameters on energy consumption for residential buildings in context of Dhaka*. 030002. <https://doi.org/10.1063/5.0263380>

Jia, B., Li, W., Chen, G., Sun, W., & Wang, B. (2023). *Optimized Design of Skylight Arrangement to Enhance the Uniformity of Indoor Sunlight Illumination*.

Kalaimathy, K., Gopalakrishnan, S., Priya, R. S., & Selvam, C. (2025). *Daylighting Strategies for Low-Rise Residential Buildings Through Analysis of Architectural Design Parameters*. 1–23.

Kang, C., Lin, G., Ye, L., Zhang, C., Huang, Z., & Wu, K. (2023). *Tunnelling and*

Underground Space Technology incorporating Trenchless Technology
Research Influence of luminance and luminance longitudinal uniformity of
tunnel lighting on drivers ' comprehensive visual performance. 140(866).
<https://doi.org/10.1016/j.tust.2023.105282>

Khajeh, Z., Dehghan, H., Habibi, E., & Firoozjaei, M. G. (2023). *Investigating the Effect of Luminosity and Color Temperature of Light Sources on the Extent of Mental and Visual Fatigue Under Experimental Conditions.*
<https://doi.org/10.4103/ijehe.ijehe>

Kristanto, L., Nastiti, S., Ekasiwi, N., & Dinapradipta, A. (2024). *Reducing Glare on Building Facade by Implementing Vertical Greenery Shading – user-sensation vs luminance-measurement. 03023, 4–10.*

Kunwar, N., Cetin, K. S., Passe, U., Zhou, X., & Li, Y. (2020). Energy savings and daylighting evaluation of dynamic venetian blinds and lighting through full-scale experimental testing. *Energy, 197*, 117190.
<https://doi.org/10.1016/j.energy.2020.117190>

Kustianingrum, D., Muhamad, Y. A., Rahma, M. R., Wijaya, A. N., & Pramana, A. D. (2016). Kenyamanan Visual Ditinjau dari Orientasi Massa Bangunan dan Pengolahan Fasad Apartemen Gateway, Bandung. *Jurnal Reka Karsa, 4(1)*, 1–12.

Kwong, Q. J. (2020). Light level , visual comfort and lighting energy savings potential in a green-certified high-rise building. *Journal of Building Engineering, 29*(January), 101198.
<https://doi.org/10.1016/j.job.2020.101198>

Le-thanh, L., Le-duc, T., Ngo-minh, H., & Nguyen, Q. (2021). Optimal design of an Origami-inspired kinetic façade by balancing composite motion optimization for improving daylight performance and energy efficiency. *Energy, 219*, 119557. <https://doi.org/10.1016/j.energy.2020.119557>

Loyola, D. De, Garcia, R., Oscar, F., & Pereira, R. (2021). Method application

- and analyses of visual and thermal-energy performance prediction in offices buildings with internal shading devices. *Building and Environment*, 198(October 2020), 107912. <https://doi.org/10.1016/j.buildenv.2021.107912>
- Luca, F. De, Sepúlveda, A., & Varjas, T. (2022). Multi-performance optimization of static shading devices for glare , daylight , view and energy consideration. *Building and Environment*, 217(January), 109110. <https://doi.org/10.1016/j.buildenv.2022.109110>
- Mahfudha, U., Sari, L. H., & Fuady, M. (2024). Thermal comfort evaluation of student dormitory buildings in Syiah Kuala University. *IOP Conference Series: Earth and Environmental Science*, 1356(1). <https://doi.org/10.1088/1755-1315/1356/1/012093>
- Mateen, A., Abubakar, M., Alam, Z., & Salah, W. (2024). Optimizing energy efficiency through building orientation and building information modelling (BIM) in diverse terrains : A case study in Pakistan. *Energy*, 311(September 2023), 133307. <https://doi.org/10.1016/j.energy.2024.133307>
- Mohammad, S., Adel, R., & Teimourtash, S. (2023). Improving daylight performance of residential light wells in dry-cold climate : Optimization and sensitivity analysis. *Solar Energy*, 264(July), 112048. <https://doi.org/10.1016/j.solener.2023.112048>
- Mousavi, S. M., Khan, T. H., & Mohammadi, A. (2021). *Adjustable Internal Shading for Home Office Daylighting in Tropical Climates*. 16(6), 609–624.
- Ngo, L. C., Bello-Ochende, T., & Meyer, J. P. (2015). Numerical modelling and optimisation of natural convection heat loss suppression in a solar cavity receiver with plate fins. *Renewable Energy*, 74, 95–105. <https://doi.org/10.1016/j.renene.2014.07.047>
- Pasaribu, N., Rusdianasari, & Syarif, A. (2019). Efficiency of 9KWp Sun Tracking Photovoltaic in Palembang, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 347(1), 012129.

<https://doi.org/10.1088/1755-1315/347/1/012129>

Pernice, R., Faes, L., Vest, A. N., Li, Q., Ferreira, F. C., Cristina, M., & Padilha, S. V. (n.d.). *The impact of daylight on cognitive performance : A study using HRV and pupillometry* *The impact of daylight on cognitive performance : A study using HRV and pupillometry*. <https://doi.org/10.1088/1742-6596/3140/12/122012>

Qirom, Q., & Sucipto, D. (2024). *Efficiency improvement of solar panels based on fuzzy logic*. 040016. <https://doi.org/10.1063/5.0199169>

Reflectance, R. S. (2024). *Efficient Daylighting : The Importance of Glazing Transmittance and Room Surface Reflectance*.

Reinhart, C. F., & Walkenhorst, O. (2001). Validation of dynamic RADIANCE-based daylight simulations for a test office with external blinds. *Energy and Buildings*, 33(7), 683–697. [https://doi.org/10.1016/S0378-7788\(01\)00058-5](https://doi.org/10.1016/S0378-7788(01)00058-5)

Ruggiero, S., Assimakopoulos, M. N., De Masi, R. F., De Rossi, F., Fotopoulou, A., Papadaki, D., Vanoli, G. P., & Ferrante, A. (2021). Multi-disciplinary analysis of light shelves application within a student dormitory refurbishment. *Sustainability (Switzerland)*, 13(15), 1–22. <https://doi.org/10.3390/su13158251>

Science, E. (n.d.). *Study Of Natural Lighting Design In Sustainable Education Buildings* *Study Of Natural Lighting Design In Sustainable Education Buildings*. <https://doi.org/10.1088/1755-1315/1381/1/012044>

Shi, L., Li, Y., Tao, L., Zhang, Y., & Jiang, X. (2022). Sporters ' visual comfort assessment in gymnasium based on subjective evaluation & objective physiological response. *Building and Environment*, 225(October), 109678. <https://doi.org/10.1016/j.buildenv.2022.109678>

SNI 03-2396-2001. (2001). *Tata cara perancangan sistem pencahayaan alami pada bangunan gedung*.

STANDARISASI HARGA SATUAN BAHAN BANGUNAN, UPAH DAN ANALISA PEKERJAAN UNTUK KEGIATAN PEMBANGUNAN PEMERINTAH KOTA SEMARANG TAHUN ANGGARAN 2026. (n.d.).

- Wijaya, B., Jamala, N., & Hamzah, B. (2024). *Optimising Daylighting Performance Through Side light with Passive Devise Design in Buildings*. 11, 247–267. <https://doi.org/10.15627/jd.2024.18>
- Xue, J., Fan, Y., Dong, Z., Hu, X., & Yue, J. (2022). *Improving Visual Comfort and Health through the Design of a Local Shading Device*.
- Yan, Z., Wu, P., Yao, Q., Chen, S., & Feng, J. (2025). Enhancing visual comfort and cognitive performance in VDT Workspaces through task-adaptive screen-desktop luminance contrast optimization. *Building and Environment*, 286(September), 113688. <https://doi.org/10.1016/j.buildenv.2025.113688>
- Yüceer, N. S. (2010). Yatay Gölge Elemanı Tasarımına Bir Yaklaşım ve Adana Örneği. *METU Journal of Faculty of Architecture*, 27(2), 1–13. <https://doi.org/10.4305/METU.JFA.2010.2.1>
- Z A Kiliç and A Köknel Yener. (2021). *Z A Kiliç Kiliç_2021_J_Phys._Conf_Ser._2069_012156.pdf*.
- Al-rudainy, A. S. A., Mohammed, A., & Mahjoob, R. (2024). *Using building information modelling to optimise design quality of natural lighting in Iraqi school buildings*. 52–62. <https://doi.org/10.2478/otmcj-2024-0004>
- Al, I., Abd, A., Fattah, E., Mohammed, M., Asif, M., & Almahdy, O. (2025). *Evaluating the performance of outdoor shading devices on human thermal comfort in hot humid climates : A case study of Dhahran*. 271(January).
- Ali, E., & Saeed, M. (2024). *Assessment and Improvement of Daylighting Quality in Classrooms with Double-Side Windows*.
- Andor Mulana Sijabat, L., & Mostavan, A. (2021). Solar power plant in

Indonesia: economic, policy, and technological challenges to its development and deployment. *IOP Conference Series: Earth and Environmental Science*, 753(1), 012003. <https://doi.org/10.1088/1755-1315/753/1/012003>

Asfour, O. S. (2020). A comparison between the daylighting and energy performance of courtyard and atrium buildings considering the hot climate of Saudi Arabia. *JOBE*, 30(February), 101299. <https://doi.org/10.1016/j.jobe.2020.101299>

Ashrafiyan, T., & Moazzen, N. (2019). The impact of glazing ratio and window configuration on occupants' comfort and energy demand : The case study of a school building in Eskisehir , Turkey. *Sustainable Cities and Society*, 47(January), 101483. <https://doi.org/10.1016/j.scs.2019.101483>

Aziz, W., Setiawan, A. A., & Sihana. (2024). *Real-time clock based solar tracker*. 080011. <https://doi.org/10.1063/5.0231730>

Bacha, C. Ben, & Bourbia, F. (2025). *Original Article Simulation-based performance evaluation of kinetic Mashrabiya for thermal comfort and energy efficiency in arid climates : A case study in Biskra , Algeria*. 24(3), 171–193. <https://doi.org/10.35784/bud-arch.7102>

Bian, Y., Dai, Q., Ma, Y., & Liu, L. (2020). Variable set points of glare control strategy for side-lit spaces : Daylight glare tolerance by time of day. *Solar Energy*, 201(December 2019), 268–278. <https://doi.org/10.1016/j.solener.2020.03.016>

Budiyanto, M. A., & Lubis, M. H. (2020). Comparison Result of Hourly Solar Radiation Under The Clear Sky Condition Based on of Solar Radiation Model and Measured Data Experiment. *2020 1st International Conference on Information Technology, Advanced Mechanical and Electrical Engineering (ICITAMEE)*, 298–302. <https://doi.org/10.1109/ICITAMEE50454.2020.9398403>

Choi, S.-J., Lee, D.-S., & Jo, J.-H. (2017). Lighting and cooling energy

assessment of multi-purpose control strategies for external movable shading devices by using shaded fraction. *Energy and Buildings*, 150, 328–338.
<https://doi.org/10.1016/j.enbuild.2017.06.030>

Darmawan, I., Kholistianingsih, Azaria, B. A., & Yulianto, P. (2022). Analysis of The Influence of Sun Intensity on Power on Coastal and High Lands Using Solar Tracker Based on Arduino Microcontroller. *2022 International Conference on Informatics Electrical and Electronics (ICIEE)*, 1–8.
<https://doi.org/10.1109/ICIEE55596.2022.10010309>

De Luca, F., Sepúlveda, A., & Varjas, T. (2022). Multi-performance optimization of static shading devices for glare, daylight, view and energy consideration. *Building and Environment*, 217, 109110.
<https://doi.org/10.1016/j.buildenv.2022.109110>

Dewi, Y. Y. and O. C. (2022). *The Investigation of Natural Light Level and Distribution Based on Opening Orientation (Case Studies : Laboratory in Educational Building) The Investigation of Natural Light Level and Distribution Based on Opening Orientation (Case Studies : Laboratory*.
<https://doi.org/10.1088/1755-1315/1058/1/012016>

Dolníková, E., Lopusniak, M., Husáriková, D., & Živický, R. (2025). *Analysis of the Effectiveness of Shading Systems in Ensuring Quality Daylighting in Gallery Spaces – Case Study*. 01009.

Escudie, A., Therreau, C., Timmermans, T., Tandy, D., Dellieu, L., & Besse, G. (2021). *Daylighting simulation using spectral ray tracing Eclat Digital , Nantes , France Key Innovations*. 3379–3385.

Faraji, A., Rezaei, F., Rahnamayiezekavat, P., & Rashidi, M. (2023). *Subjective and Simulation-Based Analysis of Discomfort Glare Metrics in Office Buildings with Light Shelf Systems*.

Fischl, G., & Johansson, P. (2025). *Digital occupancy assessment for lighting evaluation : a pilot study to prepare for real-time research results real-time*

research results. 8628. <https://doi.org/10.1080/00038628.2024.2377329>

Hlaing, T. S., & Kojima, S. (2022). Comparative Study on Performance of Wind-Catcher Shading Device and Other Types of Shading Device on Residential Houses in Tropics. *International Journal of Sustainable Development and Planning*, 17(6), 1705–1712. <https://doi.org/10.18280/ijstdp.170603>

Jamala, N., Hamzah, B., & Mulyadi, R. (2023). *The Architectural Design of Building Façade Models Related to Optimizing Daylight Distribution*. 10, 60–71. <https://doi.org/10.15627/jd.2023.5>

Jebin, M. (2025). *Impact of external and fixed horizontal shading device parameters on energy consumption for residential buildings in context of Dhaka*. 030002. <https://doi.org/10.1063/5.0263380>

Jia, B., Li, W., Chen, G., Sun, W., & Wang, B. (2023). *Optimized Design of Skylight Arrangement to Enhance the Uniformity of Indoor Sunlight Illumination*.

Kalaimathy, K., Gopalakrishnan, S., Priya, R. S., & Selvam, C. (2025). *Daylighting Strategies for Low-Rise Residential Buildings Through Analysis of Architectural Design Parameters*. 1–23.

Kang, C., Lin, G., Ye, L., Zhang, C., Huang, Z., & Wu, K. (2023). *Tunnelling and Underground Space Technology incorporating Trenchless Technology Research Influence of luminance and luminance longitudinal uniformity of tunnel lighting on drivers ' comprehensive visual performance*. 140(866). <https://doi.org/10.1016/j.tust.2023.105282>

Khajeh, Z., Dehghan, H., Habibi, E., & Firoozjaei, M. G. (2023). *Investigating the Effect of Luminosity and Color Temperature of Light Sources on the Extent of Mental and Visual Fatigue Under Experimental Conditions*. <https://doi.org/10.4103/ijehe.ijehe>

Kristanto, L., Nastiti, S., Ekasiwi, N., & Dinapradipta, A. (2024). *Reducing Glare on Building Facade by Implementing Vertical Greenery Shading – user-*

sensation vs luminance-measurement. 03023, 4–10.

- Kunwar, N., Cetin, K. S., Passe, U., Zhou, X., & Li, Y. (2020). Energy savings and daylighting evaluation of dynamic venetian blinds and lighting through full-scale experimental testing. *Energy*, 197, 117190.
<https://doi.org/10.1016/j.energy.2020.117190>
- Kustianingrum, D., Muhamad, Y. A., Rahma, M. R., Wijaya, A. N., & Pramana, A. D. (2016). Kenyamanan Visual Ditinjau dari Orientasi Massa Bangunan dan Pengolahan Fasad Apartemen Gateway, Bandung. *Jurnal Reka Karsa*, 4(1), 1–12.
- Kwong, Q. J. (2020). Light level , visual comfort and lighting energy savings potential in a green-certified high-rise building. *Journal of Building Engineering*, 29(January), 101198.
<https://doi.org/10.1016/j.jobbe.2020.101198>
- Le-thanh, L., Le-duc, T., Ngo-minh, H., & Nguyen, Q. (2021). Optimal design of an Origami-inspired kinetic façade by balancing composite motion optimization for improving daylight performance and energy efficiency. *Energy*, 219, 119557. <https://doi.org/10.1016/j.energy.2020.119557>
- Loyola, D. De, Garcia, R., Oscar, F., & Pereira, R. (2021). Method application and analyses of visual and thermal-energy performance prediction in offices buildings with internal shading devices. *Building and Environment*, 198(October 2020), 107912. <https://doi.org/10.1016/j.buildenv.2021.107912>
- Luca, F. De, Sepúlveda, A., & Varjas, T. (2022). Multi-performance optimization of static shading devices for glare , daylight , view and energy consideration. *Building and Environment*, 217(January), 109110.
<https://doi.org/10.1016/j.buildenv.2022.109110>
- Mahfudha, U., Sari, L. H., & Fuady, M. (2024). Thermal comfort evaluation of student dormitory buildings in Syiah Kuala University. *IOP Conference Series: Earth and Environmental Science*, 1356(1).

<https://doi.org/10.1088/1755-1315/1356/1/012093>

Mateen, A., Abubakar, M., Alam, Z., & Salah, W. (2024). Optimizing energy efficiency through building orientation and building information modelling (BIM) in diverse terrains : A case study in Pakistan. *Energy*, 311(September 2023), 133307. <https://doi.org/10.1016/j.energy.2024.133307>

Mohammad, S., Adel, R., & Teimourtash, S. (2023). Improving daylight performance of residential light wells in dry-cold climate : Optimization and sensitivity analysis. *Solar Energy*, 264(July), 112048. <https://doi.org/10.1016/j.solener.2023.112048>

Mousavi, S. M., Khan, T. H., & Mohammadi, A. (2021). *Adjustable Internal Shading for Home Office Daylighting in Tropical Climates*. 16(6), 609–624.

Ngo, L. C., Bello-Ochende, T., & Meyer, J. P. (2015). Numerical modelling and optimisation of natural convection heat loss suppression in a solar cavity receiver with plate fins. *Renewable Energy*, 74, 95–105. <https://doi.org/10.1016/j.renene.2014.07.047>

Pasaribu, N., Rusdianasari, & Syarif, A. (2019). Efficiency of 9KWp Sun Tracking Photovoltaic in Palembang, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 347(1), 012129. <https://doi.org/10.1088/1755-1315/347/1/012129>

Pernice, R., Faes, L., Vest, A. N., Li, Q., Ferreira, F. C., Cristina, M., & Padilha, S. V. (n.d.). *The impact of daylight on cognitive performance : A study using HRV and pupillometry* *The impact of daylight on cognitive performance : A study using HRV and pupillometry*. <https://doi.org/10.1088/1742-6596/3140/12/122012>

Qirom, Q., & Sucipto, D. (2024). *Efficiency improvement of solar panels based on fuzzy logic*. 040016. <https://doi.org/10.1063/5.0199169>

Reflectance, R. S. (2024). *Efficient Daylighting : The Importance of Glazing Transmittance and Room Surface Reflectance*.

- Reinhart, C. F., & Walkenhorst, O. (2001). Validation of dynamic RADIANCE-based daylight simulations for a test office with external blinds. *Energy and Buildings*, 33(7), 683–697. [https://doi.org/10.1016/S0378-7788\(01\)00058-5](https://doi.org/10.1016/S0378-7788(01)00058-5)
- Ruggiero, S., Assimakopoulos, M. N., De Masi, R. F., De Rossi, F., Fotopoulou, A., Papadaki, D., Vanoli, G. P., & Ferrante, A. (2021). Multi-disciplinary analysis of light shelves application within a student dormitory refurbishment. *Sustainability (Switzerland)*, 13(15), 1–22. <https://doi.org/10.3390/su13158251>
- Science, E. (n.d.). *Study Of Natural Lighting Design In Sustainable Education Buildings Study Of Natural Lighting Design In Sustainable Education Buildings*. <https://doi.org/10.1088/1755-1315/1381/1/012044>
- Shi, L., Li, Y., Tao, L., Zhang, Y., & Jiang, X. (2022). Sporters ’ visual comfort assessment in gymnasium based on subjective evaluation & objective physiological response. *Building and Environment*, 225(October), 109678. <https://doi.org/10.1016/j.buildenv.2022.109678>
- SNI 03-2396-2001. (2001). *Tata cara perancangan sistem pencahayaan alami pada bangunan gedung*.
- STANDARISASI HARGA SATUAN BAHAN BANGUNAN, UPAH DAN ANALISA PEKERJAAN UNTUK KEGIATAN PEMBANGUNAN PEMERINTAH KOTA SEMARANG TAHUN ANGGARAN 2026. (n.d.).
- Wijaya, B., Jamala, N., & Hamzah, B. (2024). *Optimising Daylighting Performance Through Side light with Passive Devise Design in Buildings*. 11, 247–267. <https://doi.org/10.15627/jd.2024.18>
- Xue, J., Fan, Y., Dong, Z., Hu, X., & Yue, J. (2022). *Improving Visual Comfort and Health through the Design of a Local Shading Device*.
- Yan, Z., Wu, P., Yao, Q., Chen, S., & Feng, J. (2025). Enhancing visual comfort and cognitive performance in VDT Workspaces through task-adaptive screen-desktop luminance contrast optimization. *Building and Environment*,

286(September), 113688. <https://doi.org/10.1016/j.buildenv.2025.113688>

Yüceer, N. S. (2010). Yatay Gölge Elemanı Tasarımına Bir Yaklaşım ve Adana Örneği. *METU Journal of Faculty of Architecture*, 27(2), 1–13.
<https://doi.org/10.4305/METU.JFA.2010.2.1>

Z A Kiliç and A Köknel Yener. (2021). *Z A Kiliç
Kiliç_2021_J._Phys._Conf._Ser._2069_012156.pdf*.