

## DAFTAR PUSTAKA

1. Aditama NZ, Kusumajaya H, Fitri N. FAKTOR-FAKTOR YANG BERHUBUNGAN DENGAN KUALITAS HIDUP PASIEN GAGAL GINJAL KRONIS [Homepage on the Internet]. 2024; Available from: <http://jurnal.globalhealthsciencegroup.com/index.php/JPPP>
2. Disease K, Global Outcomes Glomerular Diseases Work Group I, Rovin BH, et al. pages S1-S276 kidney I N T E R N A T I O N A L KDIGO 2021 Clinical Practice Guideline for the Management of Glomerular Diseases kidney international. *Kidney Int* [homepage on the Internet] 2021 [cited 2026 May 25];100:S1–S276. Available from: <https://www.elsevier.com/books-and-journals/>
3. Utami IAA, Santhi DGDD, Lestari AAW. Prevalensi dan komplikasi pada penderita gagal ginjal kronik yang menjalani hemodialisa di Rumah Sakit Umum Pusat Sanglah Denpasar tahun 2018. *Intisari Sains Medis* 2020;11(3):1216–1221.
4. Toya K, Sasano K, Takasoh T, et al. Ankle positions and exercise intervals effect on the blood flow velocity in the common femoral vein during ankle pumping exercises. *J Phys Ther Sci* [homepage on the Internet] 2020 [cited 2026 May 25];28(2):685–688. Available from: <https://pubmed.ncbi.nlm.nih.gov/27065564/>
5. Mardiani, Dahrizal, Maksuk. Efektifitas Manajemen Kelebihan Cairan Terhadap Status Hidrasi Pasien Chronic Kidney Disease (CKD) Di Rumah Sakit. *Journal of Health and Cardiovascular Nursing* [homepage on the Internet] 2022 [cited 2026 May 25];2(1):28–35. Available from: <https://ejournal.poltekkesjakarta1.ac.id/index.php/perawat/article/view/353>
6. Prastika, Supono, Sulastyawati. INTERNATIONAL CONFERENCE OF KERTA CENDEKIA NURSING ACADEMY ANKLE PUMPLING EXERCISE AND LEG ELEVATION IN 30 O HAS THE SAME LEVEL OF EFFECTIVENESS TO REDUCING FOOT EDEMA AT CHRONIC RENAL FAILURE PATIENTS IN MOJOKERTO. 2019; Available from: <http://ejournal-kertacendekia.id/index.php/ICKCNA/>
7. Mermey Laoh J, Warouw H, Tangka J, et al. APPLICATION OF A COMBINATION OF ANKLE PUMP EXERCISE AND CONTRAST BATH TO THE REDUCTION OF EDEMA DIAMETER IN PATIENTS WITH CRONIC KIDNEY DISEASE THROUGH THE VIRGINIA HENDERSON THEORY APPROACH IN THE NON-TRAUMA EMERGENCY DEPARTMENT OF RSUP. PROF. DR. R.D. K. Proceeding International Conference on Health Polytechnic Ministry of Health Surabaya [homepage on the Internet] 2023 [cited 2026 May 25];2(2). Available from: <https://icohpsp.poltekkes-surabaya.ac.id/index.php/icohps/article/view/67>
8. Abdu S, Satti YC. Analisis Faktor Determinan Kualitas Hidup Pasien Gagal Ginjal Kronik yang Menjalani Terapi Hemodialisis. *Jurnal Keperawatan Florence Nightingale* 2024;7(1):236–245.

9. Hasanah U, Dewi NR, Ludiana L, Pakarti AT, Inayati A. Analisis Faktor-Faktor Risiko Terjadinya Penyakit Ginjal Kronik Pada Pasien Hemodialisis. *Jurnal Wacana Kesehatan* [homepage on the Internet] 2023 [cited 2026 May 25];8(2):96–103. Available from: <https://jurnal.akperdharmawacana.ac.id/index.php/wacana/article/view/531>
10. Akhdiyati HR. ANALISIS KADAR HEMOGLOBIN PADA PASIEN PENDERITA GAGAL GINJAL KRONIK. *International Journal of Applied Chemistry Research* 2020;1(1):1.
11. Syuryani N, arman E, Eka Putri G. PERBEDAAN KADAR UREUM SEBELUM DAN SESUDAH HEMODIALISA PADA PENDERITA GAGAL GINJAL KRONIK DIFFERENCE IN UREUM LEVELS BEFORE AND AFTER HEMODIALYSIS AT AHMAD MOKHTAR BUKIT TINGGI HOSPITAL IN 2021. Available from: <https://jurnal.syedzasaintika.ac.id>
12. Adi Nugraha S, dan Winda Trijayanthi Utama S, Hipertensi Sebagai Faktor Risiko Terjadinya Penyakit Ginjal Kronik A, Trijayanthi Utama W. Analisis Hipertensi sebagai Faktor Risiko Terjadinya Penyakit Ginjal Kronik. 2023;
13. Nur Febrianti R. ASUHAN KEPERAWATAN PADA PASIEN CHRONIC KIDNEY DISEASE DENGAN MASALAH KEPERAWATAN HIPERVOLEMIA. 2021;
14. Bae H-J, Kim JH. A Study on the Effects of Ankle Pump Exercise in Reducing Lower Limbs Edema and Pain of Operating Room Nurses. *Journal of Korean Biological Nursing Science* 2014;16(3):235–243.
15. Rahayu I, Saida SA, Mardalena E. PENGARUH DIABETES MELITUS TIPE II TERHADAP GAGAL GINJAL KRONIS DI RSUD MEURAXA KOTA BANDA ACEH. *Jurnal Ilmu Kedokteran dan Kesehatan* [homepage on the Internet] 2023 [cited 2026 May 25];10(11):3329–3334. Available from: <https://ejournalmalahayati.ac.id/index.php/kesehatan/article/view/10876>
16. Jurnal H, Riska WM, Arifin Noor M. JURNAL KEPERAWATAN SISTHANA EFFECT OF THE COMBINATION OF ANKLE PUMP EXERCISE AND 30° FOOT ELEVATION ON FOOT EDEMA IN CKD PATIENTS. 2023;8(1).
17. Kyneissia Gliselda V. Diagnosis dan Manajemen Penyakit Ginjal Kronis (PGK) [Homepage on the Internet]. Available from: <http://jurnalmedikahutama.com>
18. Delta Rahmawati Y, Rahmawati I, Dwi Wahyuningsih B. HUBUNGAN KADAR HEMOGLOBIN DENGAN FATIGUE PADA PASIEN HEMODIALISA Relationship Between Hemoglobin Levels and Fatigue in Hemodilized Patients in Taman Husada Bontang Hospital.
19. Zainal DT, Tamtomo DG, Murti B. Correlation between the Characteristics of Chronic Kidney Disease Patients Undergoing Hemodialysis and Erythropoietin Stimulating Agent Therapy and Hemoglobin Levels. *Indonesian Journal of Medicine* [homepage on the Internet] 2024 [cited 2026 May 25];9(2):145-` 155. Available from: <https://theijmed.com/index.php/theijmed/article/view/715>

20. Manawan S, Rosa ME. Efektivitas Latihan Kaki terhadap Diameter Edema. *Journal of Telenursing (JOTING)* [homepage on the Internet] 2021 [cited 2026 May 25];3(2):771–776. Available from: <https://journal.ipm2kpe.or.id/index.php/JOTING/article/view/2954>
21. Lestari W, Asyrofi A, Adi Prasetya H, Studi Ilmu Keperawatan P, Tinggi Ilmu kesehatan Kendal S. MANAJEMEN CAIRAN PADA PASIEN PENYAKIT GINJAL KRONIS YANG MENJALANI HEMODIALISIS. 2020;
22. Sakai K, Takahira N, Tsuda K, Akamine A. Effects of intermittent pneumatic compression on femoral vein peak venous velocity during active ankle exercise. *J Orthop Surg (Hong Kong)* [homepage on the Internet] 2021 [cited 2026 May 25];29(1). Available from: <https://pubmed.ncbi.nlm.nih.gov/33641535/>
23. Antika Larasati D, Sekar Siwi A, Nirmala Putri I. PENERAPAN ELEVASI KAKI 30 DERAJAD TERHADAP PENURUNAN FOOT EDEMA PADA NY. J DENGAN CONGESTIVE HEART FAILURE [Homepage on the Internet]. 2024; Available from: <http://jurnal.globalhealthsciencegroup.com/index.php/JPPP>
24. Faqih Fatchur M, Marinda Palupi L, Kemenkes Malang P, Keperawatan Lawang P, Keperawatan P, Yani JA. Kombinasi Ankle Pumping Exercise dan Contrast Bath Terhadap Penurunan Edema Kaki Pada Pasien Gagal Ginjal Kronik. *Indonesian Journal of Nursing Health Science* ISSN 2020;5(1):1–10.
25. Li T, Yang S, Hu F, Geng Q, Lu Q, Ding J. Effects of ankle pump exercise frequency on venous hemodynamics of the lower limb. *Clin Hemorheol Microcirc* [homepage on the Internet] 2020 [cited 2026 May 25];76(1):111–120. Available from: <https://pubmed.ncbi.nlm.nih.gov/32538827/>
26. Farni Jafar N, Wahyu Setyo Budi A, Studi Pendidikan Profesi Ners P, Kedokteran dan Ilmu Kesehatan F. Penerapan Foot Elevation 30° Terhadap Penurunan<sup>o</sup> Oedema Ekstremitas Bawah Pada Pasien Congestif Heart Failure. *Jurnal Ilmiah Ilmu Kesehatan dan Kedokteran* 2023;1(2).
27. Noor MA, Riska WM, Suyanto S, Wahyuningsih IS. PENGARUH KOMBINASI ANKLE PUMP EXERCISE DAN ELEVASI KAKI 30° TERHADAP EDEMA KAKI PADA PASIEN CKD. *JURNAL KEPERAWATAN SISTHANA* [homepage on the Internet] 2023 [cited 2026 May 25];8(1):25–36. Available from: <https://jurnal.stikeskesdam4dip.ac.id/index.php/SISTHANA/article/view/225>
28. Karya Kesehatan M, Prima Gusty R, Rivaldi F, Yuli Harni S. Case Study: Combination of Ankle Pump Exercise and 30° Elevation in Foot Edema in Patients with Chronic Kidney Failure. *Media Karya Kesehatan* [homepage on the Internet] 2025 [cited 2026 May 25];8(2). Available from: <https://journals.unpad.ac.id/mkk/article/view/66596>
29. Mardhiyah Mardhiyah, Nur Afni Dinilhaq, Yona Amelia, Adelia Arini, Rully Hidayatullah, Harmonedi Harmonedi. Populasi dan Sampel dalam Penelitian Pendidikan: Memahami Perbedaan, Implikasi, dan Strategi Pemilihan yang Tepat. *Katalis Pendidikan : Jurnal Ilmu Pendidikan dan Matematika* 2025;2(2):208–218.

30. Armila Damayanti, Resti Yuliati Sutrisno, Purnomo Widiyanto. Pengaruh Penerapan Terapi Ankle Pump Exercise Dengan Elevasi Kaki 30° Terhadap Edema Kaki Pada Pasien Gagal Ginjal Kronik Yang Menjalani Hemodialisa. *Corona: Jurnal Ilmu Kesehatan Umum, Psikolog, Keperawatan dan Kebidanan* 2024;2(2):171–179.
31. Zukhruful Muslimah N. PENGARUH KOMBINASI ANKLE PUMP EXERCISE DENGAN ELEVASI KAKI 30° TERHADAP PENURUNAN EDEMA PADA PASIEN CHRONIC KIDNEY DISEASE (CKD) YANG MENJALANI HEMODIALISIS [Homepage on the Internet]. 2026; Available from: <http://jurnal2.globalhealthsciencegroup.com/index.php/JPPP>
32. Feronika N, Bayhakki B, Hasneli Y. Hubungan Lama Hemodialisis dan Dukungan Keluarga Terhadap Interdialytic Weight Gain (IDWG) pada Pasien Gagal Ginjal Kronik di Unit Hemodialisis. *Malahayati Nursing Journal [homepage on the Internet]* 2025 [cited 2026 Jun 1];7(2):486–502. Available from: <https://ejournalmalahayati.ac.id/index.php/manuju/article/view/16312>
33. Hipervolemia [SDKI D.0022] - Perawat.org [Homepage on the Internet]. [cited 2026 Jun 2]; Available from: <https://perawat.org/hipervolemia/>
34. Larasati DA, Mucholih M, Siwi AS, Putri IN. Penerapan Elevasi Kaki 30 Derajat terhadap Penurunan Foot Edema pada Ny.J dengan Congestive Heart Failure. *Jurnal Penelitian Perawat Profesional [homepage on the Internet]* 2024 [cited 2026 May 31];6(6):2615–2620. Available from: <https://jurnal.globalhealthsciencegroup.com/index.php/JPPP/article/view/3707>
35. Farni Jafar N, Wahyu Setyo Budi A, Studi Pendidikan Profesi Ners P, Kedokteran dan Ilmu Kesehatan F. Penerapan Foot Elevation 30° Terhadap Penurunan Oedema Ekstremitas Bawah Pada Pasien Congestif Heart Failure. *Termometer: Jurnal Ilmiah Ilmu Kesehatan dan Kedokteran [homepage on the Internet]* 2023 [cited 2026 May 31];1(2):207–223. Available from: <https://ejurnal.politeknikpratama.ac.id/index.php/Termometer/article/view/1470>
36. Karya Kesehatan M, Prima Gusty R, Rivaldi F, Yuli Harni S. Case Study: Combination of Ankle Pump Exercise and 30° Elevation in Foot Edema in Patients with Chronic Kidney Failure. *Media Karya Kesehatan [homepage on the Internet]* 2025 [cited 2026 May 31];8(2). Available from: <https://journals.unpad.ac.id/mkk/article/view/66596>
37. Manawan S (Sheilla), Rosa ME (Maria). Efektivitas Latihan Kaki terhadap Diameter Edema. *Journal of Telenursing [homepage on the Internet]* 2021 [cited 2026 May 31];3(2):771–776. Available from: <https://www.neliti.com/publications/435441/>
38. Hasanah U, Dewi NR, Ludiana L, Pakarti AT, Inayati A. Analisis Faktor-Faktor Risiko Terjadinya Penyakit Ginjal Kronik Pada Pasien Hemodialisis. *Jurnal Wacana Kesehatan* 2023;8(2):96.
39. Li T, Yang S, Hu F, Geng Q, Lu Q, Ding J. Effects of ankle pump exercise frequency on venous hemodynamics of the lower limb. *Clin Hemorheol Microcirc* [homepage on the Internet] 2020 [cited 2026 May 31];76(1):111–120. Available from: <https://pubmed.ncbi.nlm.nih.gov/32538827/>