

DAFTAR PUSTAKA

1. Tüzün özdemir, s., karaçam, z. & usta yeşilbalkan, ö. The effect of nutrition education on intradialytic weight gain in haemodialysis patients: systematic review and meta-analysis. *Nurs. Open* 12, (2025).
2. ทอด, ย. & thong-on, r. *Lived experiences of thai patients with end-stage renal disease receiving continuous ambulatory peritoneal dialysis*. (2021).
3. Gunawan, a. & sakti, p. T. Five-year survival rate of patients with end-stage renal disease on continuous ambulatory peritoneal dialysis (capd) at malang capd center, indonesia. *Acta med indones* 55, (2023).
4. Gultom, s., rayasari, f. & besral. Pengaruh vidoe edukasi terhadap interdyalitic weight gain (idwg) pada pasien hemodialisis. *Jurnal stikes kendal* (2022).
5. López-gómez, j. M., villaverde, m., jofre, r., rodriguez-benítez, p. & pérez-garcía, r. Interdialytic weight gain as a marker of blood pressure, nutrition, and survival in hemodialysis patients. *Kidney int.* 67, s63–s68 (2005).
6. Desnita, r., andika, m. & jamilah, s. Pengaruh metode peer education terhadap intradialytic weight gain (idwg) pada pasien hemodialisis. *Jurnal kesehatan mercusuar* 2, (2019).
7. Wong, m. M. Y. *Et al.* Interdialytic weight gain: trends, predictors, and associated outcomes in the international dialysis outcomes and practice patterns study (dopps). *American journal of kidney diseases* 69, 367–379 (2017).

8. De barbieri, i., strini, v., noble, h., amatori, s. & sisti, d. Nurse-perceived facilitators and barriers to palliative care in patients with kidney disease: a european delphi survey. *J. Ren. Care* 48, 49–59 (2022).
9. Bossola, m., pepe, g., antocicco, m., severino, a. & di stasio, e. Interdialytic weight gain and educational/cognitive, counseling/behavioral and psychological/affective interventions in patients on chronic hemodialysis: a systematic review and meta-analysis. *J. Nephrol.* 35, 1973–1983 (2022).
10. Perdana, m. & yen, m. Factors associated with adherence to fluid restriction in patients undergoing hemodialysis in indonesia. *Journal of nursing research* 29, e182 (2021).
11. Kahraman, a. *Et al.* Impact of interdialytic weight gain (idwg) on nutritional parameters, cardiovascular risk factors and quality of life in hemodialysis patients. *Bantao journal* 13, 25–33 (2015).
12. Sajjadi, s. L., ghafourifard, m. & tayebi khosroshahi, h. A randomized controlled clinical trial of individualized patient education on hemodialysis adequacy and interdialytic weight gain. *J. Caring sci.* 14, 5–13 (2024).
13. Chhabra, r. & davenport, a. Is increased subjective thirst associated with greater interdialytic weight gains, extracellular fluid and dietary sodium intake? *Artif. Organs* 48, 91–97 (2024).
14. Zhang, x. *Et al.* The relationship between illness perceptions and fluid-control adherence among chinese hemodialysis patients: a cross-sectional study. *Psychol. Health med.* 28, 1682–1697 (2023).

15. Caporale, o. *Et al.* Low dialysate sodium in children and young adults on maintenance hemodialysis: a prospective, randomized, crossover study. *Pediatric nephrology* 38, 1599–1607 (2023).
16. Cin, a., demirağ, h., daştan, b. & hintistan, s. The relationship between thirst distress and severity and compliance with fluid control and interdialytic weight gain in hemodialysis patients. *Bezmialem science* <https://doi.org/10.14235/bas.galenos.2024.04764> (2024)
doi:10.14235/bas.galenos.2024.04764.
17. Chen, t. K., knicely, d. H. & grams, m. E. Chronic kidney disease diagnosis and management. *Jama* 322, 1294 (2019).
18. Kdigo. Kdigo 2024 clinical practice guideline for the evaluation and management of chronic kidney disease. *Kidney disease: improving global outcomes (kdigo)* 14, 1–115 (2024).
19. Kovesdy, c. P. Epidemiology of chronic kidney disease: an update 2022. *Kidney int. Suppl. (2011)*. 12, 7–11 (2022).
20. Górriz, j. L., górriz-zambrano, c. & pallarés-carratalá, v. Fisiopatología renal y mecanismos farmacológicos de nefroprotección. *Medicina de familia. Semergen* 49, 102021 (2023).
21. Junho, c. V. C., frisch, j., soppert, j., wollenhaupt, j. & noels, h. Cardiomyopathy in chronic kidney disease: clinical features, biomarkers and the contribution of murine models in understanding pathophysiology. *Clin. Kidney j.* 16, 1786–1803 (2023).

22. Simões e silva, a. C., oliveira, e. A., cheung, w. W. & mak, r. H. Redox signaling in chronic kidney disease-associated cachexia. *Antioxidants* 12, 945 (2023).
23. Bishop, n. C. *Et al.* Exercise and chronic kidney disease: potential mechanisms underlying the physiological benefits. *Nat. Rev. Nephrol.* 19, 244–256 (2023).
24. Stevens, p. E. *Et al.* Kdigo 2024 clinical practice guideline for the evaluation and management of chronic kidney disease. *Kidney int.* 105, s117–s314 (2024).
25. Kampmann, j. D. *Et al.* Prevalence and incidence of chronic kidney disease stage 3–5 – results from kiddico. *Bmc nephrol.* 24, 17 (2023).
26. Hirano, k. *Et al.* Optimal follow-up intervals for different stages of chronic kidney disease: a prospective observational study. *Clin. Exp. Nephrol.* 23, 613–620 (2019).
27. Tuttle, k. R. *Et al.* Clinical characteristics of and risk factors for chronic kidney disease among adults and children. *Jama netw. Open* 2, e1918169 (2019).
28. House, a. A. *Et al.* Heart failure in chronic kidney disease: conclusions from a kidney disease: improving global outcomes (kdigo) controversies conference. *Kidney int.* 95, 1304–1317 (2019).
29. Rizzo, m. A. *Et al.* Neurological complications of hemodialysis: state of the art. *J. Nephrol.* 25, 170–182 (2012).

30. Hammes, m. S. Medical complications in hemodialysis patients requiring vascular access radiology procedures. *Semin. Intervent. Radiol.* 21, 105–110 (2004).
31. Mutis alan, a., yalin, s. F., atas, i., alan, o. & altiparmak, m. R. Acute hemodialysis for cancer-associated acute kidney injury: etiologies, indications, and outcomes from a 25-year single-center experience. *Ren. Fail.* 48, (2026).
32. Manji, s., shah, j., twahir, a. & sokwala, a. Association between dialysate sodium concentration and interdialytic weight gain in patients undergoing twice weekly haemodialysis. *Bmc nephrol.* 22, 225 (2021).
33. Ashrafi, s. A., phansikar, m. & wilund, k. R. Subjective thirst in relation to interdialytic weight gain: a systematic review of observational studies. *Blood purif.* 52, 201–209 (2023).
34. Günen yılmaz, s. & yılmaz, f. Evaluation of demographic and clinical risk factors for high interdialytic weight gain. *Therapeutic apheresis and dialysis* 26, 613–623 (2022).
35. Goto, j. *Et al.* Interdialytic weight gain of less than 2.5% seems to limit cardiac damage during hemodialysis. *Int. J. Artif. Organs* 44, 539–550 (2021).
36. Thomson, b. K. A. *Et al.* Modifiable variables affecting interdialytic weight gain include dialysis time, frequency, and dialysate sodium. *Hemodialysis international* 17, 576–585 (2013).

37. Yu, j. *Et al.* Paradoxical association between intradialytic blood pressure change and long-term mortality with different levels of interdialytic weight gain. *Int. J. Gen. Med.* Volume 14, 211–220 (2021).
38. Chang, a., chung, y. & kang, m. Effects of the combination of auricular acupuncture and a fluid-restriction adherence program on salivary flow rate, xerostomia, fluid control, interdialytic weight gain, and diet-related quality of life in patients undergoing hemodialysis. *Int. J. Environ. Res. Public health* 18, 10520 (2021).
39. Bossola, M., Mariani, I., Strizzi, C. T., Piccinni, C. P. & Di Stasio, E. How to Limit Interdialytic Weight Gain in Patients on Maintenance Hemodialysis: State of the Art and Perspectives. *J. Clin. Med.* 14, 1846 (2025).
40. Wijayanti, L., Winoto, P. M. P. & Nursalam, N. How to control interdialytic weight gain (idwg) among hemodialysis patients? *Nurse and Health: Jurnal Keperawatan* 10, 214–221 (2021).
41. Armiyati, Y., Hadisaputro, S., Chasani, S. & Sujianto, U. Factors Contributing to Intradialytic Hypertension in Hemodialysis Patients. *South East Asia Nursing Research* 3, 73 (2021).
42. VR, V. & Kaur Kang, H. The Worldwide Prevalence of Nonadherence to Diet and Fluid Restrictions Among Hemodialysis Patients: A Systematic Review and Meta-analysis. *Journal of Renal Nutrition* 32, 658–669 (2022).
43. Bossola, M., Pepe, G. & Vulpio, C. The Frustrating Attempt to Limit the Interdialytic Weight Gain in Patients on Chronic Hemodialysis: New

- Insights Into an Old Problem. *Journal of Renal Nutrition* 28, 293–301 (2018).
44. Wahdaniyah, W., Nursanti, I., Irawati, D., Natashia, D. & Resnayati, Y. Effectiveness of Digital Self-Management Toward Fluid Restriction on Interdialytic Weight Gain Among Patients Undergoing Hemodialysis in Jakarta Islamic Hospital. *Jurnal Keperawatan Komprehensif (Comprehensive Nursing Journal)* 10, (2024).
 45. Yangöz, Ş. T., Özer, Z. & Boz, İ. Comparison of the effect of educational and self-management interventions on adherence to treatment in hemodialysis patients: A systematic review and meta-analysis of randomized controlled trials. *Int. J. Clin. Pract.* 75, (2021).
 46. Murdaningsih, L., Trisnaningtyas, W. & Indriyawati, N. Factors Affecting Interdialytic Weight Gain (IDWG) in Kidney Failure. *JENDELA NURSING JOURNAL* 7, 20–29 (2023).
 47. VR, V. & Kaur Kang, H. The Worldwide Prevalence of Nonadherence to Diet and Fluid Restrictions Among Hemodialysis Patients: A Systematic Review and Meta-analysis. *Journal of Renal Nutrition* 32, 658–669 (2022).
 48. Kurnat-Thoma, E. L. Nurses Recognizing Our Responsibility in Climate Science and Health Systems Resilience. *JONA: The Journal of Nursing Administration* 52, 319–321 (2022).
 49. Cho, M.-C., Yang, P.-C., Wang, Y.-H., Chang, H.-T. & Lin, M.-H. Association between the Development of Hospice and Palliative Care and

- Government-Funded Research Priority: Taiwan-Based Example. *Healthcare* 10, 1125 (2022).
50. Karacan, Y. Follow-up care after stem cell transplant. *J. Clin. Nurs.* 32, 2319–2320 (2023).
 51. Septiyanti, Martikasari, M. & Gusnilawati. Effect Of Fluid Restriction Education To Interdialytic Weight Gain In Hemodialysis Patients In Rsud Dr. M. Yunus Bengkulu. In *Proceedings of the 1st International Conference on Inter-professional Health Collaboration (ICIHC 2018)* (Atlantis Press, Paris, France, 2019). Doi:10.2991/icihc-18.2019.71.
 52. Safitri, D., Pahria, T. & Rahayu, U. Faktor-Faktor yang Memengaruhi Peningkatan Interdialytic Weight Gain (IDWG) pada Pasien Hemodialisa. *Jurnal Keperawatan Silampari* 5, 959–970 (2022).
 53. Komsiyah, Suarno, Kumalasari, D. N. & Candra, S. Kepatuhan Pembatasan Cairan dengan Kondisi Interdialitik Pasien yang Menjalani Hemodialisa. *Jurnal Keperawatan Berbudaya Sehat* 2, 45–51 (2024).
 54. Simmons, L. Dorthea Orem's self care theory as related to nursing practice in hemodialysis. *Nephrol Nurs J* 36, (2009).
 55. Wahyuni, K. & Hidayati, W. Pengalaman self-care berdasarkan teori orem pada pasien penyakit ginjal kronik yang menjalani hemodialisis. *Jurnal Keperawatan Diponegoro* 1, 244–251 (2012).
 56. Son, H. K. Effects of simulation with problem-based learning (S-PBL) on nursing students' clinical reasoning ability: based on Tanner's clinical judgment model. *BMC Med. Educ.* 23, 601 (2023).

57. Bikbov, B. *Et al.* Global, regional, and national burden of chronic kidney disease, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. *The Lancet* 395, 709–733 (2020).
58. Kara, B., Caglar, K. & Kilic, S. Nonadherence With Diet and Fluid Restrictions and Perceived Social Support in Patients Receiving Hemodialysis. *Journal of Nursing Scholarship* 39, 243–248 (2007).
59. Kementerian Kesehatan Republik Indonesia. *Laporan Hasil Riset Kesehatan Dasar (Riskesdas) Tahun 2018*. (2018).
60. Karamanidou, C., Clatworthy, J., Weinman, J. & Horne, R. A systematic review of the prevalence and determinants of nonadherence to phosphate binding medication in patients with end-stage renal disease. *BMC Nephrol.* 9, 2 (2008).
61. Pani, T. & Mahapatra, S. Interdialytic weight gain and its association with clinical outcomes in maintenance hemodialysis patients. *Indian J Nephrol.* 27, 199–205 (2017).
62. Flythe, J. E., Curhan, G. & Brunelli, S. Disentangling the ultrafiltration rate–mortality association: the respective roles of session length and weight gain. *Clin J Am Soc Nephrol* 8, 1151–1161 (2013).
63. Alicic, R. Z., Rooney, M. T. & Tuttle, K. R. Diabetic Kidney Disease. *Clinical Journal of the American Society of Nephrology* 12, 2032–2045 (2017).
64. Karamanidou, C., Clatworthy, J., Weinman, J. & Horne, R. A systematic review of the prevalence and determinants of nonadherence to phosphate

- binding medication in patients with end-stage renal disease. *BMC Nephrol.* 9, 2 (2008).
65. Bots, C., Brand, H. & Veerman, E. Interdialytic weight gain in patients on hemodialysis is associated with dry mouth and thirst. *Kidney Int.* 66, 1662–1668 (2004).
 66. Barnett, M., Mulvenon, C., Dalrymple, P. & Connelly, L. A randomized trial to assess the effectiveness of a nurse-led educational intervention on fluid management in patients on hemodialysis. *Nephrol Nurs J.* 35, 47–59 (2008).
 67. Mollaoğlu, M. Adherence to diet and fluid restriction of individuals on regular haemodialysis. *J. Nurs. Manag.* 22, 337–345 (2014).
 68. Khalil, A., Frazier, S., Lennie, T. & Sawaya, BP. Depressive symptoms and dietary adherence in patients with end-stage renal disease. *J. Ren. Care* 37, 25–29 (2011).
 69. Prochaska, J. O. & Velicer, W. F. The Transtheoretical Model of Health Behavior Change. *American Journal of Health Promotion* 12, 38–48 (1997).