

DAFTAR PUSTAKA

- Abza, T., Saka, A., Tesfaye, J. L., Gudata, L., Nagaprasad, N., & Krishnaraj, R. (2022). Synthesis and Characterization of Iron Doped Titanium Dioxide (Fe: TiO₂) Nanoprecipitate at Different pH Values for Applications of Self-Cleaning Materials. *Advances in Materials Science and Engineering*, 2022, 1–9. <https://doi.org/10.1155/2022/2748908>
- Ahmadi, B., Fallah, A., Ghamarpoor, R., & Jamshidi, M. (2025). Methylene blue beyond the dye: A critical review on its role as a benchmark pollutant in photocatalyst design. *Results in Chemistry*, 18, 102910. <https://doi.org/10.1016/j.rechem.2025.102910>
- Ali, A., Chiang, Y. W., & Santos, R. M. (2022). X-ray Diffraction Techniques for Mineral Characterization: A Review for Engineers of the Fundamentals, Applications, and Research Directions. *Minerals*, 12(2), 205. <https://doi.org/10.3390/min12020205>
- Ali, I., Asim, M., & Khan, T. A. (2012). Low Cost Adsorbents for The Removal of Organic Pollutants From Wastewater. *Journal of Environmental Management*, 113, 170–183. <https://doi.org/10.1016/J.JENVMAN.2012.08.028>
- Ali, I., Suhail, M., Alothman, Z. A., & Alwarthan, A. (2018). Recent advances in syntheses, properties and applications of TiO₂ nanostructures. In *RSC Advances* (Vol. 8, Number 53, pp. 30125–30147). Royal Society of Chemistry. <https://doi.org/10.1039/c8ra06517a>
- Ali, M. A., Maafa, I. M., & Qudsieh, I. Y. (2024). Photodegradation of Methylene Blue Using a UV/H₂O₂ Irradiation System. *Water*, 16(3), 453. <https://doi.org/10.3390/w16030453>
- Ameen, S., Fatima, R., Kadhem, A. A., Abbas, T., Khan, M. A., Abbas, A., Hussain, I., Bano, N., Faraji Rad, Z., & Bilal, A. S. S. (2025). Enhanced photocatalytic degradation of methylene blue using aluminum and cerium co-doped ZnO nanocomposite. *International Journal of Environmental Science and Technology*, 22(16), 16549–16558. <https://doi.org/10.1007/s13762-025-06683-z>
- Amelia, S., Jamilatun, S., Mulia Shitopyta, L., Utami, M. W., & Sriyana, I. (2023). Degradasi Limbah Detergen dengan Metode Fotokatalis Menggunakan TiO₂ / Silica Gel. In *Jurnal Ilmiah Teknik Kimia* (Vol. 20, Number 3).
- Amin, S., Damayanti, S., & Ibrahim, S. (2018). Synthesis and Characterization of Molecularly Imprinted Polymer with Dimethylamylamine as Template. *Asian Journal of Chemistry*, 30(12), 2749–2753. <https://doi.org/10.14233/ajchem.2018.21588>
- Anatoly, C., Pavel, Z., Tatiana, C., Alexei, R., & Svetlana, Z. (2020). Water Vapor Permeability through Porous Polymeric Membranes with Various

- Hydrophilicity as Synthetic and Natural Barriers. *Polymers*, 12(2), 282. <https://doi.org/10.3390/polym12020282>
- Baker, R. W. (2012). *Membrane Technology and Applications*. Wiley. <https://doi.org/10.1002/9781118359686>
- Ballance, S., Lu, Y., Zobel, H., Rieder, A., Knutsen, S. H., Dinu, V. T., Christensen, B. E., Ulset, A. S., Schmid, M., Maina, N., Potthast, A., Schiehser, S., Ellis, P. R., & Harding, S. E. (2022). Inter-laboratory analysis of cereal beta-glucan extracts of nutritional importance: An evaluation of different methods for determining weight-average molecular weight and molecular weight distribution. *Food Hydrocolloids*, 127, 107510. <https://doi.org/10.1016/J.FOODHYD.2022.107510>
- Bercea, M. (2024). Recent Advances in Poly(vinyl alcohol)-Based Hydrogels. *Polymers*, 16(14), 2021. <https://doi.org/10.3390/polym16142021>
- Bhullar, S., Goyal, N., & Gupta, S. (2022). *Titanium dioxide nanoparticles synthesized using different reagents*. 050015. <https://doi.org/10.1063/5.0080593>
- Bridoux, G., Barzola-Quiquia, J., Bern, F., Böhlmann, W., Vrejoiu, I., Ziese, M., & Esquinazi, P. (2012). An alternative route towards micro- and nano-patterning of oxide films. *Nanotechnology*, 23(8), 085302. <https://doi.org/10.1088/0957-4484/23/8/085302>
- Cao, X., Liu, C., Hu, Y., Yang, W., & Chen, J. (2016). Synthesis of N/Fe Comodified TiO₂ Loaded on Bentonite for Enhanced Photocatalytic Activity under UV-Vis Light. *Journal of Nanomaterials*, 2016. <https://doi.org/10.1155/2016/8182190>
- Chabalala, M. B., Gumbi, N. N., Mamba, B. B., Al-Abri, M. Z., & Nxumalo, E. N. (2021). Photocatalytic Nanofiber Membranes for the Degradation of Micropollutants and Their Antimicrobial Activity: Recent Advances and Future Prospects. *Membranes*, 11(9), 678. <https://doi.org/10.3390/membranes11090678>
- Chak, P. K., & Singh, D. P. (2025). Study on acute and sub-lethal toxicity of methylene blue on freshwater fish, *Labeo rohita*: Behavioral and physiological insights. *Journal Of Experimental Zoology India*, 28(1). <https://doi.org/10.51470/jez.2025.28.1.623>
- Cong, Y., Zhang, J., Chen, F., Anpo, M., & He, D. (2007). Preparation, photocatalytic activity, and mechanism of nano- TiO₂ Co-doped with nitrogen and iron (III). *Journal of Physical Chemistry C*, 111(28), 10618–10623. <https://doi.org/10.1021/jp0727493>
- Djunaidi, M. C., Siswanta, D., & Ulbricht, M. (2015). Synthesis Of Fe Ionic-Imprinted Polyegenol Using Polyethylene Glycil Diglycidilether As Cross-Linking Agent For Sorption Of Fe(III). In *Indonesia. J. Chem* (Vol. 15, Number 3).

- Djunaidi, M. C., Haris, A., Pardoyo, P., & K, R. (2018). Pengaruh Jumlah Mol Kroslinker Pada Selektifitas IIP Berbasis Polieugenol Terhadap Fe(III). *ALCHEMY Jurnal Penelitian Kimia*, 14(2), 290. <https://doi.org/10.20961/alchemy.14.2.12426.291-302>
- Djunaidi, M. C., Prasetya, N., Khoiriyah, A., Pardoyo, P., Haris, A., & Febriola, N. (2020). Polysulfone Influence on Au Selective Adsorbent Imprinted Membrane Synthesis with Sulfonated Polyeugenol as Functional Polymer. *Membranes*, 10(12), 390. <https://doi.org/10.3390/membranes10120390>
- Djunaidi, M. C., Gunawan., Cahyaningrum, L., Lusiana, R. A., & Khasanah, M. (2022). Selective Identification for Glucose in the Presence of Fructose Using Imprinted Polyeugenol Modified Graphite Paste Electrode. *Indonesian Journal of Chemistry*, 22(4), 913–921. <https://doi.org/10.22146/ijc.71013>
- Dolat, D., Mozia, S., Ohtani, B., & Morawski, A. W. (2013). Nitrogen, iron-single modified (N- TiO₂, Fe- TiO₂) and co-modified (Fe,N-TiO₂) rutile titanium dioxide as visible-light active photocatalysts. *Chemical Engineering Journal*, 225, 358–364. <https://doi.org/10.1016/j.cej.2013.03.047>
- Donato, L., Tasselli, F., De Luca, G., Garcia Del Blanco, S., & Drioli, E. (2013). Novel hybrid molecularly imprinted membranes for targeted 4,4'-methylendianiline. *Separation and Purification Technology*, 116, 184–191. <https://doi.org/10.1016/j.seppur.2013.05.027>
- Eddy, D. R., Permana, M. D., Sakti, L. K., Sheha, G. A. N., Solihudin, Hidayat, S., Takei, T., Kumada, N., & Rahayu, I. (2023). Heterophase Polymorph of TiO₂ (Anatase, Rutile, Brookite, TiO₂ (B)) for Efficient Photocatalyst: Fabrication and Activity. *Nanomaterials*, 13(4). <https://doi.org/10.3390/nano13040704>
- Ellingham, S. T. D., Thompson, T. J. U., & Islam, M. (2018). Scanning Electron Microscopy–Energy-Dispersive X-Ray (SEM/EDX): A Rapid Diagnostic Tool to Aid the Identification of Burnt Bone and Contested Cremains. *Journal of Forensic Sciences*, 63(2), 504–510. <https://doi.org/10.1111/1556-4029.13541>
- Etafa Tasisa, Y., Kumar Sarma, T., Krishnaraj, R., & Sarma, S. (2024). Band gap engineering of titanium dioxide (TiO₂) nanoparticles prepared via green route and its visible light driven for environmental remediation. *Results in Chemistry*, 11(45), 101850. <https://doi.org/10.1016/j.rechem.2024.101850>
- Fidalgo, A., Letichevsky, S., & Santos, B. F. (2021). Assessment of TiO₂ band gap from structural parameters using artificial neural networks. *Journal of Photochemistry and Photobiology A: Chemistry*, 405, 112870. <https://doi.org/10.1016/j.jphotochem.2020.112870>
- Garnier, M., Sabbah, M., Ménager, C., & Griffete, N. (2021). Hybrid molecularly imprinted polymers: The future of nanomedicine? In *Nanomaterials* (Vol. 11, Number 11). MDPI. <https://doi.org/10.3390/nano11113091>

- Gaznayah, R. F. (2025). *Hybrid Molecularly Imprinted Membran (MIM) Berbasis Polieugenol- TiO₂ untuk Degradasi Limbah Organik Zat Warna Metilen Biru*. Universitas Diponegoro.
- Guillén, C. (2025). Band Gap Energy and Lattice Distortion in Anatase TiO₂ Thin Films Prepared by Reactive Sputtering with Different Thicknesses. *Materials*, 18(10), 2346. <https://doi.org/10.3390/ma18102346>
- Han, X., Jin, Y., Zhao, L., Zhang, Y., Ren, B., Song, X., & Liu, R. (2025). Molecularly Imprinted Titanium Dioxide: Synthesis Strategies and Applications in Photocatalytic Degradation of Antibiotics from Marine Wastewater: A Review. *Materials*, 18(9), 2161. <https://doi.org/10.3390/ma18092161>
- Hu, T., Chen, R., Wang, Q., He, C., & Liu, S. (2021). Recent Advances and Applications of Molecularly Imprinted Polymers in Solid-Phase Extraction for Real Sample Analysis. *Journal of Separation Science*, 44(1), 274–309. <https://doi.org/https://doi.org/10.1002/jssc.202000832>
- Hui, K. C., Suhaimi, H., & Sambudi, N. S. (2022). Electrospun-based TiO₂ nanofibers for organic pollutant photodegradation: A comprehensive review. *Reviews in Chemical Engineering*, 38(6), 641–668. <https://doi.org/10.1515/revce-2020-0022>
- Hulupi, M., Keryanti, K., Rahmawati, K. A., Dewi, W. T., & Abdilah, F. (2023). Validation of Methylene Blue Analysis Method in Wastewater Samples by Uv-Vis Spectrophotometry. *Equilibrium Journal of Chemical Engineering*, 7(2), 101. <https://doi.org/10.20961/equilibrium.v7i2.75807>
- Hun, H., & Munna, K. (2024). *Karakterisasi Material Nano Particle Size Analyzer*. <https://doi.org/10.13140/RG.2.2.36203.35365>
- Intan Permatasari, S., Cholid Djunaidi, M., & Habibi, H. (2019). Pemisahan Ion Logam Krom dari Limbah Elektroplating Menggunakan Polieugenol dengan Teknik Membran Cair. *Analit: Analytical and Environmental Chemistry*, 4(02), 14–29. <https://doi.org/10.23960/aec.v4.i2.2019.p14-29>
- Kaur, N., Kaur, S., & Singh, V. (2016). Preparation, characterization and photocatalytic degradation kinetics of Reactive Red dye 198 using N, Fe codoped TiO₂ nanoparticles under visible light. *Desalination and Water Treatment*, 57(20), 9237–9246. <https://doi.org/10.1080/19443994.2015.1027956>
- Kausar, A. (2025). Molecularly Imprinted Polymers and Nanocomposites—Essentials Features and Applied Versatilities. *Polymer-Plastics Technology and Materials*, 64(8), 1101–1129. <https://doi.org/10.1080/25740881.2025.2451393>
- Khan, I., Saeed, K., Zekker, I., Zhang, B., Hendi, A. H., Ahmad, A., Ahmad, S., Zada, N., Ahmad, H., Shah, L. A., Shah, T., & Khan, I. (2022). Review on

- Methylene Blue: Its Properties, Uses, Toxicity and Photodegradation. *Water*, 14(2). <https://doi.org/10.3390/w14020242>
- Khan, S., Katsumata, K., Rodríguez-González, V., Terashima, C., & Fujishima, A. (2021). Gas-Phase Synthesis for Mass Production of TiO₂ Nanoparticles for Environmental Applications. In *Handbook of Nanomaterials and Nanocomposites for Energy and Environmental Applications* (pp. 953–973). Springer International Publishing. https://doi.org/10.1007/978-3-030-36268-3_10
- Koziej, D., Lauria, A., & Niederberger, M. (2014). 25th Anniversary Article: Metal Oxide Particles in Materials Science: Addressing All Length Scales. *Advanced Materials*, 26(2), 235–257. <https://doi.org/10.1002/adma.201303161>
- Lan, Q., Zhang, X., Liang, J., Wang, W., Lv, L., He, J., Wang, Z., & Qu, C. (2024a). Multifunctional polyeugenol-based nanoparticles with antioxidant and antibacterial properties. *Particuology*, 87, 194–204. <https://doi.org/10.1016/J.PARTIC.2023.08.012>
- Lan, Q., Zhang, X., Liang, J., Wang, W., Lv, L., He, J., Wang, Z., & Qu, C. (2024b). Multifunctional polyeugenol-based nanoparticles with antioxidant and antibacterial properties. *Particuology*, 87, 194–204. <https://doi.org/10.1016/j.partic.2023.08.012>
- Larumbe, S., Monge, M., & Gómez-Polo, C. (2015). Comparative study of (N, Fe) doped TiO₂ photocatalysts. *Applied Surface Science*, 327, 490–497. <https://doi.org/10.1016/j.apsusc.2014.11.137>
- Lee, S., Jang, J., & Seo, H. (2021). Structural Evolution of Nitrogen-doped Titanium-dioxide Thin Films. *New Physics: Sae Mulli*, 71(1), 1–5. <https://doi.org/10.3938/NPSM.71.1>
- Li, S., Cui, Y., Wen, M., & Ji, G. (2023). Toxic Effects of Methylene Blue on the Growth, Reproduction and Physiology of *Daphnia magna*. *Toxics*, 11(7). <https://doi.org/10.3390/toxics11070594>
- Liu, M. (2025). *The Application of Ultraviolet-Visible Spectrophotometry in Pharmaceutical Analysis*. <https://doi.org/10.54254/2755-2721/159/2025.23761>
- Mahy, J. G., Lejeune, L., Haynes, T., Lambert, S. D., Marcilli, R. H. M., Fustin, C.-A., & Hermans, S. (2021). Eco-Friendly Colloidal Aqueous Sol-Gel Process for TiO₂ Synthesis: The Peptization Method to Obtain Crystalline and Photoactive Materials at Low Temperature. *Catalysts*, 11(7), 768. <https://doi.org/10.3390/catal11070768>
- Mancuso, A., Sacco, O., Sannino, D., Pragliola, S., & Vaiano, V. (2020). Enhanced visible-light-driven photodegradation of Acid Orange 7 azo dye in aqueous solution using Fe-N co-doped TiO₂. *Arabian Journal of Chemistry*, 13(11), 8347–8360. <https://doi.org/10.1016/j.arabjc.2020.05.019>

- Mancuso, A., Sacco, O., Vaiano, V., Sannino, D., Venditto, V., Pragliola, S., & Morante, N. (2021). Visible light active Fe-N codoped TiO₂ synthesized through Sol Gel Method: Influence of operating conditions on photocatalytic performances. *Chemical Engineering Transactions*, 86, 565–570. <https://doi.org/10.3303/CET2186095>
- Mayangsari, N. E., & Astuti, U. P. (2021). Model Kinetika Adsorpsi Logam Berat Cu²⁺ Menggunakan Selulosa Daun Nanas. *Jurnal Chemurgy*, 05(1), 15–21. <http://e-journals.unmul.ac.id/index.php/TK>
- Miller, J. N., & Miller, J. C. (2010). *Statistics and Chemometrics for Analytical Chemistry Sixth edition*. www.pearsoned.co.uk/Miller
- Morozzi, P., Ballarin, B., Arcozzi, S., Brattich, E., Lucarelli, F., Nava, S., Gómez-Cascales, P. J., Orza, J. A. G., & Tositti, L. (2021). Ultraviolet–Visible Diffuse Reflectance Spectroscopy (UV–Vis DRS), a rapid and non-destructive analytical tool for the identification of Saharan dust events in particulate matter filters. *Atmospheric Environment*, 252, 118297. <https://doi.org/10.1016/J.ATMOSENV.2021.118297>
- Muteeb, G., Ansari, K., Eyvaz, M., Farhan, M., Aatif, M., Agrawal, D., Oirdi, M. El, & Dehghani, M. H. (2025). Removal of methylene blue (MB) dye from water and wastewater using acid-activated chicken bone in a batch adsorption process. *Scientific Reports*, 15(1), 23098. <https://doi.org/10.1038/s41598-025-08341-3>
- Nakamoto, K. (2008). *Infrared and Raman Spectra of Inorganic and Coordination Compounds*. Wiley. <https://doi.org/10.1002/9780470405840>
- Nisar, M. F., Khadim, M., Rafiq, M., Chen, J., Yang, Y., & Wan, C. C. (2021). Pharmacological Properties and Health Benefits of Eugenol: A Comprehensive Review. In *Oxidative Medicine and Cellular Longevity* (Vol. 2021). Hindawi Limited. <https://doi.org/10.1155/2021/2497354>
- Nugraheni, A. D., Purnawati, D., Rohmatillah, A., Mahardika, D. N., & Kusumaatmaja, A. (2020). Swelling of PVA/Chitosan/TiO₂ Nanofibers Membrane in Different PH. *Materials Science Forum*, 990, 220–224. <https://doi.org/10.4028/www.scientific.net/MSF.990.220>
- Oladoye, P. O., Ajiboye, T. O., Omotola, E. O., & Oyewola, O. J. (2022). Methylene blue dye: Toxicity and potential elimination technology from wastewater. *Results in Engineering*.
- Pasieczna, P. S., Cichy, M., & Flieger, J. (2025). Application of Fourier Transform Infrared (FTIR) Spectroscopy in Characterization of Green Synthesized Nanoparticles. *Molecules*, 30(3). <https://doi.org/10.3390/molecules30030684>
- Piletsky, S. A., Alcock, S., & Turner, A. P. F. (2001). Molecular imprinting: at the edge of the third millennium. *Trends in Biotechnology*, 19(1), 9–12. [https://doi.org/10.1016/S0167-7799\(00\)01523-7](https://doi.org/10.1016/S0167-7799(00)01523-7)

- Prastika, A., & Alamsah, I. (2022). *Kinetika Adsorpsi Asam Tanat Pada Fotokatalis SiO₂/ TiO₂. 06(1).*
- Priatmoko, S., Siddhi, P., Widiarti, N., Susatyo, E. B., & Widhihastuti, E. (2023). Synthesis and Characterization of Fe-N TiO₂ Photocatalyst Using Polyacrylamide and Polyethylene Glycol Templates. *AIP Conference Proceedings, 2614*. <https://doi.org/10.1063/5.0127829>
- Qiu, B., Shao, Q., Shi, J., Yang, C., & Chu, H. (2022). Application of biochar for the adsorption of organic pollutants from wastewater: Modification strategies, mechanisms and challenges. *Separation and Purification Technology, 300*, 121925. <https://doi.org/10.1016/J.SEPPUR.2022.121925>
- Rahim, E. A., Istiqomah, N., Almilda, G., Ridhay, A., Sumarni, N. K., & Indriani. (2020). Antibacterial and antioxidant activities of polyeugenol with high molecular weight. In *Indonesian Journal of Chemistry* (Vol. 20, Number 3, pp. 722–728). Gadjah Mada University. <https://doi.org/10.22146/ijc.44659>
- Reetu, S., Anjana, S., Ranjana, J., & Amit, K. S. (2019). *Sol-Gel–Mediated Synthesis of TiO₂ Nanocrystals: Structural, Optical, and Electrochemical Properties.*
- Rezaei, M., Mehdinia, A., & Shemirani, F. (2023). Magnetic Polyeugenol Nanoparticles as a New Sorbent for Solid-Phase Extraction of Polycyclic Aromatic Hydrocarbons in Environmental Water and Food Samples. *ChemistrySelect, 8(11)*, e202204109. <https://doi.org/https://doi.org/10.1002/slct.202204109>
- Rupiasih, N. N., Sumadiyasa, M., & Putra, I. K. (2017). The Effect of Variations in the Ratio of Matrix/Solvent on the Physical and Mechanical Properties of Chitosan Biopolymer Membranes. *IOP Conference Series: Materials Science and Engineering, 196*, 012039. <https://doi.org/10.1088/1757-899X/196/1/012039>
- Salleh, M. A. M., Mahmoud, D. K., Karim, W. A. W. A., & Idris, A. (2011). Cationic and Anionic Dye Adsorption by Agricultural Solid Wastes: A Comprehensive Review. In *Desalination* (Vol. 280, Numbers 1–3, pp. 1–13). <https://doi.org/10.1016/j.desal.2011.07.019>
- Song, J., Wang, X., Bu, Y., Zhang, J., Wang, X., Huang, J., Chen, J., & Zhao, J. (2016). Preparation, characterization, and photocatalytic activity evaluation of Fe–N-codoped TiO₂/fly ash cenospheres floating photocatalyst. *Environmental Science and Pollution Research, 23(22)*, 22793–22802. <https://doi.org/10.1007/s11356-016-7353-2>
- Su, Y., Xiao, Y., Li, Y., Du, Y., & Zhang, Y. (2011). Preparation, photocatalytic performance and electronic structures of visible-light-driven Fe-N-codoped TiO₂ nanoparticles. *Materials Chemistry and Physics, 126(3)*, 761–768. <https://doi.org/10.1016/j.matchemphys.2010.12.047>

- Sun, H., Zhou, G., Liu, S., Ang, H. M., Tadé, M. O., & Wang, S. (2013). Visible light responsive titania photocatalysts codoped by nitrogen and metal (Fe, Ni, Ag, or Pt) for remediation of aqueous pollutants. *Chemical Engineering Journal*, *231*, 18–25. <https://doi.org/10.1016/j.cej.2013.07.019>
- Sun, L., Guan, J., Xu, Q., Yang, X., Wang, J., & Hu, X. (2018). Synthesis and Applications of Molecularly Imprinted Polymers Modified TiO₂ Nanomaterials: A Review. In *Polymers* (Vol. 10, Number 11). MDPI AG. <https://doi.org/10.3390/polym10111248>
- Surkatti, R., van Loosdrecht, M. C. M., Hussein, I. A., & El-Naas, M. H. (2024). PVA- TiO₂ Nanocomposite Hydrogel as Immobilization Carrier for Gas-to-Liquid Wastewater Treatment. *Nanomaterials*, *14*(3), 249. <https://doi.org/10.3390/nano14030249>
- Suwannaruang, T., Hildebrand, J. P., Taffa, D. H., Wark, M., Kamonsuangkasem, K., Chirawatkul, P., & Wantala, K. (2020). Visible light-induced degradation of antibiotic ciprofloxacin over Fe–N–TiO₂ mesoporous photocatalyst with anatase/rutile/brookite nanocrystal mixture. *Journal of Photochemistry and Photobiology A: Chemistry*, *391*. <https://doi.org/10.1016/j.jphotochem.2020.112371>
- Tam, L., & Lau, D. (2014). A molecular dynamics investigation on the cross-linking and physical properties of epoxy-based materials. *RSC Adv.*, *4*(62), 33074–33081. <https://doi.org/10.1039/C4RA04298K>
- Tao, J.-J., Zhang, Y.-F., Zhang, L.-F., Yao, H., & Liu, Y.-H. (2011). Study on the synthesis and properties of nano- TiO₂ co-doped with N, Fe. *Gongneng Cailiao/Journal of Functional Materials*, *42*(5), 823 – 826. <https://www.scopus.com/inward/record.uri?eid=2-s2.0-79959218739&partnerID=40&md5=fa1d8a6bdf5f0be0c56c52ae78159a5c>
- Telegin, F., Shushina, I., Ran, J. H., Biba, Y., Mikhaylov, A., & Priazhnikova, V. (2013). Structure – Property Relationships for Dyes of Different Nature. *Advanced Materials Research*, *821–822*, 488–492. <https://doi.org/10.4028/www.scientific.net/AMR.821-822.488>
- Ulanowska, M., & Olas, B. (2021). Biological Properties and Prospects for The Application of Eugenol—a Review. In *International Journal of Molecular Sciences* (Vol. 22, Number 7). MDPI. <https://doi.org/10.3390/ijms22073671>
- Vasapollo, G., Sole, R. Del, Mergola, L., Lazzoi, M. R., Scardino, A., Scorrano, S., & Mele, G. (2011). Molecularly Imprinted Polymers: Present and Future Prospective. *International Journal of Molecular Sciences*, *12*(9), 5908–5945. <https://doi.org/10.3390/ijms12095908>
- Wada, N., Kim, C.-H., Yoh, J. J., Hamashima, H., & Hokamoto, K. (2012). Synthesis of Anatase Phase Titanium Dioxide Using High-Power Nd:YAG Laser Focused on Titanium Wire in Water. *Materials Transaction*, *53*(1), 244–247. <https://doi.org/10.2320/matertrans.M2011183>

- Xie, F., Tan, H., Li, Z. Bin, Yang, H. B., Sun, H. Da, & Li, R. H. (2014). The Influence of Particle Diameter on Analytical Results. *Applied Mechanics and Materials*, 599–601, 196–200. <https://doi.org/10.4028/www.scientific.net/AMM.599-601.196>
- Xie, Y., Wang, J., Ren, F., Shuai, H., & Du, G. (2022). Nonmetallic Mineral as the Carrier of TiO₂ Photocatalyst: A Review. *Frontiers in Catalysis*, 2. <https://doi.org/10.3389/fctls.2022.806316>
- Yazıcı, M., Çomaklı, O., Yetim, T., Yetim, A. F., & Çelik, A. (2016). Effect of sol aging time on the wear properties of TiO₂– SiO₂ composite films prepared by a sol–gel method. *Tribology International*, 104, 175–182. <https://doi.org/10.1016/J.TRIBOINT.2016.08.041>
- Yeoh, J. Z., Pung, S. Y., Vadivelu, V. M., & Ramakrishnan, S. (2024). Recent advances in the development of effective TiO₂-based photocatalysts immobilized on floating substrates: A mini review. *Environmental Nanotechnology, Monitoring & Management*, 22, 101021. <https://doi.org/10.1016/J.ENMM.2024.101021>
- Zantis, L. J., Rombach, A., Adamczyk, S., Velmala, S. M., Adamczyk, B., Vijver, M. G., Peijnenburg, W., & Bosker, T. (2023). Species-dependent responses of crop plants to polystyrene microplastics. *Environmental Pollution*, 335, 122243. <https://doi.org/10.1016/J.ENVPOL.2023.122243>
- Zhuang, B., Ramanauskaite, G., Yuan Koa, Z., & Wang, Z.-G. (2021). Like dissolves like: A first-principles theory for predicting liquid miscibility and mixture dielectric constant. In *Sci. Adv* (Vol. 7). <http://advances.sciencemag.org/>
- Ziental, D., Czarczynska-Goslinska, B., Mlynarczyk, D. T., Glowacka-Sobotta, A., Stanisz, B., Goslinski, T., & Sobotta, L. (2020). Titanium dioxide nanoparticles: Prospects and applications in medicine. In *Nanomaterials* (Vol. 10, Number 2). MDPI AG. <https://doi.org/10.3390/nano10020387>