

DAFTAR PUSTAKA

- [1] R. Rusdi, G. Arrachman, and Bustani, "Evaluasi Pengendalian Kecepatan Putaran Motor Induksi Tiga Fasa Menggunakan Variable Speed Drive ATV61 Terhadap Penghematan Energi Pada PLTGU Tanjung Batu," *PoliGrid*, vol. 4, no. 2, pp. 68–74, 2023, doi: 10.46964/poligrid.v4i2.31.
- [2] A. S. A. Aziz, A. Gulton, and G. Simamora, "Analisis pengaruh Kendali Kecepatan Motor Induksi 3 Fasa Untuk Mesin Cuci Milnor Extractor Menggunakan Variable Speed Drive Yaskawa Di Hotel Indonesia Kempinski Jakarta," *J. Cahaya Mandalika*, vol. 4, no. 3, pp. 1934–1954, 2024, doi: <https://doi.org/10.36312/jcm.v4i3.3313>.
- [3] A. Nadel, S. and Wang, W. and Liu, P. and McKane, "The China Motor Systems Energy Conservation Program: A Major National Initiative to Reduce Motor System Energy Use in China," China, 2001. [Online]. Available: <http://industrial-energy.lbl.gov>
- [4] R. Saidura, S. Mekhilef, M. B. Alia, Safari, and H. A. Mohammedc, "Applications of variable speed drive (VSD) in electrical motors energy savings," *Renew. Sustain. Energy Rev.*, vol. 16, no. 1, pp. 543–550, 2012, doi: <https://doi.org/10.1016/j.rser.2011.08.020>.
- [5] I. Rifaldo and M. Yuhendri, "Sistem Monitoring Kecepatan Motor Induksi dengan HMI Berbasis PLC," *JTEIN J. Tek. Elektro Indones.*, vol. 3, no. 2, 2022, doi: 10.24036/jtein.v3i2.264.
- [6] N. Evalina and A. A. Zulfikar, "Pengaturan Kecepatan Putaran Motor Induksi 3 Fasa Menggunakan Programmable Logic Controller," *J. Electr. Technol.*, vol. 3, no. 2, pp. 73–80, 2018.
- [7] S. R. Venupriya, K. P. Thanusree, and P. Saranya, "A Novel Method of Induction Motor Speed Control Using PLC," *Int. J. Res. Appl. Sci. & Eng. Technol.*, vol. 3, no. 2, pp. 233–237, 2015.
- [8] Firman, W. Handajadi, and S. Maulana, "Sistem Pengendalian Motor Induksi 3 Fase Berbasis Programmable Logic Control dan Variable Speed Drive Berpenampil Human Machine Interface," *J. Elektr.*, vol. 8, no. 2, pp.

37–44, 2021.

- [9] D. H. Simanjuntak and Risfendra, “Sistem Monitoring pada Sorting Machine dengan HMI Berbasis PLC,” *JTEIN J. Tek. Elektro Indones.*, vol. 2, no. 1, pp. 65–70, 2020.
- [10] A. Rizaldy, I. Nawawi, and H. T. Setiawan, “KENDALI KECEPATAN MOTOR INDUKSI MENGGUNAKAN VARIABLE SPEED DRIVE BERBASIS SOFT PLC.”
- [11] R. A. Rangkuti, A. Atmam, and E. Zondra, “Studi Pengaturan Kecepatan Motor Induksi Tiga Fasa Menggunakan Variable Speed Drive (VSD) Berbasis Programmable Logic Controller (PLC),” *J. Tek.*, vol. 14, no. 1, pp. 121–128, 2020, doi: 10.31849/teknik.v14i1.2295.
- [12] Y. Badruzzaman, “Sistem Monitoring Kendali Motor Induksi Tiga Fasa Dengan Variable Speed Drive Berbasis Plc Dan Scada,” *Orbith*, vol. 11, no. 2, pp. 147–152, 2015.
- [13] M. A. BURHANUDDIN, “SIMULASI PEMBUATAN MINIATUR LIFT 3 LANTAI DENGAN MENGGUNAKAN SENSOR LOAD CELL DAN INFRARED BERBASIS PROGRAMMABLE LOGIC CONTROLLER (PLC) SCHNEIDER TM221CE16R DAN HUMAN MACHINE INTERFACE (HMI),” UNDIP, 2018.
- [14] T. Putra and M. Yuhendri, “Implementasi Hysterisis Current Control Pulse Width Modulation (HCCPWM) untuk Inverter 3 Fasa,” *JTEIN J. Tek. Elektro Indones.*, vol. 2, no. 1, pp. 91–97, 2021, doi: 10.24036/jtein.v2i1.127.
- [15] R. Santhosh, M. V Siddharthan, Sailakshmi, and S. Yadav, “Protection and Control of 3 Phase Induction Motors in Industrial Plants with Smart Remote Monitoring and Control on a Centralized System,” in *2022 6th International Conference on Trends in Electronics and Informatics (ICOEI)*, 2022, pp. 317–326.
- [16] D. N. HUDA, “PENGUJIAN UNJUK KERJA VARIABEL SPEED DRIVE VF-S9 DENGAN BEBAN MOTOR INDUKSI 3 FASA 1 HP,” Politeknik Negeri Bandung, 2021.
- [17] Z. Anthony, “Kajian Pengembangan Lilitan Motor Induksi 1-Fasa Dengan

- Bentuk Lilitan 4-Fasa (Studi Kasus: Daya Keluaran dan Faktor Daya),” *J. Tek. Elektro ITP*, vol. 7, no. 2, pp. 95–100, 2018, doi: 10.21063/jte.2018.3133713.
- [18] M. T. Restivo, F. G. de Almeida, M. D. F. Chouzal, J. G. Mendes, and A. M. Lopes, *Handbook of laboratory measurements and instrumentation*. International Frequency Sensor Association, 2011.
- [19] S. M. Ferdous, M. Rokonuzzaman, S. Salehin, A. Ferdousi, and T. Hossaine, “Design and Implementation of a Linear IC Based Low Cost Digital Tachometer for Laboratory and Industrial Application,” in *International Conference on Mechanical, Industrial and Energy Engineering*, 2010, pp. 23–24.
- [20] Enny, “Tachometer Laser , Pemakaian Dan Perawatannya,” *METANA*, vol. 13, no. 1, pp. 7–12, 2017.
- [21] G. Johanssen, *Human-Machine Interaction*. United Kingdom: EOLSS Publishers, 2003.
- [22] Prisantyo, T. Herdantyo, D. T. Nugroho, Y. Ramadhani, and A. Mubyarto, “DESAIN DAN SIMULASI SISTEM HMI (Human Machine Interface) BERBASIS CITECT SCADA PADA KONVEYOR PROSES DI INDUSTRI,” *Semin. Nas. Edusainstek*, pp. 253–262, 2018.
- [23] G. Johanssen, “Cooperative Human-Interfaces for Plant-wide Control Communication,” *Annu. Rev. Control*, vol. 21, no. 1, pp. 159–170, 1996.
- [24] D. P. A. on the Net, “Software package offers total compatibility,” *DPA Net*, 2008, [Online]. Available: <https://www.dpaonthenet.net/article/10272/Software-package-offers-total-compatibility.aspx>
- [25] Schneider Electric, “Vijeo Designer,” 2026.
- [26] G. D. Prenata and A. Prayoga, “Pengaturan Kecepatan Motor Induksi 3 Fasa Menggunakan Sistem Multispeed pada Konveyor Mesin Crusher,” *J. Arus Elektro Indones.*, 2024, doi: 10.19184/jaei.v10i2.49848.
- [27] GeeksforGeeks Contributors, “Speed Control of Three Phase Induction Motor,” 2025.