

DAFTAR PUSTAKA

- Akkajit, P., Sukkuea, A., & Thongnonghin, B. (2023). Comparative analysis of five convolutional neural networks and transfer learning classification approach for microplastics in wastewater treatment plants. *Ecological Informatics*, 78, 102328. <https://doi.org/10.1016/j.ecoinf.2023.102328>.
- Baldi, M. M., Galuzzi, B. G., & Messina, E. (2025). Classification methods based on κ -logistic models. *Mathematics and Computers in Simulation*. <https://doi.org/10.1016/j.matcom.2025.02.012>.
- Barsoum, E., Zhang, C., Canton Ferrer, C., & Zhang, Z. (2016). Training deep networks for facial expression recognition with crowd-sourced label distribution. *Proceedings of the 18th ACM International Conference on Multimodal Interaction (ICMI)*, 279–283. <https://doi.org/10.48550/arXiv.1608.01041>.
- Cai, J., Shi, J., Leau, Y.-B., Meng, S., Zheng, X., & Zhou, J. (2023). Res50-SimAM-ASPP-Unet: A semantic segmentation model for high-resolution remote sensing images. *IEEE Access*. <https://doi.org/10.1109/ACCESS.2024.3519260>.
- Chen, H., & Fan, R. (2025). Improved convolutional neural network for precise exercise posture recognition and intelligent health indicator prediction. *Scientific Reports*, 15, Article 1854. <https://doi.org/10.1038/s41598-025-01854-x>.
- Conde, M. V., Turgutlu, K., Villalba, J., & Xiang, T. (2023). A deep learning approach for robust image classification. *Applied Sciences*, 13(4), 2295. <https://doi.org/10.3390/app13042295>.
- Deng, J., Dong, W., Socher, R., Li, L. J., Li, K., & Fei-Fei, L. (2009). ImageNet: A large-scale hierarchical image database. *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 248–255. <https://doi.org/10.1109/CVPR.2009.5206848>.
- Ekman, P. (1992). An argument for basic emotions. *Cognition & Emotion*, 6(3–4), 169–200. <https://doi.org/10.1080/02699939208411068>.
- Elgendy, M. (2020). *Deep learning for vision systems*. Manning Publications.
- Ezati, A., Dezyani, M., Rana, R., Rajabi, R., & Ayatollahi, A. (2024). A *lightweight attention*-based deep network via multi-scale feature fusion for multi-view facial expression recognition. arXiv. <https://arxiv.org/abs/2403.14318>.

- Gao, H., Qi, M., Du, B., Yang, S., Li, H., Wang, T., Zhong, W., & Tang, Y. (2024). An accurate semantic segmentation model for bean seedlings and weeds identification based on improved ERFnet. *Scientific Reports*, 14, 12288. <https://doi.org/10.1038/s41598-024-61981-9>.
- Goodfellow, I., Bengio, Y., & Courville, A. (2016). *Deep learning*. MIT Press.
- Hendrycks, D., & Dietterich, T. (2020). *Benchmarking neural network robustness to common corruptions and perturbations*. In *Proceedings of the International Conference on Learning Representations (ICLR)*. <https://openreview.net/forum?id=HJz6tiCqYm>.
- Howard, A., Sandler, M., Chu, G., Chen, L.-C., Chen, B., Tan, M., Wang, W., Zhu, Y., Pang, R., Vasudevan, V., Le, Q. V., & Adam, H. (2019). Searching for MobileNetV3. *Proceedings of the IEEE/CVF International Conference on Computer Vision (ICCV)*, 1314–1324. <https://doi.org/10.1109/ICCV.2019.00140>.
- Jiang, B., Li, N., Cui, X., Zhang, Q., Zhang, H., Li, Z., & Liu, W. (2024). Research on facial expression recognition algorithm based on improved MobileNetV3. *EURASIP Journal on Image and Video Processing*. <https://doi.org/10.1186/s13640-024-00638-z>.
- Keras Team. (2023). *MobileNet, MobileNetV2, and MobileNetV3 in Keras Applications*. Keras Documentation. <https://keras.io/api/applications/mobilenet/>.
- Kim, J., Kang, J.-K., & Kim, Y. (2021). A resource efficient integer-arithmetic-only FPGA-based CNN accelerator for *real-time* facial emotion recognition. *IEEE Access*, 9, 103888–103900. <https://doi.org/10.1109/ACCESS.2021.3099075>.
- Kotler, P., & Keller, K. L. (2016). *Marketing management* (15th ed.). Pearson.
- Krizhevsky, A., Sutskever, I., & Hinton, G. E. (2012). ImageNet classification with deep convolutional neural networks. *Advances in Neural Information Processing Systems (NeurIPS)*. <https://doi.org/10.1145/3065386>.
- LeCun, Y., Bengio, Y., & Hinton, G. (2015). Deep learning. *Nature*, 521, 436–444. <https://doi.org/10.1038/nature14539>.
- Li, S., & Deng, W. (2020). Deep facial expression recognition: A survey. *IEEE Transactions on Affective Computing*. <https://doi.org/10.1109/TAFFC.2020.2981446>.
- Liang, X., Liang, J., Yin, T., & Tang, X. (2023). A *lightweight* method for face expression recognition based on improved MobileNetV3. *IET Image Processing*. <https://doi.org/10.1049/ipr2.12798>.

- Lin, M., Chen, Q., & Yan, S. (2014). Network in network. *arXiv preprint arXiv:1312.4400*. <https://doi.org/10.48550/arXiv.1312.4400>.
- Loshchilov, I., & Hutter, F. (2019). Decoupled weight decay regularization. *International Conference on Learning Representations (ICLR)*. <https://doi.org/10.48550/arXiv.1711.05101>.
- Mahmoud, A. M., Mansour, R. F., & Badran, G. F. (2025). Using residual network for plant leaf disease image classification. *New Valley Journal of Basic and Applied Sciences*. <https://doi.org/10.21608/nujbas.2025.370104.1033>.
- Manning, C. D., Raghavan, P., & Schütze, H. (2008). Introduction to information retrieval. Cambridge University Press. <https://doi.org/10.1017/CBO9780511809071>.
- Mathivanan, S. K., Sonaimuthu, S., Murugesan, S., Rajadurai, H., Shivahare, B. D., & Shah, M. A. (2024). Employing deep learning and transfer learning for accurate brain tumor detection. *Scientific Reports*, 14, 7232. <https://doi.org/10.1038/s41598-024-57970-7>.
- Moussaoui, H., El Akkad, N., Benslimane, M., El-Shafai, W., Baihan, A., Hewage, C., & Rathore, R. S. (2024). Enhancing automated vehicle identification by integrating YOLOv8 and OCR techniques for high-precision license plate detection and recognition. *Scientific Reports*, 14, 14389. <https://doi.org/10.1038/s41598-024-65272-1>.
- Picard, R. W. (1997). *Affective computing*. MIT Press.
- Pereira, J. F. M., Mari, J. F., & Silva, L. H. F. P. (2025). Exploiting data augmentation strategies to improve the classification of spinal disorders in X-ray images. *Revista de Informática Teórica e Aplicada (RITA)*, 32(1), 257–264. <https://doi.org/10.22456/2175-2745.143521>.
- Psaroudakis, A., & Kollias, D. (2022). MixAugment & Mixup: Augmentation methods for facial expression recognition. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW)*. <https://doi.org/10.1109/CVPRW56347.2022.00264>.
- Qu, M., He, Y., Xu, W., Liu, D., An, C., Liu, S., Liu, G., & Cheng, F. (2024). Array-optimized artificial olfactory sensor enabling cost-effective and non-destructive detection of mycotoxin-contaminated maize. *Food Chemistry*, 456, 139940. <https://doi.org/10.1016/j.foodchem.2024.139940>.
- Rahadjeng, I. R., Siregar, M. N. H., & Windarto, A. P. (2023). Evaluasi perbandingan kinerja convolutional neural networks untuk klasifikasi kualitas biji kakao. *Jurnal Media Informatika Budidarma*, 7(3). <https://doi.org/10.30865/mib.v7i3.6533>.

- Shorten, C., & Khoshgoftaar, T. M. (2019). A survey on image data *augmentation* for deep learning. *Journal of Big Data*, 6(1), 1–48.
- Song, J., & Liu, Z. (2025). Facial expression recognition based on deep learning techniques using the FERPlus dataset. *Multimedia Tools and Applications*. <https://doi.org/10.1007/s11042-025>.
- Stevens, E., Antiga, L., & Viehmann, T. (2020). *Deep learning with PyTorch*. Manning Publications.
- Szegedy, C., Vanhoucke, V., Ioffe, S., Shlens, J., & Wojna, Z. (2016). Rethinking the Inception architecture for computer vision. *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2818–2826. <https://doi.org/10.1109/CVPR.2016.308>.
- Taori, R., Dave, A., Shankar, V., Carlini, N., Recht, B., & Schmidt, L. (2020). *Measuring robustness to natural distribution shifts in image classification*. In *Advances in Neural Information Processing Systems* (Vol. 33). <https://proceedings.neurips.cc/paper/2020/hash/d8330f857a17c53d217014ee776bfd50-Abstract.html>.
- Wang, H., Wang, Y., Zhou, Z., Ji, X., Gong, D., Zhou, J., Li, Z., & Liu, W. (2018). CosFace: Large margin cosine loss for deep face recognition. *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 5265–5274. <https://doi.org/10.1109/CVPR.2018.00552>.
- Xie, S., Li, M., Liu, S., & Tang, X. (2021). *ResNet with attention mechanism and deformable convolution for facial expression recognition*. In 2021 4th International Conference on Information Communication and Signal Processing (ICICSP). IEEE. <https://doi.org/10.1109/ICICSP54369.2021.9611962>.
- Xin, H., Zhao, P., Zheng, B., Yang, S., & Teoh, T. T. (2023). *Augmentation of Alzheimer images based on visual transform*. In *Proceedings of the 15th International Conference on Computer Research and Development (ICCRD)* (pp. 176–180). IEEE. <https://doi.org/10.1109/ICCRD56364.2023.10080298>.
- Yang, L., Zhang, R. Y., Li, L., & Xie, X. (2021). *SimAM: A simple, parameter-free attention module for convolutional neural networks*. *Proceedings of the International Conference on Machine Learning (ICML)*.
- Yu, J., Liu, Y., Fan, R., & Sun, G. (2024). MixCut: A data *augmentation* method for facial expression recognition. *arXiv preprint*. <https://doi.org/10.48550/arXiv.2405.10489>.

- Yun, S., Han, D., Oh, S. J., Chun, S., Choe, J., & Yoo, Y. (2019). CutMix: Regularization strategy to *train strong classifiers* with localizable features. *Proceedings of the IEEE/CVF International Conference on Computer Vision (ICCV)*, 6023–6032. <https://doi.org/10.1109/ICCV.2019.00612>.
- Zhang, H., Cisse, M., Dauphin, Y. N., & Lopez-Paz, D. (2018). mixup: Beyond empirical risk minimization. *International Conference on Learning Representations (ICLR)*. <https://doi.org/10.48550/arXiv.1710.09412>.
- Zhang, J., Pang, R., & Ghadesi, P. (2025). Improving *accuracy* of land-use classification through MobileNetV3 and Greedy Osprey Optimization. *Scientific Reports*, 15, 31332. <https://doi.org/10.1038/s41598-025-17227-3>.
- Zhang, Y., Li, Z., Shen, D., Wang, K., Li, J., & Xia, C. (2025). Information Gap based knowledge distillation for occluded facial expression recognition. *Image and Vision Computing*, 154, 105365. <https://doi.org/10.1016/j.imavis.2024.105365>.
- Zhang, Y., Xu, C., Du, R., Kong, Q., Li, D., & Liu, C. (2023). MSIF-MobileNetV3: An improved MobileNetV3 based on multi-scale information fusion for fish feeding behavior analysis. *Aquacultural Engineering*, 102, 102338. <https://doi.org/10.1016/j.aquaeng.2023.102338>.
- Zhong, Z., Zheng, L., Kang, G., Li, S., & Yang, Y. (2020). Random erasing data augmentation. *Proceedings of the AAAI Conference on Artificial Intelligence*, 34(7), 13001–13008. <https://doi.org/10.1609/aaai.v34i07.7000>.
- Zhu, H., Xu, H., Ma, X., & Bian, M. (2022). Facial expression recognition using dual path feature fusion and stacked attention. *Future Internet*, 14(9), 258. <https://doi.org/10.3390/fi14090258>.
- Zhu, Y., Wang, S., Yu, H., Li, W., & Tian, J. (2024). SFPL: Sample-specific fine-grained prototype learning for imbalanced medical image classification. *Medical Image Analysis*, 97, 103281. <https://doi.org/10.1016/j.media.2024.103281>.