

DAFTAR PUSTAKA

- Aksoy, S., Demircioglu, P., & Bogrekci, I. (2025). Web-Based Multimodal Deep Learning Platform with XRAI Explainability for Real-Time Skin Lesion Classification and Clinical Decision Support. *Cosmetics*, 12(5), 1–38. <https://doi.org/10.3390/cosmetics12050194>
- Ali, K., Shaikh, Z. A., Khan, A. A., & Laghari, A. A. (2022). Multiclass skin cancer classification using EfficientNets – a first step towards preventing skin cancer. *Neuroscience Informatics*, 2(4). <https://doi.org/10.1016/j.neuri.2021.100034>
- Arshad, M., Khan, M. A., Almujaally, N. A., Alasiry, A., Marzougui, M., & Nam, Y. (2025). Multiclass skin lesion classification and localization from dermoscopic images using a novel network-level fused deep architecture and explainable artificial intelligence. *BMC Medical Informatics and Decision Making*, 25(1). <https://doi.org/10.1186/s12911-025-03051-2>
- Ashtagi, R., Kharat, P. V., Sarmalkar, V., Hosmani, S., Patil, A. R., Akkalkot, A. I., & Padthe, A. (2024). Enhancing Melanoma Skin Cancer Diagnosis Through Transfer Learning: An EfficientNetB0 Approach. *Acadlore Transactions on AI and Machine Learning*, 3(1), 57–69. <https://doi.org/10.56578/ataiml030105>
- Brodersen, K. H., Ong, C. S., Stephan, K. E., & Buhmann, J. M. (2010). The balanced accuracy and its posterior distribution. *Proceedings - International Conference on Pattern Recognition*, 3121–3124. <https://doi.org/10.1109/ICPR.2010.764>
- Buda, M., Maki, A., & Mazurowski, M. A. (2018). A systematic study of the class imbalance problem in convolutional neural networks. *Neural Networks*, 106, 249–259. <https://doi.org/10.1016/j.neunet.2018.07.011>
- Chanda T, Hauser K, Hobelsberger S, Bucher TC, Garcia CN, & Wies C. (2024). Dermatologist-like explainable AI enhances trust and confidence in diagnosing melanoma. *Nature Communications*, 15, 524. <https://doi.org/https://doi.org/10.1038/s41467-023-43095-4>
- Cherukuri, S., & Vara Prasad, S. D. (2025). EnsembleSkinNet: a transfer learning-based framework for efficient skin cancer detection with explainable AI integration. *Frontiers in Oncology*, 15(December), 1–26. <https://doi.org/10.3389/fonc.2025.1699960>
- Das, S., & Addya, R. K. (2025). Skin Cancer Detection and Classification Through Medical Image Analysis Using EfficientNet. *Ndt*, 3(4), 23. <https://doi.org/10.3390/ndt3040023>
- Debelee, T. G. (2023). Skin Lesion Classification and Detection Using Machine Learning Techniques: A Systematic Review. *Diagnostics*, 13(19). <https://doi.org/10.3390/diagnostics13193147>

- Dijaya, R. (2023). *BUKU AJAR PENGOLAHAN CITRA DIGITAL*.
- Dinitra, N. T., Wijayanto, I., Akhyar, F., Safitri, A. S., & Firdhaust, R. S. (2024). Enhancing Skin Cancer Classification Using EfficientNet-Based Architectures. *2024 International Conference on Data Science and Its Applications, ICoDSA 2024*, 415–420. <https://doi.org/10.1109/ICoDSA62899.2024.10652183>
- Dubey, S. R., Singh, S. K., & Chaudhuri, B. B. (2022). Activation functions in deep learning: A comprehensive survey and benchmark. *Neurocomputing*, 503, 92–108. <https://doi.org/10.1016/j.neucom.2022.06.111>
- Gonzalez, R. C., & Woods, R. E. (2018). Digital Image Processing, 4th Edition. Dalam *Journal of Electronic Imaging* (Vol. 16, Nomor 2). <https://doi.org/10.1117/1.2744044>
- Goodfellow, I., Bengio, Y., & Courville, Y. (2016). Book: Deep Learning. Dalam *Prmu*. www.deeplearningbook.org
- Gulzar, Y., Ya'u, B. I., Alkanan, M., & Onn, C. W. (2025). ScNet: a lightweight CNN with depthwise and SE modules for skin lesion classification. *Computer Methods in Biomechanics and Biomedical Engineering: Imaging and Visualization*, 13(1). <https://doi.org/10.1080/21681163.2025.2576198>
- Hafizh, R. A., Wijaya, R., Yafi, A. I., & Siwi, S. A. P. (2024). Improving Skin Disease Classification with EfficientNetB0: A Deep Learning Approach to Overfitting Control. *2024 International Conference on Intelligent Cybernetics Technology and Applications, ICICYTA 2024*, 513–518. <https://doi.org/10.1109/ICICYTA64807.2024.10913154>
- Hamida, S., Lamrani, D., El Gannour, O., Saleh, S., & Cherradi, B. (2024). Toward enhanced skin disease classification using a hybrid RF-DNN system leveraging data balancing and augmentation techniques. *Bulletin of Electrical Engineering and Informatics*, 13(1), 538–547. <https://doi.org/10.11591/eei.v13i1.6313>
- He, H., & Garcia, E. A. (2009). Learning from imbalanced data. *IEEE Transactions on Knowledge and Data Engineering*, 21(9), 1263–1284. <https://doi.org/10.1109/TKDE.2008.239>
- Hu, J. (2018). Squeeze-and-Excitation_Networks_CVPR_2018_paper.pdf. *Computer Vision and Pattern Recognition*, 7132–7141. <https://doi.org/https://doi.org/10.48550/arXiv.1709.01507>
- Johnson, J. M., & Khoshgoftaar, T. M. (2019). Survey on deep learning with class imbalance. *Journal of Big Data*, 6(1). <https://doi.org/10.1186/s40537-019-0192-5>
- Khan, A., & Kyzy, A. N. (2025). *Development of a Convolutional Neural Network-Based System for Skin Disease Classification Development of a Convolutional Neural*

- Network-Based System for Skin Disease Classification.* 0–12.
<https://doi.org/10.20944/preprints202504.2588.v1>
- Kim, H. E., Cosa-Linan, A., Santhanam, N., Jannesari, M., Maros, M. E., & Ganslandt, T. (2022). Transfer learning for medical image classification: a literature review. *BMC Medical Imaging*, 22(1), 1–14. <https://doi.org/10.1186/s12880-022-00793-7>
- Kingma, D. P., & Ba, J. L. (2015). Adam: A method for stochastic optimization. *3rd International Conference on Learning Representations, ICLR 2015 - Conference Track Proceedings*, 1–15. <https://doi.org/https://doi.org/10.48550/arXiv.1412.6980>
- Krawczyk, B. (2016). Learning from imbalanced data: open challenges and future directions. *Progress in Artificial Intelligence*, 5(4), 221–232. <https://doi.org/10.1007/s13748-016-0094-0>
- Krüger, I. F. (2016). *Activity, Context and Intention Recognition with Computational Causal Behavior Models*. https://doi.org/https://doi.org/10.18453/rosdok_id00002015
- Lariba, A. C., & Akanzawon, M. J. (2022). Skin Lesion Classification Based on Convolutional Neural Network. *Journal of Applied Science and Technology Trends*, 3(1), 21–26. <https://doi.org/10.38094/jastt301121>
- LeCun, Y., Bengio, Y., & Hinton, G. (2015). Deep learning. *Nature*, 521(7553), 436–444. <https://doi.org/10.1038/nature14539>
- Leevy, J. L., Khoshgoftaar, T. M., Bauder, R. A., & Seliya, N. (2018). A survey on addressing high-class imbalance in big data. *Journal of Big Data*, 5(1). <https://doi.org/10.1186/s40537-018-0151-6>
- Lemaitre, G., Nogueira, F., & Aridas, C. K. (2017). Imbalanced-learn: A Python Toolbox to Tackle the Curse of Imbalanced Datasets in Machine Learning. *Journal of Machine Learning Research*, 18, 1–5. <https://doi.org/https://doi.org/10.48550/arXiv.1609.06570>
- Lin, M., Chen, Q., & Yan, S. (2014). Network in network. *2nd International Conference on Learning Representations, ICLR 2014 - Conference Track Proceedings*, 1–10. <https://doi.org/https://doi.org/10.48550/arXiv.1312.4400>
- Mader, K. S. (2018). *Skin Cancer MNIST: HAM10000*. Kaggle. <https://www.kaggle.com/datasets/kmader/skin-cancer-mnist-ham10000/data>
- Miglani, V., & Bhatia, M. (2021). Skin lesion classification: a transfer learning approach using efficientnets. *Advances in Intelligent Systems and Computing*, 1141, 315–324. https://doi.org/10.1007/978-981-15-3383-9_29
- Mishra, C., & Gupta, D. L. (2017). Deep Machine Learning and Neural Networks: An Overview. *IAES International Journal of Artificial Intelligence (IJ-AI)*, 6(2), 66. <https://doi.org/10.11591/ijai.v6.i2.pp66-73>

- Muntasa, A., Wahyuningrum, R. T., Husni, Motwakel, A., Salih, S., Elshafie, H., Asmara, Y. P., & Dewi, D. A. (2025). A Novel Deep Learning Framework: Combining Two-Dimensional Principal Component Analysis and Convolutional Neural Network with Squeeze and Excitation Blocks for Skin Cancer Image Classification. *International Journal of Intelligent Engineering and Systems*, 18(10), 844–867. <https://doi.org/10.22266/ijies2025.1130.54>
- Naik, P. P. (2021). Cutaneous Malignant Melanoma: A Review of Early Diagnosis and Management. *World Journal of Oncology*, 12(1), 7–19. <https://doi.org/10.14740/wjon1349>
- Nie, Y., Sommella, P., Carratù, M., O’Nils, M., & Lundgren, J. (2023). A Deep CNN Transformer Hybrid Model for Skin Lesion Classification of Dermoscopic Images Using Focal Loss. *Diagnostics*, 13(1), 1–18. <https://doi.org/10.3390/diagnostics13010072>
- Nielsen, M. A. (2015). Neural Networks and Deep Learning. Dalam *Neural Networks and Deep Learning* (hlm. 1–25).
- Nwankpa, C., Ijomah, W., Gachagan, A., & Marshall, S. (2018). *Activation Functions: Comparison of trends in Practice and Research for Deep Learning*. 1–20. <https://doi.org/https://doi.org/10.48550/arXiv.1811.03378>
- O’Shea, K., & Nash, R. (2022). An Introduction to Convolutional Neural Networks. *International Journal for Research in Applied Science and Engineering Technology*, 10(12), 943–947. <https://doi.org/10.22214/ijraset.2022.47789>
- Pandey, A., Teja, M. S., Sahare, P., Kamble, V., Parate, M., & Hashmi, M. F. (2024). Skin cancer classification using non-local means denoising and sparse dictionary learning based CNN. *Journal of Electrical Systems and Information Technology*, 11(1). <https://doi.org/10.1186/s43067-024-00162-0>
- Phung, V. H., & Rhee, E. J. (2019). A High-accuracy model average ensemble of convolutional neural networks for classification of cloud image patches on small datasets. *Applied Sciences (Switzerland)*, 9(21). <https://doi.org/10.3390/app9214500>
- Pollastri, F., Parreño, M., Maroñas, J., Bolelli, F., Paredes, R., Ramos, D., & Grana, C. (2021). A deep analysis on high-resolution dermoscopic image classification. *IET Computer Vision*, 15(7), 514–526. <https://doi.org/10.1049/cvi2.12048>
- Potdar, K., Taher. S., P., & Chinmay. D., P. (2017). A Comparative Study of Categorical Variable Encoding Techniques for Neural Network Classifiers. *International journal of computer applications*, 175(4), 7–9. <https://doi.org/https://doi.org/10.5120/ijca2017915495>
- Rahmaniar, T. D., Safitri, A. S., Maulidin, I., Wijayanto, I., & Hadiyoso, S. (2024). Employing Up-Sampling and Augmentation for Imbalanced Datasets in Skin Cancer

- Classification Using CNN Architecture. *2024 8th International Conference on Information Technology, Information Systems and Electrical Engineering, ICITISEE 2024*, 453–457. <https://doi.org/10.1109/ICITISEE63424.2024.10729972>
- Ray, A., Sarkar, S., Schwenker, F., & Sarkar, R. (2024). Decoding skin cancer classification: perspectives, insights, and advances through researchers' lens. Dalam *Scientific Reports* (Vol. 14, Nomor 1). <https://doi.org/10.1038/s41598-024-81961-3>
- Sagban, R., Marhoon, H. A., & Ahmed, S. R. (2024). Enhanced Diagnostic Precision: Deep Learning for Tumors Lesion Classification in Dermatology. *Intelligent Automation and Soft Computing*, 39(6), 1035–1051. <https://doi.org/10.32604/iasc.2024.058416>
- Sandler, M., Howard, A., Zhu, M., Zhmoginov, A., & Chen, L. C. (2018). MobileNetV2: Inverted Residuals and Linear Bottlenecks. *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, 4510–4520. <https://doi.org/10.1109/CVPR.2018.00474>
- Sari, Y., Arifin, Y. F., Novitasari, & Faisal, M. R. (2022). The Effect of Batch Size and Epoch on Performance of ShuffleNet-CNN Architecture for Vegetation Density Classification. Dalam *ACM International Conference Proceeding Series* (Vol. 1, Nomor 1). Association for Computing Machinery. <https://doi.org/10.1145/3568231.3568239>
- Scikit-learn developers. (2026). *compute_class_weight*. Scikit-learn 1.9.0 documentation. https://scikit-learn.org/stable/modules/generated/sklearn.utils.class_weight.compute_class_weight.html
- Shetty, B., Fernandes, R., Rodrigues, A. P., Chengoden, R., Bhattacharya, S., & Lakshmanan, K. (2022). Skin lesion classification of dermoscopic images using machine learning and convolutional neural network. *Scientific Reports*, 12(1), 1–11. <https://doi.org/10.1038/s41598-022-26516-0>
- Shorten, C., & Khoshgoftaar, T. M. (2019). A survey on Image Data Augmentation for Deep Learning. *Journal of Big Data*, 6(1). <https://doi.org/10.1186/s40537-019-0197-0>
- Sokolova, M., & Lapalme, G. (2009). A systematic analysis of performance measures for classification tasks. *Information Processing and Management*, 45(4), 427–437. <https://doi.org/10.1016/j.ipm.2009.03.002>
- Srivastava, N., Hinton, G., Krizhevsky, A., Sutskever, I., & Salakhutdinov, R. (2014). Dropout: A simple way to prevent neural networks from overfitting. *Journal of Machine Learning Research*, 15, 1929–1958. <https://doi.org/https://dl.acm.org/doi/10.5555/2627435.2670313>

- Sun, Y., Kamel, M. S., & Wang, Y. (2006). Boosting for learning multiple classes with imbalances class distribution. *Proceedings - IEEE International Conference on Data Mining, ICDM*, 592–602. <https://doi.org/10.1109/ICDM.2006.29>
- Supriyanto, C., Salam, A., Zeniarja, J., & Wijaya, A. (2023). Performance Evaluation of Oversampling Methods on Deep Learning-Based Skin Cancer Classification. *2023 International Seminar on Application for Technology of Information and Communication: Smart Technology Based on Industry 4.0: A New Way of Recovery from Global Pandemic and Global Economic Crisis, iSemantic 2023*, 485–489. <https://doi.org/10.1109/iSemantic59612.2023.10295333>
- Tan, M., & Le, Q. V. (2019). EfficientNet: Rethinking model scaling for convolutional neural networks. *36th International Conference on Machine Learning, ICML 2019, 2019-June*, 10691–10700. <https://doi.org/https://doi.org/10.48550/arXiv.1905.11946>
- Tschandl, P., Rosendahl, C., & Kittler, H. (2018). Data descriptor: The HAM10000 dataset, a large collection of multi-source dermatoscopic images of common pigmented skin lesions. *Scientific Data*, 5, 1–9. <https://doi.org/10.1038/sdata.2018.161>
- Umam, A. K., Hari, N. H., Setyadi, A. T., Zahra, H. A., & Shafa, K. N. (2025). Interpolasi Bilinear Untuk Citra Digital. *MathVision : Jurnal Matematika*, 7(2), 114–118. <https://doi.org/10.55719/mv.v7i2.1595>
- Vieira, J., Mendonca, F., & Morgado-Dias, F. (2025). Deep Learning Approaches for Skin Lesion Classification. *3rd IEEE International Conference on Networks, Multimedia and Information Technology, NMITCON 2025*, 1–24. <https://doi.org/10.1109/NMITCON65824.2025.11188321>
- Wu, J. (2017). *Introduction to Convolutional Neural Networks*.
- Wu, Y., Chen, B., Zeng, A., Pan, D., Wang, R., & Zhao, S. (2022). Skin Cancer Classification With Deep Learning: A Systematic Review. *Frontiers in Oncology*, 12(July), 1–20. <https://doi.org/10.3389/fonc.2022.893972>
- Yang, Y., Miller, C., Jiang, P., & Moghtaderi, A. (2020). A Case Study of Multi-class Classification with Diversified Precision Recall Requirements for Query Disambiguation. *SIGIR 2020 - Proceedings of the 43rd International ACM SIGIR Conference on Research and Development in Information Retrieval*, (4), 1633–1636. <https://doi.org/10.1145/3397271.3401315>
- Yao, P., Shen, S., Xu, M., Liu, P., Zhang, F., Xing, J., Shao, P., Kaffenberger, B., & Xu, R. X. (2022). Single Model Deep Learning on Imbalanced Small Datasets for Skin Lesion Classification. *IEEE Transactions on Medical Imaging*, 41(5), 1242–1254. <https://doi.org/10.1109/TMI.2021.3136682>
- Yu, T., & Zhu, H. (2020). *Hyper-Parameter Optimization: A Review of Algorithms and Applications*. 1–56. <https://doi.org/https://doi.org/10.48550/arXiv.2003.05689>

- Zeng, G. (2025). Invariance Properties and Evaluation Metrics Derived from the Confusion Matrix in Multiclass Classification. *Mathematics*, 13(16). <https://doi.org/10.3390/math13162609>
- Zhu, R., Guo, Y., & Xue, J. H. (2020). Adjusting the imbalance ratio by the dimensionality of imbalanced data. *Pattern Recognition Letters*, 133, 217–223. <https://doi.org/10.1016/j.patrec.2020.03.004>