

DAFTAR PUSTAKA

- Abdu, M., Tibebe, S., Babae, S., Worku, A., Msagati, T. A. M., & Nure, J. F. (2025). Optimization of photocatalytic degradation of Eriochrome Black T from aqueous solution using TiO₂-biochar composite. *Results in Engineering*, 25, 104036. <https://doi.org/https://doi.org/10.1016/j.rineng.2025.104036>
- Abdu, M., Worku, A., Babae, S., Diale, P., Msagati, T. A. M., & Nure, J. F. (2025). The development of TiO₂-biochar composite material for photodegradation of basic blue 41 and erichrome black T azo dyes from water. *Surfaces and Interfaces*, 62, 106156. <https://doi.org/https://doi.org/10.1016/j.surfin.2025.106156>
- Acosta-Silva, Y. J., Ledesma-García, J., Rivas, S., Alvarez, A., Palma-Tirado, L., Pérez-Robles, J. F., & Méndez-López, A. (2026). Anatase-Dominant TiO₂ Nanoparticles Prepared by Sol–Gel and High-Temperature Calcination. *Applied Sciences*, 16(3). <https://doi.org/10.3390/app16031258>
- Ali, A., Zhang, N., & Santos, R. M. (2023). Mineral Characterization Using Scanning Electron Microscopy (SEM): A Review of the Fundamentals, Advancements, and Research Directions. In *Applied Sciences (Switzerland)* (Vol. 13, Number 23). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/app132312600>
- Amalina, F., Razak, A. S. A., Krishnan, S., Zularisam, A. W., & Nasrullah, M. (2022). A comprehensive assessment of the method for producing biochar, its characterization, stability, and potential applications in regenerative economic sustainability – A review. In *Cleaner Materials* (Vol. 3). Elsevier Ltd. <https://doi.org/10.1016/j.clema.2022.100045>
- Anchieta e Silva, F., de Almeida, T. A., Secchi, A. R., Pinto, J. C., & Rodrigues, T. S. (2025). Enhancing Optical Properties and Cost-Effectiveness of Sol–Gel TiO₂ Nanomaterials Through Experimental Design. *Processes*, 13(7). <https://doi.org/10.3390/pr13071988>
- Ashebir, H., Babae, S., Diale, P., Worku, A., Msagati, T. A. M., & Nure, J. F. (2025). Optimization of photocatalytic degradation of sulfamethoxazole from wastewater using developed N-doped TiO₂/biochar. *Results in Engineering*, 26, 105170. <https://doi.org/https://doi.org/10.1016/j.rineng.2025.105170>
- Benčina, M., Mozetic, M., & Junkar, I. (2020). Crystallized TiO₂ Nanosurfaces in Biomedical Applications. *Nanomaterials*, 10, 1121. <https://doi.org/10.3390/nano10061121>
- Biochar Dari Sabut Siwalan Sebagai Adsorben Larutan Cu Dinda Syafitra, P., Gilang Maulana Yusuf, T., Indrati Utami, L., & Nurma Wahyusi, K. (2020). 1-7 Pembangunan Nasional "Veteran. In *Journal of Chemical and Process Engineering ChemPro Journal* (Vol. 1, Number 2). www.chempro.upnjatim.ac.id
- Borah, N., & Tamuly, C. (2024). Emerging nano photo-catalysts for degradation of paracetamol and its prospective: a short review. *International Journal of Environmental Analytical Chemistry*, 104(20), 8762–8777. <https://doi.org/10.1080/03067319.2023.2215164>
- Buendia-Aviles, S., Cunill-Rodríguez, M., Delgado-Atencio, J. A., González-Gutiérrez, E., Arce-Diego, J. L., & Fanjul-Vélez, F. (2024). Evaluation of Diffuse Reflectance Spectroscopy Vegetal Phantoms for Human Pigmented Skin Lesions. *Sensors*, 24(21). <https://doi.org/10.3390/s24217010>

- Cai, X., Li, J., Liu, Y., Yan, Z., Tan, X., Liu, S., Zeng, G., Gu, Y., Hu, X., & Jiang, L. (2018). Titanium dioxide-coated biochar composites as adsorptive and photocatalytic degradation materials for the removal of aqueous organic pollutants. *Journal of Chemical Technology and Biotechnology*, 93(3), 783–791. <https://doi.org/10.1002/jctb.5428>
- Cao, N., Xi, M., Li, X., Zheng, J., Qian, L., Dai, Y., Song, X., & Hu, S. (2022). Recent Developments in Heterogeneous Photocatalysts with Near-Infrared Response. In *Symmetry* (Vol. 14, Number 10). MDPI. <https://doi.org/10.3390/sym14102107>
- Dewi, A. M., Widayatno, W. B., & Kusumawati, Y. (2019). Perbandingan Efektivitas Dekolorisasi Fotokatalitik Metilen Biru dan Metil Jingga menggunakan Semikonduktor ZnO pada Variasi pH. *Jurnal Riset Kimia*, 10(2), 75–84. <https://doi.org/10.25077/jrk.v10i2.328>
- Dzulfiyanto, A., Riswanto, F. D. O., & Rohman, A. (2017). The employment of UV-spectroscopy combined with multivariate calibration for analysis of paracetamol, propyphenazone and caffeine. *Indonesian Journal of Pharmacy*, 28(4), 191–197. <https://doi.org/10.14499/indonesianjpharm28iss4pp191>
- Edrees, S. B., Al-Hammadi, N., Al-Samman, S., & Albanna, A. (2022). Environmental Effects of Investigation of Paracetamol Remains in the Sewage Discharge in Tigris River at Mosul City. *IOP Conference Series: Earth and Environmental Science*, 1060(1). <https://doi.org/10.1088/1755-1315/1060/1/012032>
- Feng, X., Li, X., Su, B., & Ma, J. (2022). Solid-phase fabrication of TiO₂/Chitosan-biochar composites with superior UV–vis light driven photocatalytic degradation performance. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 648, 129114. <https://doi.org/https://doi.org/10.1016/j.colsurfa.2022.129114>
- Ferreira, M. P., & De Carvalho, H. B. (n.d.). *On the processing of anatase La-doped TiO₂ nanopowders: structural phase transition and surface defect engineering*.
- Fitria Ningrum, R., Sipriyadi, S., & Nursa'adah, E. (2021a). Potensi Pemanfaatan Kulit Buah Kabau (Archidendron bubalinum) sebagai Antifungi Candida albicans ATCC 10231. *Biotropika: Journal of Tropical Biology*, 9(2), 115–120. <https://doi.org/10.21776/ub.biotropika.2021.009.02.03>
- Fitria Ningrum, R., Sipriyadi, S., & Nursa'adah, E. (2021b). Potensi Pemanfaatan Kulit Buah Kabau (Archidendron bubalinum) sebagai Antifungi Candida albicans ATCC 10231. *Biotropika: Journal of Tropical Biology*, 9(2), 115–120. <https://doi.org/10.21776/ub.biotropika.2021.009.02.03>
- Guo, D., Feng, D., Zhang, Y., Zhang, Z., Wu, J., Zhao, Y., & Sun, S. (2022). Synergistic mechanism of biochar-nano TiO₂ adsorption-photocatalytic oxidation of toluene. *Fuel Processing Technology*, 229. <https://doi.org/10.1016/j.fuproc.2022.107200>
- Herrmann, J.-M. (1999). Heterogeneous photocatalysis: fundamentals and applications to the removal of various types of aqueous pollutants. *Catalysis Today*, 53(1), 115–129. [https://doi.org/https://doi.org/10.1016/S0920-5861\(99\)00107-8](https://doi.org/https://doi.org/10.1016/S0920-5861(99)00107-8)
- Horst Kisch. (2015). *Semiconductor Photocatalysis: Principles and Applications*. Wiley-VCH.
- Huang Kong, E. D., Lai, C. W., Juan, J. C., Pang, Y. L., Khe, C. S., Badruddin, I. A., Gapsari, F., & Anam, K. (2025). Recent advances in titanium dioxide bio-derived carbon photocatalysts for organic pollutant degradation in wastewater. *IScience*, 28(5), 112368. <https://doi.org/https://doi.org/10.1016/j.isci.2025.112368>

- Jallouli, N., Elghniji, K., Trabelsi, H., & Ksibi, M. (n.d.). Photocatalytic degradation of paracetamol on TiO₂ nanoparticles and TiO₂/cellulosic fiber under UV and sunlight irradiation. *Arabian Journal of Chemistry*, 10. <https://doi.org/10.1016/j.arabjc.2014.03.014>
- Karthikeyan, C., Arunachalam, P., Ramachandran, K., Al-Mayouf, A. M., & Karuppuchamy, S. (2020). Recent advances in semiconductor metal oxides with enhanced methods for solar photocatalytic applications. *Journal of Alloys and Compounds*, 828, 154281. <https://doi.org/https://doi.org/10.1016/j.jallcom.2020.154281>
- Keiluweit, M., Nico, P. S., Johnson, M. G., & Kleber, M. (2010). Dynamic Molecular Structure of Plant Biomass-Derived Black Carbon (Biochar). *Environmental Science & Technology*, 44(4), 1247–1253. <https://doi.org/10.1021/es9031419>
- Kemampuan Ekstrak Kulit Buah Kabau (Archidendron microcarpum) dalam Mengendalikan Crocidolomia pavonana (Lepidoptera: Crambidae) (Ability of Kabau Fruit Crude Extract (Archidendron microcarpum) in Controlling Crocidolomia pavonana (Lepidoptera: Crambidae) Obel 1)*, Dwinardi Apriyanto 2), dan Tunjung Pamekas 2).* (n.d.).
- Khoiriah, K., & Putri, R. A. (2024a). Biosynthesis of titanium dioxide nanoparticles using peel extract of *Parkia speciosa* for methyl orange degradation. *South African Journal of Botany*, 170, 120–129. <https://doi.org/10.1016/j.sajb.2024.05.021>
- Khoiriah, K., & Putri, R. A. (2024b). Biosynthesis of titanium dioxide nanoparticles using peel extract of *Parkia speciosa* for methyl orange degradation. *South African Journal of Botany*, 170, 120–129. <https://doi.org/https://doi.org/10.1016/j.sajb.2024.05.021>
- Komariah, D., & Hartana, A. (n.d.). VARIASI MORFOLOGI KABAU (ARCHIDENDRON BUBALINUM) DAN PE-MANFAATANNYA DI SUMATRA. In *Floribunda* (Vol. 5, Number 5).
- Lazarotto, J. S., de Lima Brombilla, V., Silvestri, S., & Foletto, E. L. (2020). Conversion of spent coffee grounds to biochar as promising TiO₂ support for effective degradation of diclofenac in water. *Applied Organometallic Chemistry*, 34(12). <https://doi.org/10.1002/aoc.6001>
- Liang, Y., & Ding, H. (2020). Mineral-TiO₂ composites: Preparation and application in papermaking, paints and plastics. *Journal of Alloys and Compounds*, 844, 156139. <https://doi.org/https://doi.org/10.1016/j.jallcom.2020.156139>
- Liu, Y., Dai, X., Li, J., Cheng, S., Zhang, J., & Ma, Y. (2024). Recent progress in TiO₂-biochar-based photocatalysts for water contaminants treatment: strategies to improve photocatalytic performance. In *RSC Advances* (Vol. 14, Number 1, pp. 478–491). Royal Society of Chemistry. <https://doi.org/10.1039/d3ra06910a>
- Luís, A. M., Neves, M. C., Mendonça, M. H., & Monteiro, O. C. (2011). Influence of calcination parameters on the TiO₂ photocatalytic properties. *Materials Chemistry and Physics*, 125(1–2), 20–25. <https://doi.org/10.1016/j.matchemphys.2010.08.019>
- Mahy, J. G., Lejeune, L., Haynes, T., Lambert, S. D., Marcelli, R. H. M., Fustin, C. A., & Hermans, S. (2021). Eco-friendly colloidal aqueous sol-gel process for tio₂ synthesis: The peptization method to obtain crystalline and photoactive materials at low temperature. In *Catalysts* (Vol. 11, Number 7). MDPI. <https://doi.org/10.3390/catal11070768>
- Mataghare, B. C., Yadav, P. R., Giradkar, S. R., Maske, R. G., Patil, V. S., Channe, V. D., Aher, S. B., Muskawar, P. N., & Bhagat, P. R. (2025). Synthesis of porphyrin comprising pyridinium ionic liquid with sulfonic acid moiety for photo-degradation of paracetamol in simulated

wastewater. *Journal of Water Process Engineering*, 75, 108056.
<https://doi.org/https://doi.org/10.1016/j.jwpe.2025.108056>

- Mnyango, J. I., Nyoni, B., Phiri, C., Fouda-Mbanga, B. G., Amusat, S. O., Maringa, A., Yalala-Ndlovu, B., Hlabano-Moyo, B., Tywabi-Ngeva, Z., & Hlangothi, S. P. (2025). Sustainable wastewater treatment: Mechanistic, environmental, and economic insights into biochar for synthetic dye removal. In *Next Materials* (Vol. 9). Elsevier B.V.
<https://doi.org/10.1016/j.nxmate.2025.100974>
- Moctezuma, E., Leyva, E., Aguilar, C. A., Luna, R. A., & Montalvo, C. (2012). Photocatalytic degradation of paracetamol: Intermediates and total reaction mechanism. *Journal of Hazardous Materials*, 243, 130–138. <https://doi.org/https://doi.org/10.1016/j.jhazmat.2012.10.010>
- Mohammed, A., & Abdullah, A. (n.d.). *SCANNING ELECTRON MICROSCOPY (SEM): A REVIEW*.
- Muretta, J. E., Uriarte, J., Compton, D., LaDouceur, R., Kirtley, J., & Prieto-Centurion, D. (2024). Effects of lignin syringyl to guaiacyl ratio on cottonwood biochar adsorbent properties and performance. *Scientific Reports*, 14(1). <https://doi.org/10.1038/s41598-024-70186-z>
- Muzolf-Panek, M., & Waśkiewicz, A. (2022). Relationship between Phenolic Compounds, Antioxidant Activity and Color Parameters of Red Table Grape Skins Using Linear Ordering Analysis. *Applied Sciences (Switzerland)*, 12(12). <https://doi.org/10.3390/app12126146>
- Nagaraj, K., Radha, S., Deepa, C. G., Raja, K., Umapathy, V., Badgujar, N. P., Parekh, N. M., Manimegalai, T., Archana Devi, L., & Uthra, C. (2025). Photocatalytic advancements and applications of titanium dioxide (TiO₂): Progress in biomedical, environmental, and energy sustainability. *Next Research*, 2(1), 100180.
<https://doi.org/https://doi.org/10.1016/j.nexres.2025.100180>
- Nagaraju, P. T., & Amreen Sulthana, S. (2025). Review Article on FTIR Spectroscopy. | *IJIRT* |, 12.
- Nohl, James F. (2020). Secondary electron hyperspectral imaging: Nanostructure and chemical analysis for the LV-SEM. *Materials Science and Technology*, 36(5), 527–539.
<https://doi.org/10.1080/02670836.2020.1732609>
- Novita, S. A., Santosa, S., Nofialdi, N., Andasuryani, A., & Fudholi, A. (2021). Artikel Review: Parameter Operasional Pirolisis Biomassa. *Agroteknika*, 4(1), 53–67.
<https://doi.org/10.32530/agroteknika.v4i1.105>
- Okta, F. N., Sukrasno, S., & Anggadiredja, K. (2022). Immunostimulatory activity test of extract and isolation of the secondary metabolites of kabau (*Archidendron bubalinum*) fruit peel. *Biointerface Research in Applied Chemistry*, 12(2), 2691–2700.
<https://doi.org/10.33263/BRIAC122.26912700>
- Oktiarni, D., Gaol, A., Avidlyandi, Gustian, I., & Putranto, A. (2025). Uji AKTIVITAS ANTIBAKTERI EKSTRAK ETANOL KULIT BUAH KABAU (*Archidendron bubalinum*) TERHADAP *Staphylococcus aureus*. *RAFFLESIA JOURNAL OF NATURAL AND APPLIED SCIENCES*.
- Pan, X., Yang, M.-Q., Fu, X., Zhang, N., & Xu, Y.-J. (2013). Defective TiO₂ with oxygen vacancies: synthesis, properties and photocatalytic applications. *Nanoscale*, 5(9), 3601–3614.
<https://doi.org/10.1039/C3NR00476G>
- Park, G. C., Seo, T. Y., Park, C. H., Lim, J. H., & Joo, J. (2017). Effects of Calcination Temperature on Morphology, Microstructure, and Photocatalytic Performance of TiO₂ Mesocrystals.

Industrial & Engineering Chemistry Research, 56(29), 8235–8240.
<https://doi.org/10.1021/acs.iecr.7b01920>

- Patel, D. M., Sardhara, B. M., Thumbadiya, D. H., & Patel, C. N. (2012). Development and validation of spectrophotometric method for simultaneous estimation of paracetamol and lornoxicam in different dissolution media. *Pharmaceutical Methods*, 3(2), 98–101. <https://doi.org/10.4103/2229-4708.103885>
- Paul, D. R., Sharma, R., Nehra, S. P., & Sharma, A. (2019). Effect of calcination temperature, pH and catalyst loading on photodegradation efficiency of urea derived graphitic carbon nitride towards methylene blue dye solution. *RSC Advances*, 9(27), 15381–15391.
- Peñas-Garzón, M., Gómez-Avilés, A., Belver, C., Rodriguez, J. J., & Bedia, J. (2020). Degradation pathways of emerging contaminants using TiO₂-activated carbon heterostructures in aqueous solution under simulated solar light. *Chemical Engineering Journal*, 392, 124867. <https://doi.org/https://doi.org/10.1016/j.cej.2020.124867>
- Peralta-Hernández, J. M., & Brillas, E. (2023). A critical review over the removal of paracetamol (acetaminophen) from synthetic waters and real wastewaters by direct, hybrid catalytic, and sequential ozonation processes. *Chemosphere*, 313, 137411. <https://doi.org/https://doi.org/10.1016/j.chemosphere.2022.137411>
- Pereira Lopes, R., & Astruc, D. (2021). Biochar as a support for nanocatalysts and other reagents: Recent advances and applications. In *Coordination Chemistry Reviews* (Vol. 426). Elsevier B.V. <https://doi.org/10.1016/j.ccr.2020.213585>
- Pinna, M., Zava, M., Grande, T., Prina, V., Monticelli, D., Roncoroni, G., Rampazzi, L., Hildebrand, H., Altomare, M., Schmuki, P., Spanu, D., & Recchia, S. (2024). Enhanced Photocatalytic Paracetamol Degradation by NiCu-Modified TiO₂ Nanotubes: Mechanistic Insights and Performance Evaluation. *Nanomaterials*, 14(19). <https://doi.org/10.3390/nano14191577>
- Quang, H. H. P., Phan, K. T., Ta, P. D. L., Dinh, N. T., Alomar, T. S., AlMasoud, N., Huang, C.-W., Chauhan, A., & Nguyen, V.-H. (2022). Nitrate removal from aqueous solution using watermelon rind derived biochar-supported ZrO₂ nanomaterial: Synthesis, characterization, and mechanism. *Arabian Journal of Chemistry*, 15(10), 104106.
- Riana, E. N., Prastya, M. E., Primahana, G., Anisa, H. A. N., Khairani, I. A., & Imaniar, L. H. (2025). Antioxidant Activity and Phenolics of Kabau (Archidendron bubalinum) Pod Peel Extract from East Lampung on Blood Cell Male Mice Induced by Cadmium. *Jurnal Ilmu Pertanian Indonesia*, 30(2), 353–358. <https://doi.org/10.18343/jipi.30.2.353>
- Ridwan Abdulah Sani. (2021). *Karakterisasi Material*. BumiAksara.
- Rosa, D., Remmani, R., Bavasso, I., Bracciale, M. P., & Di Palma, L. (2025). Biochar supported Fe–TiO₂ composite for wastewater treatment: Solid-state synthesis and mechanistic insights. *Chemical Engineering Science*, 317. <https://doi.org/10.1016/j.ces.2025.122076>
- Sahdiah, H., & Kurniawan, R. (2023). Optimasi Tegangan Akselerasi pada Scanning Electron Microscope – Energy Dispersive X-Ray Spectroscopy (SEM-EDX) untuk Pengamatan Morfologi Sampel Biologi. *Jurnal Sains Dan Edukasi Sains*, 6(2), 117–123. <https://doi.org/10.24246/juses.v6i2p117-123>
- Sani, R. A. (2019). *Karakterisasi Material*. PT Bumi Aksara.
- Serunting, M. A., Zulfikar, M. A., Setyorini, D. A., Rizki, W. O. S., Kurniawan, R., & Setiyanto, H. (2024). Facile sunlight-irradiation mediated green synthesis of highly stable silver

nanoparticles using Archidendron bubalinum pods extract for antibacterial activity application. *Case Studies in Chemical and Environmental Engineering*, 10. <https://doi.org/10.1016/j.cscee.2024.100811>

Setyorini, D. A., Serunting, M. A., Sri Rizki, W. O., Mufti, N., Saraswaty, V., Aziz, M., Suryana, R., Septina, W., Zulhadjri, & Setiyanto, H. (2025). Synthesis of carbon quantum dots (CQD) from Archidendron bubalinum pods and its compatibility for voltammetric detection of cadmium ion. *Vacuum*, 233. <https://doi.org/10.1016/j.vacuum.2025.114023>

Skoog, D. A., Holler, F. J., & Crouch, S. R. (2018). *Principles of Instrumental Analysis* (7th ed.). Cengage Learning.

Sophia, E. (2023, December 4). Yuk Mengenal Parasetamol. *Kemenkes*.

Thakur, B. K., Kumar, A., & Kumar, D. (2019). Green synthesis of titanium dioxide nanoparticles using Azadirachta indica leaf extract and evaluation of their antibacterial activity. *South African Journal of Botany*, 124, 223–227. <https://doi.org/10.1016/j.sajb.2019.05.024>

Tomczyk, A., Sokołowska, Z., & Boguta, P. (2020). Biochar physicochemical properties: pyrolysis temperature and feedstock kind effects. In *Reviews in Environmental Science and Biotechnology* (Vol. 19, Number 1, pp. 191–215). Springer. <https://doi.org/10.1007/s11157-020-09523-3>

Triputri, A. A., Khoiriah, Khoerunnisa, F., Herawati, A., Putri, R. A., Sisca, V., Hada Putri, A. M., Away, R. D. Y., Sibarani, J., & Safni, S. (2026). Valorization of dragon fruit peel for green synthesis of TiO₂/Biochar nanocomposite as a photocatalyst for paracetamol degradation. *Vacuum*, 248, 115242. <https://doi.org/https://doi.org/10.1016/j.vacuum.2026.115242>

Ulfa, D. M., & Irawan, D. (2019). Assay Of Paracetamol Syrup In Different Storage Temperatures By High Performance Liquid Chromatography. *SANITAS: Jurnal Teknologi Dan Seni Kesehatan*, 10(1), 72–80. <https://doi.org/10.36525/sanitas.2019.7>

Ullattil, S., & Periyat, P. (2017). *Sol-Gel Synthesis of Titanium Dioxide* (pp. 271–283). https://doi.org/10.1007/978-3-319-50144-4_9

Vásquez-Garay, F., Carrillo-Varela, I., Vidal, C., Reyes-Contreras, P., Faccini, M., & Mendonça, R. T. (2021). A review on the lignin biopolymer and its integration in the elaboration of sustainable materials. In *Sustainability (Switzerland)* (Vol. 13, Number 5, pp. 1–15). MDPI AG. <https://doi.org/10.3390/su13052697>

Velasquez-Pinas, J. A., Ghofrani-Isfahani, P., Maya, D. Y., Costa, J. M., Forster-Carneiro, T., & Angelidaki, I. (2025). Understanding the effect of biochar characteristics on anaerobic digestion with focus in food processing industry. *Biomass and Bioenergy*, 201, 108154. <https://doi.org/https://doi.org/10.1016/j.biombioe.2025.108154>

Wang, C., Bai, H., & Kang, X. (2023). Optimization Study on Synergistic System of Photocatalytic Degradation of AR 26 and UV-LED Heat Dissipation. *Catalysts*, 13(4). <https://doi.org/10.3390/catal13040669>

Wang, J., Wang, G., Yu, T., Ding, N., Wang, M., & Chen, Y. (2023). Photocatalytic performance of biochar-modified TiO₂ (C/TiO₂) for ammonia-nitrogen removal. *RSC Advances*, 13(35), 24237–24249. <https://doi.org/10.1039/d3ra03789d>

Widyawati, A. T. (2024). *Indonesia Punya Kabau*.

- Zahid, M., Rashid, A., Akram, S., Shakir, H. M. F., Rehan, Z. A., Javed, T., Shabbir, R., & Hessien, M. M. (2025). Correction to: Fabrication and Characterization of Sulfonated Graphene Oxide-Doped Polymeric Membranes with Improved Anti-Biofouling Behavior (*Membranes*, (2021), 11, 8, (563), 10.3390/membranes11080563). In *Membranes* (Vol. 15, Number 5). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/membranes15050131>
- Zheng, S., Cai, Y., & O'Shea, K. E. (2010). TiO₂ photocatalytic degradation of phenylarsonic acid. *Journal of Photochemistry and Photobiology A: Chemistry*, 210(1), 61–68. <https://doi.org/10.1016/j.jphotochem.2009.12.004>
- Zou, Y., Zhang, Y., Hu, Y., & Gu, H. (2018). Ultraviolet Detectors Based on Wide Bandgap Semiconductor Nanowire: A Review. *Sensors*, 18(7). <https://doi.org/10.3390/s18072072>
- Zouggari, H., Mahir, F.-Z., Diez, A. M., Djellabi, R., Sanromán, M. Á., Albourine, A., & Pazos, M. (2026). PMS activation via alginate cross-linked TiO₂ hybridized peanut shells biochar under visible light for boosted pharmaceutical pollutants oxidation. *Chemical Engineering Journal*, 529, 173054. <https://doi.org/https://doi.org/10.1016/j.cej.2026.173054>