

## DAFTAR PUSTAKA

- Afifah, N., Budi Riyanta, A., & Amananti, W. (2023). Pengaruh Waktu Maserasi terhadap Hasil Skrining Fitokimia pada Ekstrak Daun Mangga Harum Manis (*Mangifera indica* L.). *Jurnal Crystal: Publikasi Penelitian Kimia Dan Terapannya*, 5(1), 54–61.
- Alouiri, M., Sadiki, M., & Ibnsouda, S. K. (2016). Methods for in vitro evaluating antimicrobial activity: A review. *Journal of Pharmaceutical Analysis*, 6(2), 71–79.
- Anggraini et al. (2020). Aktivitas Antibakteri Ekstrak Etanol 96% Buah Blewah (*Cucumis melo* L. var. *cantalupensis*) terhadap pertumbuhan bakteri *Escherichia coli*. *Pharmaceutical Journal of Indonesia* 2019. 5(1) : 61-66
- Aziz, M. A., Alam, A. S., Ema, A. A., Akter, M., & Chowdhury, M. M. H. (2014). Analysis of secondary metabolites, antibacterial, brine shrimp lethality & larvicidal potentiality of *Microcos paniculata* fruits. *IOSR J Pharm Biol Sci*, 9(3), 50-58.
- Baderos, A. (2017). Pemisahan senyawa steroidfraksi petroleum eter alga merah (*Eucheuma cottonii*) dengan metode kromatografi lapis tipis dan identifikasi menggunakan LC-MS (Doctoral dissertation, Universitas Islam Negeri Maulana Malik Ibrahim).
- Batista, F. L. A., Andrade-Pinheiro, J. C., dos Santos, A. T. L., Lima, J. N. M., Alencar, G. G., Siqueira, G. M., da Silva, A. R. P., de Carvalho, N. K. G., Martins, A. O. B. P. B., da Costa, R. H. S., Rodrigues, L. B., Coutinho, H. D. M., da Costa, J. G. M., Magalhães, F. E. A., & de Menezes, I. R. A. (2023). Comparative antimicrobial potential of *Ocimum basilicum* essential oil, estragole and estragole/ $\beta$ -cyclodextrin complex in an infection model on adult zebrafish. *Journal of Carbohydrate Polymer Technologies and Applications*, 6(1), 1-9.

- Berger, A., Jones, P. J. H., & Abumweis, S. S. (2004). *Plant sterols: factors affecting their efficacy and safety as functional food ingredients*. *Lipids in Health and Disease*, 3(5).
- Brogden, K. A. (2005). Antimicrobial peptides: pore formers or metabolic inhibitors in bacteria? *Nature Reviews. Microbiology*, 3(3), 238–250. <https://doi.org/10.1038/nrmicro1098>
- Chand Bala, V., Avid, M., & Kumar, P. (2019). a Review on Amaranthus Tricolor as a Traditional Medicinal Plant. Bala et al. *World Journal of Pharmaceutical Research*, 8, 226. <https://doi.org/10.20959/wjpr201911-15781>
- Çitoğlu, G. S., & Acıkara, Ö. B. (2012). Column chromatography for terpenoids and flavonoids. *Chromatography and Its Applications: INTECH Rijeka*, 13 49.
- Cole, C. L. (2010). The contextual analysis of pre-1856 Eastern Woodlands quillwork dyes through identification by liquid chromatography-mass spectrometry. University of Delaware.
- Cowan, M. M. (1999). Plant products as antimicrobial agents. *Journal of Clinical Microbiology Reviews*, 12(4), 564–582.
- Davis, W. W., & Stout, T. R. (1971). Disc Plate Method of Microbiological Antibiotic Assay. *Applied Microbiology*, 22(4), 659–665.
- Fachriyah, E., Kusriani, D., & Wibawa, P. J. (2018). Improvement of bioactivity with nanoparticle fabrication: Cytotoxic test of Ethanol, n-Hexane and Ethyl Acetate extract from Red Galangal Rhizome (*Alpinia purpurata* (Vieill.) K. Schum) in bulk and nanoparticle size using BSLT method. *Jurnal Kimia Sains dan Aplikasi*, 21(1), 39-43.
- Fernandez, R., Gonzalez, P., Lage, S., Garate, J., Maqueda, A., Marcaida, I., ... & Fernandez, J. A. (2017). Influence of the cation adducts in the analysis of matrix-assisted laser desorption ionization imaging mass spectrometry data from injury models of rat spinal cord. *Analytical chemistry*, 89(16), 8565-8573.

- Fernando, T., & Bean, G. (1984). Fatty acids and sterols of *Amaranthus tricolor* L. *Food chemistry*, 15(3), 233-237.
- Fitriyanti, F., Abdurrazaq, A., & Nazarudin, M. (2020). Uji Efektifitas Antibakteri Ekstrak Etil Asetat Bawang Dayak (*Eleutherine palmifolia* Merr) Terhadap *Staphylococcus aureus* dengan Metode Sumuran. *Jurnal Ilmiah Manuntung*, 5(2), 174–182.
- Fransiska, A. N., Masyrofah, D., Marlian, H., Irene Virda Sakina, & Tyasna, P. S. (2021). Identifikasi Senyawa Terpenoid dan Steroid pada Beberapa Tanaman Menggunakan Pelarut n-Heksan. *Journal Health Science*, 2(Juni), 733–741.
- Hendayana, S. (2006). Kimia pemisahan: Metode kromatografi dan elektroforesis modern. Bandung: PT Remaja Rosdakarya.
- Hidayah, W. W., Kusriani, D., & Fachriyah, E. (2016). Isolasi, identifikasi senyawa steroid dari daun getih-getihan (*Rivina humilis* L.) dan uji aktivitas sebagai antibakteri. *Jurnal Kimia Sains dan Aplikasi*, 19(1), 32-37.
- Insanu, M., Ruslan, K., Fidrianny, I., & Wijaya, S. (2011). Isolasi Flavonoid dari Daun Durian (*Durio Zibethinus* Murr., Bombacaceae). *Acta Pharmaceutica Indonesia*, 36(1), 6-10.
- Jahan, F., Bhuiyan, M. N. H., Islam, M. J., Ahmed, S., Hasan, M. S., Al Bashera, M., ... & Moulick, S. P. (2022). *Amaranthus tricolor* (red amaranth), an indigenous source of nutrients, minerals, amino acids, phytochemicals, and assessment of its antibacterial activity. *Journal of Agriculture and Food Research*, 10, 100419.
- Kumar, N., & Goel, N. (2019). Phenolic acids: Natural versatile molecules with promising therapeutic applications. *Biotechnology Reports* (Amsterdam, Netherlands), 24, e00370.
- Kusriani, D., Fachriyah, E., & Prinanda, G. R. (2019). Isolation of phenolic acid in *Acalypha indica* l plants and test total phenol also antioxidant test using DPPH method. *IOP Conference Series: Materials Science and Engineering*, 509(1).

- Magvirah, T., & Ardhani, F. (2019). Uji daya hambat bakteri *Staphylococcus aureus* menggunakan ekstrak daun tahongai (*Kleinhovia hospita* L.) [Bacterial inhibitory test of *Staphylococcus aureus* using leaf extract of tahongai (*Kleinhovia hospita* L.)]. *Jurnal Ilmiah Peternakan Terpadu*, 7(2), 201–209.
- Manandhar, S., Singh, A., Varma, A., Pandey, S., & Shrivastava, N. (2018). Biofilm producing clinical *Staphylococcus aureus* isolates augmented prevalence of antibiotic resistant cases in tertiary care hospitals of Nepal. *Frontiers in microbiology*, 9, 2749.
- Marcella, A., Ferdinal, F., Limanan, D., & Yulianti, E. (2023). Skrining Fitokimia serta Uji Toksisitas pada Ekstrak Daun Bayam Merah (*Amaranthus* sp.). *Tarumanagara Medical Journal*, 5(2), 211–216.
- Mulyadi, M., Wuryanti, W., & Sarjono, P. R. (2017). Konsentrasi Hambat Minimum (KHM) Kadar Sampel Alang-Alang (*Imperata cylindrica*) dalam Etanol Melalui Metode Difusi Cakram. *Jurnal Kimia Sains Dan Aplikasi*, 20(3), 130–135.
- Moreau, R. A., Whitaker, B. D., & Hicks, K. B. (2002). Phytosterols, phytostanols, and their conjugates in foods: structural diversity, quantitative analysis, and health-promoting uses. *Progress in Lipid Research*, 41(6), 457–500.
- Nikaido, H. (2003). Molecular basis of bacterial outer membrane permeability revisited. *Microbiology and Molecular Biology Reviews*, 67(4), 593–656.
- Nurhayati, L. S., Yahdiyani, N., & Hidayatulloh, A. (2020). Perbandingan Pengujian Aktivitas Antibakteri Starter Yogurt dengan Metode Difusi Sumuran dan Metode Difusi Cakram. *Jurnal Teknologi Hasil Peternakan*, 1(2), 41.
- Nyström, L., Schär, A., & Lampi, A. M. (2018). Phytosterols and their derivatives: Structural diversity, distribution, metabolism, analysis, and health-promoting uses. *Progress in Lipid Research*, 70, 35–61.
- Pamungkas, J. D., Anam, K., & Kusri, D. (2016). Penentuan total kadar fenol dari daun kersen segar, kering dan rontok (*Muntingia calabura* L.) serta uji aktivitas

- antioksidan dengan metode DPPH. *Jurnal Kimia Sains dan Aplikasi*, 19(1), 15-20.
- Panji, T. (2012). *Teknik spektroskopi untuk elusidasi struktur molekul*. Yogyakarta: Graha Ilmu.
- Pitt, J. J. (2009). Principles and applications of liquid chromatography-mass spectrometry in clinical biochemistry. *The Clinical Biochemist Reviews*, 30(1), 19.
- Pratiwi, L., Fudholi, A., Martien, R., & Pramono, S. (2016). Ethanol extract, ethyl acetate extract, ethyl acetate fraction, and n-heksan fraction mangosteen peels (*Garcinia mangostana* L.) as source of bioactive substance free-radical scavengers. *JPSCR: Journal of Pharmaceutical Science and Clinical Research*, 1(2), 71-82.
- Putri Mambang, D. E., -, R., & Suryanto, D. (2014). Aktivitas Antibakteri 71 Teknologi Ekstrak Tempe terhadap Bakteri *Bacillus subtilis* dan *Staphylococcus aureus*. *Jurnal Dan Industri* <https://doi.org/10.6066/jtip.2014.25.1.115> P
- Rini, C. S., & Rochmah, J. (2020). *Bakteriologi Dasar* (M. Mushlih (ed. pp. 32)). Sidoarjo: UMSIDA Press.
- Rubiyanto, D. (2017). *Metode kromatografi: prinsip dasar, praktikum dan pendekatan pembelajaran kromatografi* (pp. 149). Yogyakarta: Deepublish.
- Sabir, A. (2005). Aktivitas antibakteri flavonoid propolis *Trigona* sp terhadap bakteri *Streptococcus mutans* (in vitro). *Majalah Kedokteran Gigi*, 38(3), 135-141.
- Salim, E., & Wulandari, S. (2023). Antidiabetic Activity of Ethanol Extract from Red Spinach Leaves (*Amaranthus tricolor* L.) on Mice. *Indonesian Journal of Pharmaceutical and Clinical*.

- Sapar, A., Kumarineng, A., Voogd, N. J. de, & Noor, A. (2004). Isolasi dan penentuan struktur metabolit sekunder aktif dari spons *Biemna triraphis* asal Pulau Kapasang (Kepulauan Spermonde). *Marina Chimica Acta*, **5**(1), 2–5.
- Sarker, U., Oba, S., Ullah, R., Bari, A., Ercisli, S., Skrovankova, S., ... & Mlcek, J. (2024). Nutritional and bioactive properties and antioxidant potential of *Amaranthus tricolor*, *A. lividus*, *A. viridis*, and *A. spinosus* leafy vegetables. *Heliyon*, **10**(9).
- Sarker, U., & Oba, S. (2019b). Protein, dietary fiber, minerals, antioxidant pigments and phytochemicals, and antioxidant activity in selected red morph *Amaranthus* leafy vegetable. <https://doi.org/10.1371/journal.pone.0222517>
- Schlag, S., Schäfer, S., Sommer, K., & Vetter, W. (2024). A sterol database: GC/MS data and occurrence of 150 sterols in seventy-four oils. *Food Chemistry*, **460**, 140778.
- Shabayek, S., Abdelhameed, R. F., & Ahmed, S. A. (2025). The antifungal, antibacterial, and antiviral activities of a Echinosterol isolated from the Red Sea Echinoclathria sponge. *Microbial Pathogenesis*, 107772.
- Shahzad, N., Khan, W., Shadab, M. D., et al. (2017). *Phytosterols as a natural anticancer agent: Current status and future perspective*. *Biomedicine & Pharmacotherapy*, **88**, 786–794.
- Sharo, N. M., Ningsih, R., Nasichuddin, A., & Hanapi, A. (2013). Uji toksisitas dan identifikasi senyawa ekstrak alga merah (*Eucheuma cottonii*) terhadap larva udang *Artemia salina* Leach. *Alchemy*, **2**(3), 170–177.
- Sherma, J., & Fried, B. (2003). Handbook of Thin-Layer Chromatography. In *Chromatographic Science Series*. Marcel Dekker Inc. <https://doi.org/10.1201/9780203912430>
- Sheth, A. L., Ghodasara, D. J., Mathakiya, R. A., Solanki, D. M., & Dave, C. J. (2022). Cultural Isolation, Identification, and Antibigram of *Escherichia coli*

- from Commercial Layers Affected with Egg Peritonitis. *The Indian Journal of Veterinary Sciences and Biotechnology*, 18(2), 145.
- Sowjanya, P., Srinivasa, B.P. and Lakshmi, N.M., 2015. Phytochemical Analysis and Antibacterial Efficacy of *Amaranthus tricolor* (L) Methanolic Leaf Extract Against Clinical Isolates of Urinary Tract Pathogens, *African Journal of Microbiology Research*, 9 (20), 1381–1385.
- Swensen, A. C., Finnell, J. G., Matias, C., Gross, A. J., Prince, J. T., Watt, R. K., & Price, J. C. (2017). Whole blood and urine bioactive Hepcidin-25 determination using liquid chromatography mass spectrometry. *Analytical Biochemistry*, 517, 23-30.
- Tan, C., & Men, S. (2026). *Phytosterols: Structural variations, biosynthetic pathways, and their biological roles*. *Journal of Integrative Plant Biology*, 68(4), 942–966.
- Tuyen, P. N. K., Duong, N. T. T., & Lien, D. T. M. (2019). Insights into chemical constituents of *Amaranthus spinosus* L.(Amaranthaceae). *Vietnam Journal of Chemistry*, 57(2), 245-249.
- Yang, J. Y., Kim, M. J., Kwon, Y. S., Chen, W., & Yin, F. (2023). Analysis and phytochemical profile of *Amaranthus tricolor* L. extract with antioxidative and antimicrobial properties. Food <https://doi.org/10.5327/fst.004823>