

DAFTAR PUSTAKA

- Adachi, T., & Sowa, K. (2023). Research and Development of Third-generation Biosensors. *Bunseki Kagaku*, 72(12), 483–491. <https://doi.org/10.2116/bunsekikagaku.72.483>
- Ahmad, F., Zahid, S., Khan, M. I., Shanableh, A., Farooq, N., Rao, K. A., Taj, M. B., Manzoor, S., Voskressensky, L. G., & Luque, R. (2025). Direct electron transfer chemistry of redox-active enzymes: applications in biosensor development. *Biofuels, Bioproducts and Biorefining*, 19(3), 963–981. <https://doi.org/10.1002/bbb.2742>
- Ahmadalinezhad, A., Wu, G., & Chen, A. (2011). Mediator-free electrochemical biosensor based on buckypaper with enhanced stability and sensitivity for glucose detection. *Biosensors and Bioelectronics*, 30(1), 287–293. <https://doi.org/10.1016/j.bios.2011.09.030>
- Akinshilo, A. T., Sobamowo, G. M., Olaye, O., & Illegbusi, A. O. (2021). Investigation of biokinetic effects on hybrid multienzyme biosensor system. *Multidiscipline Modeling in Materials and Structures*, 17(2), 373–390. <https://doi.org/10.1108/MMMS-01-2020-0003>
- Bahulekar, R., Ayyangar, N. R., & Ponrathnam, S. (1991). Polyethyleneimine in immobilization of biocatalysts. *Enzyme and Microbial Technology*, 13(11), 858–868. [https://doi.org/https://doi.org/10.1016/0141-0229\(91\)90101-F](https://doi.org/https://doi.org/10.1016/0141-0229(91)90101-F)
- Bali, G., Foston, M. B., O'Neill, H. M., Evans, B. R., He, J., & Ragauskas, A. J. (2013). The effect of deuteration on the structure of bacterial cellulose. *Carbohydrate research*, 374, 82–88.
- Bankar, S. B., Bule, M. V, Singhal, R. S., & Ananthanarayan, L. (2009). Glucose oxidase - An overview. *Biotechnology Advances*, 27(4), 489–501. <https://doi.org/10.1016/j.biotechadv.2009.04.003>
- Bard, A. J., & Faulkner, L. R. (2001). *Electrochemical Methods: Fundamental and Applications* (2, Ed.).
- Berketa, K., Mruga, D., Dzyadevych, S., & Soldatkin, O. (2023). Development of a new method of improving the oxidase-based biosensors' analytical characteristics by adding catalase as an auxiliary enzyme. *Electroanalysis*, 35(12), e202300190.
- Bi, R., Ma, X., Miao, K., Ma, P., & Wang, Q. (2023). Enzymatic biosensor based on dendritic gold nanostructure and enzyme precipitation coating for glucose sensing and detection. *Enzyme and Microbial Technology*, 162. <https://doi.org/10.1016/j.enzmictec.2022.110132>

- Blanco-López, M. C., Lobo-Castañón, M. J., & Fernández Abedul, M. T. (2019). Bienzymatic amperometric glucose biosensor. Dalam *Laboratory Methods in Dynamic Electroanalysis* (hlm. 173–181). <https://doi.org/10.1016/B978-0-12-815932-3.00017-6>
- Bollella, P., Lee, I., Blaauw, D., & Katz, E. (2020). A microelectronic sensor device powered by a small implantable biofuel cell. *ChemPhysChem*, 21(1), 120–128.
- Brondani, D., Zapp, E., Vieira, I. C., Dupont, J., & Scheeren, C. W. (2011). Gold nanoparticles in an ionic liquid phase supported in a biopolymeric matrix applied in the development of a rosmarinic acid biosensor. *Analyst*, 136(12), 2495–2505.
- Bruen, D., Delaney, C., Florea, L., & Diamond, D. (2017). Glucose Sensing for Diabetes Monitoring: Recent Developments. Dalam *Sensors* (Vol. 17, Nomor 8, hlm. 1866). <https://doi.org/10.3390/s17081866>
- Button, V. L. D. S. N. B. T.-P. of M. and T. of B. V. (2015). *Chapter 3 - Electrodes for Measurement of Dissolved Gases and Ions Concentration in the Blood Plasma* (hlm. 77–99). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-0-12-800774-7.00003-9>
- Calia, G., Monti, P., Marceddu, S., Dettori, M. A., Fabbri, D., Jaoua, S., O'Neill, R. D., Serra, P. A., Delogu, G., & Migheli, Q. (2015). Electropolymerized phenol derivatives as permselective polymers for biosensor applications. *Analyst*, 140(10), 3607–3615. <https://doi.org/10.1039/c5an00363f>
- Cheah, B. C., MacDonald, A. I., Martin, C., Streklas, A. J., Campbell, G., Al-Rawhani, M. A., Nemeth, B., Grant, J. P., Barrett, M. P., & Cumming, D. R. S. (2016). An Integrated Circuit for Chip-Based Analysis of Enzyme Kinetics and Metabolite Quantification. *IEEE Transactions on Biomedical Circuits and Systems*, 10(3), 721–730. <https://doi.org/10.1109/TBCAS.2015.2487603>
- Chen, Z., Lv, Z., Sun, Y., Chi, Z., & Qing, G. (2020). Recent advancements in polyethyleneimine-based materials and their biomedical, biotechnology, and biomaterial applications. *Journal of Materials Chemistry B*, 8(15), 2951–2973. <https://doi.org/10.1039/c9tb02271f>
- Christwardana, M., Chung, Y., & Kwon, Y. (2017a). Co-immobilization of glucose oxidase and catalase for enhancing the performance of a membraneless glucose biofuel cell operated under physiological conditions. *Nanoscale*, 9(5), 1993–2002. <https://doi.org/10.1039/C6NR09103B>
- Christwardana, M., Chung, Y., & Kwon, Y. (2017b). Co-immobilization of glucose oxidase and catalase for enhancing the performance of a membraneless glucose biofuel cell operated under physiological conditions. *Nanoscale*, 9(5), 1993–2002. <https://doi.org/10.1039/C6NR09103B>

- Comeaux, R., & Novotny, P. (2009a). Biosensors: Properties, Materials and Applications. Dalam *Biosensors: Properties, Materials and Applications*.
- Comeaux, R., & Novotny, P. (2009b). Biosensors: Properties, Materials and Applications. Dalam *Biosensors: Properties, Materials and Applications*. <https://www.scopus.com/inward/record.uri?eid=2-s2.0-84948993222&partnerID=40&md5=75510ae55ca56714bb52bad0a5b9a024>
- Dagar, N., Das, P., Bisht, P., Taraphdar, A. K., Velayutham, R., & Arumugam, S. (2021). Diabetic nephropathy: A twisted thread to unravel. *Life Sciences*, 278, 119635. <https://doi.org/https://doi.org/10.1016/j.lfs.2021.119635>
- Elgrishi, N., Rountree, K. J., McCarthy, B. D., Rountree, E. S., Eisenhart, T. T., & Dempsey, J. L. (2018). A Practical Beginner's Guide to Cyclic Voltammetry. *Journal of Chemical Education*, 95(2), 197–206. <https://doi.org/10.1021/acs.jchemed.7b00361>
- Ferri, Stefano, Kojima, Katsuhiro, & Sode, Koji. (2011). Review of Glucose Oxidases and Glucose Dehydrogenases: A Bird's Eye View of Glucose Sensing Enzymes. *Journal of Diabetes Science and Technology*, 5(5), 1068–1076. <https://doi.org/10.1177/193229681100500507>
- Gebicka, L., & Krych-Madej, J. (2019a). The role of catalases in the prevention/promotion of oxidative stress. *Journal of Inorganic Biochemistry*, 197. <https://doi.org/10.1016/j.jinorgbio.2019.110699>
- Gebicka, L., & Krych-Madej, J. (2019b). The role of catalases in the prevention/promotion of oxidative stress. *Journal of Inorganic Biochemistry*, 197. <https://doi.org/10.1016/j.jinorgbio.2019.110699>
- Grenda, K., Idström, A., Evenäs, L., Persson, M., Holmberg, K., & Bordes, R. (2022). An analytical approach to elucidate the architecture of polyethyleneimines. *Journal of Applied Polymer Science*, 139(7). <https://doi.org/10.1002/app.51657>
- Gu, S., Wu, S., Cao, L., Li, M., Qin, N., Zhu, J., Wang, Z., Li, Y., Li, Z., Chen, J., & Lu, Z. (2019). Tunable Redox Chemistry and Stability of Radical Intermediates in 2D Covalent Organic Frameworks for High Performance Sodium Ion Batteries. *Journal of the American Chemical Society*, 141(24), 9623–9628. <https://doi.org/10.1021/jacs.9b03467>
- Guoqiang, G., Liang, Q., Yani, Z., Pengyun, W., Fanzhuo, K., Yuyang, Z., Zhiyuan, L., Xing, N., Xue, Z., Qiongya, L., & Bin, Z. (2025). Recent advances in glucose monitoring utilizing oxidase electrochemical biosensors integrating carbon-based nanomaterials and smart enzyme design. *Frontiers in Chemistry*, 13. <https://doi.org/10.3389/fchem.2025.1591302>

- Haghighi, B., & Tabrizi, M. A. (2011). Direct electron transfer from glucose oxidase immobilized on a nano-porous glassy carbon electrode. *Electrochimica Acta*, 56(27), 10101–10106. <https://doi.org/10.1016/j.electacta.2011.08.106>
- He, C., Liu, J., Zhang, Q., & Wu, C. (2012). A novel stable amperometric glucose biosensor based on the adsorption of glucose oxidase on poly(methyl methacrylate)-bovine serum albumin core-shell nanoparticles. *Sensors and Actuators, B: Chemical*, 166–167, 802–808. <https://doi.org/10.1016/j.snb.2012.03.081>
- Heller, A., & Feldman, B. (2008). Electrochemical Glucose Sensors and Their Applications in Diabetes Management. *Chemical Reviews*, 108(7), 2482–2505. <https://doi.org/10.1021/cr068069y>
- Huang, L. Z., Duong, N. B., Wang, J. H., & Yang, H. (2018). Polyethyleneimine Modified Carbon Cloth Anode for Self-Pumping Enzymatic Glucose Biofuel Cell. *Journal of Renewable Energy*, 2018, 1–7. <https://doi.org/10.1155/2018/4638254>
- Hughes, K. J., Iyer, K. A., Bird, R. E., Ivanov, J., Banerjee, S., Georges, G., & Zhou, Q. A. (2024). Review of carbon nanotube research and development: materials and emerging applications. *ACS Applied Nano Materials*, 7(16), 18695–18713.
- Hwang, D.-W., Lee, S., Seo, M., & Chung, T. D. (2018a). Recent advances in electrochemical non-enzymatic glucose sensors – A review. *Analytica Chimica Acta*, 1033, 1–34. <https://doi.org/https://doi.org/10.1016/j.aca.2018.05.051>
- Hwang, D.-W., Lee, S., Seo, M., & Chung, T. D. (2018b). Recent advances in electrochemical non-enzymatic glucose sensors – A review. *Analytica Chimica Acta*, 1033, 1–34. <https://doi.org/https://doi.org/10.1016/j.aca.2018.05.051>
- Hyun, K. H., Han, S. W., Koh, W.-G., & Kwon, Y. (2015). Fabrication of biofuel cell containing enzyme catalyst immobilized by layer-by-layer method. *Journal of Power Sources*, 286, 197–203.
- Islam, A. B., Tulip, F. S., Islam, S. K., Rahman, T., & MacArthur, K. C. (2011). A mediator free amperometric bienzymatic glucose biosensor using vertically aligned carbon nanofibers (VACNFs). *IEEE Sensors Journal*, 11(11), 2798–2804. <https://doi.org/10.1109/JSEN.2011.2169053>
- Islam, B., Bortamuly, R., Kalita, C., & Saikia, P. (2023). Glucose oxidase-based electrochemical biosensors for the detection of glucose. Dalam *Glucose Oxidase: Structure, Properties and Applications* (hlm. 185–204).

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85165666024&partnerID=40&md5=3374d2775fb8cedfe107c55342bd385d>

- Jacobs, C. B., Peairs, M. J., & Venton, B. J. (2010). Review: Carbon nanotube based electrochemical sensors for biomolecules. *Analytica Chimica Acta*, 662(2), 105–127. <https://doi.org/https://doi.org/10.1016/j.aca.2010.01.009>
- Jang, C., Lee, H. J., & Yook, J. G. (2021). Radio-frequency biosensors for real-time and continuous glucose detection. *Sensors*, 21(5), 1–21. <https://doi.org/10.3390/s21051843>
- Jiang, C., Zheng, L., & Liu, Y. (2022). Aligned Carbon Nanotube Films for Immobilization of Glucose Oxidase and its Application in Glucose Biosensor. *Australian Journal of Chemistry*, 75(2), 89–93. <https://doi.org/10.1071/CH21075>
- Karimi-Maleh, H., Cellat, K., Arıkan, K., Savk, A., Karimi, F., & Şen, F. (2020a). Palladium–Nickel nanoparticles decorated on Functionalized-MWCNT for high precision non-enzymatic glucose sensing. *Materials Chemistry and Physics*, 250, 123042. <https://doi.org/https://doi.org/10.1016/j.matchemphys.2020.123042>
- Karimi-Maleh, H., Cellat, K., Arıkan, K., Savk, A., Karimi, F., & Şen, F. (2020b). Palladium–Nickel nanoparticles decorated on Functionalized-MWCNT for high precision non-enzymatic glucose sensing. *Materials Chemistry and Physics*, 250, 123042. <https://doi.org/https://doi.org/10.1016/j.matchemphys.2020.123042>
- Khatami, S. H., Vakili, O., Ahmadi, N., Soltani Fard, E., Mousavi, P., Khalvati, B., Maleksabet, A., Savardashtaki, A., Taheri-Anganeh, M., & Movahedpour, A. (2022). Glucose oxidase: Applications, sources, and recombinant production. *Biotechnology and Applied Biochemistry*, 69(3), 939–950. <https://doi.org/10.1002/bab.2165>
- Kim, B. C., Lee, I., Kwon, S. J., Wee, Y., Kwon, K. Y., Jeon, C., An, H. J., Jung, H. T., Ha, S., Dordick, J. S., & Kim, J. (2017). Fabrication of enzyme-based coatings on intact multi-walled carbon nanotubes as highly effective electrodes in biofuel cells. *Scientific Reports*, 7. <https://doi.org/10.1038/srep40202>
- Kim, J. H., Lee, J.-Y., Jin, J.-H., Park, C. W., Lee, C. J., & Min, N. K. (2012). A fully microfabricated carbon nanotube three-electrode system on glass substrate for miniaturized electrochemical biosensors. *Biomedical Microdevices*, 14(3), 613–624. <https://doi.org/10.1007/s10544-012-9640-0>
- Komathi, S., Gopalan, A. I., & Lee, K.-P. (2009). Fabrication of a novel layer-by-layer film based glucose biosensor with compact arrangement of multi-

- components and glucose oxidase. *Biosensors and Bioelectronics*, 24(10), 3131–3134. <https://doi.org/10.1016/j.bios.2009.03.013>
- Kornecki, J. F., Carballares, D., Tardioli, P. W., Rodrigues, R. C., Berenguer-Murcia, Á., Alcántara, A. R., & Fernandez-Lafuente, R. (2020). Enzyme production of d-gluconic acid and glucose oxidase: successful tales of cascade reactions. *Catalysis Science & Technology*, 10(17), 5740–5771. <https://doi.org/10.1039/d0cy00819b>
- Kovačević, G., Ostafe, R., Fischer, R., & Prodanović, R. (2019). Influence of methionine residue position on oxidative stability of glucose oxidase from *Aspergillus niger*. *Biochemical Engineering Journal*, 146, 143–149. <https://doi.org/10.1016/j.bej.2019.03.016>
- Kumar, R., & Venkatramani, R. (2024). Tunneling barriers in an extended Marcus theory of electron transfer: Incorporating effects of the bridging medium. *Journal of Chemical Physics*, 161(24). <https://doi.org/10.1063/5.0235076>
- Kuwahara, T., Ogawa, K., Sumita, D., Kondo, M., & Shimomura, M. (2018). Amperometric glucose sensing with polyaniline/poly(acrylic acid) composite film bearing glucose oxidase and catalase based on competitive oxygen consumption reactions. *Journal of Electroanalytical Chemistry*, 811, 62–67. <https://doi.org/10.1016/j.jelechem.2018.01.042>
- Laviron, E. (1979). General expression of the linear potential sweep voltammogram in the case of diffusionless electrochemical systems. *Journal of Electroanalytical Chemistry and Interfacial Electrochemistry*, 101(1), 19–28. [https://doi.org/https://doi.org/10.1016/S0022-0728\(79\)80075-3](https://doi.org/https://doi.org/10.1016/S0022-0728(79)80075-3)
- Lee, J., Hyun, K., & Kwon, Y. (2021). A study on the stability and sensitivity of mediator-based enzymatic glucose sensor measured by catalyst consisting of multilayer stacked via layer-by-layer. *Journal of Industrial and Engineering Chemistry*, 93, 383–387. <https://doi.org/https://doi.org/10.1016/j.jiec.2020.10.015>
- Lin, Y., Lu, F., Tu, Y., & Ren, Z. (2004). Glucose Biosensors Based on Carbon Nanotube Nanoelectrode Ensembles. *Nano Letters*, 4(2), 191–195. <https://doi.org/10.1021/nl0347233>
- Liu, F., Ye, X.-S., Wu, T., Wang, C.-T., Shen, J.-W., & Kang, Y. (2008). Conformational Mobility of GOx Coenzyme Complex on Single-Wall Carbon Nanotubes. *Sensors (Basel, Switzerland)*, 8(12), 8453–8462. <https://doi.org/10.3390/s8128453>
- Liu, G., & Lin, Y. (2006). Carbon nanotube-templated assembly of protein. *Journal of Nanoscience and Nanotechnology*, 6(4), 948–953. <https://doi.org/10.1166/jnn.2006.133>

- Liu, Y., Zhang, J., Cheng, Y., & Jiang, S. P. (2018). Effect of Carbon Nanotubes on Direct Electron Transfer and Electrocatalytic Activity of Immobilized Glucose Oxidase. *ACS Omega*, 3(1), 667–676. <https://doi.org/10.1021/acsomega.7b01633>
- Lv, C., Yang, X., Wang, Z., Ying, M., Han, Q., & Li, S. (2021a). Enhanced performance of bioelectrodes made with amination-modified glucose oxidase immobilized on carboxyl-functionalized ordered mesoporous carbon. *Nanomaterials*, 11(11). <https://doi.org/10.3390/nano11113086>
- Lv, C., Yang, X., Wang, Z., Ying, M., Han, Q., & Li, S. (2021b). Enhanced performance of bioelectrodes made with amination-modified glucose oxidase immobilized on carboxyl-functionalized ordered mesoporous carbon. *Nanomaterials*, 11(11), 3086.
- Mehrvar, M., & Abdi, M. (2004). Recent developments, characteristics, and potential applications of electrochemical biosensors. *Analytical Sciences*, 20(8), 1113–1126. <https://doi.org/10.2116/analsci.20.1113>
- Mohamad Nor, N., Ridhuan, N. S., & Abdul Razak, K. (2022). Progress of Enzymatic and Non-Enzymatic Electrochemical Glucose Biosensor Based on Nanomaterial-Modified Electrode. *Biosensors*, 12(12). <https://doi.org/10.3390/bios12121136>
- Padilla-Martínez, S. G., Martínez-Jothar, L., Sampedro, J. G., Tristan, F., & Pérez, E. (2015). Enhanced thermal stability and pH behavior of glucose oxidase on electrostatic interaction with polyethylenimine. *International Journal of Biological Macromolecules*, 75, 453–459. <https://doi.org/https://doi.org/10.1016/j.ijbiomac.2015.02.005>
- Priyanka, R., Rasi, M., Vani, S. V., Rajendran, L., & SivaKumar, D. (2025a). A Kinetic Model for Amperometric Biosensor in Dynamic Mode to Various Enzyme Reactions: Theoretical and Numerical Approach. *Chemistry Africa*, 8(8), 3959–3971. <https://doi.org/10.1007/s42250-025-01394-x>
- Priyanka, R., Rasi, M., Vani, S. V., Rajendran, L., & SivaKumar, D. (2025b). A Kinetic Model for Amperometric Biosensor in Dynamic Mode to Various Enzyme Reactions: Theoretical and Numerical Approach. *Chemistry Africa*, 8(8), 3959–3971. <https://doi.org/10.1007/s42250-025-01394-x>
- Pumera, M. (2010). Enzymatic detection based on carbon nanotubes. *Methods in molecular biology (Clifton, N.J.)*, 625, 197–204. https://doi.org/10.1007/978-1-60761-579-8_16
- Rafiee, M., Abrams, D. J., Cardinale, L., Goss, Z., Romero-Arenas, A., & Stahl, S. S. (2024). Cyclic voltammetry and chronoamperometry: mechanistic tools for

- organic electrosynthesis. *Chemical Society Reviews*, 53(2), 566–585. <https://doi.org/10.1039/D2CS00706A>
- Ramanavicius, A., Voronovic, J., Semashko, T., Mikhailova, R., Kausaite-Minkstimiene, A., & Ramanaviciene, A. (2014). Comparison of glucose oxidases from *Penicillium adametzii*, *Penicillium Funiculosum* and *Aspergillus niger* in the design of amperometric glucose biosensors. *Analytical Sciences*, 30(12), 1143–1149. <https://doi.org/10.2116/analsci.30.1143>
- Rengaraj, S., Mani, V., Kavanagh, P., Rusling, J., & Leech, D. (2011). A membrane-less enzymatic fuel cell with layer-by-layer assembly of redox polymer and enzyme over graphite electrodes. *Chemical Communications*, 47(43), 11861–11863. <https://doi.org/10.1039/c1cc15002b>
- Saeedi, P., Petersohn, I., Salpea, P., Malanda, B., Karuranga, S., Unwin, N., Colagiuri, S., Guariguata, L., Motala, A. A., Ogurtsova, K., Shaw, J. E., Bright, D., & Williams, R. (2019). Global and regional diabetes prevalence estimates for 2019 and projections for 2030 and 2045: Results from the International Diabetes Federation Diabetes Atlas, 9th edition. *Diabetes Research and Clinical Practice*, 157. <https://doi.org/10.1016/j.diabres.2019.107843>
- Salimi, A., Compton, R. G., & Hallaj, R. (2004). Glucose biosensor prepared by glucose oxidase encapsulated sol-gel and carbon-nanotube-modified basal plane pyrolytic graphite electrode. *Analytical Biochemistry*, 333(1), 49–56. <https://doi.org/10.1016/j.ab.2004.06.039>
- Sarfaraz, M., Sukmawati, D., Shakir, H. A., Khan, M., Franco, M., & Irfan, M. (2025). Microbial production and applications of glucose oxidase. *Systems Microbiology and Biomanufacturing*, 5(3), 890–914. <https://doi.org/10.1007/s43393-025-00343-6>
- Smajdor, J., Piech, R., Ławrywianiec, M., & Paczosa-Bator, B. (2018). Glassy carbon electrode modified with carbon black for sensitive estradiol determination by means of voltammetry and flow injection analysis with amperometric detection. *Analytical Biochemistry*, 544, 7–12. <https://doi.org/https://doi.org/10.1016/j.ab.2017.12.025>
- Špička, N., & Tavčer, P. F. (2011). Glucose oxidases-Potential enzymes for bleaching textile fibres. *Tekstilec*, 54(1–3), 16–29.
- Sreenivasulu, G., & Rao, R. R. (2023). Exploring the Evolution and Diverse Applications of Immobilized Glucose Oxidase: A Comprehensive Review. *Advances in Engineering and Intelligence Systems*, 2(3), 89–94. <https://doi.org/10.22034/aeis.2023.409756.1117>

- Teymourian, H., Barfidokht, A., & Wang, J. (2020). Electrochemical glucose sensors in diabetes management: an updated review (2010–2020). *Chemical Society Reviews*, 49(21), 7671–7709.
- Ukirade, N., & Kolhe, P. (2024). RECENT ADVANCEMENT IN ELECTROCHEMICAL BIOSENSOR BASED ON REDOX ENZYME COMPOSITE MODIFIED ELECTRODE FOR THE DETECTION OF BIOMOLECULES. *Suranaree Journal of Science and Technology*, 31(4), 1–13. <https://doi.org/10.55766/sujst-2024-04-e04439>
- Wang, F., Chen, X., Wang, Y., Li, X., Wan, M., Zhang, G., Leng, F., & Zhang, H. (2022). Insights into the Structures, Inhibitors, and Improvement Strategies of Glucose Oxidase. Dalam *International Journal of Molecular Sciences* (Vol. 23, Nomor 17). MDPI. <https://doi.org/10.3390/ijms23179841>
- Wang, J. (2008). Electrochemical glucose biosensors. *Chemical Reviews*, 108(2), 814–825. <https://doi.org/10.1021/cr068123a>
- Wei, H., Tan, H., & Zeng, Y. (2010). Electrochemical redox pattern and allied interactive behaviour of FAD on a ruthenium-modified glassy carbon electrode surface. *Physics and Chemistry of Liquids*, 48(6), 708–722. <https://doi.org/10.1080/00319100902929227>
- Wei, W.-Z., Zhai, X.-R., Zeng, J.-X., Gao, Y.-P., & Gong, S.-G. (2007). New amperometric glucose biosensor by entrapping glucose oxidase into chitosan/nanoporous ZrO₂/multiwalled carbon nanotubes nanocomposite film. *Journal of Central South University of Technology (English Edition)*, 14(1), 73–77. <https://doi.org/10.1007/s11771-007-0015-2>
- Wooten, M., Karra, S., Zhang, M., & Gorski, W. (2014). *On the Direct Electron Transfer, Sensing, and Enzyme Activity in the Glucose Oxidase/Carbon Nanotubes System*.
- Wunderli, S., & Andres, H. (2009). Metrological aspects of glucose measurements by biosensors. *Electroanalysis*, 21(17–18), 1984–1991. <https://doi.org/10.1002/elan.200904625>
- Yan, X. B., Chen, X. J., Tay, B. K., & Khor, K. A. (2007). Transparent and flexible glucose biosensor via layer-by-layer assembly of multi-wall carbon nanotubes and glucose oxidase. *Electrochemistry Communications*, 9(6), 1269–1275. <https://doi.org/10.1016/j.elecom.2006.12.022>
- Yang, C., Denno, M. E., Pyakurel, P., & Venton, B. J. (2015a). Recent trends in carbon nanomaterial-based electrochemical sensors for biomolecules: A review. *Analytica Chimica Acta*, 887, 17–37. <https://doi.org/10.1016/j.aca.2015.05.049>

- Yang, C., Denno, M. E., Pyakurel, P., & Venton, B. J. (2015b). Recent trends in carbon nanomaterial-based electrochemical sensors for biomolecules: A review. *Analytica Chimica Acta*, 887, 17–37. <https://doi.org/https://doi.org/10.1016/j.aca.2015.05.049>
- Yong, Y., Hiu, J. J., & Yap, M. K. K. (2023). Chapter Seven - The secretory phenotypes of envenomed cells: Insights into venom cytotoxicity. Dalam R. B. T.-A. in P. C. and S. B. Donev (Ed.), *Secretory Proteins* (Vol. 133, hlm. 193–230). Academic Press. <https://doi.org/https://doi.org/10.1016/bs.apcsb.2022.08.001>
- Yoo, E.-H., & Lee, S.-Y. (2010). Glucose Biosensors: An Overview of Use in Clinical Practice. Dalam *Sensors* (Vol. 10, Nomor 5, hlm. 4558–4576). <https://doi.org/10.3390/s100504558>
- Yu, J., Jiang, Z., Huang, T., & Tang, C. (2023). BN/Cu/CNT nanoparticles as an efficient tri-functional electrocatalyst for ORR and OER. *International Journal of Hydrogen Energy*, 48(53), 20368–20377. <https://doi.org/10.1016/j.ijhydene.2023.03.015>
- Yudovin-Farber, I., Beyth, N., Weiss, E. I., & Domb, A. J. (2010). Antibacterial effect of composite resins containing quaternary ammonium polyethyleneimine nanoparticles. *Journal of Nanoparticle Research*, 12(2), 591–603. <https://doi.org/10.1007/s11051-009-9628-8>
- Yuwen, T., Shu, D., Zou, H., Yang, X., Wang, S., Zhang, S., Liu, Q., Wang, X., Wang, G., Zhang, Y., & Zang, G. (2023). Carbon nanotubes : a powerful bridge for conductivity and flexibility in electrochemical glucose sensors. *Journal of Nanobiotechnology*, 1–29. <https://doi.org/10.1186/s12951-023-02088-7>
- Zhang, J., Feng, M., & Tachikawa, H. (2007). Layer-by-layer fabrication and direct electrochemistry of glucose oxidase on single wall carbon nanotubes. *Biosensors and Bioelectronics*, 22(12), 3036–3041. <https://doi.org/10.1016/j.bios.2007.01.009>
- Zhang, Y., Liu, Y., Chu, Z., Shi, L., & Jin, W. (2013). Amperometric glucose biosensor based on direct assembly of Prussian blue film with ionic liquid-chitosan matrix assisted enzyme immobilization. *Sensors and Actuators, B: Chemical*, 176, 978–984. <https://doi.org/10.1016/j.snb.2012.09.080>
- Zhu, C., Yang, G., Li, H., Du, D., & Lin, Y. (2015a). Electrochemical Sensors and Biosensors Based on Nanomaterials and Nanostructures. *Analytical Chemistry*, 87(1), 230–249. <https://doi.org/10.1021/ac5039863>

- Zhu, C., Yang, G., Li, H., Du, D., & Lin, Y. (2015b). Electrochemical Sensors and Biosensors Based on Nanomaterials and Nanostructures. *Analytical Chemistry*, 87(1), 230–249. <https://doi.org/10.1021/ac5039863>
- Zhu, L., Yang, R., Zhai, J., & Tian, C. (2007). Biezymatic glucose biosensor based on co-immobilization of peroxidase and glucose oxidase on a carbon nanotubes electrode. *Biosensors and Bioelectronics*, 23(4), 528–535. <https://doi.org/10.1016/j.bios.2007.07.002>