

DAFTAR PUSTAKA

- Agarwala, R., & Mulky, L. (2023). Adsorption of Dyes from Wastewater: A Comprehensive Review. Dalam *ChemBioEng Reviews* (Vol. 10, Nomor 3, hlm. 326–335). John Wiley and Sons Inc. <https://doi.org/10.1002/cben.202200011>
- Ahmed Alsharif, M. (2025). Understanding Adsorption: Theories, Techniques, and Applications. Dalam *Adsorption - Fundamental Mechanisms and Applications*. IntechOpen. <https://doi.org/10.5772/intechopen.1008865>
- Ajiz, H. A., Widiyastuti, W., Setyawan, H., & Nurtono, T. (2024). Amine-functionalized porous silica production via ex-and in-situ method using silicate precursors as a selective adsorbent for CO₂ capture applications. *Heliyon*, 10(5).
- Akhter, F., Soomro, S. A., & Inglezakis, V. J. (2021). Silica aerogels; a review of synthesis, applications and fabrication of hybrid composites. *Journal of Porous Materials*, 28(5), 1387–1400. <https://doi.org/10.1007/s10934-021-01091-3>
- Almeida, R. M., Guiton, T. A., & Pantano, C. G. (1990). Characterization of silica gels by infrared reflection spectroscopy. *Journal of Non-Crystalline Solids*, 121(1–3), 193–197.
- AlMohaimadi, K. M., Albishri, H. M., Thumayri, K. A., AlSuhaimi, A. O., Mehdar, Y. T. H., & Hussein, B. H. M. (2024). Facile Hydrothermal Assisted Basic Catalyzed Sol Gel Synthesis for Mesoporous Silica Nanoparticle from Alkali Silicate Solutions Using Dual Structural Templates. *Gels*, 10(12). <https://doi.org/10.3390/gels10120839>
- Antonio, P., Iha, K., & Suárez-Iha, M. E. V. (2004). Adsorption of di-2-pyridyl ketone salicyloylhydrazone on silica gel: Characteristics and isotherms. *Talanta*, 64(2), 484–490. <https://doi.org/10.1016/j.talanta.2004.03.014>
- Ashour, M. M., Mabrouk, M., Soliman, I. E., Beherei, H. H., & Tohamy, K. M. (2021). Mesoporous silica nanoparticles prepared by different methods for biomedical applications: Comparative study. *IET Nanobiotechnology*, 15(3), 291–300. <https://doi.org/10.1049/nbt2.12023>
- Asses, N., Ayed, L., Hkiri, N., & Hamdi, M. (2018). Congo Red Decolorization and Detoxification by *Aspergillus Niger*: Removal Mechanisms and Dye Degradation Pathway. *BioMed Research International*, 2018. <https://doi.org/10.1155/2018/3049686>
- Baccile, N., Laurent, G., Bonhomme, C., Innocenzi, P., & Babonneau, F. (2007). Solid-state NMR characterization of the surfactant-silica interface in

- templated silicas: Acidic versus basic conditions. *Chemistry of Materials*, 19(6), 1343–1354. <https://doi.org/10.1021/cm062545j>
- Bagotia, N. (2025). Regeneration strategies for exhausted adsorbents used in water treatment - A critical review. Dalam *Journal of Water Process Engineering* (Vol. 69). Elsevier Ltd. <https://doi.org/10.1016/j.jwpe.2024.106560>
- Bayuo, J., Rwiza, M. J., Choi, J. W., Mtei, K. M., Hosseini-Bandegharai, A., & Sillanpää, M. (2024). Adsorption and desorption processes of toxic heavy metals, regeneration and reusability of spent adsorbents: Economic and environmental sustainability approach. Dalam *Advances in Colloid and Interface Science* (Vol. 329). Elsevier B.V. <https://doi.org/10.1016/j.cis.2024.103196>
- Bistričić, L., Volovšek, V., & Dananić, V. (2007). Conformational and vibrational analysis of gamma-aminopropyltriethoxysilane. *Journal of Molecular Structure*, 834–836(SPEC. ISS.), 355–363. <https://doi.org/10.1016/j.molstruc.2006.10.036>
- Bokov, D., Turki Jalil, A., Chupradit, S., Suksatan, W., Javed Ansari, M., Shewael, I. H., Valiev, G. H., & Kianfar, E. (2021). Nanomaterial by Sol-Gel Method: Synthesis and Application. Dalam *Advances in Materials Science and Engineering* (Vol. 2021). John Wiley and Sons Ltd. <https://doi.org/10.1155/2021/5102014>
- Borcănescu, S., Popa, A., Verdeș, O., & Suba, M. (2023). Functionalized Ordered Mesoporous MCM-48 Silica: Synthesis, Characterization and Adsorbent for CO₂ Capture. *International Journal of Molecular Sciences*, 24(12). <https://doi.org/10.3390/ijms241210345>
- Brinker, C. J., & Scherer, G. W. (1990). *Sol-gel science: the physics and chemistry of sol-gel processing*. Gulf Professional Publishing.
- Candela-Noguera, V., Amorós, P., Aznar, E., Marcos, M. D., & Martínez-Mañez, R. (2024). Systematic study of the implications of calcination and solvent extraction of the surfactant in MCM-41-type mesoporous silica nanoparticles. *Microporous and Mesoporous Materials*, 373. <https://doi.org/10.1016/j.micromeso.2024.113119>
- Chen, D., Sun, C., Sun, K., Yan, M., Yang, Y., Jin, H., Guo, J., Jia, J., Xu, L., & Li, X. (2025). In Situ Steam-Assisted Synthesis of CTAB-Modified Geopolymer-Based Hectorite for Enhanced Adsorption of Congo Red. *Gels*, 11(11). <https://doi.org/10.3390/gels11110930>
- Christy, A. A. (2014). The nature of silanol groups on the surfaces of silica, modified silica and some silica based materials. *Advanced Materials Research*, 998–999, 3–10. <https://doi.org/10.4028/www.scientific.net/AMR.998-999.3>

- Cueto-Díaz, E. J., Castro-Muñiz, A., Suárez-García, F., Gálvez-Martínez, S., Torquemada-Vico, M. C., Valles-González, M. P., & Mateo-Martí, E. (2021). Aptes-based silica nanoparticles as a potential modifier for the selective sequestration of CO₂ gas molecules. *Nanomaterials*, 11(11). <https://doi.org/10.3390/nano11112893>
- De Aragão, B. J. G., & Messaddeq, Y. (2008). Peak Separation by Derivative Spectroscopy Applied to FTIR Analysis of Hydrolized Silica. Dalam *J. Braz. Chem. Soc* (Vol. 19, Nomor 8).
- de Farias, R. S., Buarque, H. L. de B., da Cruz, M. R., Cardoso, L. M. F., Gondim, T. de A., & de Paulo, V. R. (2018). Adsorption of congo red dye from aqueous solution onto amino-functionalized silica gel. *Engenharia Sanitaria e Ambiental*, 23(6), 1053–1060. <https://doi.org/10.1590/s1413-41522018172982>
- De Oliveira, F. F., Moura, K. O., Costa, L. S., Vidal, C. B., Loiola, A. R., & Do Nascimento, R. F. (2020a). Reactive Adsorption of Parabens on Synthesized Micro- And Mesoporous Silica from Coal Fly Ash: PH Effect on the Modification Process. *ACS Omega*, 5(7), 3346–3357. <https://doi.org/10.1021/acsomega.9b03537>
- De Oliveira, F. F., Moura, K. O., Costa, L. S., Vidal, C. B., Loiola, A. R., & Do Nascimento, R. F. (2020b). Reactive Adsorption of Parabens on Synthesized Micro- And Mesoporous Silica from Coal Fly Ash: PH Effect on the Modification Process. *ACS Omega*, 5(7), 3346–3357. <https://doi.org/10.1021/acsomega.9b03537>
- de ON Ribeiro, J., Nunes, E. H. M., Vasconcelos, D. C. L., Vasconcelos, W. L., Nascimento, J. F., Grava, W. M., & Derks, P. W. J. (2019). Role of the type of grafting solvent and its removal process on APTES functionalization onto SBA-15 silica for CO₂ adsorption. *Journal of Porous Materials*, 26(6), 1581–1591.
- Delvia, F., & Aini, S. (t.t.). Pengaruh Waktu Aging Terhadap Kristalinitas dan Ukuran Partikel Silika Mesopori. *vol*, 9, 3.
- Egerton, R. F. (2005). *Physical principles of electron microscopy* (Vol. 56). Springer.
- Ekadenti, A., Pardoyo, P., & Sriyanti, S. (2023). Pengaruh pH Terhadap Sintesis Silika Gel dari Limbah Geotermal dengan Penambahan Cetyltrimethylammonium Bromide (CTAB) untuk Adsorpsi Rhodamine B. *Greensphere: Journal of Environmental Chemistry*, 3(1), 20–25. <https://doi.org/10.14710/gjec.2023.16160>

- El Messaoudi, N., El Khomri, M., El Mouden, A., Bouich, A., Jada, A., Lacherai, A., Iqbal, H. M. N., Mulla, S. I., Kumar, V., & Américo-Pinheiro, J. H. P. (2024). Regeneration and reusability of non-conventional low-cost adsorbents to remove dyes from wastewaters in multiple consecutive adsorption–desorption cycles: a review. Dalam *Biomass Conversion and Biorefinery* (Vol. 14, Nomor 11, hlm. 11739–11756). Springer Science and Business Media Deutschland GmbH. <https://doi.org/10.1007/s13399-022-03604-9>
- Fadimatou, N. M. (2023). *Cetyl Trimethyl Ammonium Bromide (CTAB) functionalized sodium silicate for Naphtol Green B and Congo Red adsorption*.
- Gartmann, N., Schütze, C., Ritter, H., & Brühwiler, D. (2010). The effect of water on the functionalization of mesoporous silica with 3-aminopropyltriethoxysilane. *Journal of Physical Chemistry Letters*, 1(1), 379–382. <https://doi.org/10.1021/jz9002795>
- Goldstein, J. (2012). *Practical scanning electron microscopy: electron and ion microprobe analysis*. Springer Science & Business Media.
- Hidayani, E., Andriyani, A., & Taufik, M. (2024a). Functionalization Mesoporous Silica using Aminopropyltriethoxysilane (APTES) as Adsorbent for Removal Ni (II) from Aqueous Solution. *JKPK (Jurnal Kimia dan Pendidikan Kimia)*, 9(1), 115. <https://doi.org/10.20961/jkpk.v9i1.85597>
- Hidayani, E., Andriyani, A., & Taufik, M. (2024b). Functionalization Mesoporous Silica using Aminopropyltriethoxysilane (APTES) as Adsorbent for Removal Ni (II) from Aqueous Solution. *JKPK (Jurnal Kimia dan Pendidikan Kimia)*, 9(1), 115. <https://doi.org/10.20961/jkpk.v9i1.85597>
- Howarter, J. A., & Youngblood, J. P. (2007). Surface modification of polymers with 3-aminopropyltriethoxysilane as a general pretreatment for controlled wettability. *Macromolecules*, 40(4), 1128–1132. <https://doi.org/10.1021/ma062028m>
- Hua, Z., Pan, Y., & Hong, Q. (2023). Adsorption of Congo red dye in water by orange peel biochar modified with CTAB. *RSC Advances*, 13(18), 12502–12508. <https://doi.org/10.1039/d3ra01444d>
- Işk, M., & Sponza, D. T. (2003). Aromatic amine degradation in a UASB/CSTR sequential system treating Congo Red dye. *Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering*, 38(10), 2301–2315. <https://doi.org/10.1081/ESE-120023387>
- Iván Meléndez-Ortiz, H., Mercado-Silva, A., Alfonso García-Cerda, L., Castruita, G., & Argenis Perera-Mercado, Y. (2013). Hydrothermal Synthesis of Mesoporous Silica MCM-41 Using Commercial Sodium Silicate

- Hydrothermal Synthesis of Mesoporous Silica MCM-41 Using Commercial Sodium Silicate Article. Dalam *Chem. Soc* (Vol. 57, Nomor 2).
- Janosevic-Lezaic, A., Paunovic, N., & Pejic, N. (2014). Thermodynamics of micellization of hexadecyltrimethylammonium bromide in propylene glycol-water mixture: A conductivity study. *Facta universitatis - series: Physics, Chemistry and Technology*, 12(1), 17–26. <https://doi.org/10.2298/fupct1401017j>
- Kassa, A., Engida, A., & Endaye, M. (2025). Eco-friendly adsorbents for industrial dye removal: A comprehensive review of low-cost alternatives. Dalam *Desalination and Water Treatment* (Vol. 323). Elsevier B.V. <https://doi.org/10.1016/j.dwt.2025.101362>
- Khair, M., Indira, B. S., & Salsabila, R. (2023). PREPARASI SILIKA GEL DARI LIMBAH KACA BENING DENGAN BANTUAN IRADIASI MICROWAVE. *CHEDS: Journal of Chemistry, Education, and Science*, 7(1), 97–102. <https://doi.org/10.30743/cheds.v7i1.7130>
- Larasati, A., Fowler, G. D., & Graham, N. J. D. (2021). Insights into chemical regeneration of activated carbon for water treatment. Dalam *Journal of Environmental Chemical Engineering* (Vol. 9, Nomor 4). Elsevier Ltd. <https://doi.org/10.1016/j.jece.2021.105555>
- Li, J., Chen, L., Li, X., Zhang, C., & Jiang, Y. (2014). One-step synthesis of structure controlled vinyl functionalized hollow mesoporous silica nanospheres. Dalam *Journal: New Journal of Chemistry*.
- Liu, M., Zheng, J., Wang, L., Hu, Z., Lan, S., Rao, W., Liu, Y., Xie, Y., & Yu, C. (2022). Ultrafast and selective adsorption of anionic dyes with amine-functionalized glucose-based adsorbents. *Journal of Molecular Structure*, 1263. <https://doi.org/10.1016/j.molstruc.2022.133150>
- Madania, P., Sriyanti, S., & Sriatun, S. (2023a). Modifikasi Silika dari Abu Sekam Padi pada Variasi pH Menggunakan Cetyltrimethylammonium Bromide (CTAB) untuk Adsorpsi-Desorpsi Urea. *Greensphere: Journal of Environmental Chemistry*, 3(2), 31–36.
- Madania, P., Sriyanti, S., & Sriatun, S. (2023b). Modifikasi Silika dari Abu Sekam Padi pada Variasi pH Menggunakan Cetyltrimethylammonium Bromide (CTAB) untuk Adsorpsi-Desorpsi Urea. *Greensphere: Journal of Environmental Chemistry*, 3(2), 31–36.
- Millot, Y., Hervier, A., Ayari, J., Hmili, N., Blanchard, J., & Boujday, S. (2023). Revisiting Alkoxysilane Assembly on Silica Surfaces: Grafting versus Homo-Condensation in Solution. *Journal of the American Chemical Society*, 145(12), 6671–6681. <https://doi.org/10.1021/jacs.2c11390>

- Minju, N., Nair, B. N., & Savithri, S. (2021). Sodium silicate-derived aerogels: Effect of processing parameters on their applications. *RSC Advances*, 11(25), 15301–15322. <https://doi.org/10.1039/d0ra09793d>
- Mousavi, M., & Fini, E. (2020). Silanization Mechanism of Silica Nanoparticles in Bitumen Using 3-Aminopropyl Triethoxysilane (APTES) and 3-Glycidyloxypropyl Trimethoxysilane (GPTMS). *ACS Sustainable Chemistry and Engineering*, 8(8), 3231–3240. <https://doi.org/10.1021/acssuschemeng.9b06741>
- Murakami, K., Fuda, K., & Sugai, M. (2008). *Geometrical Study on Change of Pore Volume of MCM-41 Functionalized with Aminopropyl Groups*.
- Naskar, B. (2025). Micellization and Physicochemical Properties of CTAB in Aqueous Solution: Interfacial Properties, Energetics, and Aggregation Number at 290 to 323 K. *Colloids and Interfaces*, 9(1). <https://doi.org/10.3390/colloids9010004>
- Oladoye, P. O., Bamigboye, M. O., Ogunbiyi, O. D., & Akano, M. T. (2022a). Toxicity and decontamination strategies of Congo red dye. *Groundwater for Sustainable Development*, 19, 100844.
- Oladoye, P. O., Bamigboye, M. O., Ogunbiyi, O. D., & Akano, M. T. (2022b). Toxicity and decontamination strategies of Congo red dye. Dalam *Groundwater for Sustainable Development* (Vol. 19). Elsevier B.V. <https://doi.org/10.1016/j.gsd.2022.100844>
- Qi, L., Ma, J., Cheng, H., & Zhao, Z. (1998). *Micrometer-Sized Mesoporous Silica Spheres Grown under Static Conditions*. <https://pubs.acs.org/sharingguidelines>
- Qiao, B., Wang, T.-J., Gao, H., & Jin, Y. (2015). High density silanization of nano-silica particles using γ -aminopropyltriethoxysilane (APTES). *Applied Surface Science*, 351, 646–654.
- Rahman, I. A., & Padavettan, V. (2012). Synthesis of Silica nanoparticles by Sol-Gel: Size-dependent properties, surface modification, and applications in silica-polymer nanocomposites a review. *Journal of Nanomaterials*, 2012. <https://doi.org/10.1155/2012/132424>
- Rezai, B., & Allahkarami, E. (2024). Desorption/regeneration of adsorbents and their performance. Dalam *Sustainable Remediation Technologies for Emerging Pollutants in Aqueous Environment* (hlm. 263–283). Elsevier.
- Richard, J., Vashishtha, A., Phimpachanh, A., Rydzek, G., Lacroix-Desmazes, P., Marcotte, N., & Gérardin, C. (2024). *Mesoporous silica for sustainable dye removal: fast and reversible adsorption from ordered mesopores densely*

functionalized with polymers Graphical abstract.
<https://ssrn.com/abstract=4806573>

- Rouquerol, J., Rouquerol, F., Llewellyn, P., Maurin, G., & Sing, K. (2013). *Adsorption by powders and porous solids: principles, methodology and applications*. Academic press.
- Silviana, S., Purbasari, A., Siregar, A., Rochyati, A. F., & Papra, T. (2020a). Synthesis of mesoporous silica derived from geothermal waste with cetyl trimethyl ammonium bromide (CTAB) surfactant as drug delivery carrier. *AIP Conference Proceedings*, 2296(July). <https://doi.org/10.1063/5.0030487>
- Silviana, S., Purbasari, A., Siregar, A., Rochyati, A. F., & Papra, T. (2020b). Synthesis of mesoporous silica derived from geothermal waste with cetyl trimethyl ammonium bromide (CTAB) surfactant as drug delivery carrier. *AIP Conference Proceedings*, 2296. <https://doi.org/10.1063/5.0030487>
- Singh, B., Gorji, Z. E., Singh, R., Sharma, V., & Repo, T. (2025). Silica Gel Supported Solid Amine Sorbents for CO₂ Capture. *Energy and Environmental Materials*, 8(1). <https://doi.org/10.1002/eem2.12832>
- Skoog, D. A., West, D. M., Holler, F. J., & Crouch, S. R. (1996). *Fundamentals of analytical chemistry* (Vol. 33). Saunders College Pub. Fort Worth.
- Stuart, B. H. (2004). *Infrared spectroscopy: fundamentals and applications*. John Wiley & Sons.
- Sypabekova, M., Hagemann, A., Rho, D., & Kim, S. (2023a). Review: 3-Aminopropyltriethoxysilane (APTES) Deposition Methods on Oxide Surfaces in Solution and Vapor Phases for Biosensing Applications. Dalam *Biosensors* (Vol. 13, Nomor 1). MDPI. <https://doi.org/10.3390/bios13010036>
- Sypabekova, M., Hagemann, A., Rho, D., & Kim, S. (2023b). Review: 3-Aminopropyltriethoxysilane (APTES) Deposition Methods on Oxide Surfaces in Solution and Vapor Phases for Biosensing Applications. Dalam *Biosensors* (Vol. 13, Nomor 1). MDPI. <https://doi.org/10.3390/bios13010036>
- Tapalad, T., Neramittagapong, A., Neramittagapong, S., & Boonmee, M. (2008). Degradation of Congo Red Dye by Ozonation. Dalam *Chiang Mai J. Sci* (Vol. 35, Nomor 1). www.science.cmu.ac.th/journal-science/josci.html
- Tella, J. O., Ajanaku, K. O., Adekoya, J. A., Banerjee, R., Patra, C. R., Pavuluri, S., & Sreedhar, B. (2024). Physicochemical and textural properties of amino-functionalised mesoporous silica nanomaterials from different silica sources. *Results in Chemistry*, 7(February), 101505. <https://doi.org/10.1016/j.rechem.2024.101505>

- Tkaczyk, A., Mitrowska, K., & Posyniak, A. (2020). Synthetic organic dyes as contaminants of the aquatic environment and their implications for ecosystems: A review. Dalam *Science of the Total Environment* (Vol. 717). Elsevier B.V. <https://doi.org/10.1016/j.scitotenv.2020.137222>
- Upadhyay, R. K., Soin, N., Saha, S., Barman, A., & Roy, S. S. (2015). Fast and facile preparation of CTAB based gels and their applications in Au and Ag nanoparticles synthesis. *Materials Chemistry and Physics*, 156, 105–112.
- Van Der Maaden, K., Sliedregt, K., Kros, A., Jiskoot, W., & Bouwstra, J. (2012). Fluorescent nanoparticle adhesion assay: A novel method for surface pK a determination of self-assembled monolayers on silicon surfaces. *Langmuir*, 28(7), 3403–3411. <https://doi.org/10.1021/la203560k>
- Volesky, B. (2003). Biosorption process simulation tools. *Hydrometallurgy*, 71(1–2), 179–190. [https://doi.org/10.1016/S0304-386X\(03\)00155-5](https://doi.org/10.1016/S0304-386X(03)00155-5)
- Wan, Y., & Zhao, D. (2007). On the controllable soft-templating approach to mesoporous silicates. Dalam *Chemical Reviews* (Vol. 107, Nomor 7, hlm. 2821–2860). <https://doi.org/10.1021/cr068020s>
- Watanabe, Y., Amitani, N., Yokoyama, T., Ueda, A., Kusakabe, M., Unami, S., & Odashima, Y. (2021). Synthesis of mesoporous silica from geothermal water. *Scientific Reports*, 11(1). <https://doi.org/10.1038/s41598-021-03133-x>
- Weigel, C., & Kellner, R. (1989). FTIR-ATR-spectroscopic investigation of the silanization of germanium surfaces with 3-aminopropyltriethoxysilane. *Fresenius' Zeitschrift für Analytische Chemie*, 335(7), 663–668.
- Woźniak, M., Szentner, K., Babicka, M., Rissmann, I., & Ratajczak, I. (2017). *Reactivity of (3-aminopropyl) trimethoxysilane with Scots pine wood*.
- Wullenweber, J., Bennert, J., Mantel, T., & Ernst, M. (2024). Characterizing Macroporous Ion Exchange Membrane Adsorbers for Natural Organic Matter (NOM) Removal—Adsorption and Regeneration Behavior. *Membranes*, 14(6). <https://doi.org/10.3390/membranes14060124>
- Wutz, M., Adam, H., Walcher, W., & Jousten, K. (1997). Sorption und Desorption. Dalam *Handbuch Vakuumtechnik: Theorie und Praxis* (hlm. 62–75). Springer.
- Yang, S., Zhao, F., Sang, Q., Zhang, Y., Chang, L., Huang, D., & Mu, B. (2021a). Investigation of 3-aminopropyltriethoxysilane modifying attapulgite for Congo red removal: Mechanisms and site energy distribution. *Powder Technology*, 383, 74–83.
- Yang, S., Zhao, F., Sang, Q., Zhang, Y., Chang, L., Huang, D., & Mu, B. (2021b). Investigation of 3-aminopropyltriethoxysilane modifying attapulgite for

- Congo red removal: Mechanisms and site energy distribution. *Powder Technology*, 383, 74–83. <https://doi.org/10.1016/j.powtec.2021.01.046>
- Yarahmadi, A., Zargar, G., Ashoori, S., & Khaksar Manshad, A. (2026). Synergistic mechanisms of plant derived silica nanoparticles, gemini surfactants and low salinity water in enhanced oil recovery. *Scientific Reports*. <https://doi.org/10.1038/s41598-025-34465-7>
- Zeidan, H., Can, M., & Marti, M. E. (2023). Synthesis, characterization, and use of an amine-functionalized mesoporous silica SBA-15 for the removal of Congo Red from aqueous media. *Research on Chemical Intermediates*, 49(1), 221–240. <https://doi.org/10.1007/s11164-022-04876-6>
- Zhang, Q., Yan, Z., Ouyang, J., Zhang, Y., Yang, H., & Chen, D. (2018). Chemically modified kaolinite nanolayers for the removal of organic pollutants. *Applied Clay Science*, 157, 283–290. <https://doi.org/10.1016/j.clay.2018.03.009>
- Zhonglin, L., Ting, Z., Kecheng, S., Wenquan, L., Jie, Z., Zonghui, H., Weiguang, Z., Xuejiao, C., Long, F., & Yibing, L. (2025). The 3D bouquet-like layered structure amino-functionalized boehmite adsorbent materials with excellent adsorption property towards Congo red: Kinetics, isotherms, thermodynamics, and adsorption mechanism. *Applied Surface Science*, 706. <https://doi.org/10.1016/j.apsusc.2025.163468>
- Zhou, Y., Wang, J., Zhao, Q., Cai, H., & Zhang, H. (2022). Selective adsorption and removal of congo red based on ethylenediamine functionalized mesoporous silica. *ChemistrySelect*, 7(45), e202203280.