

BIBLIOGRAFI

- Abdullah, I. A., Danardono, and Hadibasyir, H. Z. (2023). The dynamics of changes in the coastline of the sayung coastal community in demak regency using remote sensing imagery. In *Proceedings of the International Conference on Geography and Disaster Management (ICGDM 2022)*, pages 436–449. Atlantis Press.
- Abidin, H. Z., Andreas, H., Gumilar, I., Fukuda, Y., Pohan, Y. E., and Deguchi, T. (2011). Land subsidence of jakarta (indonesia) and its relation with urban development. *Natural Hazards*, 59(3):1753–1771.
- Al Kuisi, M., Al Azzam, N., Hyarat, T., and Farhan, I. (2024). Flood hazard and risk assessment of flash floods for petra catchment area using hydrological and analytical hierarchy (ahp) modeling. *Water*, 16:2283.
- Awah, L. S., Belle, J. A., Nyam, Y. S., and Orimoloye, I. R. (2024). A systematic analysis of systems approach and flood risk management research: Trends, gaps, and opportunities. *International Journal of Disaster Risk Science*, 15(1):45–57.
- Aziz, M. R. et al. (2024). Pemanfaatan data demnas dan citra satelit untuk analisis potensi banjir pasang surut di wilayah pesisir. *Jurnal Teknik Hidraulik*, 15(1):33–44.
- Badan Informasi Geospasial (2026). Sistem referensi geospasial indonesia (srgi) dan model elevasi digital nasional (demnas). Diakses pada 1 September 2025.
- Bevacqua, E., Maraun, D., Vousdoukas, M. I., Voukouvalas, E., Vrac, M., Mentaschi, L., and Widmann, M. (2019). Higher probability of compound flooding from precipitation and storm surge in europe under anthropogenic climate change. *Science Advances*, 5(9).
- Bowes, B. D., Sadler, J. M., Morsy, S., and et al. (2019). Forecasting the impacts of hurricane harvey on the houston metropolitan area. *Water*, 11(5):1098.

- Box, G. E. P., Jenkins, G. M., Reinsel, G. C., and Ljung, G. M. (2015). *Time Series Analysis: Forecasting and Control*. Wiley, 5th edition.
- Bukhari, S. A. S., Shafi, I., Ahmad, J., and et al. (2025). Review of flood monitoring and prevention approaches: a data analytic perspective. *Natural Hazards*, 121(5):5103–5128.
- Byrd, R. H., Lu, P., Nocedal, J., and Zhu, C. (1995). A limited memory algorithm for bound constrained optimization. *SIAM Journal on Scientific Computing*, 16(5):1190–1208.
- Chai, T. and Draxler, R. R. (2014). Root mean square error (rmse) or mean absolute error (mae)—arguments against avoiding rmse in the literature. *Geoscientific Model Development*, 7(3):1247–1250.
- Chatfield, C. (2000). *Time-Series Forecasting*. Chapman & Hall/CRC.
- Chaussard, E., Amelung, F., Abidin, H., and Hong, S.-H. (2013). Sinking cities in indonesia: Alos palsar detects rapid subsidence due to groundwater and gas extraction. *Remote Sensing of Environment*, 128:150–161.
- Chen, J. M. (2021). An introduction to machine learning for panel data. *International Advances in Economic Research*, 27.
- Chen, T. and Wang, J. G. (2022). A hybrid forecasting framework based on time-series decomposition and deep learning. *Journal of Ambient Intelligence and Humanized Computing*, 13:1245–1259.
- CivilWeb (2024). Rational Method Runoff Coefficient. [Situs Web CivilWeb](#). Diakses pada 9 Agustus 2024.
- CSU (2025). Where do hazard and risk analyses fit within emergency management. https://doms.csu.edu.au/csu/file/8bbaf248-8de0-2ca3-198c-480f792eac87/1/topic1/topic1_h.htm. Diakses pada 1 September 2025.

- Damle, C. and Yalcin, A. (2007). Flood prediction using time series data mining. *Journal of Hydrology*, 333:305–316.
- De Myttenaere, A., Golden, B., Le Grand, B., and Rossi, F. (2016). Mean absolute percentage error for regression models. *Neurocomputing*, 192:114–119.
- Déguénon, S. D. d. D. M., Adade, R., Teka, O., Aheto, D. W., and Sinsin, B. (2024). Sea-level rise and flood mapping: a review of models for coastal management. *Natural Hazards*, 120:2155–2178.
- Esteban, M., Takagi, H., Mikami, T., and Fujii, D. (2020). Adaptation to compound flooding in coastal cities: Lessons from jakarta. *International Journal of Disaster Risk Reduction*, 50:101708.
- Field, C., Barros, V., Stocker, T., Qin, D., Dokken, D., Ebi, K., Mastrandrea, M., Mach, K., Plattner, G.-K., Allen, S., Tignor, M., and Midgley, P., editors (2012). *Managing the Risks of Extreme Events and Disasters to Advance Climate Change Adaptation (SREX)*. Cambridge University Press, Cambridge, UK and New York, NY, USA.
- Filho, R., Moura, G., Coelho, V. H. R., and et al. (2021). An improved rainfall-threshold approach for robust prediction and warning of flood and flash flood hazards. *Natural Hazards*, 105:2409–2429.
- Fox-Kemper, B., Hewitt, H. T., Xiao, C., Aßmann, G., Chu, P. N., Gnanadesikan, A. S., Hallberg, R. J., Jellyman, D., Gregory, J. G., Jevrejeva, S. S., et al. (2021). *Ocean, Cryosphere and Sea Level Change*, page 1211–1362. Cambridge University Press.
- Green, R. W., Stevens, G., de Menezes e Silva Filho, T., and Abdallah, Z. S. (2024). Time-series classification for dynamic strategies in multi-step forecasting. *ArXiv*, abs/2402.08373.
- Gujarati, D. N. and Porter, D. C. (2009). *Basic Econometrics*. McGraw-Hill Irwin, 5 edition.

- Hajirahimi, Z. and Khashei, M. (2022). Sequence in hybridization of statistical and intelligent models in time series forecasting. *Neural Processing Letters*, 54:3619–3639.
- Hakim, D. K., Gernowo, R., and Nirwansyah, A. W. (2023). Flood prediction with time series data mining: Systematic review. *Natural Hazards Research*, 4:194–220.
- Hakim, D. K., Gernowo, R., and Nirwansyah, A. W. (2025). Comparative feature importance for objective flood hazard weighting: A multi-model machine learning approach. In *Proceedings of The 5th InCEAS International Conference on Engineering and Applied Science: "Engineering and Material Solutions for a Sustainable World: Advancing the SDGs Through Technology and Innovation"*, Cavinton Hotel, Yogyakarta, Indonesia. AIP Publishing.
- Hakim, D. K., Gernowo, R., and Nirwansyah, A. W. (2026). Performance analysis of classical statistical vs. deep learning models for sea level rise forecasting. *Jurnal Teknik Informatika (JUTIF)*, 7(1).
- Han, J., Kamber, M., and Pei, J. (2011). *Data Mining: Concepts and Techniques*. Elsevier, 3 edition.
- Hersbach, H., Bell, B., Berrisford, P., and et al. (2025). The era5 hourly data on single levels from 1940 to present. *Copernicus Climate Change Service (C3S) Climate Data Store (CDS)*.
- Hodson, T. O. (2022). Root-mean-square error (rmse) or mean absolute error (mae): when to use them or not. *Geoscientific Model Development*, 15(14):5481–5487.
- Holt, C. C. (1957). Forecasting seasonals and trends by exponentially weighted moving averages. Technical report, Carnegie Institute of Technology.
- Hutauruk, R. C., Alfiandy, S., Nainggolan, H. A., and Raharjo, M. H. F. Y. (2020). Gis-based flood susceptibility mapping using overlay method in central sulawesi. *Forum Geografi*, 34(2).

- Hyndman, R. J. and Athanasopoulos, G. (2018). *Forecasting: principles and practice*. OTexts, Melbourne, Australia.
- Hyndman, R. J. and Athanasopoulos, G. (2021). *Forecasting: Principles and Practice*. OTexts, Melbourne, Australia, 3rd edition.
- Indra, G. and Duraipandian, N. (2023). An improved flood forecasting system with cluster based visualization and analyzing using GK-ANFIS and CGDNN. *Expert Systems With Applications*, 212.
- Iskandar, S. A., Helmi, M., Muslim, M., Widada, S., and Rochaddi, B. (2020). Analisis geospasial area genangan banjir rob dan dampaknya pada penggunaan lahan tahun 2020-2025 di kota pekalongan provinsi jawa tengah. *Indonesian Journal of Oceanography*, 2(3):271–282.
- Jazzar, M. M. M. (2021). Flood congestion simulation and prediction using iot wireless networks on dynamic streets routes. *Journal of Theoretical and Applied Information Technology*, 99(10):2384–2395.
- Jörges, C., Berkenbrink, C., Stumpe, B., and Christoph, J. (2021). Prediction and reconstruction of ocean wave heights based on bathymetric data using LSTM neural networks. *Ocean Engineering*, 232.
- Kamisan, N. A. B., Norrulashikin, S. M., and Hassan, S. F. (2023). Hybrid holts-winter's model and artificial neural network for short term load data. In *AIP Conference Proceedings*, volume 2500, page 020026.
- Khashei, M. and Bijari, M. (2010). An artificial neural network (p, d, q) model for time series forecasting. *Expert Systems with Applications*, 37(1):479–489.
- Kingma, D. P. and Ba, J. (2014). Adam: A method for stochastic optimization. *arXiv preprint arXiv:1412.6980*.
- Larose, D. T. and Larose, C. D. (2014). *Discovering Knowledge in Data*. Wiley.

- Lewis, C. D. (1982a). *Industrial and business forecasting methods*. Butterworth-Heinemann.
- Lewis, C. D. (1982b). *Industrial and Business Forecasting Methods: A Practical Guide to Exponential Smoothing and Curve Fitting*. Butterworth Scientific, London; Boston.
- listing, A. M. (2025). A hybrid framework integrating traditional models and deep learning for multi-scale time series forecasting. *Entropy*, 27(7):695.
- Liu, X., Zhang, Y., and Wei, Z. (2024). From simple to complex: a sequential method for enhancing time series forecasting with deep learning. *Logic Journal of the IGPL*.
- Mada, U. G. (2023). Kerentanan pesisir semarang terhadap banjir rob. *Majalah Geografi Indonesia*. Penelitian menyoroiti faktor tata guna lahan dan kerentanan masyarakat pesisir.
- Mallot, H. A. (2024). Artificial neural networks and classification. In *Computational Neuroscience*, pages 161–200. Springer.
- Marfa, M. A. et al. (2024). Analisis genangan banjir rob akibat kenaikan muka air laut dan land subsidence di kabupaten demak menggunakan data demnas. *Jurnal Geodesi Undip*, 13(1):11–20.
- Marfai, M. A. and King, L. (2008a). Coastal hazard and community vulnerability in central java, indonesia: Case study on tidal flooding in semarang. *Environmental Geology*, 55(7):1507–1518.
- Marfai, M. A. and King, L. (2008b). Potential vulnerability implications of coastal inundation due to sea level rise for the coastal city of semarang, indonesia. *Environmental Geology*, 54:1235–1245.
- Marfai, M. A., Rindarjono, D. R., and King, L. (2014). Urban coastal vulnerability assessment: Semarang, indonesia. *Ocean & Coastal Management*, 102:144–152.

- Mat Jan, N. A., Shabri, A., and Samsudin, R. (2020). Handling non-stationary flood frequency analysis using TL-moments approach for estimation parameter. *Journal of Water and Climate Change*, 11:966–979.
- Mishra, R. K. and Singh, S. K. (2023). Time series forecasting using lstm neural networks: A review. *Neural Computing and Applications*.
- Nayak, S. (2017). Coastal management: An integrated approach. *Journal of Coastal Zone Management*, 20(1):1–10.
- Oestreicher, C. (2007). A history of chaos theory. *Dialogues in Clinical Neuroscience*, 9(3):279–289.
- Perlin, M. S., Silva, D. F., and Papa, J. P. (2025). Stratify: unifying multi-step forecasting strategies. *Data Mining and Knowledge Discovery*.
- Powers, D. M. (2011). Evaluation: from precision, recall and f-measure to roc, informedness, markedness and correlation. *Journal of Machine Learning Technologies*, 2(1):37–63.
- Prasetyo, Y. et al. (2022). Analisis perbandingan akurasi vertikal demnas dan srtm untuk pemodelan 3d. *Jurnal Geodesi Undip*, 11(2):101–110.
- Prathanazal, N. M., Sasmito, B., and Sabri, L. M. (2020). Analisis kerentanan daerah pesisir kabupaten jepara menggunakan coastal vulnerability index (cvi). *Jurnal Geodesi Undip*, 10(1):115–123.
- Pugh, D. and Woodworth, P. (2014). *Sea-level science: understanding tides, surges, tsunamis and mean sea-level changes*. Cambridge University Press.
- Pörtner, H.-O., Roberts, D., Tignor, M., Poloczanska, E., Mintenbeck, K., Alegría, A., Craig, M., Langsdorf, S., Löschke, S., Möller, V., Okem, A., and Rama, B., editors (2022). *Climate Change 2022: Impacts, Adaptation, and Vulnerability. Contribution of Working Group II to the Sixth Assessment Report*

- of the Intergovernmental Panel on Climate Change*. Cambridge University Press, Cambridge, UK and New York, NY, USA.
- Rankovic, N., Rankovic, D., Ivanovic, M., and Lazic, L. (2021). Improved effort and cost estimation model using artificial neural networks and taguchi method with different activation functions. *Entropy*, 23.
- Robinson, G. M. (2009). Statistics, overview. In *International Encyclopedia of Human Geography*, pages 436–451. Elsevier.
- Sahoo, A., Samantaray, S., and Paul, S. (2021). Efficacy of ANFIS-GOA technique in flood prediction: a case study of mahanadi river basin in india. *H2Open Journal*, 4(1):137–156.
- Saintilan, N., Wilson, N. C., Rogers, K., and et al. (2014). Mangrove expansion and salt marsh decline at mangrove poleward limits. *Global Change Biology*, 20(1):147–157.
- Samek, W., Montavon, G., Vedaldi, A., Hansen, L. K., and Müller, K.-R., editors (2019). *Explainable Artificial Intelligence: Understanding, Visualizing and Interpreting Deep Learning Models*, volume 11700 of *Lecture Notes in Computer Science*. Springer.
- Senn, W., Sanguineti, M., Saudargiene, A., Tetko, I. V., Villa, A. E. P., Jirsa, V., and Bengio, Y., editors (2025). *Artificial Neural Networks and Machine Learning – ICANN 2025: 34th International Conference on Artificial Neural Networks, Kaunas, Lithuania, September 9–12, 2025, Proceedings, Part II*, volume 16069 of *Lecture Notes in Computer Science*. Springer Nature.
- Shakila, C. V. and Shaik, K. B. (2025). Boosting time series forecasting accuracy with holt-winters and artificial neural networks. *Discover Applied Sciences*, 7(1442).

- Shutterstock, I. (2024). Ilustrasi stok jaringan saraf tiruan (ann). Diakses pada: 2025-11-20. ID Gambar yang Dihasilkan: image_0.png. ID Gambar Stok Terkait (Representatif): 2154388647.
- Skilodimou, H. D., Bathrellos, G. D., and Alexakis, D. E. (2021). Flood hazard assessment mapping in burned and urban areas. *Sustainability*, 13:4455.
- Sokolova, M. and Lapalme, G. (2009). A systematic analysis of performance measures for classification tasks. *Information Processing & Management*, 45(4):427–437.
- Soni, K. A. (2012). Sea-water intrusion studies for coastal aquifers: Some points to ponder. *The Open Hydrology Journal*, 6:24–30.
- Srivastava, D. K. and Akhtar, M. A. (2025). Performance evaluation of artificial neural network algorithms: A case of classification problem. In *Signals and Communication Technology*, pages 465–471. Springer.
- Suppawimut, W. (2021). GIS-Based Flood Susceptibility Mapping Using Statistical Index and Weighting Factor Models. *Environment and Natural Resources Journal*, 19.
- Susanto, R. H., Setiawan, A., and Marfai, M. A. (2021). Coastal flooding and adaptation strategies in demak, central java, indonesia. *IOP Conference Series: Earth and Environmental Science*, 824(1):012066.
- Sutrisno, D., Dimiyati, R. D., Shofiyati, R., Prihanto, Y., Hidayat, J. T., Darmawan, M., Agus, S. B., Helmi, M., Sadmono, H., and Anggraini, N. (2025). Rapid evaluation of coastal sinking and management issues in sayung, central java, indonesia. *Geosciences*, 15(12):455.
- Swain, K. C., Singha, C., and Nayak, L. P. (2020). Flood susceptibility mapping through the GIS-AHP technique using the cloud. *ISPRS International Journal of Geo-Information*, 9:720.

- Takagi, H., Esteban, M., Mikami, T., and Fujii, D. (2016). Projection of coastal floods in 2050 jakarta. *Urban Climate*, 17:135–145.
- Tayyab, M., Zhang, J., Hussain, M., and et al. (2021). GIS-based urban flood resilience assessment using urban flood resilience model: A case study of peshawar city, pakistan. *Remote Sensing*, 13.
- Tharwat, A. (2018). Classification assessment methods. *Applied Computing and Informatics*, 17(1):168–192.
- UNDRR (2025). Global assessment report (gar) 2025: Floods. [Laporan Digital UNDRR](#). Diakses pada 5 Februari 2026.
- Vilasan, R. T. T. and Kapse, V. S. (2022). Evaluation of the prediction capability of AHP and F-AHP methods in flood susceptibility mapping of ernakulam district (india). *Natural Hazards*, 112:1767–1793.
- Vousdoukas, M. I., Mentaschi, L., Voukouvalas, E., and et al. (2018). Global probabilistic projections of extreme sea levels show intensification of coastal flood hazard. *Nature Communications*, 9(1):2360.
- Windarto, S., Herawati, V. E., Wijaya, Y. J., Indriati, D. A., Rachmasari, Y., and Elfitasari, T. (2025). Exploring the physicochemical properties and nutritional value of abundant seaweed species along the jepara coast, indonesia. *Springer Nature Switzerland AG*. Published online April 21, 2025.
- Winters, P. R. (1960). Forecasting sales by exponentially weighted moving averages. *Management Science*, 6(3):324–342.
- Wu, X., Zhu, X., Wu, G.-Q., and Ding, W. (2014). Data mining with big data. *IEEE Transactions on Knowledge and Data Engineering*, 26(1):97–107.
- Yan, J., Jin, J., Chen, F., and et al. (2018). Urban flash flood forecast using support vector machine and numerical simulation. *Journal of Hydroinformatics*, 20(1):221–231.

Yonvitner and Susanto, H. A. (2019). *Pengelolaan Wilayah Pesisir dan Laut*. Universitas Terbuka.

Yuwono, B. D., Abidin, H. Z., Poerbandono, and et al. (2024). Mapping of flood hazard induced by land subsidence in semarang city, indonesia, using hydraulic and spatial models. *Natural Hazards*, 120:5333–5368.

Zanaga, D., Van De Kerchove, R., Daems, D., De Keersmaecker, W., Brockmann, C., Kirches, G., Wevers, J., Cartus, O., Santoro, M., Fritz, S., Lesiv, M., Herold, M., Lamarche, C., Bontemps, S., Boettcher, M., and Arino, O. (2022). Esa worldcover 10 m 2021 v200.

Zhang, G. P. (2003). Time series forecasting using a hybrid arima and neural network model. *Neurocomputing*, 50:159–175.

SEKOLAH PASCASARJANA