DAFTAR PUSTAKA

Abdul-Wahab, S. A., Bakheit, C. S., & Al-Alawi, S. M. (2005). Principal component and multiple regression analysis in modelling of ground-level ozone and factors affecting its concentrations. *Environmental Modelling & Software*, *20*(10), 1263–1271. https://doi.org/10.1016/j.envsoft.2004.09.001

Ajona, M., Vasanthi, P., & Vijayan, D. S. (2022). Application of multiple linear and polynomial regression in the sustainable biodegradation process of crude oil. *Sustainable Energy Technologies and Assessments*, *54*, 102797. https://doi.org/10.1016/j.seta.2022.102797

Alhashem, A., Almutairi, A. S., & Almokmesh, S. F. (2025). Flue Gas Recirculation in Steam Boilers: A Comprehensive Assessment Strategy for Energy Optimization and Efficiency Enhancement. *Processes*, *13*(2), 395. https://doi.org/10.3390/pr13020395

Arjunwadkar, A., Basu, P., & Acharya, B. (2016). A review of some operation and maintenance issues of CFBC boilers. *Applied Thermal Engineering*, *102*, 672–694. https://doi.org/10.1016/j.applthermaleng.2016.04.008

Asghar, A., Sanaullah, A., & Hanif, M. (2018). A multivariate regression-cum-exponential estimator for population variance vector in two phase sampling. *Journal of King Saud University - Science*, *30*(2), 223–228. https://doi.org/10.1016/j.jksus.2017.01.010

Bao, F., Zhou, G., Wang, F., & Sui, X. (2010). Partitioning soil respiration in a temperate desert steppe in Inner Mongolia using exponential regression method. *Soil Biology and Biochemistry*, *42*(12), 2339–2341. https://doi.org/10.1016/j.soilbio.2010.08.033

Basu, P., & Butler, J. (2009). Studies on the operation of loop-seal in circulating fluidized bed boilers. *Applied Energy*, *86*(9), 1723–1731. https://doi.org/10.1016/j.apenergy.2008.11.024

Bera, D., Chatterjee, N. D., & Bera, S. (2021). Comparative performance of linear regression, polynomial regression and generalized additive model for canopy cover estimation in the dry deciduous forest of West Bengal. *Remote Sensing Applications: Society and Environment*, *22*, 100502. https://doi.org/10.1016/j.rsase.2021.100502

Bruno, D. E., Barca, E., Goncalves, R. M., De Araujo Queiroz, H. A., Berardi, L., & Passarella, G. (2018). Linear and evolutionary polynomial regression models to forecast coastal dynamics: Comparison and reliability assessment. *Geomorphology*, *300*, 128–140. https://doi.org/10.1016/j.geomorph.2017.10.012

Chen, Y., Lu, X., Zhang, W., Wang, Q., Chen, S., Fan, X., & Li, J. (2018). An experimental study on the hydrodynamic performance of the water-wall system of a 600 MW supercritical CFB boiler. *Applied Thermal Engineering*, *141*, 280–287. https://doi.org/10.1016/j.applthermaleng.2018.01.022

Chifurira, R., & Chikobvu, D. (2014). A Weighted Multiple Regression Model to Predict Rainfall Patterns: Principal Component Analysis approach. *Mediterranean Journal of Social Sciences*. https://doi.org/10.5901/mjss.2014.v5n7p34

Deepika, K. K., Varma, P. S., Reddy, C. R., Sekhar, O. C., Alsharef, M., Alharbi, Y., & Alamri, B. (n.d.). *Comparison of Principal-Component-Analysis-Based Extreme Learning Machine Models for Boiler Output Forecasting*.

Dette, H., Lopez, I. M., Ortiz Rodriguez, I. M., & Pepelyshev, A. (2006). Maximin efficient design of experiment for exponential regression models. *Journal of Statistical Planning and Inference*, *136*(12), 4397–4418. https://doi.org/10.1016/j.jspi.2005.06.006

Di Maio, F., Tsui, K. L., & Zio, E. (2012). Combining Relevance Vector Machines and exponential regression for bearing residual life estimation. *Mechanical Systems and Signal Processing*, *31*, 405–427. https://doi.org/10.1016/j.ymssp.2012.03.011

Elwardany, M. (2024). Enhancing steam boiler efficiency through comprehensive energy and exergy analysis: A review. *Process Safety and Environmental Protection*, *184*, 1222–1250. https://doi.org/10.1016/j.psep.2024.01.102

Engin, B., Atakül, H., Ünlü, A., & Olgun, Z. (2019). CFB combustion of low-grade lignites: Operating stability and emissions. *Journal of the Energy Institute*, *92*(3), 542–553. https://doi.org/10.1016/j.joei.2018.04.004

Forbrich, I., Kutzbach, L., Hormann, A., & Wilmking, M. (2010). A comparison of linear and exponential regression for estimating diffusive CH4 fluxes by closed-chambers in peatlands. *Soil Biology and Biochemistry*, *42*(3), 507–515. https://doi.org/10.1016/j.soilbio.2009.12.004

Giglio, R., & Castilla, N. J. (2015). The value proposition of circulating fluidized-bed technology for the utility power sector. *Journal of the Southern African Institute of Mining and Metallurgy*, *115*(7), 581–588. https://doi.org/10.17159/2411-9717/2015/v115n7a4

Guillén-Casla, V., Rosales-Conrado, N., León-González, M. E., Pérez-Arribas, L. V., & Polo-Díez, L. M. (2011). Principal component analysis (PCA) and multiple linear regression (MLR) statistical tools to evaluate the effect of E-beam irradiation on ready-to-eat food. *Journal of Food Composition and Analysis*, *24*(3), 456–464. https://doi.org/10.1016/j.jfca.2010.11.010

Gungor, A. (2008). Analysis of combustion efficiency in CFB coal combustors. *Fuel*, *87*(7), 1083–1095. https://doi.org/10.1016/j.fuel.2007.06.005

Han, C., Hu, L., Song, T., Zhang, Y., Lyu, J., Zhang, H., Liu, Q., & Ma, S. (2023). Effect of bed material size on gas-solid flow characteristics in a CFB at low solid recirculation rates. *Fuel*, *333*, 126354. https://doi.org/10.1016/j.fuel.2022.126354

Han, Y., & Zhu, Y. (2022). Study on the effect of supercritical CFB boiler air preheater and flue gas treatment facilities on sulfur trioxide emission characteristics. *Energy Reports*, *8*, 926–939. https://doi.org/10.1016/j.egyr.2022.02.020

Hong, F., Chen, J., Wang, R., Long, D., Yu, H., & Gao, M. (2021). Realization and performance evaluation for long-term low-load operation of a CFB boiler unit. *Energy*, *214*, 118877. https://doi.org/10.1016/j.energy.2020.118877

Hong, F., Long, D., Chen, J., & Gao, M. (2020). Modeling for the bed temperature 2D-interval prediction of CFB boilers based on long-short term memory network. *Energy*, *194*, 116733. https://doi.org/10.1016/j.energy.2019.116733

Hu, J., Yang, S., & Wang, H. (2024). Flue gas-dust two-phase heat transfer characteristics and corrosion behavior in industrial-scale waste heat boilers. *Energy*, *308*, 132830. https://doi.org/10.1016/j.energy.2024.132830

Junfu, L., Jiansheng, Z., Hai, Z., Qing, L., & Guangxi, Y. (2007). Performance evaluation of a 220t/h CFB boiler with water-cooled square cyclones. *Fuel Processing Technology*, *88*(2), 129–135. https://doi.org/10.1016/j.fuproc.2004.12.008

Ke, X., Yao, Y., Huang, Z., Zhang, M., Lyu, J., Yang, H., & Zhou, T. (2022). Prediction and minimization of NOx emission in a circulating fluidized bed combustor: Improvement of bed quality by optimizing cyclone performance and coal particle size. *Fuel*, *328*, 125287. https://doi.org/10.1016/j.fuel.2022.125287

Kishore, S. N., & Rao, T. V. (2015). *Effect of Coal Characteristics on the Operating Parameters of 210MW CFB Boiler*. *10*(16).

Kouprianov, V. I., & Tanetsakunvatana, V. (2003). Optimization of excess air for the improvement of environmental performance of a 150 MW boiler fired with Thai lignite. *Applied Energy*, *74*(3–4), 445–453. https://doi.org/10.1016/S0306-2619(02)00199-X

Kuprianov, V. I. (2005). Applications of a cost-based method of excess air optimization for the improvement of thermal efficiency and environmental performance of steam boilers. *Renewable and Sustainable Energy Reviews*, *9*(5), 474–498. https://doi.org/10.1016/j.rser.2004.05.006

Lee, J.-M., Kim, J.-S., & Kim, J.-J. (2003). Evaluation of the 200 MWe Tonghae CFB boiler performance with cyclone modification. *Energy*, *28*(6), 575–589. https://doi.org/10.1016/S0360-5442(02)00155-X

Li, D., Kim, K., Kim, M., Zeng, Y., Yang, Z., Lee, S., Lu, X., & Jeon, C.-H. (2021). Effects of particle size on bed-to-surface heat transfer in bubbling fluidized bed heat exchangers of 550 MWe ultra-supercritical CFB boiler. *Energy*, *222*, 119889. https://doi.org/10.1016/j.energy.2021.119889

Li, Z., & Miao, Z. (2019). Primary air ratio affects coal utilization mode and NOx emission in lignite pulverized boiler. *Energy*, *187*, 116023. https://doi.org/10.1016/j.energy.2019.116023

Li, Z., Miao, Z., Zhou, Y., Wen, S., & Li, J. (2018). Influence of increased primary air ratio on boiler performance in a 660 MW brown coal boiler. *Energy*, *152*, 804–817. https://doi.org/10.1016/j.energy.2018.04.001

Liu, X., Zhang, M., Lu, J., & Yang, H. (2015). Effect of furnace pressure drop on heat transfer in a 135MW CFB boiler. *Powder Technology*, *284*, 19–24. https://doi.org/10.1016/j.powtec.2015.06.019

Liu, X., Zhu, G., Zhang, Y., Asim, T., & Mishra, R. (2019). *Performance improvement of a Circulating Fluidized Bed Boiler through flow modifications in Primary Air Supply System*.

Lockwood, T. (2013). *Techno-economic analysis of PC versus CFB combustion technology*.

Lv, Y., Hong, F., Yang, T., Fang, F., & Liu, J. (2017). A dynamic model for the bed temperature prediction of circulating fluidized bed boilers based on least squares support vector machine with real operational data. *Energy*, *124*, 284–294. https://doi.org/10.1016/j.energy.2017.02.031

Madejski, P., & Żymełka, P. (2020). Calculation methods of steam boiler operation factors under varying operating conditions with the use of computational thermodynamic modeling. *Energy*, *197*, 117221. https://doi.org/10.1016/j.energy.2020.117221

Malik, M. R., Isaac, B. J., Coussement, A., Smith, P. J., & Parente, A. (2018). Principal component analysis coupled with nonlinear regression for chemistry reduction. *Combustion and Flame*, *187*, 30–41. https://doi.org/10.1016/j.combustflame.2017.08.012

Masteali, S. H., Bayat, M., Bettinger, P., & Ghorbanpour, M. (2025). Uncertainty analysis of linear and non-linear regression models in the modeling of water quality in the Caspian Sea basin: Application of Monte-Carlo method. *Ecological Indicators*, *170*, 112979. https://doi.org/10.1016/j.ecolind.2024.112979

Mehmet, M. (2011). Multivariate multiple regression analysis based on principal component scores to study relationships between some pre- and post-slaughter traits of broilers. *Tarım Bilimleri Dergisi*, *17*(1), 77–83. https://doi.org/10.1501/Tarimbil_0000001158

Ministry of energy and mineral resources Republic of indonesia. (2022). *Handbook of Energy and Economic Statistics of Indonesia*. Ministry of energy and mineral resources Republic of indonesia.

Moradi, K., Jafari, F., Moghaddam, F., & Shafiee, Q. (2024). Modeling of Photovoltaic-Thermal Systems Using Multivariate Polynomial Regression. *IFAC-PapersOnLine*, *58*(2), 136–143. https://doi.org/10.1016/j.ifacol.2024.07.104

Mustapha, A., & Abdu, A. (2012). *Application of Principal Component Analysis & Multiple Regression Models in Surface Water Quality Assessment*. *2*.

Nie, L., Lu, J., Deng, Q., Gong, L., Xue, D., Yang, Z., & Lu, X. (2022). Study on the Uniformity of Secondary Air of a 660 MW Ultra-Supercritical CFB Boiler. *Energies*, *15*(10), 3604. https://doi.org/10.3390/en15103604

Ouyang, J., Chu, L., Chen, X., Zhao, Y., Zhu, X., & Liu, T. (2024). A K-means cluster division of regional photovoltaic power stations considering the consistency of photovoltaic output. *Sustainable Energy, Grids and Networks*, *40*, 101573. https://doi.org/10.1016/j.segan.2024.101573

Phahom, T., & Mano, J. (2023). Integration of multiple linear regression, principal component analysis, and hierarchical cluster analysis for optimizing dried fingerroot (Boesenbergia rotunda) extraction process. *Journal of Applied Research on Medicinal and Aromatic Plants*, *36*, 100511. https://doi.org/10.1016/j.jarmap.2023.100511

PT SLK. (2016). *KTG1-JPPE-C-MAN-ME-OTP-0002 RA Manual for Boiler Operation*. PT SLK.

Purseth, S., Dansena, J., & Shyamkant Desai, M. (2021). PERFORMANCE ANALYSIS AND EFFICIENCY IMPROVEMENT OF BOILERA REVIEW. *International Journal of Engineering Applied Sciences and Technology*, *5*(12). https://doi.org/10.33564/IJEAST.2021.v05i12.057

Qi, G., Zhang, S., Liu, X., Guan, J., Chang, Y., & Wang, Z. (2017). Combustion adjustment test of circulating fluidized bed boiler. *Applied Thermal Engineering*, *124*, 1505–1511. https://doi.org/10.1016/j.applthermaleng.2017.07.005

Shahcheraghian, A., Ilinca, A., & Sommerfeldt, N. (2025). K-means and agglomerative clustering for source-load mapping in distributed district heating planning. *Energy Conversion and Management: X*, *25*, 100860. https://doi.org/10.1016/j.ecmx.2024.100860

Shieh, S.-S., Chang, Y.-H., Jang, S.-S., Ma, M.-D., & Huang, T.-S. (2010). Statistical key variable analysis and model-based control for the improvement of thermal efficiency of a multi-fuel boiler☆. *Fuel*, *89*(5), 1141–1149. https://doi.org/10.1016/j.fuel.2009.07.001

Song, G., Yang, Z., Zhou, T., & Lyu, Q. (2018). Operating technical characteristics on asymmetrical arrangement of six cyclones in a 600 MW supercritical CFB boiler. *Applied Thermal Engineering*, *143*, 236–247. https://doi.org/10.1016/j.applthermaleng.2018.07.101

Taylor, J. W. (2007). Forecasting daily supermarket sales using exponentially weighted quantile regression. *European Journal of Operational Research*, *178*(1), 154–167. https://doi.org/10.1016/j.ejor.2006.02.006

Utt, J., & Giglio, R. (2011). *Technology comparison of CFB versus pulverized-fuel firing for utility power generation*.

Wang, Y., Li, X., Mao, T., Hu, P., Li, X., & GuanWang. (2022). Mechanism modeling of optimal excess air coefficient for operating in coal fired boiler. *Energy*, *261*, 125128. https://doi.org/10.1016/j.energy.2022.125128

Xin, S., An, F., Bai, J., Han, P., Zhang, P., Duan, C., Hao, Q., Cao, P., Wang, H., & Gu, C. (2021). Development and prospect of lignite burning power generation in circulating fluidized bed boiler. *IOP Conference Series: Earth and Environmental Science*, *675*(1), 012140. https://doi.org/10.1088/1755-1315/675/1/012140

Xu, G., Huang, S., Yang, Y., Wu, Y., Zhang, K., & Xu, C. (2013). Techno-economic analysis and optimization of the heat recovery of utility boiler flue gas. *Applied Energy*, *112*, 907–917. https://doi.org/10.1016/j.apenergy.2013.04.048

Yan, J., Lu, X., Wang, Q., Kang, Y., Li, J., Xu, Z., Lei, X., Zheng, X., Fan, X., & Liu, Z. (2019a). Study on the influence of secondary air on the distributions of flue gas composition at the lower part of a 600 MW supercritical CFB boiler. *Fuel Processing Technology*, *196*, 106035. https://doi.org/10.1016/j.fuproc.2019.03.028

Yan, J., Lu, X., Wang, Q., Kang, Y., Li, J., Xu, Z., Lei, X., Zheng, X., Fan, X., & Liu, Z. (2019b). Study on the influence of secondary air on the distributions of flue gas composition at the lower part of a 600 MW supercritical CFB boiler. *Fuel Processing Technology*, *196*, 106035. https://doi.org/10.1016/j.fuproc.2019.03.028

Zeng, W., Wan, X., Wang, L., Lei, M., Chen, T., & Gu, G. (2022). Apportionment and location of heavy metal(loid)s pollution sources for soil and dust using the combination of principal component analysis, Geodetector, and multiple linear regression of distance. *Journal of Hazardous Materials*, *438*, 129468. https://doi.org/10.1016/j.jhazmat.2022.129468

Zhang, H., Dong, Y., Lai, Y., Zhang, H., & Zhang, X. (2021a). Waste heat recovery from coal-fired boiler flue gas: Performance optimization of a new open absorption heat pump. *Applied Thermal Engineering*, *183*, 116111. https://doi.org/10.1016/j.applthermaleng.2020.116111

Zhang, H., Dong, Y., Lai, Y., Zhang, H., & Zhang, X. (2021b). Waste heat recovery from coal-fired boiler flue gas: Performance optimization of a new open absorption heat pump. *Applied Thermal Engineering*, *183*, 116111. https://doi.org/10.1016/j.applthermaleng.2020.116111

Zhou, S., Lin, M., He, J., Wu, Y., & Wang, X. (2025). Unsupervised clustering research of nuclear power plants under unlabeled unknown fault diagnosis scenario. *Energy*, *326*, 136357. https://doi.org/10.1016/j.energy.2025.136357

Zhu, Q. (2013). *Developments in circulating fluidised bed combustion*.