

## DAFTAR PUSTAKA

1. Azalea M, Andayani TM, Satibi. Analisis biaya pengobatan penyakit ginjal kronik rawat inap dengan hemodialisis di rumah sakit. *J Manaj dan Pelayanan Farm.* 2016;6(2):141–50. Available from: <https://doi.org/10.22146/jmpf.266>
2. Daugirdas JT, Blake PG, Ing TS. *Handbook of dialysis* [Internet]. 4th ed. Philadelphia: Wolters Kluwer Health; 2015. Available from: <https://hsrc.himmelfarb.gwu.edu/books/23>
3. National Kidney Foundation (NKF). *About Chronik Kidney Disease* [Internet]. New York: NKF; 2016. Available from: <https://www.kidney.org/kidneydisease/aboutckd>
4. Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan Republik Indonesia. *Hasil Utama Riskesdas 2018*. Jakarta; 2018
5. Andoko A, Ermawati E. Guided imagery terhadap tingkat fatigue pada pasien dengan gagal ginjal kronik yang menjalani hemodialisis. *HJK..* 2020;13(4):365–72.
6. Luyckx VA, Cherney DZI, Bello AK. Preventing CKD in developed countries. *Kidney Int Reports* [Internet]. 2020;5(3):263–77. Available from: <https://doi.org/10.1016/j.ekir.2019.12.003>
7. Arifa SI, Azam M, Handayani, Oktia WK. Faktor yang berhubungan dengan kejadian penyakit ginjal kronik pada penderita hipertensi di Indonesia. *J Mkmi.* 2017;13(4):319–28.
8. Luyckx VA, Tonelli M, Stanifer JW. The global burden of kidney disease and the sustainable development goals. *Bull World Health Organ.* 2018;96(6):414-422C. Available from: <https://doi.org/10.2471%2FBLT.17.206441>

9. Kementrian Kesehatan reublik Indonesia. Data dan informasi profil kesehatan indonesia 2017. Jakarta; 2018.
10. Perkumpulan Endokrinologi Indonesia (PERKENI). Konsensus Pengelolaan dan Pencegahan Diabetes Mellitus Tipe II di Indonesia 2017. 2017. 11–30 p.
11. Sari NPD, Cahyo BD, Sugijanto NEN. Hubungan antara efektivitas hemodialisis dengan kualitas hidup pada pasien penyakit ginjal kronis di Yogyakarta. 2021;8(1):10–5.
12. Simorangkir R, Andayani TM, Wiedyaningsih C. Faktor-faktor yang berhubungan dengan kualitas hidup pasien penyakit ginjal kronis yang menjalani hemodialisis. *J Farm Dan Ilmu Kefarmasian Indones.* 2021;8(1):83. Available from: <https://doi.org/10.20473/jfiki.v8i12021.83-90>
13. Abbott KC, et al. Body mass index , dialysis modality , and survival : analysis of the United States Renal Data System Dialysis Morbidity and Mortality Wave II Study. 2004;65:597–605. Available from: <https://doi.org/10.1111/j.1523-1755.2004.00385.x>
14. Yani DA, Sarnianto P, Anggriani Y. Faktor-faktor risiko pasien hemodialisis di RSUD Arjawinangun dan RSUD Waled Kabupaten Cirebon. 2020;2507(February):1–9. Available from: <http://dx.doi.org/10.36418/syntax-literate.v5i1.857>
15. Morfin JA, Fluck RJ, Weinhandl ED, Kansal S, McCullough PA, Komenda P. Intensive hemodialysis and treatment complications and tolerability. *Am J Kidney Dis* [Internet]. 2016;68(5):S43–50. Available from: <http://dx.doi.org/10.1053/j.ajkd.2016.05.021>
16. Raja SM, Seyoum Y. Intradialytic complications among patients on twice-weekly maintenance hemodialysis: an experience from a hemodialysis center in Eritrea. *BMC Nephrol.* 2020;21(1):1–6. Available from: <https://doi.org/10.1186/s12882-020-01806-9>
17. Marianna S, Astutik S. Hubungan dampak terapi hemodialisa terhadap

- kualitas hidup pasien dengan gagal ginjal. *Indones J Nurs Sci Pract.* 2018;41–52.
18. Van Der Borg WE, Verdonk P, de Jong-Camerik J, Abma TA. How to relate to dialysis patients' fatigue - perspectives of dialysis nurses and renal health professionals: a qualitative study. *Int J Nurs Stud* [Internet]. 2021;117:103884. Available from: <https://doi.org/10.1016/j.ijnurstu.2021.103884>
  19. Syahfitri AN. Tingkat kelelahan dan kualitas tidur pada pasien gagal ginjal kronik yang menjalani hemodialisis di Medan [skripsi]. Medan: Universitas Sumatera Utara; 2020
  20. Sitorus DY. Tingkat kelelahan sesudah menjalani hemodialisa di RS Bhayangkara Tebing Tinggi [skripsi]. Medan: Universitas Sumatera Utara; 2020
  21. Khusniyati N, Yona S, Kariasa IM. Fatigue, depresi, dan kualitas hidup pasien hemodialisa. *JKT.* 2019;1(2):1–8. Available from: <https://doi.org/10.32807/jkt.v1i2.30>
  22. Maruyama Y, Nakayama M, Ueda A, Miyazaki M, Yokoo T. Comparisons of fatigue between dialysis modalities: A cross-sectional study. *PLoS One* [Internet]. 2021;16(2 February):1–17. Available from: <http://dx.doi.org/10.1371/journal.pone.0246890>
  23. Supriadi D. Hubungan lama menjalani hemodialisa dan anemia dengan kualitas hidup pada pasien GGK yang menjalani hemodialisa di unit hemodialisa Rumah Sakit TK. II 03.05. 01 Dustira. *J Sk Keperawatan.* 2018;4(1):10–9.
  24. Rahmawati F. Aspek laboratorium gagal ginjal kronik. *J Ilm Kedokt Wijaya Kusuma.* 2018;6(1):14. <http://dx.doi.org/10.30742/jikw.v6i1.323>
  25. Tian C, Zhang B, Liang W, Yang Q, Xiong Q. Fatigue in peritoneal dialysis patients and an exploration of contributing factors : a cross-sectional study.

- J Pain Symptom Manage [Internet]. 2020;59(5):1074-1081.e2. Available from: <https://doi.org/10.1016/j.jpainsymman.2019.12.351>
26. Tekkarismaz N, Tunel M, Ozer C. Dialysis modality and sexual dysfunction in male patients. *Andrologia*. 2020;52(10):1–7. Available from: <https://doi.org/10.1111/and.13735>
  27. Nurdina G, Anggraini D. Hubungan fatigue terhadap kualitas hidup pasien hemodialisa. *J Ilm Keperawatan*. 2021;7(3):33–9. Available from: [10.33023/jikep.v7i3.813](https://doi.org/10.33023/jikep.v7i3.813)
  28. Himmelfarb J, Ikizler TA. Index. In: chronic kidney disease, dialysis, and transplantation [Internet]. 4th ed. Philadelphia: Elsevier; 2019. p. 754–79. Available from: <https://linkinghub.elsevier.com/retrieve/pii/B9780323529785180012>
  29. Haddad MN, Winnicki E, Nguyen S. Adolescents with chronic kidney disease. 1<sup>st</sup> ed. Cham, Swiss: Springer Cham; 2019. 1-283 p.
  30. Sandra. Gambaran stres pada pasien gagal ginjal terminal yang menjalani terapi hemodialisa di Rumah Sakit Umum Daerah Arifin Achmad Pekanbaru [Internet]. 2012;2(2):99–108. Available from: <http://dx.doi.org/10.31258/jni.2.2.99-108>
  31. Boonstra MD, Reijneveld SA, Westerhuis R, Tullius JM, Vervoort JPM, Navis G, et al. A longitudinal qualitative study to explore and optimize self-management in mild to end stage chronic kidney disease patients with limited health literacy: perspectives of patients and health care professionals. *Patient Educ Couns* [Internet]. 2021;105(1):88–104. Available from: <https://doi.org/10.1016/j.pec.2021.05.016>
  32. Mccauley J, Hamrahian SM, Maarouf OH. Approaches to chronic kidney disease. 1<sup>st</sup> ed. Cham, Swiss: Springer Cham; 2022. 1-450 p.
  33. Yang J, He W. Chronic kidney disease: diagnosis and treatment. 1<sup>st</sup> ed. Singapore: Springer; 2020. 1-253 p.

34. Delima D, Tjitra E. Faktor risiko penyakit ginjal kronik : studi kasus kontrol di empat rumah sakit di Jakarta Tahun 2014. *Buletin Peneliti Kesehatan*. 2017;45(1):17–26. Available from: <http://dx.doi.org/10.22435/bpk.v45i1.7328.17-26>
35. Drawz P, Rahman M. Chronic kidney disease. *Ann Intern Med*. 2015;162(11):1–16. Available from: <https://doi.org/10.7326/AITC201506020>
36. Sudoyo AW. Buku ajar ilmu penyakit dalam. 4th ed. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI; 2006.
37. Thomas R, Kanso A, Sedor JR. Chronic kidney disease and its complications. *Prim Care*. 2009;35(2):1–15. Available from: <https://doi.org/10.1016%2Fj.pop.2008.01.008>
38. Chen TK, Knicely DH, Grams ME. Chronic kidney disease diagnosis and management. *JAMA*. 2019;322(13):1294–304. Available from: <https://doi.org/10.1001%2Fjama.2019.14745>
39. Biljak VR, Honovic L, Matica J, Kresic B, Simic S. The role of laboratory testing in detection and classification of chronic kidney disease: national recommendations. *Biochem Medica*. 2017;27(1):153–76. Available from: <https://doi.org/10.11613%2Fbmb.2017.019>
40. Asman D, Bayhakki B, Amir Y. Perbedaan adekuasi hemodialisis pada penggunaan dializer baru dan reuse. *JNI*. 2021;11(2):119. Available from: <http://dx.doi.org/10.31258/jni.11.2.119-129>
41. Suparti S, Nurjanah S. Hubungan depresi dengan fatigue pada pasien hemodialisis. 2018;2(1):62-74. Available from: <http://doai.org/toc/2549-3353>
42. Purnawinadi IG. Peran hemodialisis terhadap kadar kreatinin darah pasien gagal ginjal kronik. *KJN*. 2021;3(1):28–34. Available from: <https://doi.org/10.37771/kjn.v3i1.534>

43. Gilbert SJ, Weiner DE, Bomback AS, Parazella MA, Tonelli M. National Kidney Foundation (NKF) Primer on kidney diseases. 7th ed. Philadelphia; 2017. 1–680 p.
44. Levy J, Brown E, Lawrence A. Oxford handbook of dialysis. 4th ed. Oxford: Oxford University Press; 2016 p.
45. Pratiwi NW, Abdullah S. Pemanfaatan air reject reverse osmosis di unit hemodialisa RSUD Banyumas Tahun 2017. Buletin Keslingmas. 2018;37(3):305–15. <https://doi.org/10.31983/keslingmas.v37i3.3878>
46. Zasra R, Harun H, Azmi S. Indikasi dan persiapan hemodialis pada penyakit ginjal kronis. J Kesehatan Andalas. 2018;7(Supplement 2):183. Available from: <https://doi.org/10.25077/jka.v7i0.847>
47. Sitanggang AE. Hubungan dukungan keluarga pada pasien gangguan gagal ginjal kronik dengan pelaksanaan hemodialisa Di RSUD dr. Pringadi Kota Medan Tahun 2019. 2020;VI(4):67–86.
48. Matura LA, Malone S, Jaime-Lara R, Riegel B. A systematic review of biological mechanisms of fatigue in chronic illness. Biol Res Nurs. 2018;20(4):410–21. Available from: <https://doi.org/10.1177/1099800418764326>
49. Ream E, Richardson A. Fatigue : a concept analysis. 1996;33(5):519–29. Available from: [https://doi.org/10.1016/0020-7489\(96\)00004-1](https://doi.org/10.1016/0020-7489(96)00004-1)
50. Narulita S, Ningsih P, Nilamsari N. Faktor yang berhubungan dengan kelelahan pada pekerja diplo lokomotif PT. Kereta Api Indonesia (Persero). Journal of Industrial Hygiene and Occupational Health. 2018;3(1):69-82. Available from: <http://dx.doi.org/10.21111/jihoh.v3i1.2439>
51. Horigan AE. Fatigue in hemodialysis patients : a review of current knowledge. J Pain Symptom Manage [Internet]. 2012;44(5):715–24. Available from: <http://dx.doi.org/10.1016/j.jpainsymman.2011.10.015>.

52. Whitehead L. The Measurement of fatigue in chronic illness: a systematic review of unidimensional and multidimensional fatigue measures. *J Pain Symptom Manage* [Internet]. 2009;37(1):107–28. Available from: <http://dx.doi.org/10.1016/j.jpainsymman.2007.08.019>.
53. Jhamb M, Weisbord SD, Steel JL, Unruh M. Fatigue in patients receiving maintenance dialysis : a review of definitions, measures, and contributing factors. *Am J Kidney Dis*. 2008;52(2):353–65. Available from: <https://doi.org/10.1053/j.ajkd.2008.05.005>
54. Ju A, Unruh ML, Davison SN, Dapuelto J, Dew MA, Fluck R, et al. Patient-reported outcome measures for fatigue in patients on hemodialysis: a systematic review. *Am J Kidney Dis* [Internet]. 71(3):327–43. Available from: <https://doi.org/10.1053/j.ajkd.2017.08.019>.
55. Yulianti DA, Ladesvita F. Perbandingan tingkat kelelahan pada pasien diabetic kidney disease dan hypertensive kidney disease yang menjalani hemodialisa. *Jurnal Keperawatan Widya Gantari*. 2021;5(1):1–8. Available from: <http://dx.doi.org/10.52020/jkwgi.v5i1.2681>.
56. Jhamb M, et al. Impact of fatigue on outcomes in the hemodialysis (HEMO) study. *Am J Nephrol*. 2011;33(6):515–23. Available from: <https://doi.org/10.1159/000328004>.
57. Bossola M, Vulpio C, Tazza L. Fatigue in chronic dialysis patients. *Semin Dial*. 2011;24(5):550–5. Available from: <https://doi.org/10.1111/j.1525-139x.2011.00956.x>.
58. Wang S, et al. Factors related to fatigue in Chinese patients with end-stage renal disease receiving maintenance hemodialysis : a multi-center cross-sectional study. *Ren Fail*. 2016;38(3):442-50. Available from: <https://doi.org/10.3109/0886022x.2016.1138819>.
59. Maesaroh M, Waluyo A, Jumaiyah W. Faktor-faktor yang berhubungan dengan terjadinya fatigue pada pasien hemodialisis. *Syntax Literate: Jurnal*

- Ilmiah Indonesia. 2020;5(4):110-20. Available from: <http://dx.doi.org/10.36418/syntax-literate.v5i4.1074>.
60. Mollaoglu M. Fatigue in people undergoing hemodialysis. *Dial Transplant.* 2009;38(6):216–20. Available from: <https://doi.org/10.1002/dat.20330>.
  61. Cirillo L, et al. Depressive symptoms in dialysis: prevalence and relationship with uremia-related biochemical parameters. *Blood Purif.* 2018;46(4):286–91. Available from: <https://doi.org/10.1159/000491014>.
  62. Sulistini R, Damanik HDL, Lukman. Anxiety stress and fatigue in hemodialysis patient. 2021;521(ICoHSST 2020):88–91. Available from: <https://dx.doi.org/10.2991/assehr.k.210415.020>.
  63. Aylaz R, Karadağ E, Işık K, Yildirim M. Relationship between social support and fatigue in patients with type 2 diabetes mellitus in the east of Turkey. *Japan J Nurs Sci.* 2015;12(4):367–76. Available from: <https://doi.org/10.1111/jjns.12076>
  64. Kee YK, Jeon HJ, Oh J, Shin DH. Hypochromic red cells as predictors of anemia in patients undergoing hemodialysis: an observational retrospective study. *Sci Rep [Internet].* 2021;11(1):1–8. Available from: <https://doi.org/10.1038/s41598-021-03746-2>.
  65. Puspitasari CE, Andayani TM, Irijanto F. Penilaian kualitas hidup pasien hemodialisis rutin dengan anemia di Yogyakarta. *J Manajemen dan Pelayanan Farmasi.* 2019;9(3):182. Available from: <https://doi.org/10.22146/jmpf.43187>
  66. Riani PA, Hasinofa AL, Kurniasari FN, Hasanah N. Hubungan asupan energi dan protein dengan status gizi berdasarkan %LILA menurut umur pada pasien chronic kidney disease on hemodialisis di RSUD Dr. Saiful Anwar Malang. *J Labora Med.* 2019;3(1):15–22. Available from: <https://doi.org/10.26714/jlabmed.3.1.2019.15-22>.
  67. Sahathevan S, et al. Understanding development of malnutrition in



- hemodialysis patients: a narrative review. *Nutrients*. 2020;12(10):1–30. Available from: <https://doi.org/10.3390%2Fnu12103147>.
68. Kovesdy CP, Kopple JD, Kalantar-Zadeh K. Management of protein-energy wasting in non-dialysis-dependent chronic kidney disease: Reconciling low protein intake with nutritional therapy. *Am J Clin Nutr*. 2013;97(6):1163–77. Available from: <https://doi.org/10.3945%2Fajcn.112.036418>.
  69. Scherer JS, Combs SA, Brennan F. Sleep disorders, restless legs syndrome, and uremic Pruritus: diagnosis and treatment of common symptoms in dialysis patients. *Physiol Behav*. 2017;69(1):117–28.
  70. Kraus MA, et al. Intensive hemodialysis and health-related quality of life. *Am J Kidney Dis* [Internet]. 2016;68(5):S33–42. Available from: <http://dx.doi.org/10.1053/j.ajkd.2016.05.023>.
  71. Kuwasawa-Iwasaki M, Io H, Muto M, Ichikawa S, Wakabayashi K, Kanda R, et al. Effects of l-carnitine supplementation in patients receiving hemodialysis or peritoneal dialysis. *Nutrients*. 2020;12(11):1–10. Available from: <https://doi.org/10.3390/nu12113371>.
  72. King-Wing Ma T, Kam-Tao Li P. Depression in dialysis patients. *Nephrology*. 2016;21(8):639–46. Available from: <https://doi.org/10.1111/nep.12742>.
  73. Tardy AL, Pouteau E, Marquez D, Yilmaz C, Scholey A. Vitamins and minerals for energy, fatigue and cognition: A narrative review of the biochemical and clinical evidence. *Nutrients*. 2020;12(1). Available from: <https://doi.org/10.3390/nul12010228>.
  74. Muliani R, Muslim AR, Abidin I. Intradialytic exercise : flexibility on fatigue scores in chronic kidney disease clients undergoing hemodialysis. 2021;3(2):137–46. Available from: <https://doi.org/10.28932/jmh.v3i2.3147>.
  75. Tsay SL. Acupressure and fatigue in patients with end-stage renal disease - a randomized controlled trial. *Int J Nurs Stud*. 2004;41(1):99–106. Available

from: [https://doi.org/10.1016/s0020-7489\(03\)00079-8](https://doi.org/10.1016/s0020-7489(03)00079-8).

76. Sabouhi F, Kalani L, Valiani M, Mortazavi M, Bemanian M. Effect of acupressure on fatigue in patients on hemodialysis. *Iran J Nurs Midwefery Res.* 2013;18(6):429-34
77. Sugiyono. *Metode penelitian kuantitatif, kualitatif, dan R&D.* Bandung: ALFABETA; 2012. 189–190 p.
78. Nursalam. *Metodologi penelitian ilmu keperawatan: pendekatan praktis.* Jakarta: Salemba Medika; 2015.
79. Soekidjo Notoatmodjo. *Metodologi penelitian kesehatan.* PT RINEKA CIPTA; 2010.
80. Çinar D, Yava A. Validity and reliability of functional assessment of chronic illness treatment-fatigue scale in Turkish patients with type 2 diabetes. *Endocrinol Diabetes y Nutr (English ed).* 2018;65(7):409–17. Available from: <https://doi.org/10.1016/j.endinu.2018.01.010>.
81. Sihombing JP, Hakim L, Andayani TM, Irijanto F. Validation of indonesian version of FACIT fatigue scale questionnaire in Chronic Kidney Disease (CKD) Patients with Routine Hemodialysis. *Indones J Clin Pharm.* 2016;5(4):231–7. Available from: <https://doi.org/10.15416/ijcp.2016.5.4.231>.
82. Departemen Kesehatan RI. *Undang-Undang Republik Indonesia Nomor 36 Tahun 2009 Tentang Kesehatan.* 2009.
83. Sulaiman. *Fatigue pada pasien gagal ginjal di RS PKU Muhammadiyah [skripsi].* Yogyakarta: Universitas Aisyah Yogyakarta. 2015;
84. Kementrian Kesehatan Republik Indonesia. *Data dan informasi profil kesehatan indonesia 2017.* Jakarta; 2018.
85. Aisyah, Hernawan AD, Ridha A. *Perilaku merokok sebagai faktor yang berisiko terhadap kejadian gagal ginjal kronik (studi kasus pada pasien*

- pralansia dan lansia di RSUD dr . Soedarso Pontianak). *Jumantik* [Internet]. 2015;2(3):70–83. Available from: <http://openjurnal.unmuhpnk.ac.id/index.php/JJUM/article/view/153>
86. Herman I, Yonata A, Tjiptaningrum A. Hubungan lama hemodialisis dengan fungsi kognitif pasien penyakit ginjal kronik yang menjalani hemodialisis di RSUD Abdul Moeloek Bandar Lampung. 2015;7:47-53.
  87. Salman, *et. al.* Prevalence and management of anemia in pre-dialysis Malaysian patients: a hospital-based study. 2016;62:742-7. Available from: <https://doi.org/10.15900/1806-9282.62.08.742>.
  88. Wijayanti AA, Suprayitno E. Faktor fisiologis dan kelelahan pada pasien chronic kidney disease (ckd) yang menjalani hemodialisa : literature review naskah publikasi. 2021;
  89. Brunner S, Suddarth D. Buku ajar keperawatan medikal bedah. Jakarta EGC. 2002;
  90. Pothen C, Baby B, Ashokan A, Chacko C, Shenoy P, Nandakumar UP. Drug usage pattern in chronic kidney disease patients undergoing maintenance hemodialysis. *Res J Pharm Technol*. 2019;12(10):5024–8. Available from: <https://doi.org/10.5958/0974-360X.2019.00872.2>.
  91. Darmawan IPE, Nurhesti POY, Suardana IK. Hubungan lamanya menjalani hemodialisis dengan Fatigue pada Pasien Chronic Kidney Disease. *Coping Community Publ Nurs*. 2019;7(3):139–46.
  92. Dewi SP. Hubungan lamanya hemodialisa dengan kualitas hidup pasien gagal ginjal kronis di RSUD Kabupaten Tangerang. *J Ilm Kesehat* [Internet]. 2017; Available from: <http://download.garuda.kemdikbud.go.id/article.php?article=1112667%5C>
  93. Jacobson J, Ju A, Baumgart A, Unruh M, O'Donoghue D, Obrador G, et al. Patient perspectives on the meaning and impact of fatigue in Hemodialysis: a systematic review and thematic analysis of qualitative studies. *Am J*

Kidney Dis [Internet]. 2019;74(2):179–92. Available from:  
<https://doi.org/10.1053/j.ajkd.2019.01.034>.