

DAFTAR PUSTAKA

1. RI KK. Profil Kesehatan Indonesia Tahun 2020. Hardhana B, Sibuea F, Widiyanti W, editors. Jakarta: Kementerian Kesehatan RI.; 2021.
2. Fan D, Wu S, Liu L, Xia Q, Wang W, Guo X, et al. Prevalence of antepartum hemorrhage in women with placenta previa: A systematic review and meta-analysis. *Sci Rep [Internet]*. 2017;7(40320):1–9. Available from: <http://dx.doi.org/10.1038/srep40320>
3. Jharaik H, Dhiman B, Verma SK, Sharma A. Consequences of antepartum hemorrhage and its maternal and perinatal outcome. *Int J Reprod Contraception, Obstet Gynecol*. 2019;8(4):1480.
4. Kavita DC, Chavda DR. Maternal and perinatal outcome in antepartum hemorrhage. *Int J Clin Obstet Gynaecol*. 2019;3(1):221–5.
5. Cunningham FG, Leveno KJ, Spong CY, Dashe JS, Casey BM, Hoffman BL, et al. *William Obstetrics*. 25th ed. Moyer A, Brown. RY, editors. New York: McGraw-Hill Education; 2018.
6. Maryunani A. *Buku Praktis Kehamilan dan Persalinan Patologis (Risiko Tinggi dan Komplikasi) Dalam Kebidanan*. Jakarta: Trans Info Media; 2016.
7. Cresswell JA, Ronsmans C, Calvert C, Filippi V. Prevalence of placenta praevia by world region: A systematic review and meta-analysis. *Trop Med Int Heal*. 2013;18(6):712–24.
8. RI D. *Profil Kesehatan Indonesia Tahun 2009*. Vol. 53. Jakarta:

Departemen Kesehatan RI; 2009. 1689–1699 p.

9. Jatiningrum T, Wiyati P, Wijayahadi N. Luaran Maternal Dan Perinatal Pada Persalinan Dengan Perdarahan Antepartum Akibat Kelainan Lokasi Implantasi Plasenta Di Rsup Dr. Kariadi Semarang Tahun 2013-2014. *Med Media Muda*. 2015;4(4):1542–51.
10. Brennan K. Placental pathology: A review of placenta previa, placental abruption and placenta accreta. Lundgren C, Howell V, editors. *Updat Anaesth [Internet]*. 2019;34(11):51–5. Available from: www.wfsahq.org/resources/update-in-anaesthesia
11. Getahun D, Oyelese Y, Salihu H, Ananth C V. Previous Cesarean Delivery and Risks of Placenta Previa and Placental Abruption. *Obstet Gynecol*. 2006;107(4):771–8.
12. Usta IM, Hobeika EM, Musa AAA, Gabriel GE, Nassar AH. Placenta previa-accreta : Risk factors and complications. *Am J Obstet Gynecol*. 2005;193:1045–9.
13. Jauniaux E, Grønbeck L, Bunce C, Collins SL, Langhoff- J. Epidemiology of placenta previa accreta : analysis a systematic review and meta- -. *BMJ Open*. 2019;9:e031193.
14. Solheim KN, Esakoff TF, Little SE, Cheng YW, Sparks TN, Caughey AB. The effect of cesarean delivery rates on the future incidence of placenta previa, placenta accreta, and maternal mortality. *J Matern Neonatal Med*. 2011;24(11):1341–6.
15. Silver RM, Branch DW. Placenta Accreta Spectrum. *N Engl J Med*.

- 2018;378(16):1529–36.
16. Shi XM, Wang Y, Zhang Y, Wei Y, Chen L, Zhao YY. Effect of Primary Elective Cesarean Delivery on Placenta Accreta: A Case-Control Study. *Chin Med J (Engl)*. 2018;131(6):672–6.
 17. Sumigama S, Itakura A, Ota T, Okada M, Kotani T, Hayakawa H, et al. Placenta previa increta/percreta in Japan: A retrospective study of ultrasound findings, management and clinical course. *J Obstet Gynaecol Res*. 2007;33(5):606–11.
 18. Song H, Hu K, Du X, Zhang J, Zhao S. Risk factors, changes in serum inflammatory factors, and clinical prevention and control measures for puerperal infection. *J Clin Lab Anal*. 2020;34(3):1–6.
 19. Silver RM. Abnormal placentation. *Obstet Gynecol*. 2015;126(3):654–68.
 20. Anderson-Bagga FM, Sze. A. Placenta Previa. In: StatPearls [Internet] [Internet]. Treasure Island (FL): StatPearls Publishing; 2022. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK539818/>
 21. Grönvall M, Stefanovic V, Paavonen J, Loukovaara M, Tikkanen M. Major or minor placenta previa: Does it make a difference? *Placenta*. 2019;85:9–14.
 22. Jauniaux ERM, Alfirevic Z, Bhide AG, Belfort MA, Burton GJ, Collins SL, et al. Placenta Praevia and Placenta Accreta: Diagnosis and Management: Green-top Guideline No. 27a. *BJOG An Int J Obstet Gynaecol*. 2019;126(1):e1–48.
 23. Reddy UM, Abuhamad AZ, Levine D, Saade GR. Fetal imaging: Executive

- summary of a joint Eunice Kennedy Shriver National Institute of Child Health and Human Development, society for maternal-fetal medicine, American Institute of ultrasound in medicine, American College of Obstetricians and gynecolog. *J Ultrasound Med.* 2014;33(5):745–57.
24. Severi FM, Bocchi C, Vannuccini S. Placenta Previa. In: *Management and Therapy of Late Pregnancy Complications.* 1st ed. New York: Springer Cham; 2017. p. 179–90.
 25. Jenabi E, Salimi Z, Bashirian S, Khazaei S, Ayubi E. The risk factors associated with placenta previa: An umbrella review. *Placenta* [Internet]. 2022;117(October 2021):21–7. Available from: <https://doi.org/10.1016/j.placenta.2021.10.009>
 26. Feng Y, Li X, Xiao J, Li W, Liu J, Xue Zeng, et al. Risk Factor and Pregnancy Outcomes: Complete versus Incomplete Placenta Previa in Mid-Pregnancy. *Curr Med Sci.* 2018;38(4):597–601.
 27. D’Antonio F, Bhide A. Ultrasound in placental disorders. *Best Pr Res Clin Obs Gynaecol.* 2014;28(3):429–42.
 28. Jauniaux E, Jurkovic D. Long-term complications after caesarean section. In: *Textbook of Caesarean Section.* New York: Oxford University Press; 2016. p. 129–44.
 29. Husain WR, Wagey F, Suparman E. Hubungan Kejadian Plasenta Previa dengan Riwayat Kehamilan Sebelumnya. *e-CliniC.* 2020;8(28):46–51.
 30. Prawirohardjo S. Ilmu kebidanan Sarwono Prawirohardjo. 4th ed. Saifuddin AB, Rachimhadhi T, Wiknjastro GH, editors. Jakarta: PT. Bina

Pustaka Sarwono Prawirohardjo; 2016.

31. Baumfeld Y, Herskovitz R, Niv ZB, Mastrolia SA, Weintraub AY. Placenta associated pregnancy complications in pregnancies complicated with placenta previa. *Taiwan J Obstet Gynecol* [Internet]. 2017;56(3):331–5. Available from: <http://dx.doi.org/10.1016/j.tjog.2017.04.012>
32. Long SY, Yang Q, Chi R, Luo L, Xiong X, Chen ZQ. Maternal and neonatal outcomes resulting from antepartum hemorrhage in women with placenta previa and its associated risk factors: A single-center retrospective study. *Ther Clin Risk Manag*. 2021;17:31–8.
33. Peng Z, Xiong Z, Zhao B, Zhang G, Song W, Tao L, et al. Prophylactic abdominal aortic balloon occlusion: An effective method of controlling hemorrhage in patients with placenta previa or accreta. *Exp Ther Med*. 2019;17:1492–6.
34. Jauniaux E, Chantraine F, Silver RM, Langhoff-Roos J, Duncombe G, Klaritsch P, et al. FIGO consensus guidelines on placenta accreta spectrum disorders: Epidemiology. *Int J Gynecol Obstet*. 2018;140(3):265–73.
35. Wu S, Kocherginsky M, Hibbard JU. Abnormal placentation : Twenty-year analysis. *Am J Obstet Gynecol*. 2005;192:1458–61.
36. Mogos MF, Salemi JL, Ashley M, Whiteman VE, Hamisu M. Recent trends in placenta accreta in the United States and its impact on maternal – fetal morbidity and healthcare-associated costs , 1998 – 2011. *J Matern Neonatal Med*. 2015;29:1–6.
37. Morlando M, Sarno L, Napolitano R, Capone A, Maruotti GM, Martinelli

- P. Placenta accreta : incidence and risk factors in an area with a particularly high rate of cesarean section. *Acta Obstet Gynecol Scand*. 2013;92:457–60.
38. Gielchinsky Y, Rojansky N, Fasouliotis SJ, Ezra Y. Placenta Accreta — Summary of 10 Years : A Survey of 310 Cases. *Placenta*. 2002;23:210–4.
 39. Fitzpatrick KE, Sellers S, Spark P, Kurinczuk JJ, Brocklehurst P, Knight M. Incidence and Risk Factors for Placenta Accreta / Increta / Percreta in the UK : A National Case-Control Study. *PLoS One*. 2012;7(12):1–6.
 40. Qatrunnada A, Antonius PA, Yusrawati. Faktor Risiko dan Luaran Maternal Plasenta Akreta in Dr . M . Djamil Padang General Hospital. *Obgynia*. 2018;1(2):97–102.
 41. Carusi DA. The placenta accreta spectrum: Epidemiology and risk factors. *Clin Obstet Gynecol*. 2018;61(4):733–42.
 42. Iacovelli A, Liberati M, Khalil A, Timor-Trisch I, Leombroni M, Buca D, et al. Risk factors for abnormally invasive placenta: a systematic review and meta-analysis. *J Matern Neonatal Med*. 2018;33(3):471–81.
 43. Jauniaux E, Jurkovic D. Placenta accreta: Pathogenesis of a 20th century iatrogenic uterine disease. *Placenta* [Internet]. 2012;33(4):244–51. Available from: <http://dx.doi.org/10.1016/j.placenta.2011.11.010>
 44. Berkley EM, Abuhamad AZ. Prenatal Diagnosis of Placenta Accreta Is Sonography All We Need? *J Ultrasound Med*. 2013;32(8):1345–50.
 45. Jauniaux E, Collins S, Burton GJ. Placenta accreta spectrum: pathophysiology and evidence-based anatomy for prenatal ultrasound imaging. *Am J Obstet Gynecol* [Internet]. 2018;218(1):75–87. Available

from: <http://dx.doi.org/10.1016/j.ajog.2017.05.067>

46. Fauzan F, Iswari WA, Pardede TU, Darus F, Puspitasari B, Santana S, et al. USG untuk Deteksi Plasenta Akreta. *CDK*. 2017;44(8):586–90.
47. Cali G, Giambanco L, Puccio G, Forlani F. Morbidly adherent placenta: Evaluation of ultrasound diagnostic criteria and differentiation of placenta accreta from percreta. *Ultrasound Obstet Gynecol*. 2013;41(4):406–12.
48. Morgan EA, Sidebottom A, Vacquier M, Wunderlich W, Loichinger M. The effect of placental location in cases of placenta accreta spectrum. *Am J Obstet Gynecol* [Internet]. 2019;221(4):357.e1-357.e5. Available from: <https://doi.org/10.1016/j.ajog.2019.07.028>
49. Shamshirsaz AA, Fox KA, Erfani H, Clark SL, Shamshirsaz AA, Nassr AA, et al. Outcomes of Planned Compared With Urgent Deliveries Using a Multidisciplinary Team Approach for Morbidly Adherent Placenta. *Obstet Gynecol*. 2018;0(0):1–8.
50. Eshkoli T, Weintraub AY, Sergienko R, Sheiner E. Placenta accreta: Risk factors, perinatal outcomes, and consequences for subsequent births. *Am J Obstet Gynecol* [Internet]. 2013;208(3):219.e1-219.e7. Available from: <http://dx.doi.org/10.1016/j.ajog.2012.12.037>
51. Hull AD, Moore TR. Multiple Repeat Cesareans and the Threat of Placenta Accreta: Incidence, Diagnosis, Management. *Clin Perinatol*. 2011;38(2):285–96.
52. Mulla BM, Weatherford R, Redhunt AM, Modest AM, Hacker MR, Hecht JL, et al. Hemorrhagic morbidity in placenta accreta spectrum with and

- without placenta previa. Arch Gynecol Obstet [Internet]. 2019;(0123456789). Available from: <https://doi.org/10.1007/s00404-019-05338-y>
53. Takeda S, Takeda J, Makina S. Cesarean Section for Placenta Previa and Placenta Previa Accreta Spectrum. Surg J. 2020;6(S 02).
54. Vergani P, Ornaghi S, Pozzi I, Beretta P. Placenta previa : distance to internal os and mode of delivery. Am J Obstet Gynecol [Internet]. 2009;201(3):266.e1-266.e5. Available from: <http://dx.doi.org/10.1016/j.ajog.2009.06.009>
55. Kurniarum A. Asuhan Kebidanan Persalinan dan Bayi Baru Lahir. Jakarta: Kementerian Kesehatan RI.; 2016.
56. Hardisman. Memahami Patofisiologi Dan Aspek Klinis Syok Hipovolemik:Update Dan Penyegaran. J Kesehat Andalas [Internet]. 2013;2(3):178–82. Available from: <http://jurnal.fk.unand.ac.id/index.php/jka/article/view/167/162>
57. B-Lynch C, Shah H. Conservative Surgical Management. In: A Comprehensive Textbook of POSTPARTUM HEMORRHAGE An Essential Clinical Reference for Effective Management. 2nd Editio. London: Sapiens Publishing; 2012. p. 433–40.
58. Rodiani R, Bernolian N BN. Transfusi Darah dalam Post Partum Haemorrhage (PPH). Vol. 1, JK Unila JURNAL KEDOKTERAN UNIVERSITAS LAMPUNG. 2016. p. 173–8.
59. Sungkar A, Surya R. Transfusi Darah pada Kasus Obstetri. Indones J

- Obstet Gynecol. 2020;8(3):197–2020.
60. Lockhart E. Transfusion Management of Obstetric Hemorrhage. Sapiens Publishers. In: A Comprehensive Textbook of POSTPARTUM HEMORRHAGE An Essential Clinical Reference for Effective Management. 2nd editio. London: Sapiens Publishing; 2012. p. 30–44.
 61. Wahyuningsih HP. Asuhan Kebidanan Nifas dan Menyusui. Jakarta: Kementerian Kesehatan RI.; 2018.
 62. Sastroasmoro S, Ismael S. Dasar-dasar Metodologi Penelitian Klinis. 4th ed. Jakarta: CV Sagung Seto; 2011.
 63. Kassem GA, Alzahrani AK. Maternal and neonatal outcomes of placenta previa and placenta accreta: Three years of experience with a two-consultant approach. *Int J Womens Health*. 2013;5(1):803–10.
 64. das Neves Martins Pires PH, Macaringue C, Abdirazak A, Mucufo JR, Mupueleque MA, Zakus D, et al. Covid-19 pandemic impact on maternal and child health services access in Nampula, Mozambique: a mixed methods research. *BMC Health Serv Res*. 2021;21(1):1–10.
 65. Purnamawati D, Ariasih A. Pertolongan Persalinan oleh Dukun Bayi selama Pandemi Covid-19. *Pros Semin Nas Penelit LPPM UMJ [Internet]*. 2021; Available from: <https://jurnal.umj.ac.id/index.php/semnaslit/article/view/10622%0Ahttps://jurnal.umj.ac.id/index.php/semnaslit/article/download/10622/5983>
 66. Arisani G, Hatini EE, Noordiati. Analisis Hubungan Plasenta Previa Terhadap Luaran Maternal Dan Perinatal Di RSUD Dan Kota Palangka

- Raya. *J Kebidanan Indones*. 2017;8(2):12–25.
67. Hung TH, Hsieh CC, Hsu JJ, Chiu TH, Lo LM, Hsieh TT an. Risk factors for placenta previa in an Asian population. *Int J Gynecol Obstet*. 2007;97(1):26–30.
68. Kurniawati N, Triyawati L. Pengaruh Usia dan Paritas terhadap Kejadian Plasenta Previa pada Ibu Hamil Trimester III di RSUD Dr. Wahidin Sudiro Husodo Mojokerto. *Str J Ilm Kesehat*. 2014;3(1):29–41.
69. Satrawinata S. *Obstetri Patologi*. Jakarta: EGC; 2005.
70. Anjum F, Bashir R, Rahim A. Maternal and Foetal Outcome in Cases of Placenta Previa, Accreta and Increta. *Ann King Edward Med Univ*. 2016;22(4).
71. Saleh HJ. Placenta Previa and Accreta. In: *The Global Library of Women’s Medicine*. 2008.
72. Hasegawa J, Nakamura M, Hamada S, Matsuoka R, Ichizuka K, Sekizawa A, et al. Prediction of hemorrhage in placenta previa. *Taiwan J Obstet Gynecol* [Internet]. 2022;51(1):3–6. Available from: <http://dx.doi.org/10.1016/j.tjog.2012.01.002>
73. Wright JD, Pri-paz S, Herzog TJ, Shah M, Bonanno C, Lewin SN, et al. Predictors of massive blood loss in women with placenta accreta. *YMOB* [Internet]. 2011;205(1):38.e1-38.e6. Available from: <http://dx.doi.org/10.1016/j.ajog.2011.01.040>
74. Goh W, Zalud I. Placenta accreta : Diagnosis , management and the molecular biology of the morbidly adherent placenta. *J Matern Neonatal*

- Med. 2015;29(11):1795–800.
75. Moncrieff G. Postpartum haemorrhage: Aetiology and intervention. *Br J Midwifery*. 2018;26(4):224–31.
 76. Fan D, Xia Q, Liu L, Wu S, Tian G, Wang W, et al. The Incidence of Postpartum Hemorrhage in Pregnant Women with Placenta Previa : A Systematic Review and Meta-Analysis. *PLoS One*. 2017;12(1):1–15.
 77. Krishna HM, Chava M, Jasmine N, Shetty N. Patients with postpartum hemorrhage admitted in intensive care unit: Patient condition, interventions, and outcome. *J Anaesthesiol Clin Pharmacol*. 2011;27(2):192–4.
 78. Palacios-Jaraquemada JM. Caesarean section in cases of placenta praevia and accreta. *Best Pract Res Clin Obstet Gynaecol* [Internet]. 2013;27(2):221–32. Available from: <http://dx.doi.org/10.1016/j.bpobgyn.2012.10.003>
 79. Jakobsson M, Tapper AM, Colmorn LB, Lindqvist PG, Klungsøyr K, Krebs L, et al. Emergency peripartum hysterectomy: Results from the prospective Nordic Obstetric Surveillance Study (NOSS). *Acta Obstet Gynecol Scand*. 2015;94(7):745–54.
 80. Cunningham FG, Leveno KJ, Spong CY, Dashe JS, Casey BM, Hoffman BL, et al. Puerperal Complication. In: Moyer A, Brown R, editors. *William Obstetrics*. 25th ed. New York: McGraw-Hill Education; 2018.
 81. Cunningham FG, Leveno KJ, Spong CY, Dashe JS, Casey BM, Hoffman BL, et al. The Puerperium. In: Moyer A, Brown R, editors. *William*

Obstetrics. 25th ed. New York: McGraw-Hill Education; 2018.

82. Warshak CR, Ramos GA, Eskander R, Benirschke K, Saenz CC, Kelly TF, et al. Effect of Predelivery Diagnosis in 99 Consecutive Cases of Placenta Accreta. *Obstet Gynecol.* 2010;115(1):65–9.
83. Fonseca A, Ayres D, Campos D. Best Practice & Research Clinical Obstetrics and Gynaecology Maternal morbidity and mortality due to placenta accreta spectrum disorders. *Best Pract Res Clin Obstet Gynaecol* [Internet]. 2020; Available from: <https://doi.org/10.1016/j.bpobgyn.2020.07.011>
84. Eller AG, Bennett MA, Sharshiner M. Maternal Morbidity in Cases of Placenta Accreta Managed by a Multidisciplinary Care Team Compared With Standard Obstetric Care. *Obstet Gynecol.* 2011;117(2):331–7.

LAMPIRAN

Lampiran 1. *Ethical Clearance*

	KOMISI ETIK PENELITIAN KESEHATAN HEALTH RESEARCH ETHICS COMMITTEE UNIVERSITAS DIPONEGORO FAKULTAS KEDOKTERAN	Sekretariat : Kantor Dekanat Lama FK UNDIP Lt. 1 Jl. Dr. Soetomo 18 Semarang, Telp. 024-769280010; 769280011 pswt 7820, email : komisietik@gmail.com
	ETHICAL CLEARANCE No. 277/EC/KEPK/FK-UNDIP/VIII/2022	
Protokol penelitian yang diusulkan oleh : <i>The research protocol proposed by</i>		
Peneliti Utama <i>Principal Investigator</i>	: Dian Alawiyah Rahmawati (22010119130129)	
Pembimbing <i>Mentor</i>	: dr. Vannya Dewi Puspitasari, Sp. OG(K)	
Nama Institusi <i>Name of the Institution</i>	: Program Pendidikan Sarjana Kedokteran Fakultas Kedokteran Universitas Diponegoro Semarang	
Dengan Judul <i>Title</i>	: Luaran Maternal pada Plasenta Previa dengan dan tanpa Spektrum Plasenta Akreta	
Tempat Penelitian <i>Research Place</i>	: Rumah Sakit Umum Pusat Dr. Kariadi Semarang	
<p>Dinyatakan layak etik sesuai 7 (tujuh) Standar WHO 2011, yaitu 1) Nilai Sosial, 2) Nilai Ilmiah, 3) Pemerataan Beban dan Manfaat, 4) Risiko, 5) Bujukan/Eksploitasi, 6) Kerahasiaan dan Privacy, dan 7) Persetujuan Setelah Penjelasan, yang merujuk pada Pedoman CIOMS 2016. Hal ini seperti yang ditunjukkan oleh terpenuhinya indikator setiap standar.</p> <p><i>Declared to be ethically appropriate in accordance to 7 (seven) WHO 2011 Standards, Social Values, 2) Scientific Values, 3) Equitable Assessment and Benefits, 4) Risks, 5) Persuasion/Exploitation, 6) Confidentiality and Privacy, and 7) Informed Consent, referring to the 2016 CIOMS Guidelines. This is as indicated by the fulfillment of the indicators of each standard.</i></p> <p>Pernyataan Laik Etik Ini berlaku selama kurun waktu tanggal 01 Agustus, 2022 sampai dengan tanggal 01 Agustus 2023.</p> <p><i>This declaration of ethics applies during the period August 01, 2022 until August 01, 2023.</i></p>		
		August 01, 2022. Professor and Chairperson,  Prof. Dr. Hanundari Rachmawati, Sp.PK(K) NIP. 196006061988112002
		

Lampiran 2. Surat Ijin Penelitian



KEMENTERIAN KESEHATAN REPUBLIK INDONESIA

DIREKTORAT JENDERAL PELAYANAN KESEHATAN

RUMAH SAKIT UMUM PUSAT DOKTER KARIADI

Jalan Dr. Sutomo No. 16 Semarang, PO BOX 1104

Telp:(024) 8413476 9 (*Hunting*) Fax. (024) 8318617 Call Center:(024) 8450800

Website: <http://www.rskariadi.co.id>, Email: info@rskariadi.co.id



SURAT IZIN

MELAKSANAKAN PENELITIAN

NOMOR : DP.02.01/I.II/6459/2022

Yang bertanda tangan di bawah ini :

Nama : dr. Agoes Oerip Poerwoko, Sp.OG(K), MARS
 N I P : 196708151997031001
 Jabatan : Plt. Direktur SDM, Pendidikan, dan Penelitian RSUP Dr. Kariadi
 memberikan izin melakukan penelitian untuk :
 Nama peneliti : Dian Alawiyah Rahmawati
 Institusi : Fakultas Kedokteran UNDIP
 Judul penelitian : Luaran Maternal Pada Plasenta Previa Dengan Dan Tanpa Spektrum Plasenta Akreta
 Lokasi penelitian : Instalasi Rekam Medis dan Instalasi Pelayanan Ibu & Anak
 No. Hp : 085729998779

Pelaksanaan kegiatan penelitian dilakukan selama 4 bulan dengan jumlah sampel sebanyak 45 sampel, terhitung mulai sejak diterbitkannya surat izin penelitian ini dengan ketentuan:

1. Mentaati peraturan serta tata-tertib yang berlaku di RSUP Dr. Kariadi.
2. Mentaati Pedoman Penelitian RSUP Dr. Kariadi.
3. Sebelum melakukan penelitian, peneliti agar bertemu Kepala Instalasi dan Kepala Ruangan dengan membawa Surat Izin Penelitian.
4. Tidak mengganggu pelayanan.
5. Mengumpulkan laporan telah selesai pengambilan sampel ke Bagian Diklit.
6. Menyerahkan laporan hasil akhir penelitian (1 berkas).
7. Mengurus izin publikasi dari RSUP Dr. Kariadi bila akan mempublikasikan hasil penelitiannya.

Demikian kami sampaikan agar dapat dipergunakan sebagaimana mestinya.

29 Agustus 2022

a.n. Direktur Utama,
 Plt. Direktur Sumber Daya Manusia,
 Pendidikan, dan Penelitian Rumah Sakit
 Umum Pusat dr. Kariadi Semarang,



dr. Agoes Oerip Poerwoko Sp.OG(K),
 MARS

Tembusan:

1. Ka. Instalasi Rekam Medis
2. Ka. Instalasi Pelayanan Ibu & Anak

Lampiran 3. Spreadsheet data

nomor	tahun	inisial	no rm	Usia	Riwayat SC		Riwayat Op		Riwayat Uterus	Paritas	Plasenta Previa				Klasifikasi previa	Klasifikasi akreta	Klasifikasi akreta	Cara Persalinan I.S.C	PPH	Syok i darah	Transfus Perawatan n di ICU	Histerek tomi	Infeksi Puerpe ralis	Mortal itas
					1,	2, lebih	1,	2,			1,	2,	1,	2,										
1	2021	OP	990	29	1	0	1	1	1	1	1	1	1	1	1	1	1	1	2 500CC	2	1	2	2	2
2		AD	720	40	1	0	1	2	0	0	1	1	2	4	4	4	4	1	2 300CC	2	1	2	2	2
3		MM	890	32	2	0	1	2	0	1	2	4	4	4	4	4	1	1 1000CC	2	1	1	2	2	
4		AR	30	40	1	0	1	2	0	1	2	4	4	4	4	4	1	2 300CC	2	2	2	2	2	
5		R	781	29	1	0	2	2	0	2	2	4	4	4	4	4	1	2 100CC	2	2	2	2	2	
6		M	131	24	1	0	2	2	0	2	2	3	3	3	3	3	1	2 200CC	2	2	2	2	2	
7		P	161	38	0	0	3	2	0	3	2	1	1	1	1	1	1	2 100CC	2	2	2	2	2	
8		J	91	37	2	2	1	2	2	1	2	2	2	2	2	2	1	2 1500CC	2	1	2	2	2	
9		SM	431	33	0	2	2	2	2	2	2	4	4	4	4	4	1	2 1800CC	2	1	1	2	2	
10		LU	771	34	1	0	2	1	0	2	1	3	3	3	3	3	1	2 300CC	2	1	2	2	2	
11		M	42	38	0	0	3	2	0	3	2	4	4	4	4	4	1	2 100CC	2	2	2	2	2	
12		M	402	27	0	0	1	2	0	1	2	4	4	4	4	4	1	2 500CC	2	1	2	2	2	
13		KK	32	37	1	0	2	2	0	2	2	2	2	2	2	2	1	1 1000CC	2	1	2	2	2	
14		MM	572	35	1	1	1	2	1	1	2	2	2	2	2	2	1	2 500CC	1	2	2	2	2	
15		IN	202	39	1	0	2	2	0	2	2	4	4	4	4	4	1	2 100CC	2	2	2	2	2	
16		N	392	30	1	0	2	2	0	2	2	2	2	2	2	2	1	2 200CC	2	2	2	2	2	
17		SN	233	29	1	0	1	1	0	1	1	4	4	4	4	4	1	1 500CC	2	1	2	2	2	
18		C	533	36	1	0	2	2	0	2	2	1	1	1	1	1	1	2 200CC	2	1	2	2	2	
19		AY	763	30	0	0	2	2	0	2	2	2	2	2	2	2	1	1 500CC	1	1	1	2	2	
20		ES	723	40	1	2	1	2	0	1	2	1	1	1	1	1	1	2 300CC	2	1	2	2	2	
21		YL	773	29	2	0	1	1	0	1	1	1	1	1	1	1	1	2 300CC	2	1	2	2	2	
22		TS	863	32	2	2	1	1	2	1	1	4	4	4	4	4	1	1 1700cc	2	1	2	2	2	
23		NK	473	31	1	0	1	2	0	1	2	1	1	1	1	1	1	2 300CC	2	1	2	2	2	
24		M	804	41	0	0	3	2	0	3	2	4	4	4	4	4	1	2 300CC	2	2	2	2	2	
25		EF	994	29	0	0	2	2	0	2	2	4	4	4	4	4	1	2 100CC	2	2	2	2	2	
26		RW	884	29	2	2	1	1	1	1	1	4	4	4	4	4	1	1 2200CC	2	1	2	2	2	
27		z	824	33	1	1	1	2	0	1	2	3	3	3	3	3	1	2 200cc	2	2	2	2	2	
28		DH	784	40	2	1	1	1	1	1	1	2	2	2	2	2	1	2 300CC	2	1	2	2	2	
29		SR	554	26	0	0	3	2	0	3	2	1	1	1	1	1	1	2 300CC	2	2	2	2	2	
30		IRA	155	22	0	0	3	2	0	3	2	4	4	4	4	4	1	2 200CC	2	2	2	2	2	
31		DR	925	30	0	0	3	2	0	3	2	3	3	3	3	3	1	2 400CC	2	2	2	2	2	
32		J	325	42	1	1	1	2	0	1	2	2	2	2	2	2	1	2 300cc	2	1	2	2	2	
33		DN	505	30	2	0	1	1	0	1	1	4	4	4	4	4	1	1 2000CC	1	1	1	2	2	
34		W	205	38	2	1	1	1	1	1	1	4	4	4	4	4	1	1 5000cc	1	1	1	2	2	
35		GE	195	27	0	0	2	2	0	2	2	4	4	4	4	4	1	2 300cc	2	2	2	2	2	
36		M	845	36	0	0	1	2	0	1	2	4	4	4	4	4	1	2 300CC	2	2	2	2	2	
37		K	985	39	0	0	2	2	0	2	2	4	4	4	4	4	1	2 200CC	2	2	2	2	2	
38		MC	106	30	0	0	3	2	0	3	2	4	4	4	4	4	1	2 200CC	1	1	2	2	2	
39		IR	896	32	1	1	1	1	1	1	1	2	2	2	2	2	1	1 2500CC	1	1	2	2	2	
40		NC	226	35	1	0	2	2	0	2	2	2	2	2	2	2	1	2 200CC	2	2	2	2	2	
41		NR	696	27	2	0	1	1	0	1	1	4	4	4	4	4	1	2 200CC	2	2	2	2	2	
42		M	806	36	1	0	2	1	0	2	1	2	2	2	2	2	1	1 500CC	2	1	2	2	2	
43		HN	417	26	0	0	3	2	0	3	2	4	4	4	4	4	1	2 300CC	2	2	2	2	2	

185	SA	779	22	0	0	3	2	4	1	2 300CC	2	2	2	2	2	2
186	NA	517	36	0	0	2	2	4	1	2 300CC	2	2	2	2	2	2
187	SK	996	20	0	0	3	2	4	1	2 300CC	2	2	2	2	2	2
188	S	955	37	2	0	2	2	4	1	2 500CC	1	1	2	2	2	2
189	T	16	37	2	1	1	2	4	1	2 250CC	2	2	2	2	2	2
190	RP	846	24	2	0	2	2	4	1	2 350CC	2	2	2	2	2	2
191	S	485	35	0	0	1	2	4	1	2 400CC	2	2	2	2	2	2
192	RH	405	43	0	0	2	2	3	1	2 250CC	2	2	2	2	2	2
193	RD	565	35	2	4	1	1	4 AKRETA	1	2 750CC	1	1	2	2	2	2
194	DK	487	34	2	0	1	1	4 PERKRETA	1	1 2500CC	2	2	2	2	2	2
195	FAF	919	33	1	1	2	2	4	1	2 250CC	2	2	2	2	2	2
														1 TOTAL		

Lampiran 4. Hasil Analisis (*Output SPSS*)

Frequency Table

Plasenta Previa

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid dengan Spektrum Plasenta Akreta	45	23.1	23.1	23.1
tanpa Spektrum Plasenta Akreta	150	76.9	76.9	100.0
Total	195	100.0	100.0	

Umur (tahun)

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 19	1	.5	.5	.5
20	1	.5	.5	1.0
22	3	1.5	1.5	2.6
23	1	.5	.5	3.1
24	8	4.1	4.1	7.2
25	3	1.5	1.5	8.7
26	11	5.6	5.6	14.4
27	12	6.2	6.2	20.5
28	6	3.1	3.1	23.6
29	17	8.7	8.7	32.3
30	12	6.2	6.2	38.5

31	10	5.1	5.1	43.6
32	6	3.1	3.1	46.7
33	18	9.2	9.2	55.9
34	9	4.6	4.6	60.5
35	11	5.6	5.6	66.2
36	21	10.8	10.8	76.9
37	13	6.7	6.7	83.6
38	7	3.6	3.6	87.2
39	5	2.6	2.6	89.7
40	10	5.1	5.1	94.9
41	4	2.1	2.1	96.9
42	4	2.1	2.1	99.0
43	1	.5	.5	99.5
44	1	.5	.5	100.0
Total	195	100.0	100.0	

Riwayat SC

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 0	79	40.5	40.5	40.5
1	74	37.9	37.9	78.5
2	40	20.5	20.5	99.0
3	2	1.0	1.0	100.0
Total	195	100.0	100.0	

Riwayat Operasi Uterus

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	150	76.9	76.9	76.9
	1	34	17.4	17.4	94.4
	2	10	5.1	5.1	99.5
	4	1	.5	.5	100.0
	Total	195	100.0	100.0	

Paritas

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Multipara	93	47.7	47.7	47.7
	Primipara	68	34.9	34.9	82.6
	Nullipara	34	17.4	17.4	100.0
	Total	195	100.0	100.0	

Cara Persalinan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Sectio Caesaria	190	97.4	97.4	97.4
	Pervaginam	5	2.6	2.6	100.0
	Total	195	100.0	100.0	

Perdarahan Postpartum

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	42	21.5	21.5	21.5
	Tidak	153	78.5	78.5	100.0
	Total	195	100.0	100.0	

Syok

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	14	7.2	7.2	7.2
	Tidak	181	92.8	92.8	100.0
	Total	195	100.0	100.0	

Transfusi Darah

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	111	56.9	56.9	56.9
	Tidak	84	43.1	43.1	100.0
	Total	195	100.0	100.0	

Perawatan di ICU

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ya	17	8.7	8.7	8.7
	Tidak	178	91.3	91.3	100.0

Total	195	100.0	100.0
-------	-----	-------	-------

Histerektomi

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Ya	28	14.4	14.4	14.4
Tidak	167	85.6	85.6	100.0
Total	195	100.0	100.0	

Infeksi Puerperalis

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Tidak	195	100.0	100.0	100.0

Mortalitas

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Ya	1	0.5	0.5	0.5
Tidak	194	99.5	99.5	100.0
Total	195	100.0	100.0	

Grade Plasenta Previa

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	21	10.8	10.8	10.8

2	55	28.2	28.2	39.0
3	8	4.1	4.1	43.1
4	111	56.9	56.9	100.0
Total	195	100.0	100.0	

Crosstabs

Umur (tahun) * Plasenta Previa Crosstabulation

			Plasenta Previa		Total
			dengan Spektrum Plasenta Akreta	tanpa Spektrum Plasenta Akreta	
Umur (tahun)	19	Count	0	1	1
		% within Plasenta Previa	0.0%	0.7%	0.5%
	20	Count	0	1	1
		% within Plasenta Previa	0.0%	0.7%	0.5%
	22	Count	0	3	3
		% within Plasenta Previa	0.0%	2.0%	1.5%
	23	Count	0	1	1
		% within Plasenta Previa	0.0%	0.7%	0.5%
	24	Count	0	8	8
		% within Plasenta Previa	0.0%	5.3%	4.1%
	25	Count	0	3	3
		% within Plasenta Previa	0.0%	2.0%	1.5%
	26	Count	4	7	11

	% within Placenta Previa	8.9%	4.7%	5.6%
27	Count	2	10	12
	% within Placenta Previa	4.4%	6.7%	6.2%
28	Count	0	6	6
	% within Placenta Previa	0.0%	4.0%	3.1%
29	Count	7	10	17
	% within Placenta Previa	15.6%	6.7%	8.7%
30	Count	2	10	12
	% within Placenta Previa	4.4%	6.7%	6.2%
31	Count	2	8	10
	% within Placenta Previa	4.4%	5.3%	5.1%
32	Count	2	4	6
	% within Placenta Previa	4.4%	2.7%	3.1%
33	Count	2	16	18
	% within Placenta Previa	4.4%	10.7%	9.2%
34	Count	5	4	9
	% within Placenta Previa	11.1%	2.7%	4.6%
35	Count	1	10	11
	% within Placenta Previa	2.2%	6.7%	5.6%
36	Count	8	13	21
	% within Placenta Previa	17.8%	8.7%	10.8%
37	Count	2	11	13
	% within Placenta Previa	4.4%	7.3%	6.7%
38	Count	2	5	7

	% within Plasenta Previa	4.4%	3.3%	3.6%
39	Count	1	4	5
	% within Plasenta Previa	2.2%	2.7%	2.6%
40	Count	3	7	10
	% within Plasenta Previa	6.7%	4.7%	5.1%
41	Count	0	4	4
	% within Plasenta Previa	0.0%	2.7%	2.1%
42	Count	2	2	4
	% within Plasenta Previa	4.4%	1.3%	2.1%
43	Count	0	1	1
	% within Plasenta Previa	0.0%	0.7%	0.5%
44	Count	0	1	1
	% within Plasenta Previa	0.0%	0.7%	0.5%
Total	Count	45	150	195
	% within Plasenta Previa	100.0%	100.0%	100.0%

Riwayat SC * Plasenta Previa Crosstabulation

		Plasenta Previa		Total	
		dengan Spektrum Plasenta Akreta	tanpa Spektrum Plasenta Akreta		
Riwayat SC	0	Count	1	78	79
		% within Plasenta Previa	2.2%	52.0%	40.5%
	1	Count	19	55	74

	% within Plasenta Previa	42.2%	36.7%	37.9%
2	Count	24	16	40
	% within Plasenta Previa	53.3%	10.7%	20.5%
3	Count	1	1	2
	% within Plasenta Previa	2.2%	0.7%	1.0%
Total	Count	45	150	195
	% within Plasenta Previa	100.0%	100.0%	100.0%

Riwayat Operasi Uterus * Plasenta Previa Crosstabulation

			Plasenta Previa		Total
			dengan Spektrum Plasenta Akreta	tanpa Spektrum Plasenta Akreta	
Riwayat Operasi Uterus	0	Count	31	119	150
		% within Plasenta Previa	68.9%	79.3%	76.9%
	1	Count	10	24	34
		% within Plasenta Previa	22.2%	16.0%	17.4%
	2	Count	3	7	10
		% within Plasenta Previa	6.7%	4.7%	5.1%
	4	Count	1	0	1
		% within Plasenta Previa	2.2%	0.0%	0.5%
Total	Count	45	150	195	
	% within Plasenta Previa	100.0%	100.0%	100.0%	

Paritas * Plasenta Previa Crosstabulation

			Plasenta Previa		Total
			dengan Spektrum Plasenta Akreta	tanpa Spektrum Plasenta Akreta	
Paritas	Multipara	Count	34	59	93
		% within Plasenta Previa	75.6%	39.3%	47.7%
	Primipara	Count	11	57	68
		% within Plasenta Previa	24.4%	38.0%	34.9%
	Nullipara	Count	0	34	34
		% within Plasenta Previa	0.0%	22.7%	17.4%
Total	Count		45	150	195
	% within Plasenta Previa		100.0%	100.0%	100.0%

Grade Plasenta Previa * Plasenta Previa Crosstabulation

			Plasenta Previa		Total
			dengan Spektrum Plasenta Akreta	tanpa Spektrum Plasenta Akreta	
Grade Plasenta Previa	1	Count	2	19	21
		% within Plasenta Previa	4.4%	12.7%	10.8%
	2	Count	12	43	55
		% within Plasenta Previa	26.7%	28.7%	28.2%
	3	Count	3	5	8

	% within Plasenta Previa	6.7%	3.3%	4.1%
4	Count	28	83	111
	% within Plasenta Previa	62.2%	55.3%	56.9%
Total	Count	45	150	195
	% within Plasenta Previa	100.0%	100.0%	100.0%

Crosstabs

Cara Persalinan * Plasenta Previa Crosstabulation

			Plasenta Previa	
			dengan Spektrum Plasenta Akreta	tanpa Spektrum Plasenta Akreta
Cara Persalinan	Sectio Caesaria	Count	45	145
		Expected Count	43.8	146.2
		% within Cara Persalinan	23.7%	76.3%
		% within Plasenta Previa	100.0%	96.7%
	Pervaginam	Count	0	5
		Expected Count	1.2	3.8
		% within Cara Persalinan	0.0%	100.0%
		% within Plasenta Previa	0.0%	3.3%
Total	Count	45	150	
	Expected Count	45.0	150.0	
	% within Cara Persalinan	23.1%	76.9%	
	% within Plasenta Previa	100.0%	100.0%	

Cara Persalinan * Plasenta Previa Crosstabulation

			Total
Cara Persalinan	Sectio Caesaria	Count	190
		Expected Count	190.0
		% within Cara Persalinan	100.0%
		% within Plasenta Previa	97.4%
	Pervaginam	Count	5
		Expected Count	5.0
		% within Cara Persalinan	100.0%
		% within Plasenta Previa	2.6%
Total	Count	195	
	Expected Count	195.0	
	% within Cara Persalinan	100.0%	
	% within Plasenta Previa	100.0%	

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	1.539 ^a	1	.215		
Continuity Correction ^b	.494	1	.482		
Likelihood Ratio	2.663	1	.103		
Fisher's Exact Test				.591	.265
Linear-by-Linear Association	1.532	1	.216		

N of Valid Cases	195			
------------------	-----	--	--	--

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.15.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
For cohort Plasenta Previa = tanpa Spektrum Plasenta Akreta	.763	.705	.826
N of Valid Cases	195		

Perdarahan Postpartum * Plasenta Previa Crosstabulation

			Plasenta Previa		Total
			dengan Spektrum Plasenta Akreta	tanpa Spektrum Plasenta Akreta	
Perdarahan Postpartum	Ya	Count	29	13	42
		Expected Count	9.7	32.3	42.0
		% within Perdarahan Postpartum	69.0%	31.0%	100.0%
		% within Plasenta Previa	64.4%	8.7%	21.5%
Perdarahan Postpartum	Tidak	Count	16	137	153
		Expected Count	35.3	117.7	153.0
		% within Perdarahan Postpartum	10.5%	89.5%	100.0%

	% within Plasenta Previa	35.6%	91.3%	78.5%
Total	Count	45	150	195
	Expected Count	45.0	150.0	195.0
	% within Perdarahan Postpartum	23.1%	76.9%	100.0%
	% within Plasenta Previa	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	63.727 ^a	1	.000		
Continuity Correction ^b	60.469	1	.000		
Likelihood Ratio	56.191	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	63.400	1	.000		
N of Valid Cases	195				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.69.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Perdarahan Postpartum (Ya / Tidak)	19.101	8.293	43.994

For cohort Plasenta Previa = dengan Spektrum Plasenta Akreta	6.603	3.981	10.951
For cohort Plasenta Previa = tanpa Spektrum Plasenta Akreta	.346	.219	.545
N of Valid Cases	195		

Syok * Plasenta Previa Crosstabulation

			Plasenta Previa		Total
			dengan Spektrum Plasenta Akreta	tanpa Spektrum Plasenta Akreta	
Syok	Ya	Count	8	6	14
		Expected Count	3.2	10.8	14.0
		% within Syok	57.1%	42.9%	100.0%
		% within Plasenta Previa	17.8%	4.0%	7.2%
Tidak		Count	37	144	181
		Expected Count	41.8	139.2	181.0
		% within Syok	20.4%	79.6%	100.0%
		% within Plasenta Previa	82.2%	96.0%	92.8%
Total		Count	45	150	195
		Expected Count	45.0	150.0	195.0
		% within Syok	23.1%	76.9%	100.0%
		% within Plasenta Previa	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	9.860 ^a	1	.002		
Continuity Correction ^b	7.901	1	.005		
Likelihood Ratio	8.216	1	.004		
Fisher's Exact Test				.004	.004
Linear-by-Linear Association	9.810	1	.002		
N of Valid Cases	195				

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.23.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Syok (Ya / Tidak)	5.189	1.696	15.879
For cohort Plasenta Previa = dengan Spektrum Plasenta Akreta	2.795	1.634	4.783
For cohort Plasenta Previa = tanpa Spektrum Plasenta Akreta	.539	.293	.991
N of Valid Cases	195		

Transfusi Darah * Plasenta Previa Crosstabulation

			Plasenta Previa		Total
			dengan Spektrum Plasenta Akreta	tanpa Spektrum Plasenta Akreta	
Transfusi Darah	Ya	Count	44	67	111
		Expected Count	25.6	85.4	111.0
		% within Transfusi Darah	39.6%	60.4%	100.0%
		% within Plasenta Previa	97.8%	44.7%	56.9%
	Tidak	Count	1	83	84
		Expected Count	19.4	64.6	84.0
		% within Transfusi Darah	1.2%	98.8%	100.0%
		% within Plasenta Previa	2.2%	55.3%	43.1%
Total	Count	45	150	195	
	Expected Count	45.0	150.0	195.0	
	% within Transfusi Darah	23.1%	76.9%	100.0%	
	% within Plasenta Previa	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	39.821 ^a	1	.000		
Continuity Correction ^b	37.684	1	.000		
Likelihood Ratio	50.752	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	39.616	1	.000		
N of Valid Cases	195				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 19.38.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Transfusi Darah (Ya / Tidak)	54.507	7.317	406.026
For cohort Plasenta Previa = dengan Spektrum Plasenta Akreta	33.297	4.682	236.800
For cohort Plasenta Previa = tanpa Spektrum Plasenta Akreta	.611	.524	.712
N of Valid Cases	195		

Perawatan di ICU * Plasenta Previa Crosstabulation

			Plasenta Previa		Total
			dengan Spektrum Plasenta Akreta	tanpa Spektrum Plasenta Akreta	
Perawatan di ICU	Ya	Count	7	10	17
		Expected Count	3.9	13.1	17.0
		% within Perawatan di ICU	41.2%	58.8%	100.0%
		% within Plasenta Previa	15.6%	6.7%	8.7%
	Tidak	Count	38	140	178
		Expected Count	41.1	136.9	178.0
		% within Perawatan di ICU	21.3%	78.7%	100.0%
		% within Plasenta Previa	84.4%	93.3%	91.3%
Total	Count	45	150	195	
	Expected Count	45.0	150.0	195.0	
	% within Perawatan di ICU	23.1%	76.9%	100.0%	
	% within Plasenta Previa	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.437 ^a	1	.064		
Continuity Correction ^b	2.411	1	.121		
Likelihood Ratio	3.046	1	.081		
Fisher's Exact Test				.075	.066

Linear-by-Linear Association	3.419	1	.064	
N of Valid Cases	195			

a. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.92.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
Odds Ratio for Perawatan di ICU (Ya / Tidak)	2.579	.920	7.226
For cohort Plasenta Previa = dengan Spektrum Plasenta Akreta	1.929	1.023	3.637
For cohort Plasenta Previa = tanpa Spektrum Plasenta Akreta	.748	.499	1.121
N of Valid Cases	195		

Histerektomi * Plasenta Previa Crosstabulation

			Plasenta Previa		Total
			dengan Spektrum Plasenta Akreta	tanpa Spektrum Plasenta Akreta	
Histerektomi	Ya	Count	22	6	28
		Expected Count	6.5	21.5	28.0
		% within Histerektomi	78.6%	21.4%	100.0%

	% within Plasenta Previa	48.9%	4.0%	14.4%
Tidak	Count	23	144	167
	Expected Count	38.5	128.5	167.0
	% within Histerektomi	13.8%	86.2%	100.0%
	% within Plasenta Previa	51.1%	96.0%	85.6%
Total	Count	45	150	195
	Expected Count	45.0	150.0	195.0
	% within Histerektomi	23.1%	76.9%	100.0%
	% within Plasenta Previa	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	56.721 ^a	1	.000		
Continuity Correction ^b	53.129	1	.000		
Likelihood Ratio	47.712	1	.000		
Fisher's Exact Test				.000	.000
Linear-by-Linear Association	56.430	1	.000		
N of Valid Cases	195				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.46.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval

		Lower	Upper
Odds Ratio for Histerektomi (Ya / Tidak)	22.957	8.409	62.669
For cohort Plasenta Previa = dengan Spektrum Plasenta Akreta	5.705	3.726	8.735
For cohort Plasenta Previa = tanpa Spektrum Plasenta Akreta	.249	.122	.506
N of Valid Cases	195		

**Infeksi Puerperalis * Plasenta
Previa Crosstabulation**

			Plasenta Previa		Total
			dengan Spektrum Plasenta Akreta	tanpa Spektrum Plasenta Akreta	
Infeksi Puerperalis	Tidak	Count	45	150	195
		Expected Count	45.0	150.0	195.0
		% within Infeksi Puerperalis	23.1%	76.9%	100.0%
		% within Plasenta Previa	100.0%	100.0%	100.0%
Total		Count	45	150	195
		Expected Count	45.0	150.0	195.0
		% within Infeksi Puerperalis	23.1%	76.9%	100.0%
		% within Plasenta Previa	100.0%	100.0%	100.0%

Chi-Square Tests

	Value
Pearson Chi-Square	. ^a
N of Valid Cases	195

a. No statistics are computed because Infeksi Puerperalis is a constant.

Risk Estimate

	Value
Odds Ratio for Infeksi Puerperalis (Tidak / .)	. ^a

a. No statistics are computed because Infeksi Puerperalis is a constant.

Mortalitas * Plasenta Previa Crosstabulation

			Plasenta Previa		Total
			dengan Spektrum Plasenta Akreta	tanpa Spektrum Plasenta Akreta	
Mortalitas	Ya	Count	1	0	1
		Expected Count	.2	.8	1.0
		% within Plasenta Previa	2.2%	0.0%	0.5%
	Tidak	Count	44	150	194
		Expected Count	44.8	149.2	194.0
		% within Plasenta Previa	97.8%	100.0%	99.5%
Total	Count	45	150	195	
	Expected Count	45.0	150.0	195.0	
	% within Plasenta Previa	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.351 ^a	1	.067		
Continuity Correction ^b	.410	1	.522		
Likelihood Ratio	2.950	1	.086		
Fisher's Exact Test				.231	.231
Linear-by-Linear Association	3.333	1	.068		
N of Valid Cases	195				


a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .23.

b. Computed only for a 2x2 table

Risk Estimate

	Value	95% Confidence Interval	
		Lower	Upper
For cohort Plasenta Previa = dengan Spektrum Plasenta Akreta	4.409	3.400	5.717
N of Valid Cases	195		

Lampiran 5. Dokumentasi Penelitian



Lampiran 6. Biodata Mahasiswa**Identitas**

Nama : Dian Alawiyah Rahmawati
NIM : 22010119130129
Tempat/tanggal Lahir : Tegal, 12 Januari 2001
Jenis Kelamin : Perempuan
Alamat : Jalan RA Kartini Slawi, Tegal, Jawa Tengah
Nomor Telepon : 085729998779
Nomor HP : 085729998779
e-mail : rhmwt.dian.alawiyah@gmail.com

Riwayat Pendidikan Formal

1. SD Negeri Slawi Kulon 03 : Lulus tahun 2013
2. SMP Negeri 1 Slawi : Lulus tahun 2016
3. SMA Negeri 1 Surakarta : Lulus tahun 2019
4. FK UNDIP : Masuk tahun 2019

Keanggotaan Organisasi

Tahun 2020 s/d 2021 : BEM FK Universitas Diponegoro

Pengalaman Penelitian

-

Pengalaman Publikasi Tulisan Ilmiah

-

Pengalaman Presentasi Karya Ilmiah

-

Pengalaman Mengikuti Lomba Karya Ilmiah

Finalis PIM FK Undip 2020