

## DAFTAR PUSTAKA

1. WHO. Global reference list of 100 core health indicators [Internet]. 2015. 1–136 p. Available from: [apps.who.int/iris/bitstream/10665/173589/1/WHO\\_HIS\\_HSI\\_2015.3\\_eng.pdf](http://apps.who.int/iris/bitstream/10665/173589/1/WHO_HIS_HSI_2015.3_eng.pdf)  
<http://ci.nii.ac.jp/naid/40020358184/>
2. Blencowe H, Cousens S, Oestergaard MZ, Chou D, Moller AB, Narwal R, et al. National, regional, and worldwide estimates of preterm birth rates in the year 2010 with time trends since 1990 for selected countries: a systematic analysis and implications. *Lancet (London, England)*. 2012 Jun;379(9832):2162–72.
3. Glass HC, Costarino AT, Stayer SA, Brett CM, Cladis F, Davis PJ. Outcomes for extremely premature infants. *Anesth Analg*. 2015;120(6):1337–51.
4. Liu L, Oza S, Hogan D, Chu Y, Perin J, Zhu J, et al. Global, regional, and national causes of under-5 mortality in 2000-15: an updated systematic analysis with implications for the Sustainable Development Goals. *Lancet (London, England)*. 2016 Dec;388(10063):3027–35.
5. Segre LS, McCabe JE, Chuffo-Siewert R, O'hara MW. Depression and anxiety symptoms in mothers of newborns hospitalized on the Neonatal Intensive Care Unit. *Nurs Res*. 2014;63(5):320–32.
6. Kurt F, Kucukoglu S, Ozdemir A, Ozcan Z. The effect of kangaroo care on maternal attachment in preterm infants. *Niger J Clin Pract*. 2020;23:26–32.
7. Gray PH, Edwards DM, O'Callaghan MJ, Cuskelly M. Parenting stress in mothers of preterm infants during early infancy. *Early Hum Dev*. 2012;88(1):45–9.
8. Guillaume S, Michelin N, Amrani E, Benier B, Durrmeyer X, Lescure S, et al. Parents' expectations of staff in the early bonding process with their premature babies in the intensive care setting : a qualitative multicenter study with 60 parents. *BMC Pediatr* [Internet]. 2013;13(1):1. Available from: *BMC Pediatrics*
9. Meijssen D, Wolf MJ, Bakel H Van, Koldewijn K, Kok J, Baar A Van. Maternal attachment representations after very preterm birth and the effect of early intervention. *Infant Behav Dev* [Internet]. 2011;34(1):72–80. Available from: <http://dx.doi.org/10.1016/j.infbeh.2010.09.009>
10. Cho ES, Kim SJ, Kwon MS, Cho H, Kim EH, Jun EM, et al. The effects of kangaroo care in the Neonatal Intensive Care Unit on the physiological functions of preterm infants, maternal-infant attachment, and maternal stress. *J Pediatr Nurs* [Internet]. 2016;31(4):430–8. Available from: <http://dx.doi.org/10.1016/j.pedn.2016.02.007>

11. Head LM. The effect of kangaroo care on neurodevelopmental outcomes in preterm infants. *J Perinat Neonatal Nurs*. 2014;28(4):290–9.
12. Vogel JP, Chawanpaiboon S, Moller AB, Watananirun K, Bonet M, Lumbiganon P. The global epidemiology of preterm birth. *Best Pract Res Clin Obstet Gynaecol* [Internet]. 2018;52:3–12. Available from: <https://doi.org/10.1016/j.bpobgyn.2018.04.003>
13. Black MM, Lozoff B, Trude ACB. Nutrition and child development. In: *Encyclopedia of Infant and Early Childhood Development* [Internet]. Elsevier; 2020. p. 431–40. Available from: <http://dx.doi.org/10.1016/B978-0-12-809324-5.23668-7>
14. Bera A, Ghosh J, Singh AK, Hazra A, Som T, Munian D. Effect of kangaroo mother care on vital physiological parameters of the low birth weight newborn. *Indian J Community Med*. 2014;39(4):245–9.
15. Platt MJ. Outcomes in preterm infants. *Public Health* [Internet]. 2014;128(5):399–403. Available from: <http://dx.doi.org/10.1016/j.puhe.2014.03.010>
16. Frey HA, Klebanoff MA. The epidemiology, etiology, and costs of preterm birth. *Semin Fetal Neonatal Med* [Internet]. 2016;21(2):68–73. Available from: <http://dx.doi.org/10.1016/j.siny.2015.12.011>
17. Roque ATF, Lasiuk GC, Radünz V, Hegadoren K. A scoping review of the mental health of parents of infants in the NICU. *JOGNN - J Obstet Gynecol Neonatal Nurs* [Internet]. 2017;46(4):576–87. Available from: <http://dx.doi.org/10.1016/j.jogn.2017.02.005>
18. Treyvaud K, Anderson VA, Lee KJ, Woodward LJ, Newnham C, Inder TE, et al. Parental mental health and early social-emotional development of children born very preterm. *J Pediatr Psychol*. 2010;35(7):768–77.
19. Bang KS, Kang HJ, Kwon MK. Relations of postpartum depression with socio-demographic and clinical characteristics of preterm infants and mothers. *Child Heal Nurs Res*. 2015;21(1):1–10.
20. Dodwell M. The effects of postnatal separation on mother-infant interaction. 2010.
21. Mehler K, Wendrich D, Kissgen R, Roth B, Oberthuer A, Pillekamp F, et al. Mothers seeing their VLBW infants within 3 h after birth are more likely to establish a secure attachment behavior: Evidence of a sensitive period with preterm infants. *J Perinatol* [Internet]. 2011;31(6):404–10. Available from: <http://dx.doi.org/10.1038/jp.2010.139>
22. Wolke D, Eryigit-Madzwamuse S, Gutbrod T. Very preterm/very low birthweight infants' attachment: infant and maternal characteristics. *Arch Dis Child Fetal Neonatal Ed*. 2014;99(1):70–5.

23. WHO. Kangaroo mother care: a practical guide [Internet]. WHO: Department of Reproductive Health and Research. 2003. 1–54 p. Available from: [papers3://publication/uuid/479e6443-eb86-4d96-99d4-bdf0d462186e](https://papers3://publication/uuid/479e6443-eb86-4d96-99d4-bdf0d462186e)
24. Canadas DC, Perales AB, Belmonte M del PC, Martinez RG, Carreno TP. Kangaroo mother care and skin-to-skin care in preterm infants in the neonatal intensive care unit: a bibliometric analysis. *Arch Pediatr*. 2022;29:90–9.
25. Samra NM, Taweel A El, Cadwell K. Effect of intermittent Kangaroo Mother Care on weight gain of low birth weight neonates with delayed weight gain. *J Perinat Educ*. 2013;22(4):194–200.
26. Kostandy RR, Ludington-Hoe SM. The evolution of the science of kangaroo (mother) care (skin-to-skin contact). *Birth Defects Res*. 2019;111(15):1032–43.
27. Arya S, Naburi H, Kawaza K, Newton S, Anyabolu C, Bergman N, et al. Immediate “Kangaroo Mother Care” and survival of infants with low birth weight. *N Engl J Med*. 2021;384:2028–38.
28. Chan GJ, Valsangkar B, Kajeepeeta S, Boundy EO, Wall S. What is kangaroo mother care? Systematic review of the literature. *J Glob Health*. 2016;6(1):1–9.
29. Sahlén Helmer C, Birberg Thornberg U, Frostell A, Örténstrand A, Mörelius E. A randomized trial of continuous versus intermittent skin-to-skin contact after premature birth and the effects on mother-infant interaction. *Adv Neonatal Care*. 2020 Jun;20(3):1–9.
30. Twohig A, Reulbach U, Figuerdo R, McCarthy A, McNicholas F, Molloy EJ. Supporting preterm infant attachment and socioemotional development in the Neonatal Intensive Care Unit: staff perceptions. *Infant Ment Health J*. 2016;37(2):160–71.
31. Karakaş NM, Dağlı FŞ. The importance of attachment in infant and influencing factors. *Turk Pediatr Ars*. 2019;54(2):76–81.
32. Mehrpisheh S, Doorandish Z, Farhadi R, Ahmadi M, Moafi M, Elyasi F. The effectiveness of Kangaroo Mother Care (KMC) on attachment of mothers with premature infants. *Eur J Obstet Gynecol Reprod Biol X* [Internet]. 2022;15(April):1–4. Available from: <https://doi.org/10.1016/j.eurox.2022.100149>
33. Narciso LM, Beleza LO, Imoto AM. The effectiveness of Kangaroo Mother Care in hospitalization period of preterm and low birth weight infants: systematic review and meta-analysis. *J Pediatr (Rio J)* [Internet]. 2022;98(2):117–25. Available from: <https://doi.org/10.1016/j.jpmed.2021.06.004>
34. E. A, J.R.E. F. Effects of Kangaroo Mother Care on maternal mood and interaction patterns between parents and their preterm, low birth weight

- infants: A systematic review. *Infant Ment Health J* [Internet]. 2014;35(3):245–62. Available from: <http://www.interscience.wiley.com/jpages/0163-9641%5Cnhttp://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed12&NEWS=N&AN=2014266788>
35. Mekonnen AG, Yehualashet SS, Bayleyegn AD. The effects of kangaroo mother care on the time to breastfeeding initiation among preterm and LBW infants: a meta-analysis of published studies. *Int Breastfeed J*. 2019;14(12):1–6.
  36. Changrani K, Menahem S. Physiological and psychological outcomes of kangaroo mother care of preterm infants—an overview. *Int J Pregnancy Child Birth*. 2021;7(1):6–13.
  37. Natarajan G, Shankaran S. Short and long term outcomes of moderate and late preterm infants. *Am J Perinatol*. 2016;33(3):305–17.
  38. Blencowe H, Cousens S, Oestergaard MZ, Chou D, Moller AB, Narwal R, et al. National, regional, and worldwide estimates of preterm birth rates in the year 2010 with time trends since 1990 for selected countries: A systematic analysis and implications. *Lancet* [Internet]. 2012;379(9832):2162–72. Available from: [http://dx.doi.org/10.1016/S0140-6736\(12\)60820-4](http://dx.doi.org/10.1016/S0140-6736(12)60820-4)
  39. Spong CY. Defining ‘term’ pregnancy: recommendations from the defining ‘term’ pregnancy workgroup. *Jama*. 2013;309(23):2445–6.
  40. Goldenberg RL, Gravett MG, Iams J, Papageorghiou AT, Waller SA, Kramer M, et al. The preterm birth syndrome: issues to consider in creating a classification system. *Am J Obstet Gynecol*. 2012;206(2):113–8.
  41. Danielian P, Hall M. The epidemiology of preterm labour and delivery. *Preterm Labour Manag Risk Clin Pract*. 2005;112:1–25.
  42. Haas DM, Caldwell DM, Kirkpatrick P, McIntosh JJ, Welton NJ. Tocolytic therapy for preterm delivery: systematic review and network meta-analysis. *BMJ*. 2012;345(7879):1–16.
  43. Weiner E, Dekalo A, Feldstein O, Barber E, Schreiber L, Bar J, et al. The placental factor in spontaneous preterm birth in twin vs. singleton pregnancies. *Eur J Obstet Gynecol Reprod Biol* [Internet]. 2017;214:1–5. Available from: <http://dx.doi.org/10.1016/j.ejogrb.2017.04.035>
  44. Gravett MG, Rubens CE, Nunes TM. Global report on preterm birth and stillbirth (2 of 7): discovery science. *BMC Pregnancy Childbirth*. 2010;10(SUPPL. 1):1–16.
  45. Lisonkova S, Hutcheon JA, Joseph KS. Temporal trends in neonatal outcomes following iatrogenic preterm delivery. 2011;11(39):1–9.

46. Lee SE, Romero R, Park CW, Jun JK, Yoon BH. The frequency and significance of intraamniotic inflammation in patients with cervical insufficiency. *Am J Obstet Gynecol.* 2008;198(6):633.e1-633.e8.
47. Wise CA, Sharma S. Current understanding of genetic factors in idiopathic scoliosis. *Genet Dev Scoliosis.* 2010;112(March):167–90.
48. Moser K. Gestation-specific infant mortality by social and biological factors among babies born in England and Wales in 2006. *Health Stat Q.* 2009;(42):78–87.
49. Muglia L, Katz M. The enigma of spontaneous preterm birth. *MCN Am J Matern Nurs.* 2010;35(4):529–35.
50. Kelkay B, Omer A, Teferi Y, Moges Y. Factors Associated with Singleton Preterm Birth in Shire Suhul General Hospital, Northern Ethiopia, 2018. *J Pregnancy.* 2019;2019:4629101.
51. Oh C, Keats EC, Bhutta ZA. Vitamin and mineral supplementation during pregnancy on maternal, birth, child health, and development outcomes in low and middle income countries: a systematic review and meta-analysis. *Nutrients.* 2020;12(491):1–30.
52. Goldenberg RL, Culhane JF, Iams JD, Romero R. Epidemiology and causes of preterm birth. *Lancet.* 2008;371(9606):75–84.
53. Davanzo R, Davanzo R, Brovedani P, Travan L, Kennedy J, Crocetta A, et al. Intermittent kangaroo mother care: a NICU protocol. *J Hum Lact.* 2013;1–7.
54. Nyqvist KH, Anderson GC, Bergman N, Cattaneo A, Charpak N, Davanzo R, et al. State of the art and recommendations kangaroo mother care: application in a high-tech environment. *Acta Paediatr Int J Paediatr.* 2010;99(6):812–9.
55. Zhang B, Duan Z, Zhao Y, Williams S, Wall S, Huang L, et al. Intermittent kangaroo mother care and the practice of breastfeeding late preterm infants: results from four hospitals in different provinces of China. *Int Breastfeed J.* 2020;15(1):1–9.
56. Evereklian M, Posmontier B. The impact of kangaroo care on premature infant weight gain. *J Pediatr Nurs [Internet].* 2017;34:e10–6. Available from: <http://dx.doi.org/10.1016/j.pedn.2017.02.006>
57. Vahdati M, Mohammadizadeh M, Talakoub S. Effect of kangaroo care combined with music on the mother-premature neonate attachment: a randomized controlled trial. *Iran J Nurs Midwifery Res.* 2017;22(5):403–7.
58. Ahn Y, Lee J, Shin H jin. Kangaroo care on premature infant growth and maternal attachment and post-partum depression in South Korea. *J Trop Pediatr.* 2010;56(5):342–4.

59. Frazier KF, Scharf RJ. Parent-infant attachment. *Pediatr Rev.* 2015;36(1):5–8.
60. Branjerdporn G, Meredith P, Wilson T, Strong J. Prenatal predictors of maternal-infant attachment. *Can J Occup Ther.* 2020;87(4):265–77.
61. Mason ZS, Briggs RD, Silver EJ. Maternal attachment feelings mediate between maternal reports of depression, infant social-emotional development, and parenting stress. *J Reprod Infant Psychol.* 2011;29(4):382–94.
62. Fuchs A, Möhler E, Reck C, Resch F, Kaess M. The early mother-to-child bond and its unique prospective contribution to child behavior evaluated by mothers and teachers. *Psychopathology.* 2016;49(4):211–6.
63. de Cock ESA, Henrichs J, Vreeswijk CMJM, Maas AJBM, Rijk CHAM, van Bakel HJA. Continuous feelings of love? The parental bond from pregnancy to toddlerhood. *J Fam Psychol.* 2016;30(1):125–34.
64. Yalçın SS, Örün E, Mutlu B, Madendağ Y, Sinici I, Dursun A, et al. Why are they having infant colic? A nested case-control study. *Paediatr Perinat Epidemiol.* 2010;24(6):584–96.
65. Miller PM, Commons ML. The benefits of attachment parenting for infants and children: a behavioral developmental view. *Behav Dev Bull.* 2010;16(1):1–14.
66. Potgieter KL, Adams F. The influence of mother-infant skin-to-skin contact on bonding and touch. *South African J Occup Ther.* 2019;49(2):11–7.
67. Bigelow AE, Power M. The effect of mother-infant skin-to-skin contact on infants' response to the Still Face Task from newborn to three months of age. *Infant Behav Dev* [Internet]. 2012;35(2):240–51. Available from: <http://dx.doi.org/10.1016/j.infbeh.2011.12.008>
68. Feldman R, Rosenthal Z, Eidelman AI. Maternal-preterm skin-to-skin contact enhances child physiologic organization and cognitive control across the first 10 years of life. *Biol Psychiatry* [Internet]. 2014;75(1):56–64. Available from: <http://dx.doi.org/10.1016/j.biopsych.2013.08.012>
69. Jongerius C, Hessels RS, Romijn JA, Smets EMA, Hillen MA. The measurement of eye contact in human interactions: a scoping review. *J Nonverbal Behav* [Internet]. 2020;44(3):363–89. Available from: <https://doi.org/10.1007/s10919-020-00333-3>
70. Benoit D. Infant-parent attachment: definition, types, antecedents, measurement, and outcome. *Paediatr Child Health (Oxford).* 2004;9(8):541–5.
71. Adom D, Hussain EK, Joe AA. Theoretical and conceptual framework: mandatory ingredients theoretical. *Int J Sci Res* [Internet]. 2001;7(1):93–8.

- Available from:  
<https://www.researchgate.net/publication/322204158%0ATHEORETICAL>
72. Grant C, Osanloo A. Understanding, selecting, and integrating a theoretical framework in dissertation research. *Adm Issues J Educ Pract Res.* 2014;4(2):12–26.
  73. Luse A, Mennecke B, Townsend A. Selecting a research topic: a framework for doctoral students. *Int J Dr Stud.* 2012;7:143–52.
  74. Vetter TR. Fundamentals of research data and variables: the devil is in the details. *Anesth Analg.* 2017;125(4):1375–80.
  75. Winchester CL, Salji M. Writing a literature review. *J Clin Urol.* 2016;9(5):308–12.
  76. Maggio LA, Sewell JL, Artino AR. The literature review: a foundation for high-quality medical education research. *J Grad Med Educ.* 2016;8(3):297–303.
  77. Whitemore R, Knafl K. The integrative review: updated methodology. *J Adv Nurs.* 2005;52(5):546–53.
  78. Methley AM, Campbell S, Chew-Graham C, McNally R, Cheraghi-Sohi S. PICO, PICOS and SPIDER: A comparison study of specificity and sensitivity in three search tools for qualitative systematic reviews. *BMC Health Serv Res.* 2014;14(1).
  79. Doody O, Noonan M. Nursing research ethics, guidance, and application in practice. *Br J Nurs.* 2016;25(14):803–7.
  80. Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, et al. The PRISMA 2020 statement: An updated guideline for reporting systematic reviews. *BMJ.* 2021;372.
  81. Mehler K, Hucklenbruch-Rother E, Trautmann-Villalba P, Becker I, Roth B, Kribs A. Delivery room skin-to-skin contact for preterm infants—A randomized clinical trial. *Acta Paediatr Int J Paediatr.* 2020;109(3):518–26.
  82. Zhang B, Yue J, Duan Z, Zhao Y, Williams S, Huang L, et al. Maternal experience of intermittent kangaroo mother care for late preterm infants: a mixed-methods study in four postnatal wards in China. *BMJ Open.* 2021;11(9):1–8.
  83. Føreland AM, Engesland H, Kristoffersen L, Fegran L. Postpartum experiences of early skin-to-skin contact and the traditional separation approach after a very preterm birth: a qualitative study among mothers. *Glob Qual Nurs Res.* 2022;9:1–9.
  84. Çelik MY, Çiğdem Z. Effect of kangaroo care on Vulnerable Infant Syndrome in mother. *Early Child Dev Care [Internet].* 2022;192(3):499–511. Available from: <https://doi.org/10.1080/03004430.2021.1932859>

85. Murniarti E, Nainggolan B, Panjaitan H, Pandiangan LEA, Widyani IDA, Dakhi S. Writing matrix and assessing literature review: a methodological element of a scientific project. *J Asian Dev.* 2018;4(2):133–46.
86. Galbally M, Lewis AJ, Ijzendoorn M Van, Permezel M. The role of oxytocin in mother-infant relations: A systematic review of human studies. *Harv Rev Psychiatry.* 2011;19(1):1–14.
87. Charpak N, Ruiz-Peláez JG, De Figueroa Z, Charpak Y. A randomized, controlled trial of Kangaroo Mother Care: Results of follow-up at 1 year of corrected age. *Pediatrics.* 2001;108(5):1072–9.
88. Campbell-Yeo ML, Disher TC, Benoit BL, Johnston CC. Understanding Kangaroo Care. *Pediatr Heal Med Ther [Internet].* 2015;(6):15–32. Available from: <http://dx.doi.org/10.2147/PHMT.S51869>
89. Stevens J, Schmied V, Burns E, Dahlen H. Immediate or early skin-to-skin contact after a Caesarean section: A review of the literature. *Matern Child Nutr.* 2014;10(4):456–73.
90. Jones H, Santamaria N. Physiological benefits to parents from undertaking skin-to-skin contact with their neonate, in a neonatal intensive special care unit. *Scand J Caring Sci.* 2018 Sep;32(3):1012–7.
91. Cleveland L, Hill CM, Pulse WS, DiCioccio HC, Field T, White-Traut R. Systematic review of skin-to-skin care for full-term, healthy newborns. *JOGNN - J Obstet Gynecol Neonatal Nurs.* 2017;46(6):857–69.
92. Angelhoff C, Blomqvist YT, Sahlén Helmer C, Olsson E, Shorey S, Frostell A, et al. Effect of skin-to-skin contact on parents' sleep quality, mood, parent-infant interaction and cortisol concentrations in neonatal care units: study protocol of a randomised controlled trial. *BMJ Open.* 2018 Aug;8(7):e021606.
93. Güleç D, Kavlak O. The study of reliability and validity of paternal-infant attachment scale in Turkish society. *J Hum Sci [Internet].* 2013;10(2):170–81. Available from: <https://www.j-humansciences.com/ojs/index.php/IJHS/article/view/2590>
94. Maastrup R, Weis J, Engsig AB, Johannsen KL, Zoffmann V. 'Now she has become my daughter': parents' early experiences of skin-to-skin contact with extremely preterm infants. *Scand J Caring Sci.* 2018;32(2):545–53.