

DAFTAR PUSTAKA

- Abd, A. A., & Naji, S. Z. (2020). Comparison study of activators performance for MDEA solution of acid gases capturing from natural gas: Simulation-based on a real plant. *Environmental Technology and Innovation*, 17. <https://doi.org/10.1016/j.eti.2019.100562>
- Abdulrahman, R. K., & Sebastine, I. M. (2012). Natural gas sweetening process simulation and optimization: A case study of the Khurmala field in Iraqi Kurdistan. *WIT Transactions on Engineering Sciences*, 80, 37–46. <https://doi.org/10.2495/PMR120041>
- Agiaye, E. O., & Othman, M. (2015). CO₂ capture & utilization: Harnessing the CO₂ content in natural gas for environmental and economic gains. *Society of Petroleum Engineers - SPE Nigeria Annual International Conference and Exhibition, NAICE 2015, June*, 1–18. <https://doi.org/10.2118/178316-pa>
- Akram, M., Milkowski, K., Gibbins, J., & Pourkashanian, M. (2020). Comparative Energy and Environmental Performance of 40% and 30% Monoethanolamine at PACT Pilot Plant. *International Journal of Greenhouse Gas Control*.
- Arinelli, L. de O., de Medeiros, J. L., de Melo, D. C., Teixeira, A. M., Brigagão, G. V., Passarelli, F. M., Grava, W. M., & Araújo, O. de Q. F. (2019). Carbon capture and high-capacity supercritical fluid processing with supersonic separator: Natural gas with ultra-high CO₂ content. *Journal of Natural Gas Science and Engineering*, 66(November 2018), 265–283. <https://doi.org/10.1016/j.jngse.2019.04.004>
- Arnusha, K. (2005). *Carbon Dioxide Capture by Chemical Absorption: A Solvent Comparison Study* (Vol. 9, Nomor 2) [Massachusetts Institute of Technology]. <https://doi.org/10.3138/cbmh.9.2.159>
- Astarita, G., Savage, D. W., & Bisio, A. (1983). *Gas treating with chemical solvents*. John Wiley and Sons Ltd.
- Benamor, A., Nasser, M., & Al-Marri, M. J. (2017). Gas Processing Technology-Treatment and Utilization. In *Encyclopedia of Sustainable Technologies* (Vol. 3). Elsevier. <https://doi.org/10.1016/B978-0-12-409548-9.10101-0>
- Birkelund, E. S. (2013). *DEPARTMENT OF ENGINEERING AND SAFETY CO 2 Absorption and Desorption Simulation with Aspen HYSYS*. June.
- Carroll, J. J. (2009). Natural Gas Hydrates: A Guide for Engineers, Second Edition. In *Natural Gas Hydrates: A Guide for Engineers, Second Edition* (Nomor October). Gulf Professional Publishing. <https://doi.org/10.1016/B978-0-7506-8490-3.X0001-8>
- Closmann, F., & Rochelle, G. T. (2011). Degradation of aqueous methyldiethanolamine by temperature and oxygen Cycling. *Energy Procedia*, 4(2010), 23–28. <https://doi.org/10.1016/j.egypro.2011.01.018>
- Dashti, S. S., Shariati, A., & Niko, M. R. K. (2015). Sensitivity analysis for selection of an optimum amine gas sweetening process with minimum cost requirement. *ASIA-PACIFIC JOURNAL OF CHEMICAL ENGINEERING*, 10(5), 709–715. <https://doi.org/10.1002/apj.1907>
- De Ávila, S. G., Logli, M. A., Silva, L. C. C., Fantini, M. C. A., & Matos, J. R. (2016). Incorporation of monoethanolamine (MEA), diethanolamine (DEA) and methyldiethanolamine (MDEA) in mesoporous silica: An alternative to CO₂ capture. *Journal of Environmental Chemical Engineering*, 4(4), 4514–4524. <https://doi.org/10.1016/j.jece.2016.10.015>
- Douglas, J. M. (1989). Conceptual design of chemical processes. *Simulation Series*, 20(4), 180–184.
- Eletta, O. A. A., Awotoye, D. T., & Zubairu, A. A. (2021). Investigation of Alkanol-Amine Solvents and their Blends for CO₂ Removal from Natural Gas using. *Nigerian Journal of*

- Technological Development*, 18(4), 268–278. <https://doi.org/10.4314/njtd.v18i4.2>
- Farane Mein, T., Gimenes, A. L. V., Udaeta, M. E. M., Dias, E. M., & Relva, S. G. (2020). Issues in Energy Vulnerability Assessment: Looking for a Sustainable Choice of Natural Resource for Power Generation. *MDPI*, 58(1), 30. <https://doi.org/10.3390/wef-06929>
- Fouad, W. A., & Berrouk, A. S. (2013). Using mixed tertiary amines for gas sweetening energy requirement reduction. *Journal of Natural Gas Science and Engineering*, 11, 12–17. <https://doi.org/10.1016/j.jngse.2012.07.003>
- Fundamentals, L. N. G. (2014). LNG Fundamentals. In S. Mokhatab, J. V. Valappil, J. Y. Mak, & D. A. Wood (Ed.), *Handbook of Liquefied Natural Gas*. Gulf Professional Publishing. <https://doi.org/10.1016/B978-0-12-404585-9.00001-5>
- GGFR. (2021). *Background and the Role of Reductions in Meeting Environmental and Economic Objectives*. <https://flaringventingregulations.worldbank.org/brazil>
- Gosmawi, Y. D., & Kreith, F. (2017). Energy Conversion. In *Energy Conversion, Second Edition* (Second). CRC Press. <https://doi.org/10.1201/9781315374192>
- Guo, B., & Ghalambor, A. (2005). Cuba Handbook 2nd edition. In *Reference Reviews* (Second Edi, Vol. 15, Nomor 1). Gulf Publishing Company. <https://doi.org/10.1108/rr.2001.15.1.58.60>
- He, X., He, H., Barzaghi, F., Amer, M. W., Li, C., & Zhang, R. (2023). Analysis of the energy consumption in solvent regeneration processes using binary amine blends for CO₂ capture. *Energy*, 270, 126903. <https://doi.org/10.1016/J.ENERGY.2023.126903>
- Hedayat, M., Soltanieh, M., & Mousavi, S. A. (2011). Simultaneous separation of H₂S and CO₂ from natural gas by hollow fiber membrane contactor using mixture of alkanolamines. *Journal of Membrane Science*, 377(1–2), 191–197. <https://doi.org/10.1016/j.memsci.2011.04.051>
- Hetland, J., Kvamsdal, H. M., Haugen, G., Major, F., Kårstad, V., & Tjellander, G. (2009). Integrating a full carbon capture scheme onto a 450 MWe NGCC electric power generation hub for offshore operations: Presenting the Sevan GTW concept. *Applied Energy*, 86(11), 2298–2307. <https://doi.org/10.1016/j.apenergy.2009.03.019>
- Hsu, Y. H., Leron, R. B., & Li, M. H. (2014). Solubility of carbon dioxide in aqueous mixtures of (reline + monoethanolamine) at T = (313.2 to 353.2) K. *Journal of Chemical Thermodynamics*, 72, 94–99. <https://doi.org/10.1016/j.jct.2014.01.011>
- Ikhsan, R., Aceh, P., & Syukriyadin, S. (2015). *Studi Kelayakan Pembangunan Pembangkit Listrik Tenaga Sampah (PLTSa) di TPA Kota Banda Aceh*. March.
- Interlenghi, S. F., Silva, R. de P. F., de Medeiros, J. L., & Araújo, O. de Q. F. (2019). Low-emission offshore Gas-To-Wire from natural gas with carbon dioxide: Supersonic separator conditioning and post-combustion decarbonation. *Energy Conversion and Management*, 195, 1334–1349. <https://doi.org/10.1016/j.enconman.2019.05.096>
- IOGP. (2020). *IOGP Environmental performance indicators - 2019 data*. October, 77. <https://www.iogp.org/bookstore/product/iogp-report-2019e-environmental-performance-indicators-2019-data/>
- Jan, H. (2020). *Amine cleaning in gas treating*. <https://www.digitalrefining.com/article/1002460/amine-cleaning-in-gas-treating>
- Javaux, M., & Carminati, A. (2021). Soil hydraulics affect the degree of isohydricity. *Plant Physiology*, 186(3), 1378–1381. <https://doi.org/10.1093/PLPHYS/KIAB154>
- Jeff, Matthews, P. ., Nichols, J., & Johson, J. E. (2015). *THE IMPACTS OF TRACE COMPONENTS ON THE DESIGN AND OPERATION OF GAS TREATING AND THE IMPACTS OF TRACE COMPONENTS ON THE DESIGN AND OPERATION OF GAS TREATING AND Sour , Hydrocarbon-Rich Gas Processing Challenges*.
- Kammerer, S., Borho, I., Jung, J., & Schmidt, M. S. (2023). Review: CO₂ capturing methods of the last two decades. *International Journal of Environmental Science and Technology*,

- 20(7), 8087–8104. <https://doi.org/10.1007/s13762-022-04680-0>
- KESDM, R. (2020). RENCANA STRATEGIS DIREKTORAT JENDERAL ENERGI BARU, TERBARUKAN DAN KONSERVASI ENERGI 2020 - 2024. *Buku Rencana Strategis (Renstra), April*, 160.
- Khalaf, A. N. (2020). *Gas Sweetening Process at Iraqi North Gas Company Petroleum and Coal. August*.
- Khan, S. N., Hailegiorgis, S. M., Man, Z., & Shariff, A. M. (2017). High pressure solubility of carbon dioxide (CO₂) in aqueous solution of piperazine (PZ) activated N-methyldiethanolamine (MDEA) solvent for CO₂ capture. *AIP Conference Proceedings*, 1891(November 2018). <https://doi.org/10.1063/1.5005414>
- Kohl, arthur L., & Nielsen, richard B. (1997). *Gas Purification* (hal. 1395). Gulf Publishing Company.
- Kohl, arthur L., & Riesenfeld, F. C. (1985). *Gas purification : Fourth edition*. 2.
- Li, X., Wang, S., & Chen, C. (2013). Experimental study of energy requirement of CO₂ desorption from rich solvent. *Energy Procedia*, 37, 1836–1843. <https://doi.org/10.1016/j.egypro.2013.06.063>
- Loe, J. S. P., & Ladehaug, O. (2012). Reducing gas flaring in Russia: Gloomy outlook in times of economic insecurity. *Energy Policy*, 50, 507–517. <https://doi.org/10.1016/j.enpol.2012.07.049>
- Longeras, O., Gautier, A., Ballerat-Busserolles, K., & Andanson, J. M. (2021). Tuning critical solution temperature for CO₂ capture by aqueous solution of amine. *Journal of Molecular Liquids*, 343, 0–20. <https://doi.org/10.1016/j.molliq.2021.117628>
- Luis, P. (2016). Use of monoethanolamine (MEA) for CO₂ capture in a global scenario: Consequences and alternatives. *Desalination*, 380, 93–99. <https://doi.org/10.1016/j.desal.2015.08.004>
- Lunsford, K. M., & Bullin, J. a. (2006). Optimization of Amine Sweetening Units. *Bryan Research and Engineering, Inc.*, 1–14. <http://www.bre.com/portals/0/technicalarticles/Optimization%20of%20Amine%20Sweetening%20Units.pdf>
- Lv, B., Guo, B., Zhou, Z., & Jing, G. (2015). Mechanisms of CO₂ Capture into Monoethanolamine Solution with Different CO₂ Loading during the Absorption/Desorption Processes. In *Environmental Science and Technology* (Vol. 49, Nomor 17). <https://doi.org/10.1021/acs.est.5b02356>
- Maddocks, J. (2016). Capacity Control Considerations for Acid Gas Injection Systems. *Acid Gas Extraction for Disposal and Related Topics*, 191–220. <https://doi.org/10.1002/9781118938652.ch15>
- Maddox, R. N. (1982). *Gas Conditioning and Processing - Volume 4: Gas and Liquid Sweetening*. Campbell Petroleum Series.
- Maria, F. S., & Mariele, M. (2020). *ANP REGULATES PROCEDURES TO CONTROL FLARING AND LOSS OF OIL AND NATURAL* Subscribe to our. <https://www.machadomeyer.com.br/en/recent-publications/publications/financing-and-infrastructure-projects/anp-regulates-procedures-to-control-flaring-and-loss-of-oil-and-natural-gas>
- Maurice I. Stewart, J. (2014). Surface Production Operations. In *Gulf Professional Publishing* (Vol. 2, Nomor August).
- Maurice I. Stewart, J., & Arnold, K. E. (2011). *Gas Sweetening and Processing Field Manual* (hal. 200). Gulf Professional Publishing.
- Moioli, S., & Pellegrini, L. A. (2013). Regeneration section of CO₂ capture plant by MEA scrubbing with a rate-based model. *Chemical Engineering Transactions*, 32, 1849–1854. <https://doi.org/10.3303/CET1332309>

- Mokhatab, S., Poe, W. A., & Mak, J. Y. (2015). Natural Gas Fundamentals. In *Handbook of Natural Gas Transmission and Processing*. <https://doi.org/10.1016/b978-0-12-801499-8.00001-8>
- Mokhatab, S., Poe, W. A., & Mak, J. Y. (2019). *Handbook of Natural Gas Transmission and Processing* (hal. 862). Elsevier Science.
- Moshfeghian, D. M. (2014). Gas Sweetening-Part 1: Comparison of Amines. *John M. Campbell Consulting, vlve 100*, 1–6. <http://www.jmcampbell.com/tip-of-the-month/2014/07/gas-sweetening-part-1-comparison-of-amines/>
- Nielsen, R. B., Rogers, J., Bullin, J. A., & Duewall, K. J. (1997). Treat LPGs with amines. *Hydrocarbon Processing*, 76(9), 49–59.
- Nwaoha, C., Saiwan, C., Supap, T., Idem, R., Tontiwachwuthikul, P., Rongwong, W., Al-Marri, M. J., & Benamor, A. (2016). Carbon dioxide (CO₂) capture performance of aqueous tri-solvent blends containing 2-amino-2-methyl-1-propanol (AMP) and methyldiethanolamine (MDEA) promoted by diethylenetriamine (DETA). *International Journal of Greenhouse Gas Control*, 53, 292–304. <https://doi.org/10.1016/j.ijggc.2016.08.012>
- Øi, L. E. (2007). Aspen HYSYS Simulation of CO₂ Removal by Amine Absorption from a Gas Based Power Plant. *SIMS2007 Conference*, 73–81.
- Øi, L. E., Brathen, T., Berg, C., Brekne, S. K., Flatin, M., Johnsen, R., Moen, I. G., & Thomassen, E. (2014). Optimization of configurations for amine based CO₂ absorption using Aspen HYSYS. *Energy Procedia*, 51(1876), 224–233. <https://doi.org/10.1016/j.egypro.2014.07.026>
- Oko, E., Akinola, T. E., Cheng, C.-H., Wang, M., Chen, J., & Ramshaw, C. (2019). Experimental study of CO₂ solubility in high concentration MEA solution for intensified solvent-based carbon capture. *MATEC Web of Conferences*, 272, 01004. <https://doi.org/10.1051/matecconf/201927201004>
- Pani, F., Gaunand, A., Richon, D., Cadours, R., & Bouallou, C. (1997). Absorption of H₂S by an aqueous methyldiethanolamine solution at 296 and 343 K. *Journal of Chemical and Engineering Data*, 42(5), 865–870. <https://doi.org/10.1021/je970062d>
- Panja, P., McPherson, B., & Deo, M. (2022a). Techno-Economic Analysis of Amine-based CO₂ Capture Technology: Hunter Plant Case Study. *Carbon Capture Science and Technology*, 3(March), 100041. <https://doi.org/10.1016/j.ccst.2022.100041>
- Panja, P., McPherson, B., & Deo, M. (2022b). Techno-Economic Analysis of Amine-based CO₂ Capture Technology: Hunter Plant Case Study. *Carbon Capture Science and Technology*, 3(December 2021), 100041. <https://doi.org/10.1016/j.ccst.2022.100041>
- Park, C. S. (2004). Fundamentals of Engineering Economics. In *Jurnal Penelitian Pendidikan Guru Sekolah Dasar*. Pearson Education.
- Pauletto, G., Galli, F., Gaillardet, A., Mocellin, P., & Patience, G. S. (2021). Techno-economic analysis of a micro Gas-to-Liquid unit for associated natural gas conversion. *Renewable and Sustainable Energy Reviews*, 150(April), 111457. <https://doi.org/10.1016/j.rser.2021.111457>
- Peters, M. S., Timmerhaus, K. D., & West, R. E. (2003). Plant Design and Economics for Chemical Engineers. In E. D. Glandt, M. T. Klein, & T. F. Edgar (Ed.), *Jurnal Penelitian Pendidikan Guru Sekolah Dasar* (5th ed., Vol. 6, Nomor August). Mc Graw Hill.
- Prabowo, P. D. (2018). *PRA RANCANGAN ACID GAS REMOVAL UNIT PADA GAS PLANT GRESIK JAWA TIMUR*. POLITEKNIK ENERGI DAN MINERAL Akamigas.
- Puxty, G., Feron, P., Beyad, Y., Cabrera, I. M., Bruggink, S., & Luo, W. (2015). Version of Record: <https://www.sciencedirect.com/science/article/pii/S0009250914007726>. *Chemical Engineering Science*, 126, 446–454.
- Rahimpour, M. R., & Jokar, S. M. (2012). Feasibility of flare gas reformation to practical

- energy in Farashband gas refinery: No gas flaring. *Journal of Hazardous Materials*, 209–210(x), 204–217. <https://doi.org/10.1016/j.jhazmat.2012.01.017>
- Ramberg, D. J., Henry Chen, Y. H., Paltsev, S., & Parsons, J. E. (2017). The economic viability of gas-to-liquids technology and the crude oil–natural gas price relationship. *Energy Economics*, 63, 13–21. <https://doi.org/10.1016/j.eneco.2017.01.017>
- Roger, R. B. (1930). *Patent Office United States*. 7(486), 918.
- Sanni, S. E., Agboola, O., Fagbiele, O., Yusuf, E. O., & Emetere, M. E. (2020). Optimization of natural gas treatment for the removal of CO₂ and H₂S in a novel alkaline-DEA hybrid scrubber. *Egyptian Journal of Petroleum*, 29(1), 83–94. <https://doi.org/10.1016/j.ejpe.2019.11.003>
- Sehgal, V. (2009). *Technical and economic comparison of natural gas sweetening process* (Nomor March). Dalhousie University.
- Sema, T., Naami, A., Fu, K., Edali, M., Liu, H., Shi, H., Liang, Z., Idem, R., & Tontiwachwuthikul, P. (2012). Comprehensive mass transfer and reaction kinetics studies of CO₂ absorption into aqueous solutions of blended MDEA-MEA. *Chemical Engineering Journal*, 209(2012), 501–512. <https://doi.org/10.1016/j.cej.2012.08.016>
- Shahbaz, M., Khan, S., Ali, A., & Bhattacharya, M. (2015). Munich Personal RePEc Archive The Impact of Globalization on CO₂ Emissions in China. *Munich personal RePEc Archive*, 64450, 0–28. <https://mpra.ub.uni-muenchen.de/64450/>
- Shahbaz, M., Rashid, N., Saleem, J., Mackey, H., McKay, G., & Al-Ansari, T. (2023). A review of waste management approaches to maximise sustainable value of waste from the oil and gas industry and potential for the State of Qatar. *Fuel*, 332(P2), 126220. <https://doi.org/10.1016/j.fuel.2022.126220>
- Silvia, I., & Polasek, J. (1992). *Using mixed amine solution for gas sweetening*.
- Speight, J. G. (2018). Natural Gas A Basic Handbook 2nd Edition. *Journal of Chemical Information and Modeling*, a, 672.
- Spietz, T., Dobras, S., Chwoła, T., Wilk, A., Krótki, A., & Więsław-Solny, L. (2020). Experimental results of amine emission from the CO₂ capture process using 2-amino-2-methyl-1-propanol (AMP) with piperazine (PZ). *International Journal of Greenhouse Gas Control*, 102(September). <https://doi.org/10.1016/j.ijggc.2020.103155>
- Steven, D. B., Matthew, G. D., Andrew, L. J., Diane, E. J. . R., & Mary, F. M. (2003). *Erratum: Synthesis, structure and catalytic activity of an air-stable titanium triflate, supported by an amine tris(phenolate) ligand* (*Chemical Communications* (2003)(1750)).
- Sulaiman, M. M., Matloub, F. K., & Shareef, Z. N. (2018). Simulation and optimization of natural gas sweetening process: A case study of Ng sweetening unit designed by CHEN group in the Gulf of Mexico. *AIP Conference Proceedings*, 2030(November 2020). <https://doi.org/10.1063/1.5066716>
- Syukriyadin, & Ikhwan, R. (2014). Studi Kelayakan Pembangunan Pembangkit Listrik Tenaga Sampah (PLTSa) di TPA Kota Banda Aceh. *Seminar Nasional dan Expo Teknik Elektro*, 1(1), 146–151.
- Widiastuti, P., Rosmayati, L., Ghifari, F., Penelitian, P., Minyak, T., & Lemigas, B. (2018). *PEMANFAATAAN GAS SUAR BAKAR MENJADI DIMETHYL ETHER (DME) (Gas Flare Utilization into Dimethyl Ether (DME)).* 52(3), 3–5.
- WILK, A., SPIETZ, T., WIĘŚLAW-SOLNY, L., KRÓTKI, A., & TARNOWSKA, J. (2021). Degradation of Amine Solvents Used for Co₂ Removal from Flue Gas with High Co 2 Concentration . *Architecture, Civil Engineering, Environment*, 14(1), 115–124. <https://doi.org/10.21307/acee-2021-011>
- Wood, D. A., Nwaoha, C., & Towler, B. F. (2012). Gas-to-liquids (GTL): A review of an industry offering several routes for monetizing natural gas. *Journal of Natural Gas Science and Engineering*, 9, 196–208. <https://doi.org/10.1016/j.jngse.2012.07.001>

- World Bank. (2015). *Associated Gas Monetization via miniGTL Conversion of flared gas into liquid fuels & chemicals 2015 : GTL is a commercial reality for flaring reduction Report III*. July, 1–19.
- Wu, Y., Caroll, J. J., & Zhu, W. (2016). *Acid Gas Extraction for Disposal and Related Topics* (hal. 380). Wiley Online Library.
- Yang, J. (2020). Corrosion Behavior of Carbon Steel in Carbonated MDEA-MEA Aqueous Solutions. *IOP Conference Series: Earth and Environmental Science*, 446(3). <https://doi.org/10.1088/1755-1315/446/3/032087>

