

DAFTAR PUSTAKA

1. Statistik. BPS library. Sub-directorate of Statistical Compilation and Publication, editor. Badan Statistik Indonesia, Jakarta. Indonesia; 2019. 190–201 p.
2. Garland A, Olafson K, Ramsey CD, Yogendran M, Fransoo R. A Population-based observational study of intensive care unit-related outcomes with emphasis on post-hospital outcomes. *Ann Am Thorac Soc*. 2015;12(2):202–8.
3. DeLaune SC ;Cri. Standards & Practice [Internet]. fundamental of Nursing; Standard and Practice. 2016. 261–281 p. Available from: www.cengage.com/highered
4. Connor N, McArthur D, Camargo Plazas P. Reflections on vital sign measurement in nursing practice. *Nurs Philos* [Internet]. 2021;22(1):e12326. Available from: <https://onlinelibrary.wiley.com/doi/abs/10.1111/nup.12326>
5. Morgan RJ, Lloyd-Williams F, Wright MM, Morgan-Warren R. An Early warning scoring system for detecting developing critical illness. In: *Clin Intensive Care*. 1997. p. 100.
6. Armitage M, Eddleston J, Stokes T. Recognising and responding to acute illness in adults in hospital: Summary of NICE guidance. *Br Med J*. 2007;335(7613):258–9.
7. Daphane Georgaka, RN, Maria Mparmparousi, RN, Michael Vitos R. Early warning systems. *Environ Track Public Heal Surveill*. 2012;7:333–43.
8. García-del-Valle S, Arnal-Velasco D, Molina-Mendoza R, Gómez-Arnau JI. Update on early warning scores. *Best Pract Res Clin Anaesthesiol*. 2021;35(1):105–13.
9. Gök RGY, Gök A, Bulut M. Assessing prognosis with modified early warning score, rapid emergency medicine score and worthing physiological scoring system in patients admitted to Intensive Care Unit from Emergency Department. *Int Emerg Nurs* [Internet]. 2019;43(September 2017):9–14. Available from: <https://doi.org/10.1016/j.ienj.2018.06.002>
10. Anzanpour A, Rahmani AM, Liljeberg P, Tenhunen H. Internet of things enabled in-home health monitoring system using early warning score. *MOBIHEALTH 2015 - 5th EAI Int Conf Wirel Mob Commun Healthc - Transform Healthc through Innov Mob Wirel Technol*. 2015;

11. Bell D, Baker J, Williams C, Bassin L. A Trend-based early warning score can be implemented in a hospital electronic medical record to effectively predict inpatient deterioration. *Crit Care Med.* 2021;49(10):E961–7.
12. Akinbohun F, Akinbohun A, Ojo OA, Daodu B. Web-Based Interactive Health Record System (WIHRS). *Eur J Eng Res Sci.* 2020;5(7):790–4.
13. Atul Kumar DS, Agarwal D. Commentary: Electronic Medical Record System – should complement but not replace traditional health care. *Indian J Ophthalmol.* 2020;68.
14. Gerry S, Bonnici T, Birks J, Kirtley S, Virdee PS, Watkinson PJ, et al. Early warning scores for detecting deterioration in adult Hospital patients: systematic review and critical appraisal of methodology. *BMJ.* 2020;369:m1501.
15. Mohapatra P, Chakravarty S, Dash PK. An Improved cuckoo search based extreme learning machine for medical data classification. *Swarm Evol Comput* [Internet]. 2015;24:25–49. Available from: <https://www.sciencedirect.com/science/article/pii/S2210650215000413>
16. Rajkomar A, Dean J, Kohane I. Machine learning in medicine. *N Engl J Med* [Internet]. 2019;380(14):1347–58. Available from: <https://www.nejm.org/doi/full/10.1056/NEJMra1814259>
17. Da Silva DB, Schmidt D, da Costa CA, da Rosa Righi R, Eskofier B. DeepSigns: A Predictive model based on deep learning for the early detection of patient health deterioration. *Expert Syst Appl* [Internet]. 2021;165:113905. Available from: <https://www.sciencedirect.com/science/article/pii/S0957417420307004>
18. Arnold J, Davis A, Fischhoff B, Yecies E, Grace J, Klobuka A, et al. Comparing the predictive ability of a commercial artificial intelligence early warning system with physician judgement for clinical deterioration in hospitalised general intermedicines patients: a prospective observational study. *BMJ Open.* 2019 Oct;9(10):e032187.
19. Chiew CJ, Liu N, Tagami T, Wong TH, Koh ZX, Ong MEH. Heart rate variability based machine learning models for risk prediction of suspected sepsis patients in the Emergency Department. *Medicine (Baltimore).* 2019 Feb;98(6):e14197.
20. Rangan ES, Pathinarupothi RK, Anand KJS, Snyder MP. Performance effectiveness of vital parameter combinations for early warning of sepsis-an exhaustive study using machine learning. *JAMIA open.* 2022

Dec;5(4):ooac080.

21. Wu J, Liu C, Xie L, Li X, Xiao K, Xie G, et al. Early prediction of moderate-to-severe condition of inhalation-induced acute respiratory distress syndrome via interpretable machine learning. *BMC Pulm Med* [Internet]. 2022;22(1):1–9. Available from: <https://doi.org/10.1186/s12890-022-01963-7>
22. Yu JY, Jeong GY, Jeong OS, Chang DK, Cha WC. Machine learning and initial nursing assessment-based triage system for Emergency Department. *Health Inform Res*. 2020;26(1):13–9.
23. Pirneskoski J, Tamminen J, Kallonen A, Nurmi J, Kuisma M, Olkkola KT, et al. Random forest machine learning method outperforms prehospital national early warning score for predicting one-day mortality: A retrospective study. *Resusc Plus* [Internet]. 2020;4(October):100046. Available from: <https://doi.org/10.1016/j.resplu.2020.100046>
24. Kang DY, Cho KJ, Kwon O, Kwon JM, Jeon KH, Park H, et al. Artificial intelligence algorithm to predict the need for critical care in prehospital emergency medical services. *Scand J Trauma Resusc Emerg Med*. 2020 Mar;28(1):17.
25. Kuan-Han W, Fu-Jen C, Hsiang-Ling T, Jui-Cheng W, Yii-Ting H, Chih-Min S, et al. Predicting in-hospital mortality in adult non-traumatic emergency department patients: a retrospective comparison of the Modified Early Warning Score (MEWS) and machine learning approach. *PeerJ*. 2021;9(11988):14.
26. Lee YJ, Cho KJ, Kwon O, Park H, Lee Y, Kwon JM, et al. A multicentre validation study of the deep learning-based early warning score for predicting in-hospital cardiac arrest in patients admitted to general wards. *Resuscitation* [Internet]. 2021;163:78–85. Available from: <https://www.sciencedirect.com/science/article/pii/S0300957221001544>
27. Lauritsen SM, Kristensen M, Olsen MV, Larsen MS, Jørgensen MJ, Lange J, et al. Explainable Artificial Intelligence Model to Predict Acute Critical Illness From Electronic Health Records. *Nat Commun* [Internet]. 2020;(2020):1–11. Available from: <http://dx.doi.org/10.1038/s41467-020-17431-x>
28. Rojas JC, Carey KA, Edelson DP, Venable LR, Howell MD, Churpek MM. Predicting intensive care unit readmission with machine learning using electronic health record data. *Ann Am Thorac Soc*. 2018 Jul;15(7):846–53.
29. Bryan William. Resources to support the adoption of the national early

- warning score. 2019. 1–17 p.
30. Mathukia C, Fan W, Vadyak K, Biege C, Krishnamurthy M. Modified early warning system improves patient safety and clinical outcomes in an academic community hospital. *J Community Hosp Intern Med Perspect*. 2015;5(2):26716.
 31. Jensen JK, Skår R, Tveit B. The impact of early warning score and rapid response systems on nurses' competence: An integrative literature review and synthesis. *J Clin Nurs*. 2018;27(7–8):e1256–74.
 32. The N, Guideline C. Effectiveness committee national early warning score. *Dep Heal Dublin Clin Program Natl Clin Med Acute Clin*. 2020;01(1):1–2.
 33. Sholichin S, Rahayu AP, Miharja E, Sukmana M. Analysis of the implementation of the National Early Warning Score (NEWS) on nurses in handling follow-up of emergency patients through fast response assessment. *J Kesehat Pasak Bumi Kalimantan*. 2021;4(1):21–7.
 34. Drower D, McKeany R, Jogia P, Jull A. Evaluating The Impact of Implementing an early warning score system on incidence of in-hospital cardiac arrest. *N Z Med J*. 2013 Nov;126(1385):26–34.
 35. Perkins GD, Graesner JT, Semeraro F, Olasveengen T, Soar J, Lott C, et al. European resuscitation council guidelines 2021: Executive summary. *Resuscitation*. 2021 Apr;161:1–60.
 36. Subbe CP, Kruger M, Rutherford P, Gemmel L. Validation of a modified early warning score in medical admissions. *QJM - Mon J Assoc Physicians*. 2001;94(10):521–6.
 37. Dean E. National early warning score update. *Nurs Older People*. 2018;30(2):12.
 38. Ukom Indonesia RHKJ. Panduan Early Warning Systems (EWS) di Indonesia. *Keperawatan Krit*. 2019;1–6.
 39. Langkjaer CS, Bove DG, Nielsen PB, Iversen KK, Bestle MH, Bunkenborg G. Nurses' Experiences and perceptions of two early warning score systems to identify patient deterioration—A focus group study. *Nurs Open*. 2021;8(4):1788–96.
 40. Le Lagadec MD, Dwyer T. Scoping Review: The use of early warning systems for the identification of in-hospital patients at risk of deterioration. *Aust Crit Care [Internet]*. 2017 Jul 1;30(4):211–8. Available from: <https://doi.org/10.1016/j.aucc.2016.10.003>

41. Vincent JL, Einav S, Pearse R, Jaber S, Kranke P, Overdyk FJ, et al. Improving detection of patient deterioration in the general hospital ward environment. *Eur J Anaesthesiol*. 2018;35(5):325–33.
42. Al-Kalaldeh M, Suleiman K, Abu-Shahroor L, Al-Mawajdah H. The impact of introducing the modified early warning score ‘MEWS’ on Emergency Nurses’ perceived role and self-efficacy: A quasi-experimental study. *Int Emerg Nurs* [Internet]. 2019;45(October 2018):25–30. Available from: <https://doi.org/10.1016/j.ienj.2019.03.005>
43. Royal College of Physicians. National Early Warning Score (NEWS) 2: Standardising the assessment of acute-illness severity in the NHS. Vol. 17, Updated report of a working party. 2017. 318–318 p.
44. Rolfe S. The importance of respiratory rate monitoring. *Br J Nurs* [Internet]. 2019;28(8):504–8. Available from: <https://doi.org/10.12968/bjon.2019.28.8.504>
45. Alam N, Vegting IL, Houben E, van Berkel B, Vaughan L, Kramer MHH, et al. Exploring the performance of the National Early Warning Score (NEWS) in a European emergency department. *Resuscitation* [Internet]. 2015;90:111–5. Available from: <http://dx.doi.org/10.1016/j.resuscitation.2015.02.011>
46. Gardner B. A review and analysis of the use of ‘habit’ in understanding, predicting and influencing health-related behaviour. *Health Psychol Rev* [Internet]. 2015;9(3):277–95. Available from: <http://dx.doi.org/10.1080/17437199.2013.876238>
47. Massey WM, Samdarshi TE, Nanda NC, Sanyal RS, Pinheiro L, Jain H, et al. Serial documentation of changes in a mitral valve vegetation progressing to abscess rupture and fistula formation by transesophageal echocardiography. *Am Heart J* [Internet]. 1992;124(1):241–8. Available from: <https://www.sciencedirect.com/science/article/pii/000287039290956V>
48. Walton RAL, Hansen BD. Venous oxygen saturation in critical illness. *J Vet Emerg Crit Care*. 2018;28(5):387–97.
49. Muttaqim. Pengantar asuhan keperawatan klien dengan gangguan sistem kardiovaskuler. Jakarta; 2009.
50. Jones DW, Hall JE. Racial and ethnic differences in blood pressure: Biology and sociology. *Circulation*. 2006;114(25):2757–9.
51. Maria A, Marcelo C, Fernades M, Godoy D, Christine A, Takahashi DM, et al. Heart rate variability: are you using it properly? Standardisation checklist

- of procedures. *Brazilian J Phys Ther* [Internet]. 2020;24(2):91–102. Available from: <https://doi.org/10.1016/j.bjpt.2019.02.006>
52. Böhm M, Reil JC, Deedwania P, Kim JB, Borer JS. Resting heart rate: risk indicator and emerging risk factor in cardiovascular disease. *Am J Med* [Internet]. 2015 Mar 1;128(3):219–28. Available from: <https://doi.org/10.1016/j.amjmed.2014.09.016>
 53. Sund-Levander M, Grodzinsky E. Assessment of B\body temperature measurement options. *Br J Nurs* [Internet]. 2013;22(15):882–8. Available from: <https://doi.org/10.12968/bjon.2013.22.15.882>
 54. Spagnolli W, Rigoni M, Torri E, Cozzio S, Vettorato E, Nollo G. Application of the National Early Warning Score (NEWS) as a stratification tool on admission in an Italian acute medical ward: A perspective study. *Int J Clin Pract*. 2017;71(3–4):1–9.
 55. Prytherch DR, Smith GB, Schmidt PE, Featherstone PI. ViEWS- towards a national early warning score for detecting adult inpatient deterioration. *Resuscitation* [Internet]. 2010 Aug 1;81(8):932–7. Available from: <https://doi.org/10.1016/j.resuscitation.2010.04.014>
 56. Williams TA, Tohira H, Finn J, Perkins GD, Ho KM. The ability of early warning scores (EWS) to detect critical illness in the prehospital setting: A systematic review. *Resuscitation* [Internet]. 2016;102:35–43. Available from: <https://www.sciencedirect.com/science/article/pii/S0300957216000836>
 57. Thorén A, Joelsson-Alm E, Spångfors M, Rawshani A, Kahan T, Engdahl J, et al. The predictive power of the National Early Warning Score (NEWS) 2, as compared to NEWS, among patients assessed by a Rapid response team: A prospective multi-centre trial. *Resusc Plus*. 2022;9(December 2021):100191.
 58. H., Suwardianto vitaria wahyu astuti. *Buku ajar keperawatan kritis: pendekatan evidence based practice nursing - Heru Suwardianto - Google Buku* [Internet]. 2020. 1–90 p. Available from: https://books.google.co.id/books?id=wdP-DwAAQBAJ&pg=PA70&dq=hidayat+2016+skala+nyeri&hl=id&sa=X&ved=2ahUKEwjwv_f566HvAhWZfH0KHd_nBpAQ6AEwAXoECAIQAg#v=onepage&q=hidayat+2016+skala+nyeri&f=false
 59. Garland A, Olafson K, Ramsey CD, Yogendran M, Fransoo R. Epidemiology of critically ill patients in intensive care units: A population-based observational study. *Crit Care*. 2013;17(5):1–7.

60. Lat TI, McGraw MK, White HD. Gender differences in critical illness and critical care research. 2021;clin Chest(January):543–55.
61. Chen CY, Wu CJ, Pan CF, Chen HH, Chen YW. Influence of age on critically ill patients with cirrhosis. *Int J Gerontol*. 2015;9(4):233–8.
62. Mayestika P, Hasmira MH. Artikel Penelitian. *J Perspekt*. 2021;4(4):519.
63. Berger MM, Pichard C. Best timing for energy provision during critical illness. *Crit Care*. 2012;16(2).
64. D. Becker, R. Kaplow, P. M. Muenzen and CH. AACN scope and standards for progressive and critical care nursing practice. Vol. 39, *Critical Care Nurse*. 2019. 69–69 p.
65. Badan Penelitian dan Pengembangan Kesehatan RI. Laporan Riskesdas 2018 Nasional.pdf. Lembaga Penerbit Balitbangkes. 2018. p. 156.
66. Pamugar B, Pradian E, Fuadi I. Gambaran acute physiologic and chronic health evaluation (APACHE) II, lama perawatan, dan luaran pasien di Ruang Perawatan Intensif Rumah Sakit Umum Pusat Dr. Hasan Sadikin Bandung pada Tahun 2017. *J Anestesi Perioper*. 2018;6(3):168–74.
67. Naved SA, Siddiqui S, Khan FH. APACHE-II score correlation with mortality and length of stay in an Intensive Care Unit. *J Coll Physicians Surg Pak*. 2011 Jan;21(1):4–8.
68. Polita JR, Gomez J, Friedman G, Ribeiro SP. Comparison of APACHE II and three abbreviated APACHE II scores for predicting outcome among emergency trauma patients. *Rev Assoc Med Bras*. 2014;60(4):381–6.
69. Innocenti F, Bianchi S, Guerrini E, Vicidomini S, Conti A, Zanobetti M, et al. Prognostic scores for early stratification of septic patients admitted to an emergency Department-High Dependency Unit. *Eur J Emerg Med [Internet]*. 2014;21(4). Available from: https://journals.lww.com/euro-emergencymed/Fulltext/2014/08000/Prognostic_scores_for_early_stratification_of.3.aspx
70. Tian Y, Yao Y, Zhou J, Diao X, Chen H, Cai K, et al. Dynamic APACHE II score to predict the outcome of Intensive Care Unit patients. *Front Med*. 2022;8(January).
71. Katsounas A, Kamacharova I, Tyczynski B, Eggebrecht H, Erbel R, Canbay A, et al. The predictive performance of the SAPS II and SAPS 3 scoring systems: A retrospective analysis. *J Crit Care*. 2016;33:180–5.

72. Aminiahidashti H, Bozorgi F, Montazer SH, Baboli M, Firouzian A. Comparison of APACHE II and SAPS II scoring systems in prediction of critically ill patient's outcome. *Arch Acad Emerg Med*. 2019;7(1):3–8.
73. Ferreira FL. Serial Evaluation of the SOFA Score. *October*. 2001;286(14):1754–8.
74. Engebretsen S, Bogstrand ST, Jacobsen D, Vitelli V, Rimstad R. NEWS2 versus a Single-parameter system to identify Critically ill Medical patients in the Emergency Department. *Resusc Plus [Internet]*. 2020;3(July):100020. Available from: <https://doi.org/10.1016/j.resplu.2020.100020>
75. Aswir, Misbah H. Peraturan Menteri kesehatan republik Indonesia No. 47 Tahun 2018 [Internet]. Vol. 2, *Photosynthetica*. 2018. p. 1–13. Available from: <http://link.springer.com/10.1007/978-3-319-76887-8>
<http://link.springer.com/10.1007/978-3-319-93594-2>
<http://dx.doi.org/10.1016/B978-0-12-409517-5.00007-3>
<http://dx.doi.org/10.1016/j.jff.2015.06.018>
<http://dx.doi.org/10.1038/s41559-019-0877-3>
76. Ganjali R, Golmakani R, Ebrahimi M, Eslami S, Bolvardi E. Accuracy of the Emergency Department triage system using the emergency severity index for predicting patient outcome; A single center experience. *Bull Emerg trauma [Internet]*. 2020;8(2):115–20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/32420397>
<http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC7211387>
77. Jones D, Mitchell I, Hillman K, Story D. Defining clinical deterioration. *Resuscitation [Internet]*. 2013;84(8):1029–34. Available from: <http://dx.doi.org/10.1016/j.resuscitation.2013.01.013>
78. Henriksen DP, Brabrand M, Lassen AT. Prognosis and risk factors for deterioration in patients admitted to a medical Emergency Department. *PLoS One*. 2014;9(4):1–7.
79. Kao CC, Chen YC, Huang HH, Hsu TF, Yen DHT, Fan JS. Prognostic significance of emergency department modified early warning score trend in critical ill elderly patients. *Am J Emerg Med [Internet]*. 2021;44(201):14–9. Available from: <https://doi.org/10.1016/j.ajem.2021.01.047>
80. Moon A, Cosgrove JF, Lea D, Fairs A, Cressey DM. An Eight year audit before and after the introduction of Modified Early Warning Score (MEWS) charts, of patients admitted to a tertiary referral Intensive Care Unit After CPR. *Resuscitation [Internet]*. 2011 Feb 1;82(2):150–4. Available from:

<https://doi.org/10.1016/j.resuscitation.2010.09.480>

81. Nannan Panday RS, Minderhoud TC, Alam N, Nanayakkara PWB. Prognostic value of early warning scores in the Emergency Department (ED) and Acute Medical Unit (AMU): A narrative review. *Eur J Intern Med* [Internet]. 2017 Nov 1;45:20–31. Available from: <https://doi.org/10.1016/j.ejim.2017.09.027>
82. Ma X, Si Y, Wang Z, Wang Y. Length of stay prediction for ICU patients using individualized single classification algorithm. *Comput methods programs biomed* [Internet]. 2020;186(105224):1–11. Available from: <https://doi.org/10.1016/j.cmpb.2019.105224>
83. Lars W Andersen, MD wong YK. The Prevalence and significance of abnormal vital signs prior to In-hospital Cardiac Arrest. *J Int Soc Burn Inj*. 2017;43(5):1–16.
84. Nielsen PB, Langkjær CS, Schultz M, Kodal AM, Pedersen NE, Petersen JA, et al. Clinical assessment as a part of an early warning score—a danish cluster-randomised, multicentre study of an individual early warning score. *Lancet Digit Heal*. 2022;4(7):e497–506.
85. Kia A, Timsina P, Joshi HN, Klang E, Gupta RR, Freeman RM, et al. MEWS++: Enhancing the prediction of clinical deterioration in admitted patients through a machine learning model. *J Clin Med*. 2020 Jan;9(2).
86. Gombolay GY, Gopalan N, Bernasconi A, Nabbout R, Megerian JT, Siegel B, et al. Review of machine learning and artificial intelligence (ML/AI) for the pediatric neurologist. *pediatr neurol* [Internet]. 2023;141:42–51. Available from: <https://doi.org/10.1016/j.pediatrneurol.2023.01.004>
87. Tiddi I, Schlobach S. Knowledge graphs as tools for explainable machine learning: A survey. *Artif Intell* [Internet]. 2022;302:103627. Available from: <https://doi.org/10.1016/j.artint.2021.103627>
88. Tang KJW, Ang CKE, Constantinides T, Rajinikanth V, Acharya UR, Cheong KH. Artificial intelligence and machine learning in Emergency Medicine. *Biocybern Biomed Eng* [Internet]. 2021;41(1):156–72. Available from: <https://www.sciencedirect.com/science/article/pii/S0208521620301431>
89. Levin S, Toerper M, Hamrock E, Hinson JS, Barnes S, Gardner H, et al. Machine-learning-based electronic triage more accurately differentiates patients with respect to Clinical outcomes compared with the Emergency Severity Index. *Ann Emerg Med* [Internet]. 2018 May

1;71(5):565-574.e2. Available from:
<https://doi.org/10.1016/j.annemergmed.2017.08.005>

90. Lin AX, Ho AFW, Cheong KH, Li Z, Cai W, Chee ML, et al. Leveraging machine learning techniques and engineering of multi-nature features for national daily regional ambulance demand prediction. *Int J Environ Res Public Health*. 2020;17(11):1–15.
91. Ismail WN, Hassan MM, Alsalamah HA, Fortino G. CNN-Based Health model for regular health factors analysis in Internet-of-Medical Things Environment. *IEEE Access*. 2020;8:52541–9.
92. Breiman L. Machine learning, random forest. *kluwer Acad Publ Manuf Netherlands*. 2001;542–5.
93. Raschka S, Mirjalili V. Python machineLearning second edition. 2nd ed. Birmingham: Packt Publishing Ltd.; 2017. 850 p.
94. Pedregosa F, Weiss R, Brucher M. Scikit-learn : Machine learning in python. 2011;12:2825–30.
95. Xu M, Tam B, Thabane L, Fox-Robichaud A. A protocol for developing early warning score models from vital signs data in hospitals using ensembles of decision trees. *BMJ Open*. 2015;5(9):1–4.
96. Soudan B, Dandachi FF, Nassif AB. Smart health attempting cardiac arrest prediction using artificial intelligence on vital signs from electronic health records. *Smart Heal [Internet]*. 2022;25(October 2021):100294. Available from: <https://doi.org/10.1016/j.smhl.2022.100294>
97. Krel C, Vrbnjak D, Bevc S, Štiglic G, Pajnikihar M. Technological competency as caring in nursing: A description, analysis and evaluation of the theory. *Zdr Varst*. 2022;61(2):115–23.
98. Locsin RC, Purnell M. Advancing the theory of technological competency as caring in nursing : The Universal Technological Domain. 2015;19(2):50–5.
99. Shang Z. A Concept analysis on the use of artificial intelligence in nursing. *Cureus*. 2021;13(5).
100. Pepito JA, C. Locsin R, Constantino RE. Caring for older persons in a technologically advanced nursing future. *health (Irvine Calif)*. 2019;11(05):439–63.
101. Bahari K, Talosig AT, Pizarro JB. Nursing technologies creativity as an expression of caring: A grounded theory study. *Glob Qual Nurs Res*.

- 2021;8(77).
102. Clostin R. The Co-Existence of technology and caring in the theory of technological competency as caring in nursing. *J Med Investig.* 2017;64:160–4.
 103. Cristina TY. Pengaruh penggunaan electronic early warning score record terhadap persepsi kegunaan dan kemudahan penggunaan perawat di area perawatan medikal. Diponegoro; 2022.
 104. Forkan ARM, Khalil I, Atiquzzaman M. ViSiBiD: A Learning model for early discovery and real-time prediction of severe clinical events using vital signs as big data. *Comput Networks [Internet].* 2017;113:244–57. Available from: <http://dx.doi.org/10.1016/j.comnet.2016.12.019>
 105. Adiputra IMS, Trisnadewi NW, Oktaviani NPW, Munthe SA. *Metodologi Penelitian Kesehatan.* 2021. 1–326 p.
 106. Prof., Dr Soekidjo Notoatmojo, SKM. *MCA. Metodologi Penelitian Kesehatan.* 2020.
 107. Bach RL, Wenz A. Studying health-related internet and mobile device use using web logs and smartphone records. *PLoS One.* 2020;15(6):1–20.
 108. Mueller J, Jay C, Harper S, Davies A, Vega J, Todd C. Web use for symptom appraisal of physical health conditions: A systematic review. *J Med Internet Res.* 2017;19(6).
 109. Devi BR, Syed-Abdul S, Kumar A, Iqbal U, Nguyen PA, Li YCJ, et al. MHealth: An updated systematic review with a focus on HIV/AIDS and tuberculosis long term management using mobile phones. *Comput Methods Programs Biomed.* 2015;122(2):257–65.
 110. John Cleland and lipeng. use home telemonitoring to support multidisciplinary care of heart failure patient in finland: randomized controlled trial. 2014;
 111. Abubakar R. *Pengantar Metodologi Penelitian.* Antasari Press. 2021. 129 p.
 112. Dahlan Sopiudin M. *Statistik untuk kedokteran dan kesehatan: Deskriptif, Bivariat, dan Multivariat.* Ed ke-5 Jakarta Salemba Med. 2011;
 113. Nursalam. *Metodologi Penelitian Ilmu Keperawatan; pendekatan praktis [Internet].* Vol. 5. 2020. 1–34 p. Available from: <http://journal.um-surabaya.ac.id/index.php/JKM/article/view/2203>
 114. Xu J, Tong L, Yao J, Guo Z, Lui KY, Hu X, et al. Association of sex with

- clinical outcome in critically ill sepsis patients: A retrospective analysis of the large clinical database MIMIC-III. *Shock*. 2019;52(2):146–51.
115. Ljunggren M, Castrén M, Nordberg M, Kurland L. The association between vital signs and mortality in a retrospective cohort study of an unselected Emergency Department population. *Scand J Trauma Resusc Emerg Med* [Internet]. 2016;24(1):1–11. Available from: <http://dx.doi.org/10.1186/s13049-016-0213-8>
 116. Coban E, Mutluay B, Sen A, Keskek A, Atakli D, Soysal A. Characteristics, diagnosis and outcome of patients referred to a specialized neurology emergency clinic: Prospective observational study. *Ann Saudi Med*. 2016;36(1):51–6.
 117. Attell BK, Barrett PM, Pace BS, McLemore ML, McGee BT, Oshe R, et al. Characteristics of emergency department visits made by individuals with sickle cell disease in the U.S., 1999–2020. *AJPM Focus* [Internet]. 2024;3(1):100158. Available from: <https://doi.org/10.1016/j.focus.2023.100158>
 118. Yang L, Xiao-Lu S, Hong Q, Jian Q, Chun-Sheng L, Xue-Zhong Y, et al. Long-term outcomes and independent predictors of mortality in patients presenting to emergency departments with acute heart failure in Beijing: a multicenter cohort study With a 5-year Follow-up. *Chin Med J (Engl)* [Internet]. 2021 Aug 5;134(15):1803–11. Available from: <https://doi.org/10.1097/CM9.0000000000001617>
 119. Tribelhorn S, Motara F, Lewis CM. Stroke: A retrospective review of the incidence and epidemiology in a South African academic hospital emergency department. *S Afr Med J*. 2021 Dec;111(12):1205–10.
 120. Mishra SB, Poddar B, Kasimahanti R, Azim A, Singh RK, Gurjar M, et al. Quality of life after intensive care unit discharge in a tertiary care hospital in India: Cost effectiveness analysis. *Indian J Crit Care Med*. 2019;23(3):122–6.
 121. Potter, P., & G. Perry A 2010. *Fundamental Of Nursing*, Salemba Merdeka, jakarta. 1–726 p.
 122. Hong W, Earnest A, Sultana P, Koh Z, Shahidah N, Ong MEH. How accurate are vital signs in predicting clinical outcomes in Critically ill Emergency Department Patients. *Eur J Emerg Med*. 2013;20(1):27–32.
 123. Sittichanbuncha Y, Sanpha-asa P, Thongkrau T, Keeratikasikorn C, Aekphachaisawat N, Sawanyawisuth K. An Online tool for nurse triage to evaluate risk for acute coronary syndrome at Emergency Department. *Emerg*

Med Int. 2015;2015:1–4.

124. Burch VC, Tarr G, Morroni C. Modified early warning score predicts the need for hospital admission and in-hospital mortality. *Emerg Med J* [Internet]. 2008 Oct 1;25(10):674–678. Available from: <http://emj.bmj.com/content/25/10/674.abstract>
125. Alam MZ, Rahman MS, Rahman MS. A Random Forest based predictor for medical data classification using feature ranking. *Informatics Med Unlocked* [Internet]. 2019;15(January):100180. Available from: <https://doi.org/10.1016/j.imu.2019.100180>
126. Cho KJ, Kwon O, Kwon JM, Lee Y, Park H, Jeon KH, et al. Detecting patient deterioration using artificial intelligence in a rapid response system. *Crit Care Med*. 2020 Apr;48(4):e285–9.
127. Alam N, Hobbelenk EL, van Tienhoven AJ, van de Ven PM, Jansma EP, Nanayakkara PWB. The impact of the use of the Early Warning Score (EWS) on patient outcomes: A Systematic Review. *Resuscitation* [Internet]. 2014 May 1;85(5):587–94. Available from: <https://doi.org/10.1016/j.resuscitation.2014.01.013>
128. Hidayat DI, Agushybana F, Nugraheni SA. Analisis faktor yang berhubungan dengan penggunaan early warning system pada perubahan klinis pasien Di Rumah Sakit X. *visikes J Kesehat Masyarakatsehatan Masy*. 2020;19 No. 2:536–47.
129. Jahandideh S, Ozavci G, Sahle BW, Kouzani AZ, Magrabi F, Bucknall T. Evaluation of machine learning-based models for prediction of clinical deterioration: A systematic literature review. *Int J Med Inform* [Internet]. 2023;175(March):105084. Available from: <https://doi.org/10.1016/j.ijmedinf.2023.105084>
130. Pepito JA, Locsin R. Can nurses remain relevant in a technologically advanced future? *Int J Nurs Sci* [Internet]. 2019;6(1):106–10. Available from: <https://doi.org/10.1016/j.ijnss.2018.09.013>
131. Muralitharan S, Nelson W, Di S, McGillion M, Devereaux PJ, Barr NG, et al. Machine learning-based early warning systems for clinical deterioration: Systematic scoping review. *J Med Internet Res*. 2021;23(2).
132. Ismail S, Wardah Z, Wibowo A, Diponegoro U, Java C, Diponegoro U, et al. Use of artificial intelligence in early warning score in Critical ill Patients: Scoping Review. 2023;21:652–70.