

DAFTAR PUSTAKA

1. Higgins SD, Erdogan M, Coles SJ, Green RS. Early mobilization of trauma patients admitted to intensive care units: A systematic review and meta-analyses. *Injury* [Internet]. 2019;50(11):1809–15. Available from: <https://doi.org/10.1016/j.injury.2019.09.007>
2. Schaller SJ, Anstey M, Blobner M, Edrich T, Grabitz SD, Gradwohl-Matis I, et al. Early, goal-directed mobilisation in the surgical intensive care unit: a randomised controlled trial. *Lancet* [Internet]. 2016;388(10052):1377–88. Available from: [http://dx.doi.org/10.1016/S0140-6736\(16\)31637-3](http://dx.doi.org/10.1016/S0140-6736(16)31637-3)
3. Hodgson CL, Stiller K, Needham DM, Tipping CJ, Harrold M, Baldwin CE, et al. Expert consensus and recommendations on safety criteria for active mobilization of mechanically ventilated critically ill adults. *Crit Care*. 2014;18(6):1–9.
4. Rohman U. Perubahan fisiologis tubuh selama imobilisasi dalam waktu lama. *J Sport Area* [Internet]. 2019 Dec 26;4(2):367–78. Available from: <https://journal.webuir.com/index.php/JSP/article/view/3533>
5. Van Aerde N, Meersseman P, Debaveye Y, Wilmer A, Casaer MP, Gunst J, et al. Aerobic exercise capacity in long-term survivors of critical illness: secondary analysis of the post-EPaNIC follow-up study. *Intensive Care Med*. 2021;47(12):1462–71.
6. Pierre Amarenco, Julien Bogousslavsky, Alfred Callahan 3rd, Larry B Goldstein, Michael Hennerici, Amy E Rudolph, Henrik Sillesen, Lisa Simunovic, Michael Szarek, K M A Welch, Justin A Zivin SP by AR in CL (SPARCL) I. Functional disability 5 years after acute respiratory distress syndrome. *N Engl J Med*. 2011;365:687–96.
7. Langerud AK, Rustøen T, Småstuen MC, Kongsgaard U, Stubhaug A. Intensive care survivor-reported symptoms: a longitudinal study of survivors' symptoms. *Nurs Crit Care*. 2018;23(1):48–54.
8. Tritama S. Dampak bed rest (tirah baring) lama pada sistem muskuloskeletal [Internet]. *Flex-Free*. 2020. Available from: <https://flexfreeclinic.com/artikel/detail?id=278&title=dampak-bed-rest-tirah-baring-lama-pada-sistem-muskuloskeletal>
9. Kurnia Sari N, Hudiyawati D, Herianto A. Pengaruh pemberian posisi semi-fowler terhadap saturasi oksigen pada pasien kritis terpasang ventilator di ruangintensive care unit di rsud dr. soeradji tirtinegoro klaten. *Pros Semin Nas Keperawatan Univ Muhammadiyah Surakarta* [Internet]. 2022;2022(1):30–8. Available from: <https://proceedings.ums.ac.id/index.php/semnaskep/article/view/915>
10. Nakanishi N, Oto J, Tsutsumi R, Iuchi M, Onodera M, Nishimura M. Upper

and lower limb muscle atrophy in critically ill patients: an observational ultrasonography study. *Intensive Care Med.* 2018;44(2):263–4.

11. Connolly BA, Mortimore JL, Douiri A, Rose JW, Hart N, Berney SC. Low levels of physical activity during critical illness and weaning: the evidence–reality gap. *J Intensive Care Med.* 2019;34(10):818–27.
12. Koukourikos K, Tsaloglidou A, Kourkouta L. Muscle atrophy in intensive care unit patients. *Acta Inform Medica.* 2014;22(6):406–10.
13. Suyanti S, Iswari MF, Ginanjar MR. Pengaruh mobilisasi progresif level 1 terhadap tekanan darah dan saturasi oksigen pasien dengan penurunan kesadaran. *Indones J Heal Sci.* 2019;3(2):57.
14. Hodgson CL, Schaller SJ, Nydahl P, Timenetsky KT, Needham DM. Ten strategies to optimize early mobilization and rehabilitation in intensive care. *Crit Care.* 2021;25(1):1–4.
15. Rahiminezhad E, Sadeghi M, Ahmadinejad M, Mirzadi Gohari SI, Dehghan M. A randomized controlled clinical trial of the effects of range of motion exercises and massage on muscle strength in critically ill patients. *BMC Sports Sci Med Rehabil.* 2022;14(1):1–11.
16. Schmidt UH, Knecht L, Macintyre NR. Should early mobilization be routine in mechanically ventilated patients? *Respir Care.* 2016;61(6):867–75.
17. Nakanishi N, Oto J, Tsutsumi R, Yamamoto T, Ueno Y, Nakatiki E, et al. Effect of Electrical Muscle Stimulation on Upper and Lower Limb Muscles in Critically Ill Patients: A Two-Center Randomized Controlled Trial. 2020;997–1003.
18. Muffiulletti NA, Roig M, Karatzanos E, Nanas S. Neuromuscular electrical stimulation for preventing skeletal-muscle weakness and wasting in critically ill patients: a systematic review. 2013;
19. Dirks ML, Hansen D, Van Assche A, Dendale P, Van Loon LJC. Neuromuscular electrical stimulation prevents muscle wasting in critically ill comatose patients. *Clin Sci.* 2015;128(6):357–65.
20. Yosef-Brauner O, Adi N, Ben Shahr T, Yehezkel E, Carmeli E. Effect of physical therapy on muscle strength, respiratory muscles and functional parameters in patients with intensive care unit-acquired weakness. *Clin Respir J.* 2015;9(1):1–6.
21. Hosseini ZS, Peyrovi H, Gohari M. The Effect of Early Passive Range of Motion Exercise on Motor Function of People with Stroke: a Randomized Controlled Trial. *J Caring Sci.* 2019;8(1):39–44.
22. Bolton CF. Neuromuscular manifestations of critical illness. *Muscle and Nerve.* 2005;32(2):140–63.
23. Schreuders TAR, Roebroek ME, Jaquet JB, Hovius SER, Stam HJ.

Measuring the strength of the intrinsic muscles of the hand in patients with ulnar and median nerve injuries: reliability of the rotterdam intrinsic hand myometer (RIHM). *J Hand Surg Am.* 2004;29(2):318–24.

24. Kozin SH. Strength of the intrinsic muscles of the hand measured with a hand-held dynamometer: reliability in patients with ulnar and median nerve paralysis. *J hand Surg (Edinburgh, Lothian).* 2001;26(5):499.
25. Herbison GJ, Isaac Z, Cohen ME, Ditunno JF. Strength post-spinal cord injury: Myometer vs manual muscle test. *Spinal Cord.* 1996;34(9):543–8.
26. CBIOM3S. Laporan perbandingan sensor hehlin dengan sensor stepper. Semarang; 2022.
27. Mandiri K. Petunjuk penggunaan MyoMES. 2022.
28. Staci Schwartz M, Michelle E. Cohen P, Gerald J. Herbison M, Arti Shah B. Relationship between two measures of upper extremity strength: Manual muscle test compared to hand-held myometry. 2018;73(11).
29. Saranya S, Karunakan. Gaussian mixture model based clustering of Manual muscle testing grades using surface Electromyogram signals [Internet]. *Physical and Engineering Sciences in Medicine.* 2020. Available from: <http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L2004991924%0Ahttp://dx.doi.org/10.1007/s13246-020-00880-5>
30. Saygin D, Oddis C V., Moghadam-Kia S, Rockette-Wagner B, Neiman N, Koontz D, et al. Hand-held dynamometry for assessment of muscle strength in patients with inflammatory myopathies. *Rheumatol (United Kingdom).* 2021;60(5):2146–56.
31. Relationship between two measures of upper extremity strength Manual muscle test compared to hand-held myometry.
32. Jensen AM, Stevens RJ, Burls AJ. Muscle testing for lie detection: Grip strength dynamometry is inadequate. *Eur J Integr Med [Internet].* 2018;17(September 2017):16–21. Available from: <http://dx.doi.org/10.1016/j.eujim.2017.11.001>
33. McGee C. Measuring intrinsic hand strength in healthy adults: The accuracy intrarater and inter-rater reliability of the Rotterdam Intrinsic Hand Myometer. *J Hand Ther [Internet].* 2018;31(4):530–7. Available from: <http://dx.doi.org/10.1016/j.jht.2017.03.002>
34. Tabard-Fougère A, Rose-Dulcina K, Pittet V, Dayer R, Vuillerme N, Armand S. EMG normalization method based on grade 3 of manual muscle testing: Within- and between-day reliability of normalization tasks and application to gait analysis. *Gait Posture [Internet].* 2018;60(February 2017):6–12. Available from: <https://doi.org/10.1016/j.gaitpost.2017.10.026>
35. Lin HT, Hsu AT, Chang JH, Chien CS, Chang GL. Comparison of EMG

activity between maximal manual muscle testing and cybex maximal isometric testing of the quadriceps femoris. *J Formos Med Assoc.* 2008;107(2):175–80.

36. Marshall JC, Bosco L, Adhikari NK, Connolly B, Diaz J V, Dorman T, et al. What is an intensive care unit? A report of the task force of the World Federation of Societies of Intensive and Critical Care Medicine. *J Crit Care* [Internet]. 2017;37:270–6. Available from: <http://dx.doi.org/10.1016/j.jcrc.2016.07.015>
37. Kim SH, Shin HJ, Shin MJ, Jang MH. Feasibility of Muscle Endurance Testing in Critically Ill Trauma Patients: A Pilot Study. *Healthc.* 2023;11(1).
38. Megawati SW. Analisis Mortalitas Pasien di Ruang Intensive Care Unit (ICU). *Univ Bhakti Kencana* [Internet]. 2019;127–35. Available from: <https://www.questionpro.com/blog/consecutive-sampling/>
39. Suwardianto H. *Buku Ajar Keperawatan Kritis: Pendekatan Evidence Base Practice Nursing*. Lembaga Chakra Brahma Lentera; 2020. 81 p.
40. Intensive Care Society, The Faculty of Intensive Care Medicine. Guidelines for the provision of intensive care services. version 2.1. 2022;(July):1–216. Available from: <https://ficm.ac.uk/sites/ficm/files/documents/2022-07/GPICS V2.1 %282%29.pdf>
41. Sumin SA. *Fundamentals of Critical Care: textbook*. Fundamentals of Critical Care: textbook. 2021. 1–592 p.
42. Karadas C, Ozdemir L. The effect of range of motion exercises on delirium prevention among patients aged 65 and over in intensive care units. *Geriatr Nurs (Minneap)*. 2016;37(3):180–5.
43. Suratun. *Klien Gangguan Sistem Muskuloskeletal: Seri Asuhan Keperawatan*. Jakarta: EGC; 2008.
44. Potter PA, Perry AG, Asih Y. *Buku Ajar Fundamental Keperawatan: Konsep, Proses, Dan Praktik*. Jakarta: EGC; 2012.
45. Reese N, Bandy WD. Joint Range of Motion and Muscle Length Testing [Internet]. Elsevier Heal. Sci. 2016. 1–535 p. Available from: <http://books.google.com/books?id=y8k-XpS6FDwC%7B%5C%26%7Dpgis=1>
46. William D. Bandy BS. *Therapeutic Exercise for Physical Therapist Assistants*. 2013. 458 pages.
47. Fletcher JP, Bandy WD. Intrarater reliability of CROM measurement of cervical spine active range of motion in persons with and without neck pain. *J Orthop Sport Phys Ther.* 2008;38(10):640–5.
48. Pinto RS, Gomes N, Radaelli R, Botton CE, Brwon LE, Battaro M. Effect of range of motion on muscle strength and thickness. *J Strength Cond Res.*

2012;(10).

49. Kisner C, Colby LA BJ. *Therapeutic exercise found and techniques*. Philadelphia: F. A. Davis Company; 2018.
50. Indrawati et al. Active, Passive, and Active-Assistive Range of Motion (ROM) Exercise to Improve Muscle Strength in Post Stroke Clients: A Systematic Review. *Proc 9th Int Nurs Conf (INC 2018)*. 2018;
51. Carpenito LJ. *Buku Saku Diagnosa Keperawatan*. Jakarta: EGC; 2009.
52. Rantesigi N. Penerapan Latihan Range of Motion (ROM) Pasif terhadap Peningkatan Kekuatan Otot Ekstremitas pada Pasien dengan Kasus Stroke. *2020;2(2):61–6*.
53. Potter PA, Perry AG AY. *Buku Ajar Fundamental Keperawatan: Konsep, Proses, Dan Praktik*. Jakarta: EGC; 2012.
54. Anggriani A, Zulkarnain Z, Sulaiman S, Gunawan R. Pengaruh ROM (Range of Motion) Terhadap Kekuatan Otot Ekstremitas Pada Pasien Stroke Non Hemoragic. *J Ris Hesti Medan Akper Kesdam I/BB Medan*. 2018;3(2):64.
55. L Sherwood. *Fisiologi manusia, Alih Bahasa*. Jakarta: EGC; 2001.
56. Lintang P. Daya tahan otot. *Article*. Jakarta: Rineka Cipta; 2017. 7–30 p.
57. Saryono. *Biokimia Otot*. Yogyakarta: Nuha Medika; 2011.
58. Hall JE, Guyton AC. *Buku Ajar Fisiologi Kedokteran*. Singapore: Elsevier; 2007.
59. Sudarsono A. Peregangan Otot-Otot Paha Dan Slump Test Setelah Latihan Mencegah Timbulnya Nyeri Tekan Dan Bengkak Otot-Otot Paha Serta Memperbaiki Kemampuan Lompat Pada Orang Dewasa, Program Pascasarjana. Denpasar: Program Pascasarjana Universitas Udayana; 2011.
60. Sajoto. *Pembinaan Kondisi Fisik Dalam Olahraga*. Jakarta: Departemen Pendidikan dan Kebudayaan; 2005.
61. Suharno HP. *Ilmu Kepelatihan Olahraga*. Yogyakarta: FPOK IKIP Yogyakarta; 2008.
62. Pieterse S, Manandhar M, Ismail S. The association between nutritional status and handgrip strength in older Rwandan refugees. *2002;933–9*.
63. Perwaiz S, Afzal MW, Fatima G. Quantification of Wrist Flexors Strength by Hand-Held Dynamometer with Respect to Grades of Manual Muscle Testing in Young Females. *J Riphah Coll Rehabil Sci*. 2021;9(1):36–40.
64. Jackson M, Jackson L. *Series Panduan Praktis: Keperawatan Klinis*. Jakarta: Erlangga Medical Series; 2011.

65. Ciesla N, Dinglas V, Fan E, Kho M, Kuramoto J, Needham D. Manual muscle testing: A method of measuring extremity muscle strength applied to critically III patients. *J Vis Exp.* 2011;(50):2–6.
66. Cuthbert SC, Goodheart GJ. On the reliability and validity of manual muscle testing: A literature review. *Chiropr Osteopat.* 2007;15.
67. Rahiminezhad E, Zakeri MA, Dehghan M. Muscle strength/intensive care unit acquired weakness in COVID-19 and non-COVID-19 patients. *Nurs Crit Care.* 2022 Jul;
68. Liaw MY, Lin MC, Leong CP, Wang LY, Pong YP, Yang TH, et al. Electromyographic study assessing swallowing function in subacute stroke patients with respiratory muscle weakness. *Med (United States).* 2021;100(48).
69. Palakshappa JA, Reilly JP, Schweickert WD, Anderson BJ, Khoury V, Shashaty MG, et al. Quantitative peripheral muscle ultrasound in sepsis: Muscle area superior to thickness. *J Crit Care.* 2018 Oct;47:324–30.
70. Pramudita KE, Setiawan FB, Siswanto. Interface and display of Electromyography signal wireless measurements. 2014 1st Int Conf Inf Technol Comput Electr Eng Green Technol Its Appl a Better Futur ICITACEE 2014 - Proc. 2015;58–62.
71. Ismail R. Muscle Power Signal Acquisition Monitoring Using Surface EMG. *J Biomed Res Environ Sci.* 2022;3(5):663–7.
72. Day BS. Important Factors in Surface EMG Measurement. Measurement [Internet]. 2002;1–17. Available from: http://edge.rit.edu/content/P08027/public/IRB/Papers/intro%7B%5C_%7D%20EMG.pdf
73. Ismail R, Mustofa R, Prawibowo H. Modul Panduan Penggunaan Myomes dan Pengkajian Kontraksi otot Menggunakan Alat Ukur Myomes. Vol. 4, Fak. Tek. Univ. Diponegoro. Semarang: Fakultas Teknik Universitas Diponegoro; 2022. 88–100 p.
74. Roy SH, De Luca CJ. Surface electromyographic assessment of low back pain. *Electromyogr Ergon.* 2017;259–95.
75. Green LA, Mcguire J, Gabriel DA. Flexor carpi radialis surface electromyography electrode placement for evoked and voluntary measures. *Muscle and Nerve.* 2015;52(5):818–25.
76. Norizan MA, Ali F, Abas N, Jamaluddin H, Bukhari WM, Borhan MA, et al. Electromyography circuit based on forearm muscle. *J Theor Appl Inf Technol.* 2015;81(2):331–6.
77. Rahmatullah, Lesmana SI. Perbedaan Pengaruh Pemberian Strengthening Exercise Jenis Kontraksi Concentric Dengan Eccentric Terhadap Perbedaan

Pengaruh Pemberian Strengthening Exercise Jenis Kontraksi Concentric Dengan Eccentric. *J Fisioter Indones*. 2015;5(2):18–28.

78. Locsin R, Tanioka T, Kondo K. Advancing the Theory of Technological Competency as Caring within Nursing and the Health Science: From Philosophical and Theoretical to Praxis. *J Med Investig*. 2019;
79. Bahari K, Talosig AT, Pizarro JB. Nursing Technologies Creativity as an Expression of Caring: A Grounded Theory Study. *Glob Qual Nurs Res*. 2021;8(77).
80. Locsin RC. The Co-Existence of Technology and Caring in the Theory of Technological Competency as Caring in Nursing. 2006;64(6):160–8.
81. Nursalam. *Metodologi Penelitian Ilmu Keperawatan: Pendekatan Praktis*. 4th ed. Lestari PP, editor. Jakarta: Salemba Medika; 2016. 454 hlm.
82. Sudigdo Sastroasmoro SI. *Dasar - dasar Metodologi Penelitian Klinis*. Edisi Ke-. Jakarta: Sagung Seto; 2014. 363 p.
83. Arthur. Quasy Experimental Design. *Exp Psychol*. 2017;204:1–8.
84. Harris AD, McGregor JC, Perencevich EN, Furuno JP, Zhu J, Peterson DE, et al. The use and interpretation of quasi-experimental studies in medical informatics. *J Am Med Informatics Assoc*. 2006;13(1):16–23.
85. Anggito A, Setyawan J. *Metodologi penelitian kuantitatif*. Sukabumi: CV Sejak; 2018.
86. Haryati S. Research and Development (R&D) Sebagai Salah Satu Model Penelitian dalam Bidang Pendidikan. *Res Dev Sebagai Salah Satu Model Penelit Dalam Bid Pendidik*. 2012;37(1):11–26.
87. Lenaini I. Teknik Pengambilan Sampel Purposive dan Snowball Sampling. *J Kajian, Penelit Pengemb Pendidik Sej*. 2021;6(1):33–9.
88. Sugiyono. *Metode penelitian pendidikan*. Bandung: Alfabeta; 2013.
89. Ismail, Rifky dkk. *Petunjuk penggunaan MyoMES X*. Semarang: CBIOM3S Universitas Diponegoro; 2024.
90. Perry J, Weiss WB, Burnfield JM, Gronley JK. The supine hip extensor manual muscle test: A reliability and validity study. *Arch Phys Med Rehabil*. 2004;85(8):1345–50.
91. Misbahuddin IH. *Analisis Data Penelitian dengan Statistik (Edisi Kedua)*. Jakarta: Bumi Aksara; 2013.
92. Field A. *Discovering Statistics Using IBM SPSS Statistics*. Inggris: SAGE Publications; 2017.
93. Goulet-Pelletier JC, Cousineau D. Review of effect sizes and their confidence intervals, part I: The Cohen's d family". *Quant Methods Psychol*.

2020;16(4):422–3.

94. Garland A, Olafson K, Ramsey CD, Yogendran M, Fransoo R. Epidemiology of critically ill patients in intensive care units: A population-based observational study. *Crit Care*. 2013;17(5):1–7.
95. Ahmed Alaa Jalil, Jameel FF, Rifaat AA, Jinan, Hasan MB. Prevalence of the admission cause in the intensive care unit (icu). 2018;7(15):1038–44.
96. Kramer AA, Higgins TL, Zimmerman JE. Intensive care unit readmissions in U.S. hospitals: Patient characteristics, risk factors, and outcomes. *Crit Care Med*. 2012;40(1):3–10.
97. Bohula EA, Katz JN, Van Diepen S, Alviar CL, Baird-Zars VM, Park JG, et al. Demographics, Care Patterns, and Outcomes of Patients Admitted to Cardiac Intensive Care Units: The Critical Care Cardiology Trials Network Prospective North American Multicenter Registry of Cardiac Critical Illness. *JAMA Cardiol*. 2019;4(9):928–35.
98. Bagshaw SM, Webb SAR, Delaney A, George C, Pilcher D, Hart GK, et al. Very old patients admitted to intensive care in Australia and New Zealand: A multi-centre cohort analysis. *Crit Care*. 2009;13(2).
99. Sari WI, Purwanza SW. Hubungan Umur, Jenis Kelamin, dan Pendidikan Formal dengan Klaster Gejala pada Pasien Kanker Kepala dan Leher: Penelitian Observasional. *Heal Inf J Penelit*. 2022;14(2):153–60.
100. Sarfati C, Moore A, Pilorge C, Amaru P, Mendialdua P, Rodet E, et al. Efficacy of early passive tilting in minimizing ICU-acquired weakness: A randomized controlled trial. *J Crit Care*. 2018 Aug;46:37–43.
101. Rifky Ismail. Muscle Power Signal Acquisition Monitoring Using Surface EMG. *Biomed Res Enviromental Sci* [Internet]. 2022; Available from: <https://www.jelsciences.com/articles/jbres1493.pdf>
102. Feldner HA, Howell D, Kelly VE, McCoy SW, Steele KM. “Look, Your Muscles Are Firing!”: A Qualitative Study of Clinician Perspectives on the Use of Surface Electromyography in Neurorehabilitation. *Arch Phys Med Rehabil*. 2019;100(4):663–75.
103. Sengchuai K, Kanjanaroat C, Jaruenpunyasak J, Limsakul C, Tayati W, Booranawong A, et al. Development of a Real-Time Knee Extension Monitoring and Rehabilitation System: Range of Motion and Surface EMG Measurement and Evaluation. *Healthc*. 2022;10(12).
104. Derison Marsinova Bakara SW. Latihan Range of Motion (Rom) Pasif Terhadap Rentang Sendi Pasien Pasca Stroke. *Idea Nurs J*. 2016;7(2):12–8.
105. Rantesigi N, Keperawatan P, Poltekkes P, Palu K. Penerapan Latihan Range of Motion (ROM) Pasif terhadap Peningkatan Kekuatan Otot Ekstremitas pada Pasien dengan Kasus Stroke. 2020;2(2):61–6.

106. Kristiani RB. Pengaruh range of motion exercise terhadap kekuatan otot pada pasien stroke di wilayah puskesmas sidotopo surabaya. *J Ners LENTERA*. 2018;5(2):149–55.
107. Nababan T. Pengaruh Rom Pada Pasien Stroke Iskemik Terhadap Peningkatan Kekuatan Otot Di RSUD. *Royal Prima Medan Tahun 2018. J Keperawatan Prior*. 2019;2(1):1–8.
108. Supriani AH, Indrawati I. Pengaruh Kombinasi terapi Latihan Range of Motion, Genggam Bola Karet dan Kompres hangat terhadap Kekuatan Motorik Atas dan Kadar Kortisol pada Klien Pasca Stroke. *Journals Ners Community*. 2022;13(5):580–605.
109. Rahiminezhad E, Sadeghi M, Ahmadinejad M, Mirzadi Gohari SI, Dehghan M. A randomized controlled clinical trial of the effects of range of motion exercises and massage on muscle strength in critically ill patients. *BMC Sport Sci Med Rehabil [Internet]*. 2022;14(1):1–11. Available from: <https://doi.org/10.1186/s13102-022-00489-z>
110. Zakeri MA, Aziz AR, Rahiminezhad E, Dehghan M. Effectiveness of massage and range of motion exercises on muscle strength and intensive care unit-acquired weakness in Iranian patients with COVID-19: a randomized parallel-controlled trial. *Acute Crit Care*. 2023;39(1):78–90.
111. Anita F. Pengaruh Latihan Range of Motion terhadap Rentang Gerak Sendi Ekstremitas Atas pada PasiePasca Stroke di Makassar. *J Islam Nurs*. 2018;3(1):97–9.
112. Sarfati C, Moore A, Pilorge C, Amaru P, Mendialdua P, Rodet E, et al. Efficacy of early passive tilting in minimizing ICU-acquired weakness: A randomized controlled trial. *J Crit Care [Internet]*. 2018;46:37–43. Available from: <https://doi.org/10.1016/j.jcrc.2018.03.031>
113. Dammeyer J, Dickinson S, Packard D, Baldwin N, Ricklemann C. Building a protocol to guide mobility in the ICU. *Crit Care Nurs Q*. 2013;36(1):37–49.
114. Morris PE, Goad A, Thompson C, Taylor K, Harry B, Passmore L, et al. Early intensive care unit mobility therapy in the treatment of acute respiratory failure. *Crit Care Med*. 2008;36(8):2238–43.
115. Wulan ES, Wahyuni S. Pengaruh Range Of Motion (Rom) Terhadap Kekuatan Otot Pasien Stroke Di Rumah Sakit Mardi Rahayu Kudus. *J Profesi Keperawatan*. 2022;9(2):62–79.
116. Karadas C, Ozdemir L. The effect of range of motion exercises on delirium prevention among patients aged 65 and over in intensive care units. *Geriatr Nurs (Minneap) [Internet]*. 2016;37(3):180–5. Available from: <http://dx.doi.org/10.1016/j.gerinurse.2015.12.003>
117. Azuh O, Gammon H, Burmeister C, Frega D, Nerenz D, DiGiovine B, et al.

Benefits of Early Active Mobility in the Medical Intensive Care Unit: A Pilot Study. *Am J Med* [Internet]. 2016;129(8):866-871.e1. Available from: <http://dx.doi.org/10.1016/j.amjmed.2016.03.032>

118. Bowen W, Frazer AK, Tallent J, Pearce AJ, Kidgell DJ. Unilateral Strength Training Imparts a Cross-Education Effect in Unilateral Knee Osteoarthritis Patients. *J Funct Morphol Kinesiol*. 2022 Sep;7(4).
119. Pramanasari SD, Ismail S, Ismail R. The Response of Range of Motion Exercise on Upper Extremities Towards Muscle Strength in Critically Ill Patients Using MMT Scale and MyoMES. 2023 IEEE Int Biomed Instrum Technol Conf IBITeC 2023. 2023;58–62.
120. Ismail S, Pramanasari SD, Ismail R, Keperawatan I, Kedokteran F, Diponegoro U, et al. Penggunaan teknologi dalam pengukuran kekuatan otot pasien kritis : A scoping review. 2024;18(1):54–64.
121. Rahiminezhad E, Sadeghi M, Ahmadinejad M, Mirzadi Gohari SI, Dehghan M. A randomized controlled clinical trial of the effects of range of motion exercises and massage on muscle strength in critically ill patients. *BMC Sport Sci Med Rehabil*. 2022 May;14(1):96.