

DAFTAR PUSTAKA

- [1] P. Bisimwa, C. Biamba, A. T. Aborode, H. Cakwira, and A. Akilimali, “Ebola virus disease outbreak in the Democratic Republic of the Congo: A mini-review,” *Ann. Med. Surg.*, vol. 80, no. July, p. 104213, 2022, doi: 10.1016/j.amsu.2022.104213.
- [2] A. Letafati, O. Salah Ardekani, H. Karami, and M. Soleimani, “Ebola virus disease: A narrative review,” *Microb. Pathog.*, vol. 181, p. 106213, Aug. 2023, doi: 10.1016/J.MICPATH.2023.106213.
- [3] I. K. Adu, F. A. Wireko, C. Sebil, and J. K. K. Asamoah, “A fractal–fractional model of Ebola with reinfection,” *Results Phys.*, vol. 52, no. June, p. 106893, 2023, doi: 10.1016/j.rinp.2023.106893.
- [4] N. H. Shah and K. Chaudhary, “Analysis of the Ebola with a fractional-order model involving the Caputo-Fabrizio derivative,” *Songklanakarin J. Sci. Technol.*, vol. 45, no. 1, pp. 69–79, 2023.
- [5] WHO, “World Health Organization. Ebola Situation Report - 17 February 2016,” *World Heal. Organ.*, no. February, 2016, [Online]. Available: <http://apps.who.int/ebola/current-situation/ebola-situation-report-25-march-2015>.
- [6] K. Liu, M. Fečkan, and J. Wang, “A fixed-point approach to the hyers-ulam stability of caputo-fabrizio fractional differential equations,” *Mathematics*, vol. 8, no. 4, pp. 1–12, 2020, doi: 10.3390/math8040647.
- [7] H. Singh, “Analysis for fractional dynamics of Ebola virus model,” *Chaos, Solitons and Fractals*, vol. 138, pp. 1–8, 2020, doi: 10.1016/j.chaos.2020.109992.
- [8] H. M. Srivastava and K. M. Saad, “Numerical simulation of the fractal-fractional ebola virus,” *Fractal Fract.*, vol. 4, no. 4, pp. 1–13, 2020, doi: 10.3390/fractalfract4040049.
- [9] N. H. Shah, Z. A. Patel, and B. M. Yeolekar, “Vertical dynamics of Ebola with media impact,” *J. King Saud Univ. - Sci.*, vol. 31, no. 4, pp. 567–574, 2019, doi: 10.1016/j.jksus.2018.03.011.
- [10] F. Gao, X. Li, W. Li, and X. Zhou, “Stability analysis of a fractional-order novel hepatitis B virus model with immune delay based on Caputo-Fabrizio derivative,” *Chaos, Solitons and Fractals*, vol. 142, p. 110436, 2021, doi: 10.1016/j.chaos.2020.110436.
- [11] A. Hussain, D. Baleanu, and M. Adeel, “Existence of solution and stability for the fractional order novel coronavirus (nCoV-2019) model,” *Adv. Differ. Equations*, vol. 2020, no. 1, 2020, doi: 10.1186/s13662-020-02845-0.
- [12] A. S. Shaikh and K. Soopy Nisar, “Transmission dynamics of fractional order Typhoid fever model using Caputo–Fabrizio operator,” *Chaos, Solitons and Fractals*, vol. 128, pp. 355–365, 2019, doi: 10.1016/j.chaos.2019.08.012.

- [13] M. M. Ojo and F. O. Akinpelu, “SCIENCE DOMAIN international Sensitivity Analysis of Ebola Virus Model,” vol. 2, no. 3, pp. 1–10, 2017, doi: 10.9734/ARJOM/2017/31201.
- [14] J. N. Franklin, *Matrix Theory*. New York: Dover Publications, Inc, 1968.
- [15] Zaini, *Determinan Matriks Persegi dan Non Persegi*. Uwais Inspirasi Indonesia.
- [16] H. Anton, *Aljabar Linear Elementer*. Erlangga Jakarta, 1995.
- [17] M. Zadrak Ndi, *Pemodelan Matematika*. Pekalongan, Jawa Tengah: PT. Nasya Expanding Management, 2022.
- [18] Widowati and Sutimin, *Buku Ajar Pemodelan Matematika*. Semarang: Undip Press Semarang, 2007.
- [19] Kartono, *Persamaan Differensial Biasa: Model Matematika Fenomena Perubahan*, 1st ed. Yogyakarta: Graha Ilmu, 2012.
- [20] D. Purnomo, *Persamaan Differensial*. Malang: Media Nusa Creative, 2012.
- [21] M. A. Pinsky, *Partial Differential Equation and Boundary-Value Problems with Applications*, 3rd ed. Providence, Rhode Island: American Mathematical Society, 2011.
- [22] J. Jost, *Partial Differential Equations*, 3rd ed. Leipzig, Germany: Springer, 2013.
- [23] M. W. Hirsch, S. Smale, and R. L. Devaney, *Differential Equations, Dynamical Systems, and an Introduction to Chaos*. California: Academic Press, 2013.
- [24] I. Suryani, W. Warnoto, A. Aprijon, and R. Prasetyo, “Kestabilan Model Sird Penyebaran Penyakit Ebola Dengan Pengaruh Adanya Migrasi,” *Semin. Nas. Teknol. Inf. Komun. dan Ind.*, vol. 12, no. November, pp. 2579–5406, 2019.
- [25] L. Perko, *Equations and Dynamical Systems*, 3rd ed. USA: Springer, 2001.
- [26] D. A. N. Kampanye, P. Sistem, and D. A. N. Represif, “KONTROL OPTIMAL MODEL MATEMATIKA DINAMIKA KORUPSI DENGAN PEMBERIAN EDUKASI,” vol. 6, pp. 53–68, 2021.
- [27] O. Diekmann, J. A. P. Heesterbeek, and J. A. J. Metz, “On the definition and the computation of the basic reproduction ratio R_0 in models for infectious diseases in heterogeneous populations,” *J. Math. Biol.*, vol. 28, no. 4, pp. 365–382, 1990, doi: 10.1007/BF00178324.
- [28] L. D. Oktafiani, A. Kusnanto, and Jaharuddin, “Bilangan Reproduksi Dasar Model West Nile,” *J. Math. Its Appl.*, vol. 12(1), pp. 63–78, 2013.
- [29] N. D. Susanti, “Analisis Perhitungan Bilangan Reproduksi Dasar (R_0) Pada Model Matematika Dinamik Malaria Host-Vector,” 2016.
- [30] P. Van Den Driessche and J. Watmough, “Reproduction numbers and sub-threshold endemic equilibria for compartmental models of disease transmission,” *Math. Biosci.*, vol. 180, no. 1–2, pp. 29–48, Nov. 2002, doi: 10.1016/S0025-

5564(02)00108-6.

- [31] P. K. Ram, *Linear Integral Equations Theory and Technique*, 2nd ed. USA: Springer Science, 1997.
- [32] R. Caponetto, G. Dongola, L. Fortuna, and I. Petras, *Fractional Order Systems*. London: World Scientific, 2010.
- [33] Y. Arioua, B. Basti, and N. Benhamidouche, “Initial value problem for nonlinear implicit fractional differential equations with katugampola derivative,” *Appl. Math. E - Notes*, vol. 19, pp. 397–412, 2019.
- [34] U. K. Nwajeri, A. B. Panle, A. Oname, M. C. Obi, and C. P. Onyenegecha, “On the fractional order model for HPV and Syphilis using non-singular kernel,” *Results Phys.*, vol. 37, no. February, p. 105463, 2022, doi: 10.1016/j.rinp.2022.105463.
- [35] M. Caputo and M. Fabrizio, “A new definition of fractional derivative without singular kernel,” *Prog. Fract. Differ. Appl.*, vol. 1, no. 2, pp. 73–85, 2015, doi: 10.12785/pfda/010201.
- [36] J. Losada and J. J. Nieto, “Properties of a new fractional derivative without singular kernel,” *Prog. Fract. Differ. Appl.*, vol. 1, no. 2, pp. 87–92, 2015, doi: 10.12785/pfda/010202.
- [37] S. Kar, D. K. Maiti, and A. P. Maiti, “Impacts of non-locality and memory kernel of fractional derivative, awareness and treatment strategies on HIV/AIDS prevalence,” *Chaos, Solitons and Fractals*, vol. 178, no. September 2023, p. 114389, 2024, doi: 10.1016/j.chaos.2023.114389.
- [38] E. Kreyszig, *Introductory Functional Analysis With Application*. Canada, 1978.
- [39] V. Pata, “Fixed point theorems and applications,” vol. 116, pp. 1–171, 2019, doi: 10.1515/9783110657722-010.
- [40] J. B. Diaz and B. Margolis, “A Fixed Point Theorem of the Alternative, for Contractions on a Generalized Complete Metric Space,” *Bull. Am. Math. Soc.*, vol. 74, no. 2, pp. 305–309, 1968, doi: 10.1090/S0002-9904-1968-11933-0.
- [41] K. T. Kok and K. X. Hong, “Approximating Fixed Points of Nonexpansive Mappings by the Ishikawa Iteration Process,” *J. Math. Anal. Appl.*, pp. 301–308, 1993.
- [42] K. Liu, M. Fečkan, D. O’Regan, and J. R. Wang, “Hyers-ulam stability and existence of solutions for differential equations with Caputo-Fabrizio fractional derivative,” *Mathematics*, vol. 7, no. 4, 2019, doi: 10.3390/math7040333.
- [43] F. v. Haeseler, N. Rudolph, R. Findeisen, and H. J. Huber, “Parameter Estimation for Signal Transduction Networks from Experimental Time Series Using Picard Iteration,” *IFAC-PapersOnLine*, vol. 51, no. 18, pp. 191–196, 2018, doi: 10.1016/j.ifacol.2018.09.298.
- [44] H. M. Khudhur and K. I. Ibraheem, “Metaheuristic Optimization Algorithm Based

- on The Two-Step Adams-Bashforth Method in Training Multi-Layer Perceptrons,” vol. 4, pp. 6–13, 2022, doi: 10.15587/1729-4061.2022.254023.
- [45] “Diagnosis of Ebola virus disease.” Centers for Disease Control and Prevention, [Online]. Available: <https://www.cdc.gov/vhf/ebola/diagnosis/index.html>.
- [46] P. Yadav, S. Jahan, and K. S. Nisar, “Fractional order mathematical model of Ebola virus under Atangana–Baleanu–Caputo operator,” *Results Control Optim.*, vol. 13, no. October, p. 100332, 2023, doi: 10.1016/j.rico.2023.100332.
- [47] Widowati, Sutrisno, P. S. Sasongko, M. Brilliant, and E. Triyana, “Mathematical Modeling and Stability Analysis of the COVID-19 Spread by Considering Quarantine and Hospitalize,” *Math. Model. Eng. Probl.*, vol. 9, no. 6, pp. 1545–1556, 2022, doi: 10.18280/MMEP.090614.
- [48] R. H. S. Utomo and E. Triyana, “Stability Analysis and Numerical Simulation of the Transmission Dynamics of Covid-19 Infection,” vol. 8984, pp. 1264–1284.
- [49] N. Muntoyimah, Widowati, and Y. Sumanto, “Analisis Kestabilan Model Penyebaran Virus Ebola,” *J. Mat.*, vol. 20(2), pp. 103–110, 2017, [Online]. Available: <https://ejournal.undip.ac.id/index.php/matematika/article/view/16680>.
- [50] I. Kwasi, F. Asenso, C. Sebil, J. Kiddy, and K. Asamoah, “Results in Physics A fractal – fractional model of Ebola with reinfection,” *Results Phys.*, vol. 52, no. August, p. 106893, 2023, doi: 10.1016/j.rinp.2023.106893.
- [51] S. O. Adewale *et al.*, “Mathematical Analysis Of Effects Of Isolation On Ebola Transmission Dynamics,” vol. 2, no. 2, pp. 1–20, 2015.
- [52] S. Ullah, M. A. Khan, M. Farooq, Z. Hammouch, and D. Baleanu, “A fractional model for the dynamics of tuberculosis infection using Caputo-Fabrizio derivative,” *Discret. Contin. Dyn. Syst. - Ser. S*, vol. 13, no. 3, pp. 975–993, 2020, doi: 10.3934/dcdss.2020057.