

DAFTAR PUSTAKA

1. C Campbell BCV, Khatri P. Stroke. *Lancet*. 2020;396(10244):129–42.
2. Errante A, Saviola D, Cantoni M, Iannuzzelli K, Ziccarelli S, Togni F, et al. *Effectiveness of action observation therapy based on virtual reality technology in the motor rehabilitation of paretic stroke patients: a randomized clinical trial*. *BMC Neurol*. 2022;22(1):1–11. doi:10.1186/s12883-022-02640-2
3. Feigin VL, Brainin M, Norrving B, Martins S, Sacco RL, Hacke W, et al. *World Stroke Organization (WSO): Global Stroke Fact Sheet 2022*. *Int J Stroke*. 2022;17(1):18–29.
4. Capirossi C, Laiso A, Renieri L, Capasso F, Limbucci N. *Epidemiology, organization, diagnosis and treatment of acute ischemic stroke*. *Eur J Radiol Open*. 2023;11:100527. doi:10.1016/j.ejro.2023.100527
5. BV B, Rahman FF, Ningrum V. *Proceedings of the 3rd International Conference on Cardiovascular Diseases (ICCVd 2021)*. Vol. 1. Atlantis Press International BV; 2023. p. 435–46. doi:10.2991/978-94-6463-048-0_50
6. Dalton EJ, Jamwal R, Augoustakis L, Hill E, Johns H, Thijs V, et al. *Prevalence of arm weakness, pre-stroke outcomes and other post-stroke impairments using routinely collected clinical data on an acute stroke unit*. *Neurorehabil Neural Repair*. 2024;38(2):148–60.
7. Zeng H, Chen J, Guo Y, Tan S. *Prevalence and risk factors for spasticity after stroke: a systematic review and meta-analysis*. *Front Neurol*. 2021;11:1–14.
8. Stroke WIS, Relevant HOW, This IS, My TO, Can W, In IDO, et al. *Long-term*

complications of stroke and secondary prevention: an overview for primary care physicians. *Postgrad Med J*. 2019;60(12):616–20.

9. Harjpal P, Qureshi MI, Kovala RK, Jain M. Efficacy of bilateral lower-limb training over unilateral lower-limb training to reeducate balance and walking in post-stroke survivors: a randomized clinical trial. *Cureus*. 2022;14(10):1–13.
10. Jan S, Arsh A, Darain H, Gul S. A randomized controlled trial comparing the effects of motor relearning programme and mirror therapy for improving upper limb motor functions in stroke patients. *J Pak Med Assoc*. 2019;69(9):1242–5.
11. Camargo-Vargas D, Callejas-Cuervo M, Mazzoleni S. Brain-computer interfaces systems for upper and lower limb rehabilitation: A systematic review. *Sensors*. 2021;21(13):1–22.
12. SD, Ramachandran A, RJ. Influence of number of repetition and variety of task in upper limb motor recovery in hemiplegia. *J Phys Med Rehabil Stud Reports*. 2020;2(4):1–5.
13. Comino-Suárez N, Moreno JC, Gómez-Soriano J, Megía-García Á, Serrano-Muñoz D, Taylor J, et al. Transcranial direct current stimulation combined with robotic therapy for upper and lower limb function after stroke: a systematic review and meta-analysis of randomized controlled trials. *J Neuroeng Rehabil*. 2021;18(1):1–16. doi:10.1186/s12984-021-00941-0
14. Aderinto N, AbdulBasit MO, Olatunji G, Adejumo T. Exploring the transformative influence of neuroplasticity on stroke rehabilitation: a narrative review of current evidence. *Ann Med Surg*. 2023;85:4425–32.

15. Dromerick AW, Geed S, Barth J, Brady K, Giannetti ML, Mitchell A, et al. Critical Period after Stroke Study (CPASS): A phase II clinical trial testing an optimal time for motor recovery after stroke in humans. *Proc Natl Acad Sci U S A*. 2021;118(39).
16. Han PP, Han Y, Shen XY, Gao ZK, Bi X. Enriched environment-induced neuroplasticity in ischemic stroke and its underlying mechanisms. *Front Cell Neurosci*. 2023;17:1–15.
17. Regenhardt RW, Takase H, Lo EH, Lin DJ. Translating concepts of neural repair after stroke: Structural and functional targets for recovery. *Restor Neurol Neurosci*. 2020;38(1):67–92.
18. Shaikh D Sumayya. Effect of motor relearning programme on the upper limb function in stroke survivors: A systematic review. 2022; p. ISSN:2456-4087.
19. Hasanah U, Irianto ABA. Effect of motor relearning programme on activity of daily living ability among post stroke patients in Makassar. *Int J Med Sci Dent Res*. 2019;2(2):14–9. Available from: <https://www.ijmsdr.org/published-paper/lili4/Effect-Of-Motor-Relearning-Programme-On-Activity-Of-Daily-Living-Ability-Among-Post-Stroke-Patients-In-Makassar.pdf>
20. Mohammed T, Nyante GG, Mothabeng JD. The impact of rehabilitation on the community life of stroke survivors in Accra, Ghana. *South African J Physiother*. 2023;79(1):1–6.
21. Narang A, Arora R, Arora L. Effect of motor relearning programme on neurological functions and level of disability on upper limb activity in post-stroke patients. *World J Adv Res Rev*. 2023;18(3):007–15.

22. Alsubiheen AM, Choi W, Yu W, Lee H. The effect of task-oriented activities training on upper-limb function, daily activities, and quality of life in chronic stroke patients: a randomized controlled trial. *Int J Environ Res Public Health*. 2022;19(21):1–15.
23. Pournajaf S, Pellicciari L, Proietti S, Agostini F, Gabbani D, Goffredo M, et al. Which items of the modified Barthel Index can predict functional independence at discharge from inpatient rehabilitation? A secondary analysis retrospective cohort study. *Int J Rehabil Res*. 2023;46(3):230–7.
24. Ai D, Gu Y, Xu S. Effectiveness of multidisciplinary nursing based on fever, blood sugar, and swallowing function management in patients with acute stroke. *Evidence-based Complement Altern Med*. 2022;2022:1–9.
25. Sanjuan E, Pancorbo O, Santana K, Miñarro O, Sala V, Muchada M, et al. Management of acute stroke: Specific nursing care and treatments in the stroke unit. *Neurologia*. 2023;38(6):419–26.
26. Brusola G, Garcia E, Albosta M, Daly A, Kafes K, Furtado M. Effectiveness of physical therapy interventions on post-stroke spasticity: An umbrella review. *NeuroRehabilitation*. 2023;52(3):349–63.
27. Allen JR, Karri SR, Yang C, Stoykov ME. Spinal cord stimulation for poststroke hemiparesis: A scoping review. *Am J Occup Ther*. 2024;78(2):1–9.
28. Yu XM, Jin XM, Lu Y, Gao Y, Xu HC, Xue X, et al. Effects of body weight support-Tai Chi footwork training on balance control and walking function in stroke survivors with hemiplegia: A pilot randomized controlled trial. *Evidence-based Complement Altern Med*. 2020;2020:1–12.

29. Cejudo A, De Baranda PS, Ayala F, De la Croix MDS, Santonja-Medina F. Assessment of the range of movement of the lower limb in sport: Advantages of the ROM-SPORT I Battery. 2021;1–26.
30. Helen M, Evilianti M, Juita R. The effect of active range of motion (ROM) training on muscle strength of non-hemorrhagic stroke patients in BIDDOKKES Polda Metro Jaya. *Nurs Heal Sci J*. 2021;1(1):74–7.
31. Zhang L, Zhang L, Yu X, Zhou H, Ding Y, Wang J. Effect of Tai Chi Yunshou training on the balance and motor functions of stroke patients: a systematic review and meta-analysis of randomized controlled trials. *Front Neurol*. 2023;14(May):1–13.
32. Zheng X, Wu X, Liu Z, Wang J, Wang K, Yin J, et al. The influences of Tai Chi on balance function and exercise capacity among stroke patients: a meta-analysis. *Evidence-based Complement Altern Med*. 2021;2021.
33. Huang SJ, Yu XM, Lu Y, Qiao J, Wang HL, Jiang LM, et al. Body weight support-Tai Chi footwork for balance of stroke survivors with fear of falling: a pilot randomized controlled trial. *Complement Ther Clin Pract*. 2019;37(March):140–7. Available from: <https://doi.org/10.1016/j.ctcp.2019.101061>
34. Jiang LH, Zhao LJ, Liu Y, Zhang H, Zhang SC, Cong WQ, et al. Effectiveness of Tai Chi Yunshou motor imagery training for hemiplegic upper extremity motor function in poststroke patients: study protocol for a randomized clinical trial. *Trials*. 2022;23(1):1–9.
35. Lee LYK, Chu ECP. Tai Chi as a body-mind exercise for promotion of healthy

- aging in nursing home residents: appropriateness, feasibility, and effectiveness. *Clin Interv Aging*. 2023;18(November):1949–59.
36. Bao GC. The idealist and pragmatist view of qi in Tai Chi and Qigong: a narrative commentary and review. *J Integr Med*. 2020;18(5):363–8. Available from: <https://doi.org/10.1016/j.joim.2020.06.004>
37. Lai MH, Xu HC, Huang MC, Lu Y, Yang K, Jiang LM, et al. Transcranial direct current stimulation combined with bodyweight support-Tai Chi footwork for motor function of stroke survivors: a study protocol of randomized controlled trial. *BMJ Open*. 2023;13(3):1–9.
38. Regita AP, Hidayat FR. Literature review: pengaruh senam lansia terhadap kemandirian dalam activity of daily living di panti werdha. *Borneo Student Res*. 2020;2(1):49–56.
39. Nørregaard AJ, Gram M, Vigelsoe A, Wiuff C, Birk A. Effects of Tai Chi on cerebral haemodynamics and health-related outcomes in older community adults at risk of ischaemic stroke: a randomized controlled trial. 2019;
40. Zhao J, Chau JPC, Lo SHS, Choi KC, Liang S. The effects of sitting Tai Chi on physical and psychosocial health outcomes among individuals with impaired physical mobility: a systematic review and meta-analysis. *Int J Nurs Stud*. 2021;118:103911. Available from: <https://doi.org/10.1016/j.ijnurstu.2021.103911>
41. Zhao J, Chau JPC, Chan AWK, Meng Q, Choi KC, Xiang X, et al. Tailored sitting Tai Chi program for subacute stroke survivors: a randomized controlled trial. *Stroke*. 2022;53(7):2192–203.

42. Lee LH, Lin HT, Tsai NW, Yen YC, Lu CH, Lui CC, et al. Development of a direction-oriented motion and short-sitting and lying Tai Chi (DOM-SSLTC) model for function recovery in stroke patients. *J Med Biol Eng*. 2019;39(5):773–82. Available from: <https://doi.org/10.1007/s40846-018-0460-4>
43. Liao T, Ke XW, Wang YT. Wheelchair Tai Chi ball exercise for improving neuromuscular functions of older adults with disability. *Front Aging Neurosci*. 2022;14(July):10–5.
44. Wang YT, Goh CH, Liao T, Dong XN, Duke G, Alfred D, et al. Effects of wheelchair Tai Chi ball exercise on physical and mental health and functional abilities among elderly with physical disability. *Res Sport Med*. 2021;29(3):289–302. Available from: <https://doi.org/10.1080/15438627.2020.1777553>
45. Xie Q, Wu J, Zhang Q, Zhang Y, Sheng B, Wang X, et al. Neurobiomechanical mechanism of Tai Chi to improve upper limb coordination function in post-stroke patients: a study protocol for a randomized controlled trial. *Trials*. 2023;24(1):1–14.
46. Murphy SJ, Werring DJ. Stroke: causes and clinical features. *Med (United Kingdom)*. 2023;51(9):602–7.
47. Budianto P, Prabaningtyas H, Putra SE, Mirawati Diah K, Muhammad F, Hafizan M. Stroke iskemik akut: dasar dan klinis. Universitas Sebelas Maret. 2021;(January):i–123.
48. Zhao Y, Zhang X, Chen X, Wei Y. Neuronal injuries in cerebral infarction and

- ischemic stroke: from mechanisms to treatment (review). *Int J Mol Med*. 2022;49(2):1–9.
49. Herpich F, Rincon F. Management of acute ischemic stroke. *Crit Care Med*. 2020;48(11):1654–63.
50. Magid-Bernstein J, Girard R, Polster S, Srinath A, Romanos S, Awad IA, et al. Cerebral hemorrhage: pathophysiology, treatment, and future directions. *Circ Res*. 2022;130(8):1204–29.
51. Potter TBH, Tannous J, Vahidy FS. A Contemporary Review of Epidemiology, Risk Factors, Etiology, and Outcomes of Premature Stroke. *Curr Atheroscler Rep* [Internet]. 2022;24(12):939–48. Available from: <https://doi.org/10.1007/s11883-022-01067-x>
52. Mah SM, Goodwill AM, Seow HC, Teo WP. Evidence of High-Intensity Exercise on Lower Limb Functional Outcomes and Safety in Acute and Subacute Stroke Population: A Systematic Review. *Int J Environ Res Public Health*. 2023;20(1).
53. Nave AH, Rackoll T, Grittner U, Bläsing H, Gorsler A, Nabavi DG, et al. Physical Fitness Training in Patients with Subacute Stroke (PHYS-STROKE): multicentre , randomised controlled , endpoint blinded trial. 2019;
54. Nave AH, Rackoll T, Grittner U, Bläsing H, Gorsler A, Nabavi DG, et al. Physical fitness training in patients with subacute stroke (PHYS-STROKE): multicentre, randomised controlled, endpoint blinded trial. *Lancet Neurol*. 2019;18(10):d–d.

55. Kuriakose D, Xiao Z. Pathophysiology and treatment of stroke: Present status and future perspectives. *Int J Mol Sci.* 2020;21(20):1–24.
56. Sposato LA, Hilz MJ, Aspberg S, Murthy SB, Bahit MC, Hsieh CY, et al. Post-Stroke Cardiovascular Complications and Neurogenic Cardiac Injury: JACC State-of-the-Art Review. *J Am Coll Cardiol.* 2020;76(23):2768–85.
57. Shahid J, Kashif A, Shahid MK. A Comprehensive Review of Physical Therapy Interventions for Stroke Rehabilitation: Impairment-Based Approaches and Functional Goals. *Brain Sci.* 2023;13(5).
58. Huang DW, Sun JM, Chen YH, Huang KC. A rare presentation of spontaneous spinal epidural hematoma mimicking acute stroke. *Neurosciences.* 2020;25(4):316–9.
59. Takebayashi T, Takahashi K, Amano S, Gosho M, Sakai M, Hashimoto K, et al. Robot-Assisted Training as Self-Training for Upper-Limb Hemiplegia in Chronic Stroke: A Randomized Controlled Trial. *Stroke.* 2022;53(7):2182–91.
60. Tanabe J, Amimoto K, Sakai K, Osaki S, Yoshihiro N. Effects of kinesthetic illusion induced by visual stimulation on the ankle joint for sit-to-stand in a hemiparesisstroke patient: ABA' single-case design. *J Phys Ther Sci.* 2022;34(1):65–70.
61. Schoenfeld BJ, Grgic J, Van Every DW, Plotkin DL. Loading Recommendations for Muscle Strength, Hypertrophy, and Local Endurance: A Re-Examination of the Repetition Continuum. *Sports.* 2021;9(2).
62. Encarnação IGA, Viana RB, Soares SRS, Freitas EDS, de Lira CAB, Ferreira-

- Junior JB. Effects of Detraining on Muscle Strength and Hypertrophy Induced by Resistance Training: A Systematic Review. *Muscles*. 2022;1(1):1–15.
63. Kuschel LB, Sonnenburg D, Engel T. Factors of Muscle Quality and Determinants of Muscle Strength: A Systematic Literature Review. *Healthc*. 2022;10(10).
64. Hari P, Nasional K. Efektivitas Cylindrical Grip terhadap Kekuatan Otot Ekstremitas Atas pada Pasien Stroke. 2021;12(November):26–31.
65. Muhammad purqan nur M purqan nur, Maryam SMB, Nani N. Efektivitas Range of Motion Terhadap Kekuatan Otot pada Pasien Non-hemoragik Stroke. *J Heal Educ Lit*. 2023;6(1):50–7.
66. Azzollini V, Dalise S, Chisari C. How Does Stroke Affect Skeletal Muscle? State of the Art and Rehabilitation Perspective. *Front Neurol*. 2021;12(December).
67. Otot K, Pasien P. Pengaruh range of motion (rom) terhadap peningkatan kekuatan otot pada pasien stroke. 2021;01(01):34–41.
68. Vaishya R, Misra A, Vaish A, Ursino N, Ambrosi RD. Hand grip strength as a proposed new vital sign of health : a narrative review of evidences. *J Heal Popul Nutr [Internet]*. 2024;1–14. Available from: <https://doi.org/10.1186/s41043-024-00500-y>
69. Deuel LM, Seeberger LC. Complementary Therapies in Parkinson Disease : a Review of Acupuncture , Tai Chi , Qi Gong , Yoga , and Cannabis. 2020;1434–55.

70. Urits I, Schwartz RH, Orhurhu V, Maganty N V. A Comprehensive Review of Alternative Therapies for the Management of Chronic Pain Patients : Acupuncture , Tai Chi , Osteopathic Manipulative Medicine , and Chiropractic Care. *Adv Ther* [Internet]. 2021;38(1):76–89. Available from: <https://doi.org/10.1007/s12325-020-01554-0>
71. Desai AB, Esfahani P, Sokolovskaya T V, Bartlett DJ. Effectiveness of Tai Chi for Health Promotion of Older Adults : A Scoping Review of. 2022;
72. Li X, Gao Y, Wu M, Wei D, Xiong X, Yang Y, et al. Effect of Tai Chi versus aerobic exercise on blood pressure in prehypertension patients (TCOBPP): a study protocol for a 12 - month single - blind randomized controlled trial. *Trials* [Internet]. 2022;1–14. Available from: <https://doi.org/10.1186/s13063-022-06840-6>
73. Lin J, Ning S, Lyu S, Gao H, Shao X, Tan Z, et al. The effects of different types of Tai Chi exercises on preventing falls in older adults : a systematic review and network meta - analysis. *Aging Clin Exp Res* [Internet]. 2024; Available from: <https://doi.org/10.1007/s40520-023-02674-7>
74. Tan T, Meng Y, Li X, Bai R, Wang C, Lyu J, et al. The novel effectiveness of Tai Chi on cardiopulmonary fitness among stroke patients in the recovery phase: a study protocol for a randomized controlled trial. *Trials*. 2021;22(1):1–12.
75. Niu Y, Buranarugsa R, Kuhirunyaratn P, Program SS, Kaen K, Program PE, et al. *Asia-Pacific Journal of Science and Technology*. 2022;1–16.
76. Guyon A. Benefits of Tai Chi for Physical and Mental Health. *Futur Integr Med*

[Internet]. 2024;000(000):000–000. Available from:
<https://www.doi.org/10.14218/FIM.2023.00088>

77. Xie Q, Wu J, Zhang Q, Zhang Y, Sheng B, Wang X, et al. Neurobiomechanical mechanism of Tai Chi to improve upper limb coordination function in post-stroke patients: a study protocol for a randomized controlled trial. *Trials* [Internet]. 2023;24(1):1–13. Available from: <https://doi.org/10.1186/s13063-023-07743-w>
78. Kristi L. Stringer, Bulent Turan, Lisa McCormick, Modupeoluwa Durojaiye, Laura Nyblade, Mirjam-Colette Kempf, Bronwen Lichtenstein and JMT. Exploring tai chi exercise and mind-body breathing in patients with COPD in a randomized controlled feasibility trial. *Physiol Behav.* 2022;176(3):139–48.
79. Mendo B, Gonçalves M, Lopes L, Matos LC, Machado J. Can Yoga, Qigong, and Tai Chi Breathing Work Support the Psycho-Immune Homeostasis during and after the COVID-19 Pandemic? A Narrative Review. *Healthc.* 2022;10(10).
80. Gao J, Gao Q, Huo L, Yang J. Impaired Activity of Daily Living Status of the Older Adults and Its Influencing Factors : A Cross-Sectional Study. 2022;
81. E. Wurzinger H, Abzhandadze T, Rafsten L, Sunnerhagen KS. Dependency in Activities of Daily Living During the First Year After Stroke. *Front Neurol.* 2021;12(November):1–9.
82. Zhou Z, Fu J, Shen Z, Qiu Y, Yang J. Activities of daily living and non- - exercise physical activity in older adults : findings from the Chinese Longitudinal Healthy Longevity Survey. 2024;1–8.

83. Hoang AT, Tran TH, Vu HM, Do HT, Minh T, Vu T, et al. Evaluation of activities and instrumental activities of daily living and correlated factors of traumatic brain injury patients in Vietnam. *Sci Rep* [Internet]. 2024;1–9. Available from: <https://doi.org/10.1038/s41598-024-58472-2>
84. Pashmdarfard M, Azad A. Assessment tools to evaluate Activities of Daily Living (ADL) and Instrumental Activities of Daily Living (IADL) in older adults : A systematic review. 2020;2020.
85. Gao Y, Wang Y, Li D, Zhao J, Dong Z, Zhou J, et al. Disability assessment in stroke: Relationship among the pictorial-based Longshi Scale, the Barthel Index, and the modified Rankin Scale. *Clin Rehabil*. 2021;35(4):606–13.
86. Cucu S, Irna N. Penerapan Konsep Model Teori Menurut Orem Pada Asuhan Keperawatan Stroke Non Hemoragik Di Ruang Rawat Inap. *J Kesehat Masa Depan*. 2024;3(1):1–7.
87. Khademian Z, Ara FK, Gholamzadeh S. The effect of self care education based on Orem ' s nursing theory on quality of life and self-efficacy in patients with hypertension. *Int J Community Based Nurs Midwifery*. 2019;8(2):140–9.
88. Hartweg DL, Metcalfe SA. Orem ' s Self-Care Deficit Nursing Theory : Relevance and Need for Refinement. 2022;
89. Si Y, Yuan H, Ji P, Chen X. The combinative effects of orem self-care theory and PDCA nursing on cognitive function, neurological function and daily living ability in acute stroke. *Am J Transl Res*. 2021;13(9):10493–500.
90. Soesana A, Subakti H, Salamun S, Tasrim IW, Karwanto K, Falani I, et al.

Metodologi Penelitian Kuantitatif. 2023.

91. Amin NF, Garancang S, Abunawas K. Populasi dalam penelitian merupakan suatu hal yang sangat penting, karena ia merupakan sumber informasi. *J Pilar*. 2023;14(1):15–31.
92. Nursalam. metodologi penelitian ilmu keperawatan. peni puji lestari, editor. Penerbit Salemba Medika. jakarta selatan; 2020. 26 p.
93. Aguilar-zafra S, Corral T, Valera-calero JA, Mart P, Plaza-manzano G, Ibai L. Development of the Web-Based Spanish Version of the Barthel Index in Patients with Multiple Sclerosis. 2022;
94. Ocagli H, Cella N, Stivanello L, Degan M, Canova C. The Barthel index as an indicator of hospital outcomes: A retrospective cross-sectional study with healthcare data from older people. *J Adv Nurs*. 2021;77(4):1751–61.
95. Shao C, Wang Y, Gou H, Chen T, Shao C, Wang Y, et al. Topics in Stroke Rehabilitation The factors associated with the deterioration of activities of daily life in stroke patients : A retrospective cohort study The factors associated with the deterioration of activities of daily life in stroke. *Top Stroke Rehabil* [Internet]. 2024;31(1):21–8. Available from: <https://doi.org/10.1080/10749357.2023.2194095>
96. Liu T, Teng Y, Yang S, Guo Y, Yin T, Chen J, et al. The Specific and Nonspecific Effects of Tai Chi and Its Possible Central Responses: A Protocol of Neuroimaging Study. *Evidence-based Complement Altern Med*. 2021;2021.
97. Amaya Pascasio L, Blanco Ruiz M, Milán Pinilla R, García Torrecillas JM,

- Arjona Padillo A, Del Toro Pérez C, et al. Stroke in Young Adults in Spain: Epidemiology and Risk Factors by Age. *J Pers Med*. 2023;13(5).
98. Branyan TE, Sohrabji F. Sex differences in stroke co-morbidities. *Exp Neurol*. 2020;332:1–16.
99. Xiuyun W, Qian W, Minjun X, Weidong L, Lizhen L. Education and stroke: evidence from epidemiology and Mendelian randomization study. *Sci Rep* [Internet]. 2020;10(1):1–11. Available from: <https://doi.org/10.1038/s41598-020-78248-8>
100. Edward JA, Cornwell WK. Impact of Exercise on Cerebrovascular Physiology and Risk of Stroke. *Stroke*. 2022;53(7):2404–10.
101. Lee KE, Choi M, Jeoung B. Effectiveness of Rehabilitation Exercise in Improving Physical Function of Stroke Patients: A Systematic Review. *Int J Environ Res Public Health*. 2022;19(19).
102. Sato K, Arasaki N, Agena S, Sueyoshi Y, Nakayama Y, Tanaka S, et al. Muscle mass at admission and increased muscle mass during hospitalization as predictors for improved walking function in patients with stroke. *Clin Nutr ESPEN* [Internet]. 2025;68:335–41. Available from: <https://doi.org/10.1016/j.clnesp.2025.05.016>
103. Choi AY, Lim JH, Kim BG. Effects of muscle strength exercise on muscle mass and muscle strength in patients with stroke: a systematic review and meta-analysis. *J Exerc Rehabil*. 2024;20(5):146–57.
104. Kolmos M, Christoffersen L, Kruuse C. Recurrent Ischemic Stroke – A

- Systematic Review and Meta-Analysis. *J Stroke Cerebrovasc Dis.* 2021;30(8).
105. Flach C, Muruet W, Wolfe CDA, Bhalla A, Douiri A. Risk and Secondary Prevention of Stroke Recurrence: A Population-Base Cohort Study. *Stroke.* 2020;51(8):2435–44.
106. Einstad MS, Saltvedt I, Lydersen S, Ursin MH, Munthe-Kaas R, Ihle-Hansen H, et al. Associations between post-stroke motor and cognitive function: a cross-sectional study. *BMC Geriatr.* 2021;21(1):1–10.
107. Tu WJ, Wang L De, Yan F, Peng B, Hua Y, Liu M, et al. China stroke surveillance report 2021. *Mil Med Res.* 2023;10(1):1–26.
108. Wu ZP, Wei W, Liu S, Hu MD, Zhao H, Li XF, et al. The effect of hypertension, obesity, and type 2 diabetes on lacunar stroke: A network Mendelian randomization study. *Nutr Metab Cardiovasc Dis* [Internet]. 2025;35(6):103974. Available from: <https://doi.org/10.1016/j.numecd.2025.103974>
109. Feng F, Luo XC, Chen YJ, Li JJ, Kang H, Yan BH. Effects of Tai Chi Yunshou on upper-limb function and balance in stroke survivors: A systematic review and meta-analysis. *Complement Ther Clin Pract* [Internet]. 2023;51(April 2022):101741. Available from: <https://doi.org/10.1016/j.ctcp.2023.101741>
110. Michór P, Renardson L, Li S, Boltze J. Neuroscience Neurorestorative Approaches for Ischemic Stroke Challenges , Opportunities , and Recent Advances. *Neuroscience* [Internet]. 2024;550(November 2023):69–78. Available from: <https://doi.org/10.1016/j.neuroscience.2024.05.009>

111. Esteban-garcia N, Nombela C, Garrosa J, Rascón-ramirez FJ, Barcia JA. Neurorestoration Approach by Biomaterials in Ischemic Stroke. 2020;14(May).
112. Haupt M, Gerner ST, Bähr M, Doeppner TR. Neuroprotective Strategies for Ischemic Stroke — Future Perspectives. 2023;
113. Song R, Park M, Jang T, Oh J, Sohn MK. Effects of a tai chi-based stroke rehabilitation program on symptom clusters, physical and cognitive functions, and quality of life: A randomized feasibility study. *Int J Environ Res Public Health*. 2021;18(10).
114. Shao Y, Han J yuan, Li H long, Ren Z ping, Yang H. Effect of traditional Chinese exercises on the physical and mental health of stroke patients : a. 2024;2012(October).
115. Feng F, Luo XC, Chen YJ, Li JJ, Kang H, Yan BH. Effects of Tai Chi Yunshou on upper-limb function and balance in stroke survivors: A systematic review and meta-analysis. *Complement Ther Clin Pract* [Internet]. 2023;51(January):101741. Available from: <https://doi.org/10.1016/j.ctcp.2023.101741>
116. Park M, Song R, Ju K, Seo J, Fan X, Ryu A, et al. Effects of Tai Chi and Qigong on the mobility of stroke survivors: A systematic review and meta-analysis of randomized trials. *PLoS One* [Internet]. 2022;17(11 November):1–16. Available from: <http://dx.doi.org/10.1371/journal.pone.0277541>
117. Cui Z, Xiong J, Li Z, Yang C. Tai chi improves balance performance in healthy older adults : a systematic review and. 2024;(November):1–14.

Lampiran 1. Lembar Informed Consent

INFORMED CONSENT

Dengan hormat saya,

Saya yang bertanda tangan di bawah ini adalah Mahasiswa Fakultas kedokteran Program Studi Magister Keperawatan Universitas Diponegoro

Nama : Nimas Efa Amanah

NPM : 22020123410028

No telpon : 0895384235869

Judul penelitian : Pengaruh Latihan Tai Chi Duduk Terhadap Pemenuhan *Activity Daily Living* Pada Pasien Stroke Dengan Hemiparesis

Peneliti bermaksud mengadakan penelitian untuk mengetahui pengaruh Latihan Tai Chi Duduk Terhadap pemenuhan *Activity daily living* dan kekuatan otot Pada Pasien Stroke. Bapak/Ibu/Saudara yang berpartisipasi dalam penelitian ini, akan dilakukan pemberian intervensi berupa Latihan Tai Chi duduk untuk meningkatkan ADL dan kekuatan otot. Hasil penelitian ini diharapkan dapat bermanfaat bagi pelayanan keperawatan khususnya pada pasien stroke pada tahap rehabilitasi. Peneliti menjamin bahwa penelitian ini tidak akan berdampak negatif, dan apabila mengalami ketidaknyamanan maka Bapak/Ibu/Saudara mempunyai hak untuk berhenti dan mendapatkan intervensi keperawatan. Kami akan menjunjung tinggi hak responden dengan menjaga kerahasiaan yang diperoleh dalam proses pengumpulan, pengolahan dan penyajian data. Dengan penjelasan ini peneliti mengharapkan partisipasi Bapak/Ibu /Saudara atas kesediannya untuk berpartisipasi dalam penelitian ini, peneliti ucapkan terima Kasih. Semoga bantuan Bapak/ibu/Saudara mendapat imbalan dari Tuhan yang Maha Kuasa serta dapat memberi manfaat bagi pengembangan ilmu keperawatan.

Semarang,2025

Peneliti



(Nimas Efa Amanah)