

DAFTAR PUSTAKA

- Ade, D. I. P., Wijaya, M. and Putri, S. E. (2016) 'Pengaruh Katalis Asam Klorida dan Media Natrium Klorida Terhadap Sintetik Polieugenol dari Minyak Cengkeh (*Syzygium aromaticum*)', *Jurnal Chemica*, 17(1), pp. 33–44.
- Andalusi, R. (2008) 'Penentuan Kondisi Optimum Reaksi Sulfonasi HIPS dengan Variasi Temperatur dan Waktu Reaksi', pp. 13–14.
- Anwar, P. K. and Yuliani, R. (2019) 'Aktivitas Sitotoksik Ekstrak Etil Asetat Umbi Bawang Putih (*Allium Sativum* L.) terhadap Sel Kanker MCF-7 Dan T47D', *Universitas Muhammadiyah Surakarta*.
- Aoshima, S. and Kanaoka, S. (2009) 'A renaissance in living cationic polymerization', *Chemical Reviews*, 109(11), pp. 5245–5287. doi: 10.1021/cr900225g.
- Ayyad, O. D. H. (2011) 'Novel strategies for The Synthesis of Metal Nanoparticles and Nanostructures', *Thesis*, 8(V 4), p. 233.
- Dewi, E. L., Ismujanto, T. and Chandrasa, G. T. (2018) 'Pengembangan dan Aplikasi Fuel Cell', *Prosiding Seminar Nasional Teknoin 2008*, 3169887(021), pp. A51–A5Dewi, E. L., Ismujanto, T., Chandrasa, G.
- Fachrully S, A., Erna S, N. and Susilo (2021) 'Analisis Citra Hasil Scanning Electron Microscopy Energy Dispersive X-Ray (SEM EDX) Komposit Resin Timbal dengan Metode Contrast to Noise Ratio (CNR)', *Indonesian Journal of Mathematics and Natural Sciences*, 44(2), pp. 81–85. Available at: <http://journal.unnes.ac.id/nju/index.php/JM>.
- Fath, M. T. Al *et al.* (2024) 'Jurnal Teknik Kimia USU Karakteristik Sifat Fisik Membran Elektrolit Polimer Berbasis Kitosan Larva Black Soldier Fly/Polivinil Alkohol/Poliakrilonitril dengan Penambahan Ammonium Klorida Physical Characteristics of Black Soldier Fly Maggot Chitosan /', *Jurnal Teknik Kimia*, 13(1), pp. 63–70.
- Fatmawati, D. (2015) 'Sintesis dan Karakterisasi Hidrogel Kopolimer dari Akrilamida dan Metilen Bisakrilamida pada Kitin Cangkang Udang', *Universitas Jember*, 3(3), pp. 96–104.
- Güler, E., Sadeghi, S. and Alkan Gürsel, S. (2018) 'Characterization and fuel cell performance of divinylbenzene crosslinked phosphoric acid doped membranes based on 4-vinylpyridine grafting onto poly(ethylene-co-tetrafluoroethylene) films', *International Journal of Hydrogen Energy*, 43(16), pp. 8088–8099. doi: 10.1016/j.ijhydene.2018.03.087.
- Haghighi, A. H. *et al.* (2011) 'Direct methanol fuel cell performance of sulfonated poly (2,6-dimethyl-1,4-phenylene oxide)-polybenzimidazole blend proton exchange membranes', *International Journal of Hydrogen Energy*, 36(5),

pp. 3688–3696. doi: <https://doi.org/10.1016/j.ijhydene.2010.12.101>.

- Handayani, D. S., Rahayu, P. and Firdaus, M. (2019) ‘Synthesis and characterisation of copoly-(eugenol-N,N'-methylene bis(acrylamide))’, *Journal of Physical Science*, 30(3), pp. 87–100. doi: 10.21315/jps2019.30.3.6.
- Handayani, S., Dewi, E. L., Purwanto, W. W., Soemantojo, R. W., Raya, J., & Serpong, P. (2007). *Membran Komposit Polieter-Eter Keton yang Tersulfonasi Zeolit Untuk Aplikasi Sel Bahan Bakar Metanol Langsung*. 9(1), 2007.
- Jhaveri, J. H., & Murthy, Z. V. P. (2016). A comprehensive review on anti-fouling nanocomposite membranes for pressure driven membrane separation processes. *Desalination*, 379, 137–154. <https://doi.org/10.1016/j.desal.2015.11.009>
- Jihan, N. H. J. H., Mardiah, A., Jannah, M., & Kurniasih, E. (2020). Jurnal Review: Trans-Sulfonasi Berganda Untuk Produksi Palm Ester Sulfonat (Pes) Bagi Pengembangan Teaknologi Enhanced Oil Recovery (Eor). *Indonesian Journal of Industrial Research*, 15(30), 30–36. <http://litbang.kemenperin.go.id/jtt/article/view/6737>
- Kazim, A. (2004) ‘Determination of an Optimum Performance of a PEM Fuel Cell Based on its Limiting Current Density’, pp. 159–166. doi: 10.1007/1-4020-2669-2_16.
- Kiswandono, A. A., Mudasir, Siswanta, D., Aprilita, N. H., Santosa, S. J., & Hadi, S. (2019). Synthesis and characterization of co-edaf and its application test as a carrier membrane for phenol transport using polymer inclusion membrane (PIM). *Research Journal of Chemistry and Environment*, 23(5), 1–9.
- Kustomo. (2020). Uji karakterisasi dan mapping magnetit nanopartikel terlapis asam humat dengan Scanning Electron Microscope – Energy Dispersive X-Ray (SEM-EDX). *Indonesian Journal of Chemical Science*, 9(3), 149–153.
- Lee, S. W., Jeon, B. Y. and Park, D. H. (2010) ‘Effect of bacterial cell size on electricity generation in a single-compartmented microbial fuel cell’, *Biotechnology Letters*, 32(4), pp. 483–487. doi: 10.1007/s10529-009-0184-1.
- Liaqat, K. *et al.* (2018) ‘Synthesis and characterization of novel sulfonated polyimide with varying chemical structure for fuel cell applications’, *Solid State Ionics*, 319(August 2017), pp. 141–147. doi: 10.1016/j.ssi.2018.02.018.
- Liu, H. W. *et al.* (2015) ‘The chromatin scaffold protein SAFB1 localizes SUMO-1 to the promoters of ribosomal protein genes to facilitate transcription initiation and splicing’, *Nucleic Acids Research*, 43(7), pp. 3605–3613. doi: 10.1093/nar/gkv246.

- Ma'aruf, H. M. and Widiharsa, F. A. (2016) 'Fuel Cell sebagai Sumber Energi Listrik Alternatif Pengisi Baterai dengan Energi Panas', *Jurnal Teknik Mesin*, 12(1), pp. 45–54.
- Madec, L., Ledeuil, J. B., Morey, J., & Martinez, H. (2023). Cross-section nano-Auger/SEM analysis to reveal bulk chemical/morphological properties of composites for energy storage. *Electrochimica Acta*, 448(October 2022). <https://doi.org/10.1016/j.electacta.2023.142185>
- Marchese, A., Barbieri, R., Coppo, E., Orhan, I. E., Daglia, M., Nabavi, S. F., Izadi, M., Abdollahi, M., Nabavi, S. M., & Ajami, M. (2017). Antimicrobial activity of eugenol and essential oils containing eugenol: A mechanistic viewpoint. *Critical Reviews in Microbiology*, 43(6), 668–689. <https://doi.org/10.1080/1040841X.2017.1295225>
- Mardiana, U. (2015). MICROBIAL FUEL CELL BERBASIS YEAST *Saccharomyces cerevisiae*. *Jurnal Kesehatan Bakti Tunas Husada: Jurnal Ilmu-Ilmu Keperawatan, Analisis Kesehatan Dan Farmasi*, 14(1), 56. <https://doi.org/10.36465/jkbth.v14i1.129>
- Mrvar, P. (2010) 'Differential thermal analysis (DTA) and differential scanning calorimetry (DSC) as a method of material investigation Diferencna termicna analiza (DTA) in diferencna vrsticna kalorimetrija (DSC) kot metoda za raziskavo materialov', in. Available at: <https://api.semanticscholar.org/CorpusID:41056278>.
- Muliawati, E. C., Budianto, A. and Hamid, A. (2021) 'Promising Potential of Eugenol (Clove) Based Organic Membrane for Polymer Electrolyte Membrane Fuel Cell', *Journal of Physics: Conference Series*, 2117(1). doi: 10.1088/1742-6596/2117/1/012037.
- Munavalli, B. B. and Kariduraganavar, M. Y. (2018) 'Enhancement of fuel cell performance of sulfonated poly(arylene ether ketone) membrane using different crosslinkers', *Journal of Membrane Science*, 566, pp. 383–395. doi: 10.1016/j.memsci.2018.09.023.
- Naha, A., Debroy, R., Sharma, D., Shah, M. P., & Nath, S. (2023). Microbial fuel cell: A state-of-the-art and revolutionizing technology for efficient energy recovery. *Cleaner and Circular Bioeconomy*, 5(October 2022), 100050. <https://doi.org/10.1016/j.clcb.2023.100050>
- Ngadiwiyan, N. (2005) 'Polimerisasi Eugenol Dengan Katalis Asam Sulfat Pekat', *Jurnal Kimia Sains dan Aplikasi*, 8(2), pp. 43–47. doi: 10.14710/jksa.8.2.43-47.
- Ngadiwiyan, N., Gunawan, G., Prasetya, N. B. A., Kusworo, T. D., & Susanto, H. (2022). Synthesis and characterization of sulfonated poly (eugenol-co-allyleugenol) membranes for proton exchange membrane fuel cells. *Heliyon*, 8(June), e12401. <https://doi.org/10.1016/j.heliyon.2022.e12401>

- Parthasarathy, A. *et al.* (1992) 'Temperature Dependence of the Electrode Kinetics of Oxygen Reduction at the Platinum/Nafion® Interface—A Microelectrode Investigation', *Journal of The Electrochemical Society*, 139(9), pp. 2530–2537. doi: 10.1149/1.2221258.
- Priambodo, W., Daniel and Saleh, C. (2019) 'Pembuatan Metil Salisilat Menggunakan Katalis Asam Dengan Metode Tanpa Pelarut', *Jurnal Atomik*, 4(1), pp. 41–44.
- Prihandana, G. S., Sanada, I., Ito, H., Noborisaka, M., Kanno, Y., Suzuki, T., & Miki, N. (2013). Antithrombogenicity of fluorinated diamond-like carbon films coated nano porous polyethersulfone (PES) membrane. *Materials*, 6(10), 4309–4323. <https://doi.org/10.3390/ma6104309>
- Purwaningsih, H., Irawadi, T. T., Mas'ud, Z. A., & Fauzi, A. M. (2012). Rekayasa Biopolimer Jerami Padi dengan Teknik Kopolimerisasi Cangkok dan Taut Silang. *Jurnal Kimia VALENSI*, 2(4). <https://doi.org/10.15408/jkv.v2i4.266>
- Ricci, E., Cazzaniga, F., & Testai, S. (2015). TEM sample preparation of a SEM cross section using electron beam induced deposition of carbon. *Microelectronics Reliability*, 55(9–10), 2126–2130. <https://doi.org/10.1016/j.microrel.2015.07.018>
- Riedl, R., Fütterer, J., Goderbauer, P., Michel, M., Jacob, F., & Hutzler, M. (2019). Combined Yeast Biofilm Screening – Characterization and Validation of Yeast Related Biofilms in a Brewing Environment with Combined Cultivation and Specific Real-time PCR Screening of Selected Indicator Species. *Journal of the American Society of Brewing Chemists*, 77(2), 99–112. <https://doi.org/10.1080/03610470.2019.1579036>
- Salim, A. and Suwardi (2009) 'Sintesis Hidrogel Superabsorben Berbasis Akrilamida dan Asam Akrilat pada Kondisi Atmosfer', *Penelitian Saintek*, 14(1), pp. 1–16.
- Shahi, A. *et al.* (2021) 'A comparative study on the performance of microbial fuel cell for the treatment of reactive orange 16 dye using mixed and pure bacterial species and its optimization using response surface methodology', *Sustainable Energy Technologies and Assessments*, 48(October 2020), p. 101667. doi: 10.1016/j.seta.2021.101667.
- Simanjuntak, W. *et al.* (2014) 'The Use of Carbon Dioxide Released from Coconut Shell Combustion to Produce Na₂CO₃', *Makara Journal of Science*, 18(3). doi: 10.7454/mss.v18i3.3717.
- Siti Wafiroh, Suyanto Suyanto, Y. Y. (2016). *Pembuatan dan Karakterisasi Membran Komposit Kitosan- Sodium Alginat Terfosforilasi Sebagai Proton Exchange Membrane Fuel Cell (PEMFC)*. 1(1), 14–21.
- Subamia, I. D. P. *et al.* (2023) 'Optimasi Kinerja Alat Fourier Transform Infrared (FTIR) Melalui Studi Perbandingan Komposisi dan Ketebalan Sampel-KBr',

- Jurnal Pengelolaan Laboratorium Pendidikan*, 5(2), pp. 58–69. doi: 10.14710/jplp.5.2.58-69.
- Suka, I. G., Simanjuntak, W. and Dewi, E. L. (2012) ‘Pembuatan Membran Polimer Elektrolit Berbasis Polistiren Akrilonitril (SAN) untuk Aplikasi Direct Methanol Fuel Cell’, *Jurnal Natur Indonesia*, 13(1), p. 1. doi: 10.31258/jnat.13.1.1-6.
- Tacas, A. C. J., Tsai, P. W., Tayo, L. L., Hsueh, C. C., Sun, S. Y., & Chen, B. Y. (2021). Degradation and biotoxicity of azo dyes using indigenous bacteria-acclimated microbial fuel cells (MFCs). *Process Biochemistry*, 102(December 2020), 59–71. <https://doi.org/10.1016/j.procbio.2020.12.003>
- Tellez-Cruz, M. M., Escorihuela, J., Solorza-Feria, O., & Compañ, V. (2021). Proton exchange membrane fuel cells (Pemfcs): Advances and challenges. In *Polymers* (Vol. 13, Issue 18, pp. 1–54). <https://doi.org/10.3390/polym13183064>
- Terada, I. and Nakagawa, H. (2008) ‘Polymer Electrolyte Fuel Cell’, *Kobunshi*, 57(7), pp. 498–501. doi: 10.1295/kobunshi.57.498.
- Ulanowska, M. and Olas, B. (2021) ‘Biological properties and prospects for the application of eugenol—a review’, *International Journal of Molecular Sciences*, 22(7). doi: 10.3390/ijms22073671.
- Wang, Z., Zheng, H., Chen, J., Wang, W., Sun, F., & Cao, Y. (2023). Effect of Crosslinking Conditions on the Transport of Protons and Methanol in Crosslinked Polyvinyl Alcohol Membranes Containing the Phosphoric Acid Group. *Polymers*, 15(21), 1–22. <https://doi.org/10.3390/polym15214198>
- Widasari Trisna Siniwi (2014) *Sintesis dan Karakterisasi Proton Exchange Membrane Kitosan-Nanosilika*, Jurusan Kimia Fakultas Matematika dan Ilmu Pengetahuan Alam.
- Yang, T. *et al.* (2018) ‘A graphene oxide polymer brush based cross-linked nanocomposite proton exchange membrane for direct methanol fuel cells’, *RSC Advances*, 8(28), pp. 15740–15753. doi: 10.1039/c8ra01731j.
- Yılmazoğlu, M., Bayıroğlu, F., Erdemi, H., Abacı, U., & Guney, H. Y. (2021). Dielectric properties of sulfonated poly(ether ether ketone) (SPEEK) electrolytes with 1-ethyl-3-methylimidazolium tetrafluoroborate salt: Ionic liquid-based conduction pathways. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 611(October 2020). <https://doi.org/10.1016/j.colsurfa.2020.125825>
- Zhang, H., Wu, W., Wang, J., Zhang, T., Shi, B., Liu, J., & Cao, S. (2015). Enhanced anhydrous proton conductivity of polymer electrolyte membrane enabled by facile ionic liquid-based hopping pathways. *Journal of Membrane Science*, 476, 136–147. <https://doi.org/10.1016/j.memsci.2014.11.033>